

## DAFTAR PUSTAKA

- [1] RS Bunda Group., Desember 2021. Kenali Fungsi Kerja Kesehatan Jantung.  
<https://bunda.co.id/artikel/kesehatan/jantung/kenali-fungsi-kerja-jantung-anda>.
- [2] Rahayuningsih, S. E. (2009, November). Recognizing the RV Anatomy by Echocardiography. In Workshop on Echocardiography in Congenital Heart Disease. Faculty of Medicine Padjajaran University.
- [3] Farnebäck, G. (2003). Two-frame motion estimation based on polynomial expansion. In Image analysis (pp. 363-370). Springer Berlin Heidelberg.
- [4] Iaizzo, P. A. 2005. Handbook of cardiac anatomy, physiology and devices. Totowa, New jersey: Press Inc.
- [5] Riyanto Sigit. (2014). "Segmentasi imej untuk video ekokardiografi menggunakan persamaan segitiga". Fakulti Kejuteraan Dan Alam Bina, Universiti Kebangsaan Malaysia Bangi.
- [6] Saputro, Adhi Harmoko. (2013). "Penilaian Kuantitatif Analisis Ketakfungsian Ventrikel Kiri Secara Automatik Untuk Mengesan Penyakit Jantung Iskemik". Fakulti Kejuteraan Dan Alam Bina, Universiti Kebangsaan Malaysia Bangi.
- [7] Slamet Riyadi. (2012). "Profil gerakan jantung berasaskan aliran optik", Fakulti Kejuteraan Dan Alam Bina, Universiti Kebangsaan Malaysia Bangi.
- [8] Evangelista, A., Flachskampf, F. A., Erbel, R., Antonini-Canterin, F., Vlachopoulos, C., Rocchi, G., ... & Breithardt, O. A. (2010). Echocardiography in aortic diseases: EAE recommendations for clinical practice. *European Heart Journal-Cardiovascular Imaging*, 11(8), 645-658.
- [9] Claessens, T. (2006). *Model-based quantification of systolic and diastolic left ventricular mechanics* (Doctoral dissertation, Ghent University).

- [10] Paris, S., Kornprobst, P., Tumblin, J., & Durand, F. (2009). *Bilateral filtering: Theory and applications*. Now Publishers Inc.
- [11] Ahmad, N., & Hadinegoro, A. (2012). Metode *Histogram equalization* Untuk Perbaikan Citra Digital. *Semantik*, 2(1).
- [12] Caballero, L., Kou, S., Dulgheru, R., Gonjilashvili, N., Athanassopoulos, G. D., Barone, D., ... & Hagendorff, A. (2015). Echocardiographic reference ranges for normal cardiac Doppler data: results from the NORRE Study. *European Heart Journal - Cardiovascular Imaging*, jev083.
- [13] R. Sigit, E. Rochmawati, “ Segmentation Echocardiography Video using B – Spline and Optical Flow,” Knowledge Creation and Intelligent Computing, 2016.
- [14] R. Sigit, A. R. Barakbah, I. A. Sulistiono, I. A. S. Aziz, Automatic Cardiac Segmentation Using Triangle and Optical Flow, *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 8 no.2
- [15] Soesanto, A. M. (2011). Pengukuran Fungsi Sistoleik Global Ventrikel Kiri. *Jurnal Kardiologi Indonesia*, 29(2), 93-95.
- [16] Yuwono, B. (2015). *Image Smoothing Menggunakan Mean Filtering, Median Filtering, Modus Filtering dan Gaussian Filtering*. *Telematika*, 7(1).
- [17] A. A. Pratiwi, R. Sigit, D. K. Basuki, and Y. H. Oktaviono, “Improved Ejection Fraction Measurement on Cardiac Image Using Optical Flow, *International Electronics Symposium on Knowledge and Intelligent Computing*, 2017.
- [18] Xie, Y., Ning, L., Wang, M., & Li, C. (2019). Image Enhancement Based on Histogram Equalization. *Journal of Physics: Conference Series*, 1314(1).
- [19] Erkan, U., Thanh, D. N. H., Hieu, L. M., & Enginoglu, S. (2019). An iterative mean filter for image denoising. *IEEE Access*, 7, 167847–167859.