

DAFTAR PUSTAKA

- Afiadi, F. (2015) 'Model Estimasi Variasi Spasial Seismisitas Sebagai Prekursor Gempa Bumi Kuat Menggunakan Extreme Learning Machine (ELM)', in *TESIS Program Studi Instrumentasi dan Kontrol*. ITB.
- Brownlee, J. (2019) 'Your First Deep Learning Project in Python with Keras Step-By-Step', *Machine Learning Mastery*.
- Cao, C. *et al.* (2018) 'Deep Learning and its Applications in Biomedicine', *Genomics, Proteomics & Bioinformatics*. doi: <https://doi.org/10.1016/j.gpb.2017.07.003>.
- Derakhshani, A. and Foruzan, A. H. (2019) 'Predicting the principal strong ground motion parameters: A deep learning approach', *Applied Soft Computing*, 80, pp. 192–201. doi: <https://doi.org/10.1016/j.asoc.2019.03.029>.
- Fang, W. *et al.* (2019) 'A deep learning-based approach for mitigating falls from height with computer vision: Convolutional neural network', *Advanced Engineering Informatics*, 39, pp. 170–177. doi: <https://doi.org/10.1016/j.aei.2018.12.005>.
- Gutenberg B. dan Richter, C. F. (1944) 'Frequency of earthquakes in California, Bull.', *Seismol. Soc. Am.*, 34.
- Hamilton, W. B. (1979) 'Tectonics of the Indonesian region', in *US Geol. Surv. Prof. Pap.*, 1078, 345. doi: 10.3133/pp1078.
- Joelianto, E., Widiyantoro, S. and Ichsan, M. (2008) 'Time series estimation on earthquake events using ANFIS with mapping function', *International Journal of Artificial Intelligence™*, 3(A09), pp. 37–63.

- Kanjo, E., Younis, E. M. G. and Ang, C. S. (2019) 'Deep learning analysis of mobile physiological, environmental and location sensor data for emotion detection', *Information Fusion*, 49, pp. 46–56. doi: <https://doi.org/10.1016/j.inffus.2018.09.001>.
- Kumar, S. (2012) 'Seismicity In The Nw Himalaya, India: Fractal Dimension, B-Value Mapping And Temporal Variations For Hazard Evaluation', *Geoscience Research*, 3, pp. 83–87.
- Kundu, B. dan G. V. K. (2011) 'Slab Detachment Of Subducted Indo-Australian Plate Beneath Sunda Arc, Indonesia', *J. Earth Syst. Sci*, 120(193), pp. 193–204. doi: <https://doi.org/10.1007/s12040-011-0056-7>.
- Lee, K.-P., Wu, B.-H. and Peng, S.-L. (2019) 'Deep-learning-based fault detection and diagnosis of air-handling units', *Building and Environment*, 157, pp. 24–33. doi: <https://doi.org/10.1016/j.buildenv.2019.04.029>.
- Manukian, H., Traversa, F. L. and Ventra, M. Di (2019) 'Accelerating deep learning with memcomputing', *Neural Networks*, 110, pp. 1–7. doi: <https://doi.org/10.1016/j.neunet.2018.10.012>.
- Mishra, S. *et al.* (2020) 'Comparison of deep learning models for multivariate prediction of time series wind power generation and temperature', *Energy Reports*, 6, pp. 273–286. doi: <https://doi.org/10.1016/j.egy.2019.11.009>.
- Pratiwi Rohadi, S. N. A. N. (2012) 'Analisis korelasi variasi spasial dan temporal b-value terhadap stress, seismisitas, dan tektonik di pulau bali, lombok, dan Sumbawa', *Jurnal. Geofisika*, 13(2/2012).
- Rahmat, B., Afiadi, F. and Joelianto, E. (2018) 'Earthquake Prediction System using Neuro-Fuzzy and Extreme Learning Machine BT - International

- Conference on Science and Technology (ICST 2018)', in. Atlantis Press.
doi: <https://doi.org/10.2991/icst-18.2018.95>.
- Rodrigues, F., Markou, I. and Pereira, F. C. (2019) 'Combining time-series and textual data for taxi demand prediction in event areas: A deep learning approach', *Information Fusion*, 49, pp. 120–129. doi: <https://doi.org/10.1016/j.inffus.2018.07.007>.
- Rohadi, S. (2009) 'Studi Seismotektonik Sebagai Indikator Potensi Gempa bumi Di Wilayah Indonesia', *Jurnal Meteorologi Dan Geofisika*, 10, pp. 111–120.
- Schorlemmer D., S. W. and Wyss, M. (2004) 'Earthquake statistics at Parkfield, Stationarity of b-values', *J. of Geophys. Res.*, 109(B12307). doi: [doi 10.1029/2004-JB003234](https://doi.org/10.1029/2004-JB003234).
- Shi Y. and Bolt, B. A. (1982) 'The standard error of the magnitude-frequency b value', *Bull. Seismol. Soc. Am.*, 72, pp. 1677–1687.
- Sieh K., N. D. (2000) 'Neotectonics of the Sumatran Fault Indonesia', *Journal of Geophysical Research*, 105, pp. 28295–28326.
- Sompotan, A. *et al.* (2015) 'Analysis of Ionospheric Precursor of Earthquake using GIM-TEC, Kriging and Neural Network', *Asian Journal of Earth Sciences*, 8, pp. 32–44. doi: [10.3923/ajes.2015.32.44](https://doi.org/10.3923/ajes.2015.32.44).
- Sunardi, B. (2009) 'Analisa Fraktal Dan Rasio Slip Daerah Bali-Ntb Berdasarkan Pemetaan Variasi Parameter Tektonik', *Jurnal Meteorologi dan Geofisika*, 10, pp. 58–65.
- Ustu, T. (1965) 'A method in determining the value of b in a formula $\log n = a - bM$ showing the magnitude frequency for earthquakes', *Geophys. Bull. Hokkaido Univ.*, 13, pp. 99–103.

Wiemer S. and Wyss, M. (2002) ‘Mapping spatial variability of the frequency-magnitude distribution of earthquakes’, *Adv. Geophys*, 45, pp. 259–302.

Zhou, J. T., Pan, S. J. and Tsang, I. W. (2019) ‘A deep learning framework for Hybrid Heterogeneous Transfer Learning’, *Artificial Intelligence*, 275, pp. 310–328. doi: <https://doi.org/10.1016/j.artint.2019.06.001>.