

DAFTAR PUSTAKA

- Adah, A. M., Fardiaz, D., Andarwulan, N., Kusnandar, F. 2015. Pengaruh pengolahan panas terhadap konsentrasi antosianin monomerik ubi jalar ungu (*Ipomoea batatas* L.). *Agritech* 35(2): 129-136.
- Adams, J.B. 1973. Colour stability of read fruit. Food Manufacture, New York.
- Adu, R. R. Y., Gelyaman, G., Kabosu, M. 2022. Pemanfaatan Ekstrak Antosianin dari Limbah Kulit Bawang Merah (*Allium cepa*) sebagai Zat Pemeka (Sensitizer) pada Dye Sensitized Solar Cell (DSSC). *ALCHEMY*, 18(1): 103-111.
- Afoakwah, A. N., Owusu, J., Adomako, C., Teye, E. 2012. Microwave Assisted Extraction (Mae) Of Antioxidant Constituent In Plant Materials. *Global Journal Of Bio-Science & Biotechnology*, 1(2): 132–140.
- Aliefa, N dan Yunianta. 2015. Ekstraksi Antosianin dari Buah Murbei (*Morus Alba*. L) Metode Microwave Assisted Extraction (Kajian Waktu Ekstraksi dan Rasio Bahan:Pelarut). *Jurnal Pangan dan Agroindustri*, 3(3): 835-846.
- Amelia, F., Galih, N.A., Arini, M., Alia N.F., Sisca, U., Mimiek, M. 2013. Extraction and Stability Test of Anthocyanin from Buni Fruits (*Antidesma Bunius* L) as an Alternatsive Natural and Safe Food Colorants. *J.Food Pharm. Sci*, 1(3): 49-53.
- Amperawati, S., Hastuti, P., Pranoto, Y dan Santoso, U. 2019. Efektifitas Frekuensi Ekstrak Serta Pengaruh Suhu dan Cahaya Terhadap Antosianin dan Daya Antioksidan Ekstrak Kelopak Rosella (*Hibiscus sabdariffa* L.). *Jurnal Aplikasi Teknologi Pangan*, 8(1): 38–45.
- Ani, P., Sumarni, Anom, P. 2016. Koefisien Transfer Massa Pada Ekstraksi Antosianin Dari Bunga Dadap Merah. *Jurnal Tek. Kimia*, 10(2): 49–57.
- Armanzah, R.S dan Hendrawati, T.Y. 2016. Pengaruh Waktu Maserasi Zat Antosianin Sebagai Pewarna Alami Dari Ubi Jalar Ungu (*Ipomoea Batatas* Poir). *Seminar Nasional Sains dan Teknologi*. ISSN: 2460 – 8416.
- Arthey, D dan Ashurst, P.R. 2001. Fruit Prossecing, Nutrition Product, and Quality Management. Maryland: An Aspen Publication.
- Astadi, I.R., Astuti, M., Santoso, U., and Nugraheni, P.S. 2009. In Vitro Antioxidant Activity of Anthocyanins of Black Soybean Seed Coat in Human Low Density Lipoprotein (LDL). *Food Chem*, 122(2): 659-663.
- Astuti, Y. 2020. Perbedaan Teknik Ekstraksi Soxhlet dan MAE (Microwave Assisted Extraction) Terhadap Rendemen dan Aktivitas Antioksidan Minyak Biji Alpukat. *Skripsi. Progdil Studi Kimia*. Jogjakarta: Universitas Islam Indonesia.
- Avif, A. N dan Antari, E. D. 2022. Analisis Kadar Fitokimia Dan Zat Warna Dalam Sari Buah Angkung Hijau Dan Merah (*Basella Alba* And *Basella Rubra*). *Lantanida Journal*, 10 (2): 86-94.

- Azmi, A. N dan Yunianta. 2015. Ekstraksi Antosianin dari Buah Murbei (*Morus Alba. L*) Metode Microwave Assisted Extraction (Kajian Waktu Ekstraksi Dan Rasio Bahan: Pelarut). *Jurnal Pangan dan Agroindustri*, 3(3): 835-846.
- Basuki, N., Harijono, Kuswanto, Damanhuri. 2005. Studi Pewarisan Antosianin pada Ubi Jalar. *Agravita*, 27(1): 63–68.
- Bilecka, I *and* Niederberger, M. 2010. Microwave Chemistry For Inorganic Nanomaterials. *Nanoscale*, 2(1): 1358–1374.
- Bridgers, E. N., Chinn, M. S., Truong, V. D. 2010. Extraction of Anthocyanins from Industrial Purple Fleshed Sweet Potato and Enzymatic Hydrolysis of Residues for Fermentable Sugars. *Industrial Crops and Products*, 3(2): 613–620.
- Brouillard, R. 1982. Chemical Structure of Anthocyanins. di dalam *Anthocyanins as Food Colors*. New York: Academic Press: New York.
- Cacace, J. E *and* Mazza, G. 2003. Extraction of anthocyanins and other phenolics from black currants with sulfured water. *Journal of Agricultural and Food Chemistry*, 50(2): 5939–5946.
- Cai, Y. Z dan Sun, M. 2003. Antioxidant activity of betalins from plants of the *Amaranthaceae*. *J Agric Food Chem*, 131(1): 2837-2842.
- Calinescu, I., Ciuculescu, C., Popescu, M., Bajenaru, S., Epure, G. 2001. Microwaves Assisted Extraction Of Active Principles From Vegetal Material. *Rom. Int. Conf. Chem. And Chemical Engin*, 12(2): 1-6.
- Cavalcanti, R. N., Santos D. T *and* Meireles, M. A. A. 2011. Non-Thermal Stabilization Mechanism of Anthocyanins in Model and Food Systems- An Overview. *Food Research International*, 44(4): 499-509.
- Chan, C. H., Jian J. L., Rozita, Y., Gek-Cheng, N., 2015. A Generalized Energy-Based Kinetic Model For Microwave-Assisted extraction Of Bioactive Compounds From Plants. *Separation And Purification technology*, 143(2): 152-160.
- Chaurasiya, A., Pal, R. K., Verma, P. K., Katiyar, A. R., Kumar, N. 2021. An updated review on Malabar spinach (*Basella alba* and *Basella rubra*) and their importance. *Journal of Pharmacognosy and Phytochemistry*, 10(2): 1201–1207.
- Chemat, F *and* Giancarlo. 2013. Microwave Assisted Extraction for Bioactive Compound. New York, USA: Springer Science and Business Media.
- Dahmoune, F., Boulekbache, L., Moussi, K., Aoun, O., Spigno, G., Madani, K. 2013. Valorization Of Citrus Limon Residues For the Recovery Of Antioxidants: Evaluation and Optimization Of Microwave and Ultrasound Application to Solvent Extraction. *Industrial Crops and Products*, 50(1): 77-87.

- Damayanti, A., Buchori, L., Sulardjaka. 2020. Ekstraksi Antosianin Bunga Dadap Merah Menggunakan Metode MAE (Microwave Assisted Extraction). *Indonesian Journal Of Halal*, 45(5): 100-105.
- Delgado-Vargaz, F., Jimenez, A. R., Paredes-Lopez, O. 2000. Natural Pigments: Carotenoids, Anthocyanins, and Betalanins – Characteristics, Biosynthesis, Processing, and Stability. *Critical Reviews in Food Science and Nutrition*, 40(3): 173-289.
- Deshmukh, S. A and Gaikwad, D. K. A review of the taxonomy, ethnobotany, phytochemistry and pharmacology of *Basella alba* (Basellaceae). *Journal of Applied Pharmaceutical Science*, 4(1): 153-165.
- Devianti, V. K., Chrisnandari, R. D., Darmawan, R. 2019. Pengaruh Metode Ekstraksi Terhadap Mutu Pektin Dari Kulit Pisang Raja Nangka. *Jurnal Kimia Riset*, 4(2): 170-179.
- Duan, W., Jin, S., Zhao, G., Sun, P. 2015. Microwave-Assisted Extraction Of Anthocyanin From Chinese Bayberry And Its Effects On Anthocyanin Stability. *Orient Longman Ltd*, 35(3): 524–530.
- Elik, A., Yanik, D. K and Gogus, F. 2018. Optimization Of Microwave Assisted Extraction Of Phenolics From Organic Strawberry Using Response Surface Methodology. *Harran Tarım Ve Gıda Bilimleri Dergisi*, 21(2): 143–154.
- Elkhorri, S., Pare, J. R. J., Belanger, J. M. R., Perez, E. 2007. The Microwave-Assisted Process (MAP): Extraction and Determination Of Fat From Cocoa Powder and Cocoa Nibs. *Journal of Food Engineering*, 79(1): 1110-1114.
- Ertina N. S dan Endah D. H. N. S. 2011. Induksi Kalus Binahong (*Basella rubra* L.) Secara In Vitro Pada Media Murashige dan Skoog Dengan Konsentrasi Sukrosa Yang Berbeda. *J Bioma*, 13(1): 1–7.
- Espinosa, M. V., Peredo, G. D., González, A. V. F. M., Carrera, C., Palma, M., Barbero, G. F., Bellido, E. E. 2019. Assessment of ultrasound assisted extraction as an alternative method for the extraction of anthocyanins and total phenolic compounds from maqui berries (*Aristotelia chilensis* (Mol.) Stuntz). *Agronomy*, 9(1): 148-152.
- Fanany, M. R. 2020. Ekstraksi Antosianin Dari Bunga Telang (*Clitoria Ternatea*) Dengan Metode Maserasi. Skripsi. Fakultas Teknologi Industri. Jakarta: Universitas Pertamina.
- Farida, R dan Nisa, F. C. 2015. Ekstraksi Antosianin Limbah Kulit Manggis Metode *Microwave Assisted Extraction* (Lama Ekstraksi Dan Rasio Bahan :Pelarut). *Jurnal Pangan Dan Agroindustri*, 3(2): 362–373.
- Fei, P., Zeng, F., Z, S., C, Q., H, Y., C, J. 2021. Acylation of blueberry anthocyanins with maleic acid: Improvement of the stability and its application potential in intelligent color indicator packing materials. *Elsevier*, 184(2): 1-8.

- Ghafoor, K dan Choi, Y. H. 2009. Optimization of Ultrasound Assisted Extraction of Phenolic Compounds and Antioxidant from Grape peel through Response Surface Methodology. J. Korean Soc. Appl. Biol. Chem. Department of Food Science and Technology, Kyungpook National University, Daegu, Republic of Korea.
- Gonnet, J. 1998. Colour Effects of Co-Pigmentation of Anthocyanins Revisited-1 A Calorimetric Definition Using The Cielab Scale. Food Chemistry, 63(3): 409-415.
- Haminiuk, C. W., Maciel, G. M., Oviedo, M. S. P and Peralta, R.M. 2012. Phenolic Compounds in Fruits-An overview. International Journal of Food Science and Biotechnology, 47(10): 2023-2044.
- Hanum, T. 2000. Ekstraksi dan stabilitas zat pewarna alami dari katul beras ketan hitam (*Oryza sativa glutinosa*). Buletin Teknologi Pangan, 9(1): 17-23.
- Hasanah, N dan Novian, D. R. 2020. Analisis Ekstrak Etanol Buah Labu Kuning (*Cucurbita Moschata D.*). J Para Pemikir, 9(1): 54–59.
- Hendry, G. A. F and Houghton, J. D. 1996. Natural Food Colours. London: Blackie Academic & Professional.
- Herfayati, P., Setiaty, P dan Han, N. 2020. Karakteristik Antosianin Dari Kulit Buah Nipah (*Nypa Frutican*) Sebagai Pewarna Alami Dengan Metode Soxhletasi. Jurnal Teknik Kimia Usu, 9(2): 26–33.
- Hernani., Risfaheri dan Hidayat, T. 2017. Ekstraksi dan Aplikasi Pewarna Alami Kayu Secang dan Jambal Dengan Beberapa Jenis Pelarut. Dinamika Kerajinan dan Batik, 34(2): 113-124.
- Hidayah, T. 2013. Uji Stabilitas Pigmen Dan Antioksidan Hasil Ekstraksi Zat Warna Alami Dari Kulit Buah Naga (*Hylocereus Undatus*). Skripsi. Prodi Kimia. Semarang: Universitas Negeri Semarang.
- Hidayat, N dan Saati, E. A. 2006. Membuat Pewarna Alami. Cetakan Pertama. Surabaya: Trubus Agrisarana.
- Ingrath, W., Nugroho, W. A dan Yulianingsih, R. 2015. Ekstraksi Pigmen Antosianin Dari Kulit Buah Naga Merah (*Hylocereus Costaricensis*) Sebagai Pewarna Alami Makanan Dengan Menggunakan Microwave (Kajian Waktu Pemanasan Dengan Microwave Dan Penambahan Rasio Pelarut Aquades Dan Asam Sitrat). Jurnal Bioproses Komoditas Tropis, 3(3): 1–8.
- Irawati, T dan Mardiana, Y. 2002. Stabilitas Antosianin dari Ekstrak Buah Mangsi (*Phyllanthus reticulatus*). Prodi Agroteknologi Univeristas Islam Kediri. Kediri
- Jackman, R. L and Smith, J. L. 1996. Anthocyanins and Betalanins. Di dalam Natural Food Colorants. Hendry, G. A. F dan Houghton J. D. (ed.). Blackie Academic & Professional. London.

- Jain, T., Jain, V., Pandey, R., Vyas, A., Shukla. 2009. Microwave Assisted Extraction For Phytoconstituents. *Asian J. Res. Chem*, 1(2):19-25.
- Joni, T., Rizki, M., Mariani, R., Alan, F. 2017. Uji Efek Ekstrak Etanol Daun sukun *Articarpusaltilis* (Parkinson Ex FA Zorm) Terhadap Penurunan Kadar Glukosa Darah, Kolesterol Total Dan Gambaran HistoPatologi Pankreas Tikus Putih Jantan Hiperkolesterolemia-Diabetes. *J. Sains Kes*, 4(2): 2303-0267.
- Julianti, W. P., Ikrawan, Y dan Iwansyah, A.C. 2019. Pengaruh Jenis Pelarut Terhadap Kandungan Total Fenolik, Aktifitas Antioksidan Dan Toksisitas Ekstrak Buah Ciplukan (*Physalis Angulata* L). *Jurnal Riset Teknologi Industri*, 13(1): 70–79.
- Jyothi, D., Khanam, S and Sultana, R. 2010. Optimization Of Microwave Assisted Solvent Extraction Of Withanolides From Leaves Of Ashwagandha. *Pharmacie Globale (IJCP)*, 4(1): 1-5.
- Khan. M. I and Giridhar, P. 2014. Enhanced stability, chromatic properties and regeneration of betalains in *Rivina humulis* L. berry juice. *LWT Food Sci Technol*, 58(8): 649–65.
- Khare, C. P. 2007. *Indian medicinal plants: An Illustrated Dictionary*. Springer-Verlag Berlin/Heidelberg, 83.
- Khatun, M., Eguchi, S., Yamaguchi, T., Takamura, H., Matoba, T. 2006. Effect Of Thermal Treatment On Radical-Scavenging Activity Of Some Spices. *Food Sci. Technol*, 12(3):175-185.
- Khoo, H. E., Azlan, A. T. T. S and Meng, L, S. 2017. Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*, 61(1): 13-19.
- Krishnaswamy, K., Orsat, V., Garipey, Y., Thangavel, K. 2013. Optimization of microwave-assisted extraction of phenolic antioxidants from grape seeds (*Vitis vinifera*). *Food and Bioprocess Technology*, 6(2): 441–455.
- Kumar, S. S and Giridhar, P. 2017. Stabilization of bioactive betalain pigment from fruits of *Basella rubra* L. through maltodextrin encapsulation. *Madridge J Food Tech*, 2(1): 74-78.
- Kumar, S. S., Manoj, P. Giridhar, P. 2015. A method for red-violet pigments extraction from fruits of Malabar spinach (*Basella rubra*) with enhanced antioxidant potential under fermentation. *J Food Sci and Technol*, 52(5): 3037-3043.
- Kumar, S. S., Manoj, P., Nimisha, G., Giridhar, P. 2016. Phytoconstituents and stability of betalains in fruit extracts of Malabar spinach (*Basella rubra* L.). *J Food Sci and Technol*, 53(11): 4014-4022.
- Kumar, S. S., Arya, M., Mahadevappa, P., Giridhar, P. 2020. Influence of photoperiod on growth, bioactive compounds and antioxidant activity in callus

- cultures of *Basella rubra* L. *Journal of Photochemistry and Photobiology B: Biology*, 209(2): 111-124.
- Kurnia, M. H. 2018. Optimasi Ekstraksi Antosianin Buah Stroberi (*Fragaria X Ananassa*) Dengan Variasi Waktu Ekstraksi Dan Volume Pelarut Menggunakan Response Surface Methodology (RSM). Skripsi. Fakultas Teknologi Pertanian. Malang: Universitas Brawijaya.
- Kurnya, Hajrah dan Ahmad, I. 2019. Ekstraksi Polifenol Total dari Umbi Bawang Dayak (*Eleutherine bulbosa* [Mill.] Urb.) menggunakan Metode Lactic AcidSucrose based *Microwave Assisted Extraction*. *Mulawarman Pharmaceuticals Conferences*, 5(1): 118–121.
- Kusriningrum. 2008. Dasar Perancangan Percobaan dan Rancangan Acak Lengkap. Fakultas Kedokteran Hewan. Universitas Airlangga. Surabaya. Hal 53-92.
- Kusuma, I. M., Veryanti, P.R., Chairunnisa, B. 2020. Aktivitas Antioksidan dari Ekstrak Metanol Buah Kawista (*Limonia acidissima*) dengan Metode DPPH (1,1-difenil-2-pikrilhidrazil). *Sainstech Farma*, 13(2): 60-65.
- Kwon, J. H., Bélanger, J. M and Paré, J. R. 2003. Optimization of microwave-assisted extraction (MAP) for ginseng components by response surface methodology. *Journal of Agricultural and Food Chemistry*, 51(7): 1807-1810.
- Le, X. T., Huynh, M. T., Pham, T. N., Than, V. T., Toan, T. Q., Bach, L. G and Trung, N. Q. 2019. Optimization of Total Anthocyanin Content, Stability and Antioxidant Evaluation of the Anthocyanin Extract from Vietnamese *Carissa Carandas* L. Fruits. *Journal Processes*, 7(468): 1-15.
- Lee, J., Fin, C. E., Wrolstad, R. E. 2004. Anthocyanin pigment and total phenolic content of three *vaccinium* species native to the pacific northwest of north America. *Hortscience*, 39(5): 959-964.
- Li, Y., Skouroumounis, G. K., Elsey, G. M., Taylor, D. K. 2011. Microwave-assistance provides very rapid and efficient extraction of grape seed polyphenols. *Food Chemistry*, 129(11): 570-576.
- Li, Y., Han, L., Ma, R., Xu, X., Zhao, C., Wang, Z., Chen, F., Hu, X. 2012. Effect of energy density and citric acid concentration on anthocyanins yield and solution temperature of grape peel in microwave-assisted extraction process. *Journal of Food Engineering*, 109(2): 274–280.
- Mandal, V., Mohan, Y., Hemalatha, S. 2007. Microwave Assisted Extraction-An Innovative and Promising Extraction Tool for Medicinal Plant Research. *Pharmacognosy Reviews*, 1(1): 18-26.
- Mangkusubroto, K dan Listiani. 2009. Analisis Keputusan oleh Manajemen Usaha Proyek Edisi III. ITB. Bandung. Hal 36-39.
- Martín, J., Navas, M. J., Jiménez-Moreno, A. M and Asuero, A. G. 2017. Anthocyanin Pigments: Importance, Sample Preparation And Extraction.

- Phenolic Compounds - Natural Sources, Importance And Applications. *Pharmaciana*, 9(3): 9–16.
- Megawati dan Machsunah, 2016 – Megawati dan Machsunah, E.L. 2016. Ekstraksi Pektin dari Kulit Pisang Kepok (*Musa Paradisiaca*) Menggunakan Pelarut HCL Sebagai Edible Film. *Jurnal Bahan Alam Terbarukan*, 5(1): 14-21.
- Mitra, A *and* Das, S. K. 2015. *Journal of Chemical and pharmaceutical Research*, 7(12): 111-117.
- Moutusi, S., Parivallal, B. P., Prasannakumar, M. K., Kiranmayee, P. 2019. Morphological and molecular characterization of culturable leaf endophytic fungi from Malabar Spinach, The first report. *Studies in Fungi*, 4(1): 192-204.
- Murray, R. K., Granner, D. K., Rodwell, V. W. 2009. *Biokimia Harper*. Edisi 27. Jakarta: Buku Kedokteran EGC.
- Ngamwonglumlert, L., Devahastin, S *and* Chiewchan, N. 2015. Natural Colorants: Pigment Stability And Extraction Yield Enhancement Via Utilization Of Appropriate Pretreatment And Extraction Methods. *Critical Reviews In Food Science And Nutrition*, 9(3): 356-363.
- Nurhaeni, Nur A.A., Jaya H., Diharnaini, dan Khairunnisa. 2018. Ekstraksi dan Karakterisasi Pektin dari Kulit dan Dami Buah Cempedak (*Artocarpus chempeden*). *KOVALEN*. 4(3): 304-315.
- Ozela, E. F., Stringheta, P. C., *and* Chauca, M. C. 2007. Stability of anthocyanin in spinach vine (*Basella rubra*) fruits. *Cien. Inv. Agr*, 34(2): 115-120.
- Pham, T. N., Le, X. T., Pham, V. T., Le, H. T. 2022. Effects of process parameters in microwave-assisted extraction on the anthocyanin-enriched extract from *Rhodomyrtus tomentosa* (Ait.) Hassk and its storage conditions on the kinetic degradation of anthocyanins in the extract. *Heliyon*, 8(5) : 1-8.
- Prior, R. L., Cao, G., Martin, A., Soffic, E., Mcewen, J., O'Brien, C., Lishchner, N., Ehlenfeldt, M., Kalt, W., Krewer, G *and* Mainland, C.M., 1998. Antioxidant capacity as influenced by total phenolic and antochyanin content, maturity and variety of *Vaccinium* Species. *J. Agric. Food Chem*, 46(7): 2686-2693.
- Priska, M., Peni, N., Carvallo, L., Ngapa, Y. D. 2018. Review: Antosianin dan Pemanfaatannya. *Cakra kimia*, 6(2): 8-15.
- Priya, S. B *and* Preetha, R. 2016. Study on Color Stability and Microencapsulation of Anthrocyenin Pigment using Spray Drying. *Biosciences. Biosci Biotechnol Res Asia*, 13(2): 1207–1214.
- Purbowati, I. S. M., Sujiman, dan Maksum, A. 2018. Aktivitas antibakteri senyawa fenolik ekstrak rosela (*Hisbiscus sabdariffa*) yang dihasilkan dari beberapa variasi metode dan lama pengeringan. *Jurnal Teknologi Industri Pertanian*, 28(2): 19-27.

- Purbowati, I. S. M dan Maksum, A. 2019. The antioxidant activity of Roselle (*Hibiscus sabdariffa* Linn) phenolic compounds in different variations microwave-assisted extraction time and power. IOP Conf. Series: Earth and Environmental Science. 406(1): 1-8
- Puspita, D dan Samalukang, Y. 2017. Termostabilitas Antosianin Dari Buah Basella Rubra Yang Dimikroenkapsulasi (Anthocyanin Thermostability From The Microencapsulated Basella Rubra Fruit). JTPHP, 12(2): 29-38.
- Puspita, D. 2021. Aktifitas Antioksidan Pigmen Bayam Malabar (*Basella Rubra*) Yang Dimikroenkapsulasi Dengan Maltodeskrtrin. Jurnal Dunia Gizi, 4(1): 15-20.
- Purwanto, D., Bahri, S., Ridhay, A. 2017. Uji Aktivitas Antioksidan Ekstrak Buah Purnajiwa (*Kopsia Arborea Blume*) dengan Berbagai Pelarut. KOVALEN, 3(1): 24-32.
- Rafi, M., Febriany, S., Wulandari, P., Suparto, I. H., Ridwan, T., Rahayu, S., Siswoyo, D. M., 2018. Total Phenolics, Flavonoids, and Anthocyanin Contents of Six Vireya Rhododendron from Indonesia and Evaluation of their Antioxidant Activities. Journal of Applied Pharmaceutical Science, 8(9): 49-54.
- Ramos, L. A., Lupetti, K. O., Carvalho, E. T and Fatibello-Filho, O. 2000. Utilizacao do extrato bruto de frutos de *Solanum nigrum* L. no ensino de química. Ecletica Quimica. Brasil 25(2): 110-120.
- Rein, M. 2005. Copigmentation Reactions and Color Stability of Berry Anthocyanin. Academic Dissertation. Helsinki: University of Helsinki.
- Rostagno, M. A., Palma, M., Barroso, C. G., 2007. Microwave assisted extraction of soy iso-flavones. Analytica Chimica Acta, 588(2): 274-282.
- Routray, W and Orsat, V. 2014. MAE of phenolic compounds from blueberry leaves and comparison with other extraction methods. Ind. Crops Prod, 58(2): 36–45.
- Routray, Routray, W and V. Orsat. 2012. Microwave-Assisted Extraction of Flavonoids: A Review. Food Bioprocess Technol, 5(1): 409–424.
- Salas, P. G., Aranzazu, M. S., Antonio, S. C., Alberto, F. G. 2010. Phenolic Compound Extraction Systems For Fruit And Vegetable Samples. Molecules, 15(4): 8813-8826.
- Salim, M., Dharma, A., Mardiah, E dan Oktariza, G. 2017. Pengaruh kandungan antosianin pada proses pengolahan ubi jalar ungu. Jurnal Zarah, 5(2): 7-12.
- Sampebarra, A. L. 2018. Karakteristik Zat Warna Antosianin Dari Biji Kakao Non Fermentasi Sebagai Sumber Zat Warna Alam. Jurnal Industri Hasil Perkebunan, 13(1): 63–70.
- Sangadji, I., Rijal, M dan Astri, K.Y. 2017. Kandungan Antosianin Di Dalam Mahkota Bunga Beberapa Tanaman Hias. Jurnal Bumi Lestari, 6(2): 4-10.

- Santoni, A., Darwis, D., Syahri, S. 2013. Isolasi Antosianin dari Buah Pucuk Merah (*syzygium campanulatum korth.*) serta Pengujian Antioksidan dan Aplikasi sebagai Pewarna Alami. Prosiding Semirata FMIPA Universitas Lampung. Universitas Lampung: 1-10.
- Sari P., Fitriyah A., Komar M., Unus, Fauzi M., Lindriati T. 2005. Ekstraksi Dan Stabilitas Antosianin Dari Kulit Buah Duwet (*Syzgium cumini*). Jurnal Teknol dan Industri Pangan. 16(2): 142-154.
- Sari, B. L., Triastinurmiatiningsih dan Haryani, T. S. 2020. Optimasi Metode Microwave-Assisted Extraction (MAE) Untuk Menentukan Kadar Flavonoid Total Alga Coklat Padina Australis. Alchemy Jurnal Penelitian Kimia, 16(1): 38-49.
- Shade, A., Jacques, M. A., Barret, M. 2017. Ecological patterns of seed microbiome diversity, transmission, and assembly. Current Opinion in Microbiology, 37(2): 15-22.
- Shahid, M. S and Mohammad, F. 2013. Recent advancements in natural dye applications: A review. J. Clean. Prod, 53(3) pp: 310–331.
- Siagian. 2011. Penelitian Operasional Edisi III. UI Press. Jakarta. Hal 31-34.
- Silva, H. R. D., Assis, D. D. C. D., Prada, A. L., Junior, J. O. C. S., Sousa, M. B. D., Ferreira, A. M., Amado, J. R. R., Carvalho, H. D. O., Santos, A. V. T. D. L. T. D., Carvalho, J. C. T. 2019. Obtaining and characterization of anthocyanins from *Euterpe oleracea* (ac, ai) dry extract for nutraceutical and food preparations. Brazilian Journal of Pharmacognosy, 589(1): 1-9.
- Simanjuntak, L dan Sinaga, C. 2014. Ekstraksi Pigmen Antosianin Dari Kulit Buah Naga Merah (*Hylocereus polyrhizus*). Jurnal Teknik Kimia USU, 3(2): 25–29.
- Singh, M., Kumari, R., Kotecha, M. 2016. *Basella rubra* Linn. – A Review. International Journal Ayu Pharm Chem, 5(1): 206-223.
- Siregar, I. D. Y dan Nurlela. 2011. Ekstraksi Dan Uji Stabilitas Zat Warna Alami Dari Bunga Kembang Sepatu (*Hibiscus Rosa-Sinensis* L) Dan Bunga Rosela (*Hibiscus Sabdariffa* L). Jurnal Valensi, 2(3): 459-467.
- Stintzing, F. C and Carle, R. 2004. Functional properties of anthocyanins and betalains in plants, food, and in human nutrition. Trends in Food Science & Technology, 15(1):19–38.
- Suhartatik, N., Cahyanto, M., Raharjo, S., Rahayu, E. 2013. Antioxidant Activity of Black Sticky Rice During Fermentation. Jurnal Teknologi dan Industri Pangan, 24(1): 110-115.
- Sumarlan, S. H., Susilo, B., Mustofa, A dan Mu'nim, M. 2018. Ekstraksi Senyawa Antioksidan Dari Buah Strawberry (*Fragaria X Ananassa*) dengan Menggunakan Metode *Microwave Assisted Extraction* (Kajian Waktu Ekstraksi dan Rasio Bahan dengan Pelarut). Jurnal Keteknikan Pertanian Tropis dan Biosistem, 6(1): 40-51.

- Sun, Y. Z., Liao, X. J., Wang, Z. F., Hu, X. S and Chen, F. 2007. Optimization of microwave-assisted extraction of anthocyanins in red raspberries and identification of anthocyanin of extracts using high-performance liquid chromatography- mass spectrometry. *European Food Research and Technology*, 225(3-4): 511-523.
- Suryadi, J., Gunawan. Haris, A. 2010. Pembuatan dan Penentuan Nilai Efisiensi Sel Surya Berwarna Tersensitisasi dengan Senyawa Antosianin dari Buah Manggis (*Garcinia mangostana* L.) sebagai Pewarna Pensensitisasi. *Jurnal Kimia Sains dan Aplikasi*, 13(3): 88–94.
- Svarc-Gajic, J. Z., Stojanovic, A. S., Carretero, D. A., Román, I., Borrás, I and Vasiljevic. 2013. Development of A Microwave-Assisted Extraction for the Analysis of Phenolic Compounds from *Rosmarinus Officinalis*. *Journal of Food Engineering*, 11(2): 119-125.
- Swier, T. L., Mukhim, C., Bashir, K., Chauhan, K. 2018. Optimization of enzyme aided extraction of anthocyanins from *Prunus nepalensis* L. Accepted Manuscript, 43(1): 1-21.
- Syafutri, M. I., Pratama, F., Yanda, G. P. 2019. Sifat Fisikokimia Zat Pewarna dari Bunga Eceng Gondok (*Eichhornia crassipes*) yang Diekstrak dengan Metode *Microwave Assisted Extraction (MAE)*. *Jurnal Lahan Suboptimal: Journal of Suboptimal Lands*, 8(1): 94-106.
- Tatke, P and Jaiswal, Y. 2011. An Overview of Microwave Assisted Extraction and its Applications in Herbal Drug Research. *Research Journal of Medicinal Plant*, 5(1): 21-31.
- Teng, H., Lee, W. Y., Choi, Y. H. 2013. Optimization Of Microwave-Assisted Extraction For Anthocyanins, Polyphenols, And Antioxidants From Raspberry (*Rubus Coreanus* Miq.) Using Response Surface Methodology. *Journal of Separation Science*, 36(18): 3107–3114.
- Tensiska, E. S dan Natalia. 2007. Ekstraksi Pewarna Alami dari Buah Arben (*Rubus idaeus* (Linn.) dan Aplikasinya Pada Sistem Pangan. *Jurnal Teknologi dan Industri Pangan*, 18(1): 25-31.
- Thamrin, A. 2016. Uji Fitokimia, Toksisitas serta Antioksidan Ekstrak Propolis Pembungkus Madu Lebah *Trigona incisa* dengan Metode 2,2-diphenyl-1-picrylhydrazyl (DPPH). *Jurnal Kimia Mulawarman*, 14(1): 54-60.
- Vankar, P. S., Srivastava, J. 2010. Evaluation of Anthocyanin Content in Red and Blue Flowers. *International Journal of Food Engineering*, 6(4): 1-11.
- Varadharajan, V., Shanmugam, S., Ramaswamy, A. 2016. Model generation and process optimization of microwaveassisted aqueous extraction of anthocyanins from grape juice waste. *Journal of Food Process Engineering*, 4(1): 1-9.

- Veggi, P. C., Martinez, J., Meireles, M. A. A. 2013. Fundamentals of Microwave Extraction, in: F.C. and G. Cravotto (Ed.), Microwave-Assisted Extraction for Bioactive Compounds: Theory and Practice, 1st ed. Springer US, 2(1): 15–52.
- Velioglu, Y. S., Mazza, G., Gao, L., Oomah, B. D. 1998. Antioxidant activity and total phenolics in selected fruits, vegetables and grain products. *Journal of Agricultural Food Chemistry*, 46(10): 4113-4117.
- Ogundele, J. O., Aliu, A. A., Komolafe, K. C., Akinmoladun, A.C. 2019. Effects of blanching on antioxidant property of Malabar Spinach (*Basella rubra*) ethanolic extract. *La Rivista Italiana Delle Sostanze Grasse*. 96(6): 251-257.
- Wakte, P. S., Sachin, B. S., Patil, A. A., Mohato, D. M., Band, T. H., Shinde, D. B. 2011. Optimization of microwave, ultra-sonic and supercritical carbon dioxide assisted extraction techniques for curcumin from *Curcuma longa*. *Sep. Purif. Technol*, 79(1): 50–55.
- Wang, C. 2008. Hibiscus Anthocyanins for Inhibiting Cancers. United States Patent, 8(2): 113-145.
- Wang, L and Weller C.L. 2006. Trends in Food Science & Technology 17. USA: University of Nebraska-Lincoln.
- Wegener, C. B., Jansen, G., Jurgensa, H and Schutzeb, W., 2009. Special quality traits of coloured potato breeding clones: Anthocyanins, soluble phenols and antioxidant capacity. *J. Sci. Food Agric*, 89(2): 206–215.
- Wen, Y., Chen, H., Zhou, X., Deng, Q., Zhao, Y., Zhao, C., dan Gong, X. 2015. Optimization Of The Microwave-Assisted Extraction And Antioxidant Activities Of Anthocyanins From Blackberry Using A Response Surface Methodology. *RSC Advances*, 5(25): 19686–19695.
- Wicaksono, L. A., Winarti, S., dan Amalusholikha, D. 2019. Ekstraksi Dan Stabilitas Zat Warna Alami Buah Mangsi (*Phyllanthus reticulatus*). *Jurnal Teknologi Dan Industri Pangan*, 4(1): 27–35.
- Widyasanti. A, Nurlaily, N dan Wulandari E. 2018. Karakteristik Fisikokimia Antosianin Ekstrak Kulit Buah Naga Merah Menggunakan Metode UAE. *Jurnal Ilmiah Rekatasa Pertanian dan Biosistem*, 6(1): 27-38.
- Widyawati, P. S., Budianta, T. D. W., Kusuma, F. A., Wijaya, E. L. 2014. Difference of Solvent Polarity to Phytochemical Content and Antioxidant Activity of *Pluchea Indica* Less Leaves Extracts. *International Journal of Pharmacognosy and Phytochemical Research*, 6(4): 850-855.
- Wijaya, L. S., Widjanarko, S. B dan Susanto, T. 2001. Ekstraksi dan Karakteristik Pigmen dari Kulit Buah Rambutan (*Nephelium lappaceum*) var. Binjai. *Jurnal Teknologi Pangan dan Gizi*, 2(1): 1-16.
- Winarno, F. G. 2002. Kimia Pangan dan Gizi. Jakarta: PT Gramedia.

- Winarti, S., Sarofi, U dan Anggrahini, D. 2008. Ekstraksi dan Stabilitas Warna Ubi Jalar Ungu (*Ipomoea batatas* L.) sebagai Pewarna Alami. *Jurnal Teknik Kimia*, 3(1): 207-214.
- Winata, E. W dan Yunianta. 2015. Ekstraksi Antosianin Buah Murbei (*Morus alba* L.) Metode Ultrasonic Bath (Kajian Waktu dan Rasio Bahan: Pelarut). *Jurnal Pangan dan Agroindustri*, 3(2): 773-783.
- Xue, H., Tan, J., Fan, L., Li, Q., Cai, X. 2021. Optimization microwave-assisted extraction of anthocyanins from cranberry using response surface methodology coupled with genetic algorithm and kinetics model analysis. *J Food Process Eng*, 13(1): 1-13.
- Yang, Z and Weiwei, Z. 2010. Optimization of microwave-assisted extraction of anthocyanins from purple corn (*Zea mays* L.) cob and identification with HPLC – MS. *Innovative Food Science and Emerging Technologies*, 11(3): 470–476.
- Yu, Y., Chen, B., Chen, Y., Xie, M., Duan, H., Li, Y and Duan, G. 2015. Nitrogenprotected Microwave-assisted Extraction of Ascorbic Acid from Fruit and Vegetables. *Journal Sep. Sciences*, 32(15): 4227-4233.
- Yusuf, A. G., Najiyah, N., Mulyono, E. W. S dan Abdilah, F. 2021. Studi Literatur Potensi Ekstrak Zat Warna Alam sebagai Indikator Asam Basa Alternatif. *Fullerene Journal of Chemistry*, 6(2): 124–134.
- Zahroh, F., Agustini, R., 2021. Penentuan Kandungan Total Antosianin Yeast Beras Hitam (*Oryza sativa* L. Indica) Menggunakan Metode pH Differensial. *Unesa J. Chem*, 10(8): 200–208.
- Zeleny, C. 1982. *Multiple Criteria Decision Making*. Mc.Graw - Hill Book Company: New York
- Zhang, Hua-Feng, Xiao-Hua, Y., Wang, Y. 2011. Microwave Assisted Extraction of Secondary Metabolites From Plants: Current Status and Future Directions. *Trend in Food Science and Technology*, 22(16): 672-688.
- Zheng, X., Wang, X., Lan, Y., Shi, J., Xue, S. J., Liu, C. 2009. Application of response surface methodology to optimize microwave-assisted extraction of silymarin from milk thistle seeds. *Sep. Purif. Technol*, 70(1): 34–40.
- Zheng, X. X., Xu, C., Liu, Y., Sun, Z., Lin and Liu, H. 2013. Extraction characteristics and optimal parameters of anthocyanin from blueberry powder under microwave-assisted extraction conditions. *Sep. Purif. Technol*, 104(1): 17–25.
- Zou, T., Wang, D., Guo, H., Zhu, Y., Luo, X., Liu, F and Ling, W. 2012. Optimization of Microwave-Assisted Extraction of Anthocyanins from Mulberry and Identification of Anthocyanins in Extract Using HPLC-ESI-MS. *Journal of Food Science*, 71(1): 46-50.