

LAMPIRAN 1 : TABULASI

Responden	X1	X2	X3	X4	X5	X6	X7	X8	X9	Total X	Y1	Y2	Y3	Y4	Y5	Y6	Total Y
1	4	4	3	4	4	4	4	4	4	35	4	4	3	4	4	4	23
2	4	4	4	4	4	4	4	4	3	35	3	4	2	4	4	4	21
3	4	4	3	4	4	4	4	4	4	35	3	4	4	4	4	3	22
4	4	4	4	4	4	4	4	4	4	36	3	3	4	4	4	4	22
5	4	4	4	4	4	4	4	3	4	35	3	2	3	4	4	4	20
6	4	4	4	4	4	4	4	4	4	36	4	4	4	4	4	4	24
7	3	3	3	2	3	2	3	2	2	23	2	2	3	4	4	3	18
8	4	4	4	4	4	4	3	3	3	33	4	4	4	3	3	4	22
9	4	4	3	4	4	4	4	4	4	35	4	3	4	4	3	4	22
10	4	4	3	4	4	3	4	4	4	34	2	2	3	4	4	3	18
11	4	4	4	4	4	4	3	3	4	34	3	3	3	4	3	2	18
12	4	4	3	4	4	3	4	3	3	32	3	3	2	4	4	4	20
13	4	4	3	3	3	3	4	4	4	32	3	3	3	2	2	4	17
14	4	4	4	4	4	4	4	4	3	35	4	3	4	3	4	2	20
15	4	4	4	4	4	4	4	4	4	36	4	4	4	4	3	3	22
16	3	3	3	3	3	3	4	4	4	30	4	4	4	4	4	3	23
17	4	4	3	4	4	4	4	4	4	35	4	4	4	3	3	3	21
18	4	4	4	4	4	4	4	4	4	36	4	4	4	4	3	2	21
19	4	4	3	4	4	4	4	4	4	35	2	2	4	3	3	2	16
20	4	4	4	4	4	4	4	4	4	36	4	4	4	3	3	2	20
21	4	4	4	4	4	4	4	4	4	36	4	4	4	4	4	4	24
22	4	4	4	4	4	4	3	4	4	35	4	4	4	3	4	3	22
23	3	3	3	3	3	3	4	4	4	30	3	3	4	4	4	4	22
24	4	4	4	3	4	4	2	2	4	31	4	2	2	3	4	2	17
25	4	4	4	4	4	4	4	4	4	36	4	4	4	4	3	4	23
26	3	3	3	3	4	4	4	4	4	32	4	4	4	4	3	3	22
27	4	4	4	4	3	4	4	4	4	35	2	3	4	4	4	4	21
28	4	4	4	4	4	4	4	4	4	36	3	4	4	4	3	4	22
29	3	3	3	4	4	4	3	4	4	32	3	2	3	4	3	4	19
30	3	3	3	4	4	3	4	4	4	32	4	4	4	4	4	4	24
31	2	2	2	3	3	3	4	4	4	27	3	3	3	2	3	2	16
32	4	4	4	4	4	4	3	3	4	34	3	3	3	4	2	3	18
33	2	2	2	3	4	4	4	4	4	29	3	3	3	4	4	4	21
34	4	4	4	4	4	4	4	4	4	36	4	4	4	4	4	4	24
35	4	4	4	3	4	4	4	4	4	35	4	4	4	4	4	3	23
36	4	4	4	4	4	4	4	4	4	36	4	3	4	4	4	4	23

Responden	X1	X2	X3	X4	X5	X6	X7	X8	X9	Total X	Y1	Y2	Y3	Y4	Y5	Y6	Total Y
37	4	4	4	4	4	4	4	4	4	36	4	4	4	4	3	3	22
38	4	4	4	4	4	4	4	4	4	36	4	4	4	4	2	4	22
39	4	4	3	4	4	3	4	4	4	34	3	3	3	4	4	4	21
40	4	4	4	4	4	4	3	4	3	34	3	2	4	4	4	4	21
41	4	4	3	4	3	4	4	4	4	34	3	3	4	4	4	4	22
42	4	4	4	4	4	4	3	3	3	33	3	3	3	4	2	3	18
43	4	4	4	3	4	4	4	4	4	35	4	4	4	4	4	4	24
44	4	4	4	4	3	4	4	4	4	35	4	4	4	4	4	4	24
45	4	4	4	4	4	4	4	4	4	36	3	3	4	4	4	4	22
46	4	4	4	4	4	4	4	4	4	36	4	4	4	4	4	4	24
47	4	3	4	4	4	4	4	4	4	35	3	3	4	4	3	4	21
48	4	3	4	4	4	4	4	4	4	35	4	4	4	3	3	4	22
49	4	4	4	4	4	4	4	4	3	35	2	2	3	4	3	4	18
50	4	4	4	4	4	4	4	4	3	35	3	3	3	4	4	4	21
51	4	4	4	4	4	4	4	4	4	36	3	3	4	4	3	3	20
52	3	3	3	2	3	4	4	4	4	30	4	4	4	4	3	4	23
53	4	4	4	4	4	4	4	4	4	36	4	4	4	3	3	3	21
54	4	4	4	4	4	3	4	4	4	35	3	3	4	4	4	4	22
55	3	3	3	3	4	4	4	4	4	32	3	4	4	3	2	3	19
56	4	4	4	4	4	4	4	3	3	34	4	3	4	4	3	3	21
57	4	4	4	3	4	4	4	4	4	35	3	3	4	4	3	3	20
58	3	3	3	3	3	4	4	4	4	31	4	4	4	4	4	4	24
59	4	4	4	4	4	4	4	3	4	35	3	3	4	4	4	4	22
60	4	4	4	4	4	3	3	3	4	33	3	3	4	4	3	4	21

Responden	X1	X2	X3	X4	X5	X6	X7	X8	X9	Total X	Y1	Y2	Y3	Y4	Y5	Y6	Total Y
37	4	4	4	4	4	4	4	4	4	36	4	4	4	4	3	3	22
38	4	4	4	4	4	4	4	4	4	36	4	4	4	4	2	4	22
39	4	4	3	4	4	3	4	4	4	34	3	3	3	4	4	4	21
40	4	4	4	4	4	4	3	4	3	34	3	2	4	4	4	4	21
41	4	4	3	4	3	4	4	4	4	34	3	3	4	4	4	4	22
42	4	4	4	4	4	4	3	3	3	33	3	3	3	4	2	3	18
43	4	4	4	3	4	4	4	4	4	35	4	4	4	4	4	4	24
44	4	4	4	4	3	4	4	4	4	35	4	4	4	4	4	4	24
45	4	4	4	4	4	4	4	4	4	36	3	3	4	4	4	4	22
46	4	4	4	4	4	4	4	4	4	36	4	4	4	4	4	4	24
61	3	3	3	3	3	3	4	3	4	29	3	3	3	4	4	4	21
62	4	4	4	4	4	4	4	3	3	34	3	4	4	4	4	4	23
63	4	4	4	4	4	4	4	4	4	36	4	4	4	4	3	4	23
64	4	4	4	4	4	3	3	3	3	32	3	3	4	3	2	3	18
65	4	4	4	4	4	4	4	4	4	36	4	4	4	4	4	4	24
66	4	4	4	4	4	3	4	4	4	35	4	4	4	3	3	3	21
67	4	4	4	4	4	3	3	4	4	34	3	3	3	4	3	4	20
68	3	3	3	3	3	4	3	3	3	28	2	2	2	4	4	4	18
69	4	4	4	4	4	4	4	4	4	36	4	4	4	4	4	4	24
70	4	4	4	4	4	3	3	4	4	34	4	3	3	4	3	4	21
71	3	3	3	4	3	4	3	4	4	31	3	2	3	4	4	4	20
72	4	4	4	4	4	3	4	4	4	35	4	4	4	3	2	3	20
73	4	4	4	4	4	4	3	2	2	31	3	3	2	4	3	3	18
74	4	4	4	4	4	4	2	3	3	32	4	2	3	4	4	4	21
75	3	3	4	3	3	4	4	4	4	32	4	4	3	4	4	4	23
76	4	3	4	3	3	4	4	4	4	33	3	3	3	4	3	4	20
77	3	3	3	4	3	4	4	3	3	30	3	3	3	4	4	4	21
78	4	4	4	4	4	4	4	4	4	36	2	2	3	4	4	4	19
79	3	3	3	4	3	4	3	3	3	29	3	3	3	4	3	4	20
80	3	3	3	4	4	4	2	4	3	30	4	3	4	3	3	4	21
81	4	4	4	4	4	3	4	4	4	35	4	3	3	4	3	3	20
82	4	4	4	4	4	4	4	4	3	35	4	4	4	4	3	4	23
83	4	4	4	4	4	4	4	4	4	36	4	4	4	4	2	3	21
84	4	4	4	3	4	4	2	3	3	31	4	4	3	4	4	3	22

LAMPIRAN 2

Reliability

Case Processing Summary

		N	%
Cases	Valid	84	100,0
	Excluded ^a	0	,0
	Total	84	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,750	9

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1	29,88	4,853	,689	,684
X2	29,92	4,921	,621	,694
X3	29,99	5,048	,516	,712
X4	29,89	5,133	,531	,710
X5	29,85	5,434	,503	,718
X6	29,87	5,778	,263	,751
X7	29,93	5,657	,224	,763
X8	29,92	5,475	,326	,745
X9	29,90	5,702	,254	,755

Reliability

Warnings

The space saver method is used. That is, the covariance matrix is not calculated and used in the analysis.

Case Processing Summary

		N	%
Cases	Valid	84	100,0
	Excluded ^a	0	,0
	Total	84	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,794	6

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y1	17,63	2,838	,354	,391
Y2	17,74	2,605	,397	,358
Y3	17,48	3,048	,286	,431
Y4	17,26	3,449	,224	,472
Y5	17,63	3,368	,388	,535
Y6	17,50	3,145	,299	,477

NPar Tests**One-Sample Kolmogorov-Smirnov Test**

		YTotal	XTotal
N		84	84
Normal Parameters ^{a,b}	Mean	21,05	33,64
	Std. Deviation	2,005	2,558
Most Extreme Differences	Absolute	,157	,238
	Positive	,090	,178
	Negative	-,157	-,238
Kolmogorov-Smirnov Z		1,441	2,180
Asymp. Sig. (2-tailed)		,315	,149

a. Test distribution is Normal.

b. Calculated from data.

Regression**Descriptive Statistics**

	Mean	Std. Deviation	N
YTotal	21,05	2,005	84
XTotal	33,64	2,558	84

Correlations

		YTotal	XTotal
Pearson Correlation	YTotal	1,000	,367
	XTotal	,367	1,000
Sig. (1-tailed)	YTotal	.	,000
	XTotal	,000	.
N	YTotal	84	84
	XTotal	84	84

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	XTotal ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: YTotal

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	,367 ^a	,135	,124	1,877	,135	12,790	1	82	,001

a. Predictors: (Constant), XTotal

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	45,041	1	45,041	12,790	,001 ^a
	Residual	288,769	82	3,522		
	Total	333,810	83			

a. Predictors: (Constant), XTotal

b. Dependent Variable: YTotal

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	11,361	2,716		4,182	,000
	XTotal	,288	,081	,367	3,576	,001

a. Dependent Variable: YTotal

Frequencies**Statistics**

X1

N	Valid	84
	Missing	0

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	2,4	2,4	2,4
	3	16	19,0	19,0	21,4
	4	66	78,6	78,6	100,0
Total		84	100,0	100,0	

Frequencies**Statistics**

X2

N	Valid	84
	Missing	0

X2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	2	2,4	2,4	2,4
3	19	22,6	22,6	25,0
4	63	75,0	75,0	100,0
Total	84	100,0	100,0	

Frequencies**Statistics**

X3

N	Valid	84
	Missing	0

X3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	2	2,4	2,4	2,4
3	25	29,8	29,8	32,1
4	57	67,9	67,9	100,0
Total	84	100,0	100,0	

Frequencies**Statistics**

X4

N	Valid	84
	Missing	0

X4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	2	2,4	2,4	2,4
3	17	20,2	20,2	22,6
4	65	77,4	77,4	100,0
Total	84	100,0	100,0	

Frequencies

Statistics

X5

N	Valid	84
	Missing	0

X5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	17	20,2	20,2	20,2
	4	67	79,8	79,8	100,0
	Total	84	100,0	100,0	

Frequencies

Statistics

X6

N	Valid	84
	Missing	0

X6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1,2	1,2	1,2
	3	17	20,2	20,2	21,4
	4	66	78,6	78,6	100,0
	Total	84	100,0	100,0	

Frequencies

Statistics

X7

N	Valid	84
	Missing	0

X7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	4,8	4,8	4,8
	3	16	19,0	19,0	23,8
	4	64	76,2	76,2	100,0
	Total	84	100,0	100,0	

Frequencies**Statistics**

X8

N	Valid	84
	Missing	0

X8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	3,6	3,6	3,6
	3	17	20,2	20,2	23,8
	4	64	76,2	76,2	100,0
	Total	84	100,0	100,0	

Frequencies**Statistics**

X9

N	Valid	84
	Missing	0

X9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	2,4	2,4	2,4
	3	18	21,4	21,4	23,8
	4	64	76,2	76,2	100,0
	Total	84	100,0	100,0	

Frequencies

Statistics

Y1

N	Valid	84
	Missing	0

Y1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	7	8,3	8,3	8,3
3	35	41,7	41,7	50,0
4	42	50,0	50,0	100,0
Total	84	100,0	100,0	

Frequencies

Statistics

Y2

N	Valid	84
	Missing	0

Y2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	12	14,3	14,3	14,3
3	34	40,5	40,5	54,8
4	38	45,2	45,2	100,0
Total	84	100,0	100,0	

Frequencies

Statistics

Y3

N	Valid	84
	Missing	0

Y3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	5	6,0	6,0	6,0
3	26	31,0	31,0	36,9
4	53	63,1	63,1	100,0
Total	84	100,0	100,0	

Frequencies

Statistics

Y4

N	Valid	84
	Missing	0

Y4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	2	2,4	2,4	2,4
3	14	16,7	16,7	19,0
4	68	81,0	81,0	100,0
Total	84	100,0	100,0	

Frequencies

Statistics

Y5

N	Valid	84
	Missing	0

Y5

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	8	9,5	9,5	9,5
3	33	39,3	39,3	48,8
4	43	51,2	51,2	100,0
Total	84	100,0	100,0	

Frequencies

Statistics

Y6

N	Valid	84
	Missing	0

Y6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	7	8,3	8,3	8,3
	3	24	28,6	28,6	36,9
	4	53	63,1	63,1	100,0
	Total	84	100,0	100,0	