

## DAFTAR PUSTAKA

- Addakiri, K., & Bahaj, M. (2012). On-line Handwritten Arabic Character Recognition using Artificial Neural Network. *International Journal of Computer Applications*. <https://doi.org/10.5120/8819-2819>
- Afrianiingsih, A., Putri, A. R., & Munir, M. M. (2019). *Jurnal tunas siliwangi*. 5(2), 84–92.
- Alaasam, R., Kurar, B., Kassis, M., & El-Sana, J. (2017). *Experiment study on utilizing convolutional neural networks to recognize historical Arabic handwritten text*. <https://doi.org/10.1109/asar.2017.8067773>
- Alani, A. A. (2017). Arabic handwritten digit recognition based on restricted Boltzmann machine and convolutional neural networks. *Information (Switzerland)*. <https://doi.org/10.3390/info8040142>
- Altwaijry, N., & Al-Turaiki, I. (2020). Arabic handwriting recognition system using convolutional neural network. *Neural Computing and Applications*, 8. <https://doi.org/10.1007/s00521-020-05070-8>
- Angga. (2020). *Belajar Huruf Hijaiyah*. <https://suhupendidikan.com/belajar-huruf-hijaiyah-2/>
- Arthana, R. (2019). *Mengenal Accuracy, Precision, Recall dan Specificity serta yang diprioritaskan dalam Machine Learning*. <https://medium.com/@rey1024/mengenal-accuracy-precision-recall-dan-specificity-serta-yang-diprioritaskan-b79ff4d77de8>

- Ashiquzzaman, A., & Tushar, A. K. (2017). Handwritten Arabic numeral recognition using deep learning neural networks. *2017 IEEE International Conference on Imaging, Vision and Pattern Recognition, IcIVPR 2017*. <https://doi.org/10.1109/ICIVPR.2017.7890866>
- Ashiquzzaman, A., Tushar, A. K., Rahman, A., & Mohsin, F. (2019). An efficient recognition method for handwritten arabic numerals using CNN with data augmentation and dropout. *Advances in Intelligent Systems and Computing*. [https://doi.org/10.1007/978-981-13-1402-5\\_23](https://doi.org/10.1007/978-981-13-1402-5_23)
- Berhil, S., Benlahmar, H., & Labani, N. (2019). A review paper on artificial intelligence at the service of human resources management. *Indonesian Journal of Electrical Engineering and Computer Science*. <https://doi.org/10.11591/ijeecs.v18.i1.pp32-40>
- Bluche, T., Louradour, J., Knibbe, M., Moysset, B., Benzeghiba, M. F., & Kermorvant, C. (2014). The A2iA arabic handwritten text recognition system at the Open HaRT2013 evaluation. *Proceedings - 11th IAPR International Workshop on Document Analysis Systems, DAS 2014*. <https://doi.org/10.1109/DAS.2014.40>
- Brownlee, J. (2019). *A Gentle Introduction to Pooling Layers for Convolutional Neural Networks*. <https://machinelearningmastery.com/pooling-layers-for-convolutional-neural-networks/>
- Brownlee, J. (2019). *Loss and Loss Functions for Training Deep Learning Neural Networks*. <https://machinelearningmastery.com/loss-and-loss-functions-for-training-deep-learning-neural-networks/>

- Brownlee, J. (2020). *Convolution in Convolutional Neural Networks*.  
<https://machinelearningmastery.com/convolutional-layers-for-deep-learning-neural-networks/>
- Brownlee, J. (2020). *How to Choose Loss Functions When Training Deep Learning Neural Networks*. <https://machinelearningmastery.com/how-to-choose-loss-functions-when-training-deep-learning-neural-networks/>
- Bushaev, V. (2018). *Adam — latest trends in deep learning optimization*.  
<https://towardsdatascience.com/adam-latest-trends-in-deep-learning-optimization-6be9a291375c>
- Cholifah, W. N., Yulianingsih, Y., & Sagita, S. M. (2018). Pengujian Black Box Testing pada Aplikasi Action & Strategy Berbasis Android dengan Teknologi Phonegap. *STRING (Satuan Tulisan Riset Dan Inovasi Teknologi)*.  
<https://doi.org/10.30998/string.v3i2.3048>
- Chollet, F. (2016). *Building powerful image classification models using very little data*. <https://blog.keras.io/building-powerful-image-classification-models-using-very-little-data.html>
- Chris. (2019). *How to use sparse categorical crossentropy in Keras?*  
<https://www.machinecurve.com/index.php/2019/10/06/how-to-use-sparse-categorical-crossentropy-in-keras/#categorical-crossentropy>
- Das, N., Mollah, A. F., Saha, S., & Haque, S. S. (2010). Handwritten Arabic Numeral Recognition using a Multi Layer Perceptron. *Proceedings National Conference on Recent Trends in Information Systems*, 200–203.  
<http://arxiv.org/abs/1003.1891>

- Dean, J. (2020). The Deep Learning Revolution and Its Implications for Computer Architecture and Chip Design. *Digest of Technical Papers - IEEE International Solid-State Circuits Conference, 2020-Febru*, 8–14. <https://doi.org/10.1109/ISSCC19947.2020.9063049>
- DeepAI. (2020). *Stride (Machine Learning)*. <https://deepai.org/machine-learning-glossary-and-terms/stride>
- Deshpande, A. (2016). *A Beginner's Guide To Understanding Convolutional Neural Networks*. <https://adeshpande3.github.io/A-Beginner%27s-Guide-To-Understanding-Convolutional-Neural-Networks/>
- Dharmadi, R. (2018). *Mengenal Convolutional Layer Dan Pooling Layer*. <https://medium.com/nodeflux/mengenal-convolutional-layer-dan-pooling-layer-3c6f5c393ab2>
- Dharmawati, R., & Destiana, H. (2019). Interactive Animation Design of Hijaiyah Letters in Early Age Children at Al-Hidayah Kindergarten Bekasi. *Sinkron*. <https://doi.org/10.33395/sinkron.v3i2.10033>
- Doochin, D. (2019). *How Many People Speak Arabic Around The World, And Where?* <https://www.babbel.com/en/magazine/how-many-people-speak-arabic>
- Du, X., Cai, Y., Wang, S., & Zhang, L. (2017). Overview of deep learning. *Proceedings - 2016 31st Youth Academic Annual Conference of Chinese Association of Automation, YAC 2016*. <https://doi.org/10.1109/YAC.2016.7804882>

- Dunford, R., Su, Q., Tamang, E., Wintour, A., & Project. (2014). The Pareto Principle Puzzle. *The Plymouth Student Scientist*, 7(1), 140–148.
- El-sawy, A., Loey, M., & El-Bakry, H. (2017). Arabic Handwritten Characters Recognition using Convolutional Neural Network. *WSEAS TRANSACTIONS on COMPUTER RESEARCH*.
- Garg, N. (2020). 7 Best Examples of Implementation of Machine Learning in Real Life. <https://thriveglobal.com/stories/best-examples-of-implementation-of-machine-learning-in-real-life/>
- Ghoneim, S. (2019). Accuracy, Recall, Precision, F-Score & Specificity, which to optimize on? <https://towardsdatascience.com/accuracy-recall-precision-f-score-specificity-which-to-optimize-on-867d3f11124>
- Ghosh, I. (2020). Ranked: The 100 Most Spoken Languages Around the World. <https://www.visualcapitalist.com/100-most-spoken-languages/>
- Gill, J. K. (2020). Automatic Log Analysis using Deep Learning and AI. <https://www.xenonstack.com/blog/log-analytics-deep-machine-learning/>
- Grossfeld, B. (2020). Deep learning vs machine learning: a simple way to understand the difference. <https://www.zendesk.com/blog/machine-learning-and-deep-learning/>
- Guérin, J., Gibaru, O., Thiery, S., & Nyiri, E. (2018). CNN Features are also Great at Unsupervised Classification. 83–95. <https://doi.org/10.5121/csit.2018.80308>
- He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image

- recognition. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*.  
<https://doi.org/10.1109/CVPR.2016.90>
- Iqbal, T. M. (2020). *Huruf Hijaiyah: 30 Huruf Arab yang Luar Biasa [PENJELASAN LENGKAP]*. <https://hasana.id/huruf-hijaiyah/>
- Javatpoint. (2020). *Turing Test in AI*. <https://www.javatpoint.com/turing-test-in-ai>
- Jethwani, T. (2020). *Difference Between Categorical and Sparse Categorical Cross Entropy Loss Function*. <https://leakyrelu.com/2020/01/01/difference-between-categorical-and-sparse-categorical-cross-entropy-loss-function/>
- Kapkar, B. (2020). *7 Common Nonlinear Activation Functions (Advantage and Disadvantage)*. <https://www.kaggle.com/getting-started/157710>
- keras.io. (2020). *Keras*. <https://keras.io/>
- Keras.io. (2020). *MaxPooling2D layer*.  
[https://keras.io/api/layers/pooling\\_layers/max\\_pooling2d/](https://keras.io/api/layers/pooling_layers/max_pooling2d/)
- Khandelwal, R. (2019). *Overview of different Optimizers for neural networks*.  
<https://medium.com/datadriveninvestor/overview-of-different-optimizers-for-neural-networks-e0ed119440c3>
- Kohir, V. (2020). *Calculating Output dimensions in a CNN for Convolution and Pooling Layers with KERAS*. <https://medium.com/@kvirajdatt/calculating-output-dimensions-in-a-cnn-for-convolution-and-pooling-layers-with-keras-682960c73870>
- Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2007). Handbook of approximation

algorithms and metaheuristics. *Handbook of Approximation Algorithms and Metaheuristics*, 1–1432. <https://doi.org/10.1201/9781420010749>

Latif, Ghanzanfar, Alghazo, J., Alzubaidi, L., Naseer, M. M., & Alghazo, Y. (2018). Deep Convolutional Neural Network for Recognition of Unified Multi-Language Handwritten Numerals. *2018 IEEE 2nd International Workshop on Arabic and Derived Script Analysis and Recognition (ASAR)*, 90–95. <https://doi.org/10.1109/ASAR.2018.8480289>

Latif, Ghazanfar, Alghazo, J., Alzubaidi, L., Naseer, M. M., & Alghazo, Y. (2018). Deep Convolutional Neural Network for Recognition of Unified Multi-Language Handwritten Numerals. *2nd IEEE International Workshop on Arabic and Derived Script Analysis and Recognition, ASAR 2018*. <https://doi.org/10.1109/ASAR.2018.8480289>

LeCun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11), 2278–2323. <https://doi.org/10.1109/5.726791>

Lin, M., Chen, Q., & Yan, S. (2014). Network in network. *2nd International Conference on Learning Representations, ICLR 2014 - Conference Track Proceedings*, 1–10.

Lina, Q. (2018). *Implementasi Deep Learning Menggunakan Convolutional Neural Network untuk Klasifikasi Gambar (Mata Juling dan Mata Normal) dengan R*. <https://medium.com/@16611110/implementasi-deep-learning-menggunakan-convolutional-neural-network-untuk-klasifikasi-gambar-mata-87dcc0ad26e0>

- Manizar, E. (2017). Peran Guru Sebagai Motivator Dalam Belajar. *Tadrib: Jurnal Pendidikan Agama Islam*, 1(2), 204–222.
- Mars, A., & Antoniadis, G. (2016). Arabic Online Handwriting Recognition Using Neural Network. *International Journal of Artificial Intelligence & Applications*, 7(5), 51–59. <https://doi.org/10.5121/ijaia.2016.7504>
- Mathworks. (2020). *What Is Machine Learning? 3 things you need to know*. <https://www.mathworks.com/discovery/machine-learning.html>
- Mikołajczyk, A., & Grochowski, M. (2018). Data augmentation for improving deep learning in image classification problem. *2018 International Interdisciplinary PhD Workshop, IIPhDW 2018*. <https://doi.org/10.1109/IIPHDW.2018.8388338>
- Missinglink.ai. (2020). *PyTorch ResNet: Building, Training and Scaling Residual Networks on PyTorch*. <https://missinglink.ai/guides/pytorch/pytorch-resnet-building-training-scaling-residual-networks-pytorch/>
- Missinglink.ai. (2020). *What is a Neural Network Activation Function*. <https://missinglink.ai/guides/neural-network-concepts/7-types-neural-network-activation-functions-right/>
- Mubarok, H. (2019). *IDENTIFIKASI EKSPRESI WAJAH BERBASIS CITRA MENGGUNAKAN ALGORITMA CONVOLUTIONAL NEURAL NETWORK (CNN)* [Universitas Islam Negeri Maulana Malik Ibrahim Malang]. <http://etheses.uin-malang.ac.id/15295/1/13650096.pdf>
- Mudhsh, M. A., & Almodfer, R. (2017). Arabic handwritten alphanumeric

character recognition using very deep neural network. *Information (Switzerland)*, 8(3). <https://doi.org/10.3390/info8030105>

Nwankpa, C., Ijomah, W., Gachagan, A., & Marshall, S. (2018). *Activation Functions: Comparison of trends in Practice and Research for Deep Learning*. 1–20. <http://arxiv.org/abs/1811.03378>

palletsprojects. (2020). *Flask*. <https://palletsprojects.com/p/flask/>

Paoletti, M. E., Haut, J. M., Plaza, J., & Plaza, A. (2018). A new deep convolutional neural network for fast hyperspectral image classification. *ISPRS Journal of Photogrammetry and Remote Sensing*, 145, 120–147. <https://doi.org/10.1016/j.isprsjprs.2017.11.021>

Park, J., Jang, E. S., & Chong, J. W. (2016). Demosaicing method for digital cameras with white-RGB color filter array. *ETRI Journal*, 38(1), 164–173. <https://doi.org/10.4218/etrij.16.0114.1371>

Parmar, R. (2018). *Common Loss functions in machine learning*. <https://towardsdatascience.com/common-loss-functions-in-machine-learning-46af0ffc4d23>

peltarion. (2020). *Binary crossentropy*. <https://peltarion.com/knowledge-center/documentation/modeling-view/build-an-ai-model/loss-functions/binary-crossentropy>

PhD Essay. (2020). *Learning by Yourself or with a Teacher: What's Better?* <https://phdessay.com/learning-teacher-whats-better/>

Prabhu. (2018). *CNN Architectures — LeNet, AlexNet, VGG, GoogLeNet and*

- ResNet*. <https://medium.com/@RaghavPrabhu/cnn-architectures-lexnet-alexnet-vgg-googlenet-and-resnet-7c81c017b848>
- Prabhu. (2018). *Understanding of Convolutional Neural Network (CNN) - Deep Learning*. <https://medium.com/@RaghavPrabhu/understanding-of-convolutional-neural-network-cnn-deep-learning-99760835f148>
- Python.org. (2020). *What is Python? Executive Summary*. <https://www.python.org/doc/essays/blurb/>
- R, A. Y. (2018). *Fully-Connected Layer CNN dan Implementasinya*. <https://machinelearning.mipa.ugm.ac.id/2018/06/25/fully-connected-layer-cnn-dan-implementasinya/>
- riptutorial. (2020). *Some padding, strides=1*. <https://riptutorial.com/tensorflow/example/30755/some-padding--strides-1>
- Rouse, M. (2015). *Turing Test*. <https://searchenterpriseai.techtarget.com/definition/Turing-test>
- Sari, D. P. (2019). PEMBELAJARAN HURUF HIJAIYYAH PADA SENTRA AGAMA DI TAMAN KANAK-KANAK TUNAS 1001 TAKENGON ACEH TENGAH. *AWLADY: Jurnal Pendidikan Anak*. <https://doi.org/10.24235/awladly.v5i2.3969>
- Sharma, S. (2017). *What is Activation Function?* <https://towardsdatascience.com/activation-functions-neural-networks-1cbd9f8d91d6>
- Shukla, P., & Iriondo, R. (2020). *Main Types of Neural Networks and its*

*Applications — Tutorial.* <https://medium.com/towards-artificial-intelligence/main-types-of-neural-networks-and-its-applications-tutorial-734480d7ec8e>

Simonyan, K., & Zisserman, A. (2015). Very deep convolutional networks for large-scale image recognition. *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, 1–14.

Siva, C. (2018). *Machine Learning and Pattern Recognition.* <https://dzone.com/articles/machine-learning-and-pattern-recognition>

Suhati, C., R, M., & Lestari, S. (2014). Peningkatan Kemampuan Mengenal Huruf Hijaiyah Dengan Media Gambar Pada Anak Usia 5-6 Tahun. *Jurnal Pendidikan Dan Pembelajaran*, 3(9), 1–14.

SuperDataScience Team. (2018). *Convolutional Neural Networks (CNN): Step 3 - Flattening.* <https://www.superdatascience.com/blogs/convolutional-neural-networks-cnn-step-3-flattening>

Szegedy, C., Liu, W., Jia, Y., Sermanet, P., Reed, S., Anguelov, D., Erhan, D., Vanhoucke, V., & Rabinovich, A. (2015). Going deeper with convolutions. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 07-12-June*, 1–9. <https://doi.org/10.1109/CVPR.2015.7298594>

WHO. (2020). *Considerations for school-related public health measures in the context of Annex to Considerations in adjusting public health and social measures in the context of COVID-19.* May, 1–6.

- WHO. (2020). *Coronavirus*. [https://www.who.int/health-topics/coronavirus#tab=tab\\_2](https://www.who.int/health-topics/coronavirus#tab=tab_2)
- Wu, T., & Toet, A. (2014). Color-to-grayscale conversion through weighted multiresolution channel fusion. *Journal of Electronic Imaging*, 23(4), 043004. <https://doi.org/10.1117/1.jei.23.4.043004>
- Yamashita, R., Nishio, M., Do, R. K. G., & Togashi, K. (2018). Convolutional neural networks: an overview and application in radiology. *Insights into Imaging*, 9(4), 611–629. <https://doi.org/10.1007/s13244-018-0639-9>
- Ying, X. (2019). An Overview of Overfitting and its Solutions. *Journal of Physics: Conference Series*. <https://doi.org/10.1088/1742-6596/1168/2/022022>
- Younis, K., & Khateeb, A. (2017). Arabic Hand-Written Character Recognition Based on Deep Convolutional Neural Networks. *Jordanian Journal of Computers and Information Technology*, 3(3), 186. <https://doi.org/10.5455/jjcit.71-1498142206>