

DAFTAR PUSTAKA

- Abdi, H., & Williams, L. (2012). Principal component analysis. *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(4), 433–459.
- Al-Sa'ady, A., Wedean, G. A., Al-Hadban, & Maysaa, A. A. A.-Z. (2016). Optimal Conditions of Bromelain Extraction from Pineapple Fruit *Ananas comosus*. *Eng. & Tech. Journal*, 34(5).
- Alim, A., Song, H., Raza, A., & Hua, J. (2020). Identification of bitter constituents in milk-based infant formula with hydrolysed milk protein through a sensory-guided technique. *International Dairy Journal*, 110, 104803. <https://doi.org/10.1016/j.idairyj.2020.104803>
- Andarwulan, N. (2017). Garam dan Peranannya sebagai Ingridien Industri Pangan. *Majalah Food Review Indonesia*. Vol. XII/No. 10, 28–30.
- Ang, S., & Ismail-Fitry, M. R. (2019). Production of Different Mushroom Protein Hydrolysates as Potential Flavourings in Chicken Soup Using Stem Bromelain Hydrolysis. *Food Technol. Biotechnol.*, 57(4), 472–480.
- Anggraini, A., & Yunianta. (2015). Pengaruh suhu dan lama hidrolisis enzim papain terhadap sifat kimia, fisik dan organoleptik sari edamame. *Jurnal Pangan Dan Agroindustri*, 3(3), 1015–1025.
- Anisa, A. . (2015). Enkapsulasi Vegetable Seasoning Jamur Merang Hasil fermentasi Larutan Garam Menggunakan Tapioca Teroksidasi Dan Gum Arab Secara Spray Dring. In *Skripsi*. Universitas Jember.
- Annisa, S., Darmanto, Y. S., & Amalia, U. (2017). Pengaruh perbedaan spesies ikan terhadap hidrolisat protein ikan dengan penambahan enzim papain. *SAINTEK PERIKANAN : Indonesian Journal of Fisheries Science and Technology*, 13(1), 24. <https://doi.org/10.14710/ijfst.13.1.24-30>
- Anonim. (2020). *Bromelain Cleavage*. <https://www.sigmaaldrich.com/life-science/biochemicals/biochemical-products.html?TablePage=16410479>.
- AOAC. (2012). *Official Method of Analysis 925.10* (Chapter 32). AOAC.
- Apriliyanti, T. (2010). Kajian sifat fisikokimia dan sensori tepung ubi jalar ungu (*Ipomea batatas blackie*) dengan variasi proses pengeringan. In *Skripsi*. Universitas Sebelas Maret.
- Ardiansyah, B. (2018). Analisis Kandungan Nutrisi Keong Mas di Lebo Taliwang Kabupaten Sumbawa Barat sebagai Pakan Ternak Unggas. In *Skripsi*. Universitas Mataram.
- Ares, G., Bruzzone, F., Vidal, L., Cadena, R. S., Giménez, A., Pineau, B., Hunter, D. C., Paisley, A. G., & Jaeger, S. R. (2014). Evaluation of a rating-based variant of check-all-that-apply questions: Rate-all-that-apply (RATA). *Food Quality and Preference*, 36, 87–95. <https://doi.org/10.1016/j.foodqual.2014.03.006>
- Arshad, Z. I. M., Amid, A., Yusof, F., Jaswir, I., Ahmad, K., & Loke, S. P. (2014). Bromelain: An overview of industrial application and purification strategies. *Applied Microbiology and Biotechnology*, 98(17), 7283–7297. <https://doi.org/10.1007/s00253-014-5889-y>

- Aspevik, T., Thoresen, L., Steinsholm, S., Carlehög, M., & Kousoulaki, K. (2021). Sensory and Chemical Properties of Protein Hydrolysates Based on Mackerel (*Scomber scombrus*) and Salmon (*Salmo salar*) Side Stream Materials. *Journal of Aquatic Food Product Technology*, 30(2), 176–187. <https://doi.org/10.1080/10498850.2020.1868644>
- Ayuningtyas, F., Restuhadi, F., Kurnia, D., Agribisnis, J., Pertanian, F., & Riau, U. (2019). VIDEO PENYULUHAN KOMODITAS CABAI DI DESA TITIAN RESAK. 16(1), 11–19.
- Bahri, S., Hadati, K. S., & Satrimafitrah, P. (2021). Production of protein hydrolysate from tofu dregs using the crude extract of bromelain from pineapple core (*Ananas comosus* l). *Journal of Physics: Conference Series*, 1763(1). <https://doi.org/10.1088/1742-6596/1763/1/012008>
- BPOM. (2006). *Pemanfaatan Zat Aditif Secara Tepat*.
- Breternitz, N. R., Bolini, H. M. A., & Hubinger, M. D. (2017). Sensory acceptance evaluation of a new food flavoring produced by microencapsulation of a mussel (*Perna perna*) protein hydrolysate. *LWT - Food Science and Technology*, 83, 141–149. <https://doi.org/10.1016/j.lwt.2017.05.016>
- Broto, R. T. D. W., Arifan, F., Setyati, W. A., Eldiarosa, K., & Zein, A. R. (2020). Crackers from Fresh Water Snail (*Pila ampullacea*) Waste as Alternative Nutritious Food. *IOP Conf. Series: Earth and Environmental Science*, 48(01), 20–39.
- CABI. (2017). *Pomacea canaliculata (Golden Apple Snail) Datasheet*.
- Cahyadi, W. (2006). *Bahan Tambahan Pangan*. Bumi Aksara.
- Cai, L., Li, D., Dong, Z., Cao, A., Lin, H., & Li, J. (2016). Change regularity of the characteristics of Maillard reaction products derived from xylose and chinese shrimp waste hydrolysates. *LWT-Food Sci Technol.*, 65, 908–16.
- Candrasekaran, S., Luna-Vital, D., & de Mejia, E. G. (2020). Identification and Comparison of Peptides from Chickpea Protein Hydrolysates Using Either Bromelain or Gastrointestinal Enzymes and Their Relationship with Markers of Type 2 Diabetes and Bitterness. *Nutrients* 2020, 12(3843), 1–16.
- Chaudhari, N., Landin, A., & Roper, S. (2000). A metabotropic glutamate receptor variant functions as a taste receptor. *Nature Neurosci*, 3(2), 113–119.
- Cheng, I. C., Liao, J. X., Ciou, J. Y., Huang, L. T., Chen, Y. W., & Hou, C. Y. (2020). Characterization of protein hydrolysates from eel (*Anguilla marmorata*) and their application in herbal eel extracts. *Catalysts*, 10(2). <https://doi.org/10.3390/catal10020205>
- Chi, C.-F., Wang, B., Wang, Y.-M., Zhang, B., & Deng, S.-G. (2015). Isolation and characterization of three antioxidant peptides from protein hydrolysate of bluefin leatherjacket (*Navodon septentrionalis*) heads. *Journal of Functional Foods*, 12, 1–10.
- Chi, C., Wang, B., Deng, Y., Wang, Y., Deng, S., & Ma, J. (2014). Isolation and Characterization of Three Antioxidant Pentapeptides from Protein Hydrolysate of Monkfish (*Lophius litulon*) Muscle. *Food Res Int.*, 55, 222–228.
- Cholifah. (2014). *Produksi dan Karakterisasi Hidrolisat Jeroan Ikan Kakap Putih (Lates*

- calcarifer). In *Skripsi*. Institut Pertanian Bogor.
- Dang, Y., Gao, X., Ma, F., & Wu, X. (2015). Comparison of umami taste peptides in water_soluble extractions of Jinhua and Parma hams. *LWT - Food Science and Technology*, *60*, 1179–1186.
- Danner, L., Crump, A. M., Croker, A., Gambetta, J. M., Johnson, T. E., & Bastian, S. E. P. (2018). Comparison of rate-all-that-apply and descriptive analysis for the sensory profiling of wine. *American Journal of Enology and Viticulture*, *69*(1), 12–21. <https://doi.org/10.5344/ajev.2017.17052>
- Dardiri, A. . (2015). Karakteristik Flavor Enhancer dari Hidrolisat Protein Ikan Inferior. In *Skripsi*. Universitas Jember.
- Darmasetiawan. (2004). Kualitas Citarasa Beras Cepat Saji dari Beras Aromatik. *Skripsi*, Jurusan Teknologi Pangan dan Gizi. In *Skripsi*. Institut Pertanian Bogor.
- Deng, X., Lin, H., Ahmed, I., & Sui, J. (2021). Isolation and identification of the umami peptides from *Trachinotus ovatus* hydrolysate by consecutive chromatography and Nano-HPLC-MS/MS. *Lwt*, *141*(January), 110887. <https://doi.org/10.1016/j.lwt.2021.110887>
- Desmawarni. (2007). Pengaruh Komposisi Bahan Penyalut Dan Kondisi Spray Drying Terhadap Karakteristik Mikrokapsul Oleoresin Jahe. In *Skripsi*. Institut Pertanian Bogor.
- Dey, T. K., Chatterjee, R., Mandal, R. S., Roychoudhury, A., Paul, D., Roy, S., Pateiro, M., Das, A. K., Lorenzo, J. M., & Dhar, P. (2021). Ace inhibitory peptides from *bellamyia bengalensis* protein hydrolysates: In vitro and in silico molecular assessment. *Processes*, *9*(8), 1–13. <https://doi.org/10.3390/pr9081316>
- Dezhabad, A., Dalirie, M., & Toudar, S. (2012). Amino acid profile of kutum (*Rutilus frisii*), silver carp (*Hypophthalmichthys molitrix*) and rainbow trout (*Oncorhynchus mykiss*). *African Journal of Agricultural Research*, *7*(34), 4845–4847.
- Ding, Y., Li, X., & Kan, J. (2017). Isolation and identification of flavor peptides from douchi (traditional Chinese soybean food). *International Journal of Food Properties*, 1–13.
- Eaton, L., & Roger, K. (2018). *The Building Blocks of Life: Examining Basic Chemical Molecules*. Britannica Educational Publishing. shorturl.at/htvKQ
- Elavarasan, K. (2019). Health benefits and potential applications of Fish Protein hydrolysate. *ITEC Training Programme on 'Protocols for the Production of High Value Secondary Products from Industrial Fish and Shellfish Processing'*, 65–78.
- Elfian, E., Mappiratu, M., & Razak, A. R. (2017). PENGGUNAAN ENZIM PROTEASE KASAR GETAH BIDURI UNTUK PRODUKSI CITA RASA IKAN TERI (*Stolephorus heterolobus*). *Kovalen*, *3*(2), 122. <https://doi.org/10.22487/j24775398.2017.v3.i2.8718>
- Eric, K., Raymond, L. V., Huang, M., Cheserek, M. J., Hayat, K., Savio, N. D., & Zhang, X. (2013). Sensory attributes and antioxidant capacity of Maillard reaction products derived from xylose, cysteine and sunflower protein hydrolysate model system. *Food Research International*, *54*, 1437–1447.
- Erpiana. (2018). Studi Pembuatan Dangke Dengan Menggunakan Ekstrak Enzim Bromelin Kasar dari Batang Nanas (*Ananas comasus* L. Mer). In *Skripsi*.

Universitas Hasanuddin.

- Estiasih, T., & Ahmadi, K. (2009). *Teknologi Pengolahan Pangan*. Bumi Aksara.
- Febratama, Y. D., Hambali, M. I., Akbar, A., & Ningsih, N. (2020). Review: Penambahan Mikroenkapsulasi Minyak Ikan Pada Pakan Sebagai Inovasi Enrichment Feed Untuk Meningkatkan Produktivitas Unggas. *E-Prosiding Seminar Nasional Ilmu Peternakan Terapan*.
- Febrianto, N. . (2013). *Hidrolisat Protein asal Bungkil Kakao dan Ampas Kopi*. Warta Pusat Penelitian Kopi dan Kakao.
- Feng, X., Hang, S., Zhou, Y., Liu, Q., & Yang, H. (2018). Bromelain kinetics and mechanism on myofibril from golden pomfret (*Trachinotus blochii*). *J. Food Sci. Technol.*, 83, 2148–2158.
- Fiana, R. ., Murtius, W. ., & Asben, A. (2016). Pengaruh Konsentrasi Maltodekstrin terhadap Mutu Minuman Instan dari Teh Kombucha. *Jurnal Teknologi Pertanian Andalas*, 2(2), 1–8.
- Fibrianto, K., E., W., ka S., & Leonie M. W. P. (2017). Studi Komparasi Efektivitas Palate Cleanser Untuk Evaluasi Sensori Produk Susu Pasteurisasi dan Turunannya. *Jurnal Rekapangan*, 11(1), 54–61.
- Fibrianto, K., R., P. Y. D., & Sudarma D. W. (2015). Pengaruh Perbedaan Stimulus Haptic Terhadap Persepsi Kekentalan Secara Oral pada Kopi Instan Panas dan Dingin. *J.REKAPANGAN*, 9(2), 56–64.
- Fibrianto, Kiki, & Dwiwindarti, M. (2016). Profiling Attribute Of Jamu Kunyit Asam And Sinom By Rata (Rate-All-That-Apply) At Several Cities In East Java. *Jurnal Rekapangan*, 10(1), 15–22.
- Filho, E. R. T., Esmerino, E. A., Santos-Junior, V. D. A., Silva, A. C. ., & Bolini, H. M. A. (2020). Dynamic aspects of salt reduction in tomato sauce by use of flavor enhancers and a bitter blocker. *Food Science and Technology International*, 0(0), 1–11.
- Fitri, R. . (2018). Pemanfaatan ikan gabus (*Channa striata*) dan tomat (*Lycopersicon esculentum* mill) sebagai penyedap rasa alami. *Jurnal Proteksi Kesehatan*, 7(2), 94–100.
- Fitrih, D. N. . (2017). Aplikasi Analisa Sensori Spectrum Descriptive Analysis untuk Pembentukan dan Pelatihan Panelis Terlatih sebagai Pengujian Mutu Produk MSG di PT. Cheil Jedang Indonesia. In *Skripsi*. Universitas Brawijaya.
- Forghani, B., Ebrahimpour, A., Bakar, J., Abdul Hamid, A., Hassan, Z., & Saari, N. (2012). Enzyme hydrolysates from *Stichopus horrens* as a new source for angiotensin-converting enzyme inhibitory peptides. *Evidence Based Complementary and Alternative Medicine*, 1, 1–9.
- Gautam, S., Mishra, S., Dash, V., Amit, K., & Rath, G. (2010). Cooperative Study or Extraction, Purification and Estimation of Bromelain from Stem and Fruit of Pineapple Plant. *Thai J. Pharm., Sci.*, 1(1), 2.
- Gavin, J. (2021). *What is Umami?* <https://www.jessicagavin.com/what-is-umami/>
- Ghosh, S., Jung, C., & Meyer-Rochow, V. B. (2017). Snail as mini-livestock: Nutritional

- potential of farmed *Pomacea canaliculata* (Ampullariidae). *Agriculture and Natural Resources*, 51(6), 504–511. <https://doi.org/10.1016/j.anres.2017.12.007>
- Gibb, C. L. D., & Gibb, B. C. (2011). Anion binding to hydrophobic concavity is central to the salting-in effects of Hofmeister chaotropes. *Journal of the American Chemical Society*, 133(19), 7344–7347.
- Greisinger, S., Jovanovski, S., & Buchbauer, G. (2016). An interesting tour of new research results on umami and umami compounds. *Natural Product Communications*, 11(10), 1601–1618. <https://doi.org/10.1177/1934578x1601101040>
- Gunawan-Puteri, M. D. P. T., Hassanein, T. R., Prabawati, E. K., Wijaya, C. H., & Mutukumira, A. N. (2015). Sensory Characteristics of Seasoning Powders from Overripe Tempeh, a Solid State Fermented Soybean. *Procedia Chemistry*, 14(December), 263–269. <https://doi.org/10.1016/j.proche.2015.03.037>
- Hakim, A. R. (2013). *APLIKASI GUM ARAB DAN DEKSTRIN SEBAGAI BAHAN PENGIKAT PROTEIN EKSTRAK KEPALA UDANG Application of Arabic Gum and Dextrin as Binder Protein of Shrimp Head Extract*. 45–54.
- Halim, N. R. A., & Sarbon, N. M. (2020). Characterization of Asian swamp eel (*Monopterus* sp.) protein hydrolysate functional properties prepared using Alcalase® enzyme. *Food Research*, 4(1), 207–215. [https://doi.org/10.26656/fr.2017.4\(1\).205](https://doi.org/10.26656/fr.2017.4(1).205)
- Halim, N. R. A., Yusof, H. M., & Sarbon, N. M. (2016). Functional and bioactive properties of fish protein hydrolysates and peptides: A comprehensive review. *Trends in Food Science Technology*, 51, 24–33.
- Halwart, M. (1994). The golden apple snail *Pomacea canaliculata* in Asian rice farming system: present impact and future threat. *Int. J. Pest Manage*, 40, 199–206.
- Hamid, S. A., Halim, N. R. A., & Sarbon, N. M. (2015). Optimization of enzymatic hydrolysis conditions of Golden Apple Snail (*Pomacea canaliculata*) protein by Alcalase. *International Food Research Journal*, 22(4), 2041–2049.
- Harada-Padermo, S. dos S., Dias-Faceto, L. S., Selani, M. M., Alvim, I. D., Floh, E. I. S., Macedo, A. F., Bogusz, S., Dias, C. T. dos S., Conti-Silva, A. C., & Vieira, T. M. F. de S. (2020). Umami Ingredient: Flavor enhancer from shiitake (*Lentinula edodes*) byproducts. *Food Research International*, 137(July), 109540. <https://doi.org/10.1016/j.foodres.2020.109540>
- Harada-Padermo, S. dos S., Dias-Faceto, L. S., Selani, M. M., Conti-Silva, A. C., & Vieira, T. M. F. de S. (2021). Umami Ingredient, a newly developed flavor enhancer from shiitake byproducts, in low-sodium products: A study case of application in corn extruded snacks. *Lwt*, 138(August 2020), 110806. <https://doi.org/10.1016/j.lwt.2020.110806>
- Hariwan, P., Kholil, M., & Gadissa, A. A. N. (2016). Analisa Pengambilan Keputusan pada Penentuan Cairan Antiseptik Tangan yang Terbaik dengan Metode Analytical Hierarchy Process (Ahp) (Studi Kasus: Laboratorium Mikrobiologi PT. Sandoz Indonesia). *Penelit. Dan Apl. Sist. Dan Tek. Ind.*, 9(2).
- Haslaniza, H., Maskat, M., Wan, A., & Mamot, S. (2010). The effect of enzyme concentration, temperature, and incubation time on nitrogen content and degree of

- hydrolysis of protein precipitate from cockle (*Anadara granosa*) meat waste water. *International Food Research Journal*, 17, 147–152.
- Haslianti, I. M. G., & Ishak, E. (2017). Karakteristik Keong Kowoe Dan Aktivitas Antioksidannya. *JPHPI 2017*, 20(1).
- Hasrini, R. ., Zakaria, F. ., Adawiyah, D. ., & Suparto, I. . (2017). Mikroenkapsulasi Minyak Sawit Mentah dengan Penyalut Maltodekstrin dan Isolat Protein Kedelai. *J. Teknol. Dan Industri Pangan*, 28(1), 11–19.
- Hastuti, S., Arifin, S., & Hidayati, D. (2012). Pemanfaatan limbah cangkang rajungan (*Portunus pelagicus*) sebagai perisa makanan alami. *Jurnal Agrotek*, 6(2), 88–92.
- Hough, G., I, W., A, M., E, C. I., IM, G., & LR., A. (2006). Number of consumers necessary for sensory acceptability tests. *Food Quality and Preference*, 17(6), 522–6.
- Idrus, S. (2013). Mikroenkapsulasi minyak ikan yang mengandung asam lemak omega-3 menggunakan gum arab sebagai bahan pelapis. *Majalah Biam*, 9(1), 23–29.
- Isabelle, P. L. de C., Ellen, M. M. A., Cilene, N. S., & Carlyle, B. M. (2020). USE OF NEW METHODOLOGY IN RATE-ALL-THAT-APPLY (RATA) DESCRIPTIVE SENSORY ANALYSIS TO CHARACTERIZE DARK CHOCOLATES OF DIFFERENT CACA. *Paper Presented at the Anais Do Simpósio Latino Americano de Ciência Dos Alimentos*.
- Ishak, N. H., & Sarbon, N. M. (2016). Optimization of the enzymatic hydrolysis conditions of waste from shortfin scad (*Decapterus macrosoma*) for the production of angiotensin I- converting enzyme (ACE) inhibitory peptide using response surface methodology. *International Food Research Journal*, in Press.
- Ishibashi, N., Arita, Y., Kanehisa, H., Kouge, K., Okai, H., & Fukui, S. (1987). Bitterness of leucine containing peptides. *Agric Biol Chem*, 51, 2389–2394.
- IUCN. (2017). *The IUCN list of threatened species 2017-2. Pomacea Canaliculata*.
- Iwaniak, A., Hryniewicz, M., Bucholska, J., Minkiewicz, P., & Darewicz, M. (2018). Understanding the nature of bitter-taste di- and tripeptides derived from food proteins based on chemometric analysis. *Journal of Food Biochemistry*, 42(9).
- Iwasaki, T., Miyamura, N., Kuroda, M., & Kohmura, M. (2009). *Glycopeptide and peptide having a kokumi taste imparting function, and method of imparting the kokumi taste to foods*.
- Izli, N., & E., I. (2014). Effect of different drying methods on drying characteristics, colour and microstructure properties of mushroom. *J Food Nutr Res.*, 53(2), 105–16.
- Jamil, N. H., Halim, N. R. A., & Sarbon, N. M. (2016). Optimization of enzymatic hydrolysis condition and functional properties of eel (*Monopterus sp.*) protein using response surface methodology (RSM). *International Food Research Journal*, 23(1), 1–9.
- Jaziri, A. A., Sukoso, M., & Firdaus, M. (2017). Karakteristik Protease Dari Ekstrak Kasar Khamir Laut Dan Aktivitasnya Dalam Menghidrolisis Protein Ikan Rucah. *JFMR- Journal of Fisheries and Marine Research*, 1(2), 78–87. <http://jfmr.ub.ac.id/index.php/jfmr/article/view/39/23>
- Joshi, R. (2007). Joshi RC. 2007. Problems with the management of the golden apple

- snail *Pomacea canaliculata*: An important exotic pest of rice in Asia. In: Vreysen MJB, Robinson AS, Hendrichs J (Eds.). *Area-Wide Control of Insect Pests*. Springer, Dordrecht.
- Jung, B.-M., Kwon, Y.-S., & Park, Y.-S. (2012). Effect of global warming on the distribution of overwintering *Pomacea canaliculata* (Gastropod: Ampullariidae) in Korea. *Kor. J. Limnol.*, *45*, 453–458.
- Kanakdande, D., Bhosale, R., & Singhal, R. S. (2007). Stability cumin oleoresin microenkapsulated in different combination of gum arabic, maltodextrin, and modified starch. *Carbohydrate Polymer*, *67*, 536–541.
- Kaur, T., Kaur, A., & Grewal, R. (2014). Kinetics studies with fruit bromelain (*Ananas comosus*) in the presence of cysteine and divalent ions. *J. Food Sci. Technol.*, *52*, 5954–5960.
- Khamidah, S. Z., Hastarini, E., Fardiaz, D., & Budijanto, S. (2019). Mikroenkapsulasi konsentrat asam lemak tak jenuh dari minyak ikan patin. *Jurnal Teknologi Dan Industri Pangan*, *30*(2), 143–151.
- Khokhani, K. R. V., Bhatt, J., Khatri, T., & Joshi, H. (2012). Spectrophotometric and Chromatographic Analysis of Amino Acids Present in Leaves of *Ailanthus excels*. *International Journal of Chem Tech Research*, *4*(1), 389–393.
- Khotimah, K., Soetikno, N., Pengajar, S., Teknologi, J., Perikanan, H., Perikanan, F., Ilmu, D., & Unlam, K. (2016). Kualitas Kimiawi Dan Sensoris Kecap Berbahan Baku Keong Sawah Quality of Chemical and Sensory Sauce of Keong Sawah Raw Material. *Fish Scientiae*, *6*, 80–80.
- Kim, M. J., Son, H. ., Kim, Y., Misaka, T., & Rhyu, M. . (2015). Umami-bitter interactions: The suppression of bitterness by umami peptides via human bitter taste receptor. *Biochemical and Biophysical Research Communications*, *456*, 586–590.
- Kim, S. . (2013). *Marine Proteins and Peptides: Biological Activities and Applications*. John Wiley & Sons.
- Kobayashi, Y., Habara, M., Ikezaki, H., Chen, R., Naito, Y., & Toko, K. (2010). Advanced taste sensors based on artificial lipids with global selectivity to basic taste qualities and high correlation to sensory scores. *Sensory*, *10*(4), 3411–3443.
- Kong, Y., Yang, X., Ding, Q., Zhang, Y. Y., Sun, B. G., Chen, H. T., & Sun, Y. (2017). Comparison of non-volatile umami components in chicken soup and chicken enzymatic hydrolysate. *Food Research International*, *102*(September), 559–566. <https://doi.org/10.1016/j.foodres.2017.09.038>
- Kotlar, C. ., Ponce, A. ., & Roura, S. . (2013). Improvement of Functional and Antimicrobial Properties of Brewery by Product Hydrolyzed Enzymatically. *LWT Food Sci Technol.*, *50*, 378–385.
- Kurihara, K. (2009). Glutamate: from discovery as food flavor to role as basic taste (umami). *Am J Clin Nutr.* *90* (Suppl), 7(19–22).
- Kurihara, K. (2015). Kurihara, K. 2015. Umami the Fifth Basic Taste: History of Studies on Receptor Mechanisms and Role as Food Flavor. In *BioMed Research International*. Hindawi Publishing Corporation.
- Kusnandar, F. (2010). *Kimia Pangan: Komponen Makro*. Dian Rakyat.

- Kusumaningtyas, E., Widiastuti, R., Kusumaningrum, H. ., & Suhartono, M. T. (2012). Aktivitas antibakteri dan antioksidan hidrolisat hasil hidrolisis protein susu kambing dengan ekstrak kasar bromelin. *J. Teknol. Dan Industri Pangan*, 26(2), 179–188.
- Lamkom, T., & Phosri, D. (2017). Study on Gonadosomatic Index of Thai Native Apple Snail (*Pila ampullacea* Linneaus 1758) in the Rice Fields of Srimuang-mai District Ubon Ratchathani and Effect of Diet on the Growth of Juvelines. *Journal of Fisheries and Environment*, 41(1).
- Lasekan, O., Muniady, M., Lin, M., & Dabaj, F. (2018). Identification of characteristic aroma compounds in raw and thermally processed African giant snail (*Achatina fulica*). *Chemistry Central Journal*, 12(1), 1–10. <https://doi.org/10.1186/s13065-018-0413-6>
- Lawless, H. T., & Heymann, H. (2010). *Sensory Evaluation of Food: Principles and Practices* (Second Edi). Springer.
- Li, Y., Wang, X., Xue, Y., Ruan, S., Zhou, A., Huang, S., & Ma, H. (2021). The Preparation and Identification of Characteristic Flavour Compounds of Maillard Reaction Products of Protein Hydrolysate from Grass Carp (*Ctenopharyngodon idella*) Bone. *Journal of Food Quality*, 2021. <https://doi.org/10.1155/2021/8394152>
- Liliany, D., Widyarman, A., Erfan, E., Sudiono, J., & Djamil, M. (2018). Enzymatic activity of bromelain isolated pineapple (*Ananas comosus*) hump and its antibacterial effect on *Enterococcus faecalis*. *Scientific Dental Journal*, 2(2), 39. <https://doi.org/10.26912/sdj.v2i2.2540>
- Lioe, H. ., Takara, K., & Yasuda, M. (2006). Evaluation of peptide contribution to the intense umami taste of japanese soy sauces. *Journal of Food Science*, 71(3), S277–S283.
- Lisa, M., Lutfi, M., & Susilo, B. (2015). Pengaruh Suhu dan Lama Pengeringan terhadap Mutu Tepung Jamur Tiram Putih (*Plaerotus ostreatus*). *Jurnal Keteknikaan Pertanian Tropis Dan Biosistem*, 3(3), 270–279. <https://jkptb.ub.ac.id/index.php/jkptb/article/view/293>
- Liu, B., & Chiang, P. (2008). Production of hydrolysate with antioxidative activity and functional properties by enzymatic hydrolysis of defatted sesame (*Sesamum indicum* L). *International Journal of Applied Science and Engineering*, 6, 73–83.
- Maehashi, K., Matsuzaki, M., Yamamoto, Y., & Udaka, S. (1999). Isolation of peptides from an enzymatic hydrolysate of food proteins and characterization of their taste properties. *Bioscience Biotechnology Biochemistry*, 63, 555-9.
- Mardhika, H., Dwiloka, B., & Setiani, B. E. (2020). Pengaruh berbagai metode thawing daging ayam petelur afkir beku terhadap kadar protein, protein terlarut dan kadar lemak steak ayam. *J. Teknologi Pangan*, 4(1), 48–54.
- Martosuyono, P., Fawzya, Y. N., Patantis, G., & Sugiyono. (2019). Enzymatic production of fish protein hydrolysates in a pilot plant scale. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 14(2), 85–92. <https://doi.org/10.15578/squalen.v14i2.398>
- Maulidiah, D. M., & Fibrianto, K. (2019). Profil Sensori Produk Msg Pt. X Dengan Variasi Media Air Mineral Dan Kaldu Ayam. *Jurnal Pangan Dan Agroindustri*, 7(2), 37–46. <https://doi.org/10.21776/ub.jp.a.2019.007.02.4>

- Mayasari, E., Priyono, S., Ulfa, M., & Saloko, S. (2018). Identifikasi Asam Amino Glutamat Pada Bumbu Instan Daun San-sakng (*Albertisia papuana* Becc). *Buku 1 (Bidang Ilmu Pengetahuan Alam Dan Teknologi)*, May, 83–88. https://www.researchgate.net/publication/332707210_Identifikasi_Asam_Amino_Glutamat_Pada_Bumbu_Instan_Daun_San-sakng_Albertisia_papuana_Becc
- McLellan, M. R., Lind, L. R., & Kime, R. W. (1994). Hue Angle Determinations and Statistical. *Journal of Food Quality*, 18(1995), 235–240.
- Meiyani, D. N. A. ., Riyadi, P. ., & Anggo, A. . (2014). Pemanfaatan Air Rebusan Kepala Udang Putih (*Penaeus merguensis*) sebagai Flavor dalam bentuk Bubuk dengan Penambahan Maltodekstrin. *Jurnal Pengolahan Dan Bioteknologi Hasil Perikanan*, 3(2), 67–74.
- Meyners, M., Jaeger, S. R., & Ares, G. (2016). On the analysis of Rate-All-That-Apply (RATA) data. *Food Quality and Preference*, 49, 1–10. <https://doi.org/10.1016/j.foodqual.2015.11.003>
- Min, Q., & Einarsson, H. (2015). *Savoury Flavour Formulations From Maillard Reaction of Hydrolysed Cod By-Products and Sugars*. <http://www.unuftp.is/static/fellows/document/min15prf.pdf>
- Mohammed, N. K., Tan, C. P., Manap, Y. A., Muhiaddin, B. J., & Hussin, A. S. M. (2020). Spray Drying for the Encapsulation of Oils-A Review. *Molecules (Basel, Switzerland)*, 25(17), 1–6.
- Mohapatra, V. M., Rao, & Ranjan, M. (2013). Comparative study of the increased production and characterization of Bromelain from the peel, pulp and stem pineapple (*Anannus commas*). *Int. J. Adv. Res. Technol.*, 2, 249–279.
- Mongkonkamthorn, N., Malila, Y., Yarnpakdee, S., Makkhun, S., Regenstein, J. M., & Wangtueai, S. (2020). Production of protein hydrolysate containing antioxidant and angiotensin-i-converting enzyme (Ace) inhibitory activities from tuna (*katsuwonus pelamis*) blood. *Processes*, 8(11), 1–22. <https://doi.org/10.3390/pr8111518>
- Moniruzzaman, M., Sku, S., Chowdhury, P., Tanu, M. B., Yeasmine, S., Hossen, M. N., Min, T., Bai, S. C., & Mahmud, Y. (2021). Nutritional evaluation of some economically important marine and freshwater mollusc species of Bangladesh. *Heliyon*, 7(5), e07088. <https://doi.org/10.1016/j.heliyon.2021.e07088>
- Mótyán, J. A., Tóth, F., & Tőzsér, J. (2013). Research applications of proteolytic enzymes in molecular biology. *Biomolecules*, 3(4), 923–942. <https://doi.org/10.3390/biom3040923>
- Mualim, A., Lestari, S., & Hanggita, S. R. J. (2013). Kandungan Gizi dan Karakteristik Mi Basah dengan Substitusi Daging Keong Mas (*Pomacea caniculata*). *Jurnal FISTEC Universitas Sriwijaya*, 2(1).
- Murthy, L. N., Phadke, G. G., Mohan, C. O., Chandra, M. V., Annamalai, J., Visnuvinayagam, S., Unnikrishnan, P., & Ravishankar, C. N. (2017). Characterization of Spray-Dried Hydrolyzed Proteins from Pink Perch Meat Added with Maltodextrin and Gum Arabic. *Journal of Aquatic Food Product Technology*, 26(8), 913–928. <https://doi.org/10.1080/10498850.2017.1362684>
- Mutamimah, D., Ibrahim, B., & Trilaksani, W. (2018). ANTIOXIDANT ACTIVITY OF PROTEIN HYDROLYSATE PRODUCED FROM TUNA EYE (*Thunnus* sp.) BY

- ENZYMATIC HYDROLYSIS. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(3), 522. <https://doi.org/10.17844/jphpi.v21i3.24736>
- Nadhifa, Y. (2021). Aktivitas Antimikroba Hidrolisat Protein Keong Mas (*Pomacea canaliculata*) Pada Bakteri *Escherichia coli* dan *Staphylococcus aureus*. In *Skripsi*. UPN Veteran Jawa Timur.
- Nafi, A., Diniyah, N., & Permata, R. (2014). Pembuatan Garam Gurih Jamur Merang Dengan Variasi Lama Hidrolisis Dan Lama Fermentasi. *Jurnal Ilmiah Inovasi*, 14(2), 125–132.
- Naknaen, P., Itthisoponkul, T., & Charoenthaikij, P. (2015). Proximate Compositions, Nonvolatile Taste Components and Antioxidant Capacities of Some Dried Edible Mushrooms Collected from Thailand. *Journal of Food Measurement and Characterization*, 9(3), 259–268.
- Nasri, M. (2017). Protein hydrolysates and biopeptides: Production, biological activities, and applications in foods and health benefits. A review. *Adv Food Nutr Res*. 2017, 81.
- Novitasari, R. T. ., Anggo, A. ., & Agustini, T. . (2021). Pengaruh Kombinasi Bahan Pengisi Maltodekstrin dan Karagenan Terhadap Karakteristik Bubuk Flavor Lemi dari Rajungan. *Jurnal Ilmu Dan Teknologi Perikanan*, 3(1), 16–25.
- Nugroho, F. . (2009). Isolasi enzim bromelin dari buah nanas dan aplikasinya pada pembuatan kecap berbahan baku keong mas. *Jurnal Teknik*, 3(2), 56–65.
- Nuraeni, L. ., Garnida, Y., & Sofyan, I. (2016). PENGARUH SUHU DAN LAMA PENGERINGAN TERHADAP KARAKTERISTIK TEPUNG TERUBUK (*Saccharum edule Hasskarl*). *Universitas Pasundan*.
- Nurani, R. . (2015). Formulasi dan Karakterisasi Garam Sedap Hasil Hidrolisis Enzimatik Dari Ikan Inferior. In *Skripsi*. Universitas Jember.
- Nurhaeni, Sambali, A., Satrimafitrah, P., & Jusman. (2019). Penentuan Suhu Dan Ph Hidrolisis Kitosan Dari Cangkang Keong Sawah (*Pila Ampullacea*) Terhadap Berat Molekul Hidrolisatnya. *KOVALEN: Jurnal Riset Kimia*, 5(1), 90–99.
- Nurhidayah, M., & Masri, M. (2013). Isolasi dan Pengukuran Aktivitas Enzim Bromelin dari Ekstrak Kasar Batang Nanas (*Ananas comosus*) Berdasarkan Variasi pH. *Biogenesis: Jurnal Ilmiah Biologi*, 1(2).
- Obande, R. A. (2013). Proximate composition and mineral content of the Fresh water snail (*Pila ampullacea*) from River Benue, Nigeria. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 2(6), 43–46. <https://doi.org/10.9790/2402-0264346>
- Okoye, C. N., Ochiogu, I. S., & Onah, C. E. (2016). *The effects of monosodium l-glutamate administration on the reproduction and serum biochemistry of adult male rabbits*. 3, 141–147.
- Oktasari, N. (2014). Pemanfaatan keong sawah (*Pila ampullacea*) pada pembuatan nugget sebagai alternatif makanan berprotein tinggi di desa jurug kecamatan mojosongo kabupaten boyolali. *Jurusan Ilmu Kesehatan Masyarakat Fakultas Ilmu Keolahragaan Universitas Negeri Semarang*, 16–24.
- Oktaviana, Y. . (2012). Kombinasi Konsentrasi Maltodekstrin dan Suhu Pemanasan

- Terhadap Kualitas Minuman Serbuk Instan Belimbing Wuluh (*Averrhoa bilimbi* L). In *Skripsi*. Universitas Atma Jaya Yogyakarta.
- Oppermann, A. K. L., de Graaf, C., Scholten, E., Stieger, M., & Piqueras-Fiszman, B. (2017). Comparison of Rate-All-That-Apply (RATA) and Descriptive sensory Analysis (DA) of model double emulsions with subtle perceptual differences. *Food Quality and Preference*, 56, 55–68. <https://doi.org/10.1016/j.foodqual.2016.09.010>
- Peinado, I., Koutsidis, G., & Ames, J. (2016). Production of seafood flavour formulations from enzymatic hydrolysates of fish by-products. *LWT - Food Science and Technology*, 66, 444–452. <https://doi.org/10.1016/j.lwt.2015.09.025>
- Permatasari, N., & Adi, A. . (2018). Daya Terima Dan Kandungan Gizi (Energi, Protein) Gyoza Yang Disubstitusi Keong Sawah (*Pilaampullacea*) Dan Puree Kelor (*Moringa oleifera*). *Media Gizi Indonesia*, 13(1).
- Perrett, D., & Nayuni., N. K. (2014). *Decontamination in Hospitals and Healthcare: 23 - Efficacy of current and novel cleaning technologies (ProReveal) for assessing protein contamination on surgical instruments*. (Editor(s): J.T. Walker. (ed.)). Woodhead Publishing.
- Phat, C., Moon, B., & Lee, C. (2016). Evaluation of umami taste in mushroom extracts by chemical analysis, sensory evaluation, and an electronic tongue system. *Food Chem*, 192, 1068–1077.
- Poba, D., Ijirana, I., & Sakung, J. (2019). Crude Bromelain Enzyme Activities Based on Maturity Level of Pineapple. *Jurnal Akademika Kimia*, 8(4), 236–241. <https://doi.org/10.22487/j24775185.2019.v8.i4.pp236-241>
- Prastika, H. H., Ratnayani, K., Puspawati, N. M., & Laksmiwati, A. A. I. A. M. (2019). Penggunaan enzim pepsin untuk produksi hidrolisat protein kacang gude (*Cajanus cajan* L) yang aktif antioksidan. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 7(2), 180–188.
- Prasulistyowati, T. . (2011). Modifikasi Hidrolisis Enzimatis Koro Katok Menggunakan Campuran Enzim Protease Biduri dan Papain untuk Memproduksi Flavor Enhancer. In *Skripsi*. Universitas Jember.
- Pratiwi, D. (2017). Profiling Atribut Sensori dengan Metode RATA (Rate-AllThat-Apply) Produk MSG di PT. Cheil Jedang Indonesia Jombang, Jawa Timur. In *Skripsi*. Universitas Brawijaya.
- Prayudi, A., Yuniarti, T., & Taryoto, A. . (2019). Potensi hasil samping perikanan sebagai sumber bahan baku produk penyedap rasa alami. *Prosiding Seminar Nasional Perikanan Dan Penyuluhan*, 265–280.
- Prihanto, A. A., Nurdiani, R., & Bagus, A. D. (2019). Production and characteristics of fish protein hydrolysate from parrotfish (*Chlorurus sordidus*) head. *PeerJ*, 2019(12), 1–16. <https://doi.org/10.7717/peerj.8297>
- Purbasari, D. (2008). Produksi dan Karakterisasi Hidrolisat Protein dari Kerang Mas Ngur (*Atactodea striata*). In *Skripsi*. Institut Pertanian Bogor.
- Purnamaningsih. (2010). Pengaruh Penambahan Tepung Keong Mas (*Pomacea canaliculata* Lamarck) dalam Ransum Terhadap Kualitas Telur Itik. In *Skripsi*. Universitas Sebelas Maret Surakarta.

- Purnamayati, L., Dewi, E. N., & R. A. K. (2016). Karakteristik fisik mikrokapsul fikosianin Spirulina pada konsentrasi bahan penyalut yang berbeda. *Jurnal Teknologi Hasil Pertanian*, 9(1), 1–18.
- Putra, A. Y. T., Rosida, D. F., & ... (2020). Effect of Hydrolysis time and Papain Concentration on Some Properties of Apple Snail (*Pilla ampullacea*) Hydrolysate. *International Journal of Eco ...*, 01(2), 5–9. <https://doi.org/10.4186/ijeise.upnjatim.ac.id/E-ISSN>
- Putra, G. D. (2014). *PENGARUH KONSENTRASI DAN RASIO CARRIER AGENT TERHADAP KARAKTERISTIK BUBUK FLAVOR DARI EKSTRAK KEPALA UDANG VANNAMEI (Litopenaeus vannamei)*.
- Putra, S. N. K. M., Ishak, N. H., & Sarbon, N. M. (2018). Preparation and characterization of physicochemical properties of golden apple snail (*Pomacea canaliculata*) protein hydrolysate as affected by different proteases. *Biocatalysis and Agricultural Biotechnology*, 13(October 2017), 123–128. <https://doi.org/10.1016/j.bcab.2017.12.002>
- Rahman, R. F. (2019). Pengaruh Pemanasan Microwave Terhadap Kandungan Protein Ikan Tembakul (*Periopthalmus minutus*). In *Skripsi*. Universitas Riau.
- Ramdani, & Lazuardi, F. (2018). Evaluasi Kadar Protein dan Profil Asam Amino pada Hidrolisat Protein Keong Mas yang Disimpan selama 2 Tahun pada Suhu Kamar. In *Skripsi*. Universitas Brawijaya.
- Ramli, A. N. M., Manas, N. H. A., Hamid, A. A. A., Hamid, H. A., & Illias, R. M. (2018). Comparative structural analysis of fruit and stem bromelain from Ananas comosus. *Food Chemistry*, 266(September), 183–191. <https://doi.org/10.1016/j.foodchem.2018.05.125>
- Robiatul Adawiyah, D., Mellyana Tjiptoputri, O., & Lince, L. (2020). Profil Sensori Sediaan Pemanis dengan Metode Rate-All-That-Apply (RATA). *Jurnal Mutu Pangan: Indonesian Journal of Food Quality*, 7(1), 38–45. <https://doi.org/10.29244/jmpi.2020.7.1.38>
- Rodrigues, J., VR, de S., RR, L., J, de D. S. C., CA, N., & Pinheiro, A. (2016). Temporal dominance of sensations (TDS) panel behavior: A preliminary study with chocolate. *Food Quality and Preference*, 54, 51–57.
- Rohim, A. (2016). Efektivitas Pengendalian Hama Keong Mas (*Pomacea canaliculata*) dengan Larutan Garam pada Padi Sistem SRI. In *Skripsi*. Universitas Muhammadiyah Yogyakarta.
- Rosida, D. F., Priyanto, A. D., Yusuf, A., & Putra, T. (2021). Effects of Papain Concentration and Hydrolysis Time on Degree of Hydrolysis and Glutamic Acid Content of Apple Snail Hydrolysate. *5th International Seminar of Research Month 2020. NST Proceedings, 2021*, 17–21.
- Rowe, R. C., Kibbe, A. H., Povidone, I., Shesky, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (6th ed.). The Pharmaceutical Press.
- Rutherford, S. . (2010). Methodology of Determing Degree of Hydrolysis of Protein Hydrolysates: A Review. *Journal of AOAC International*, 93(5).
- Saallah, S., Ishak, N. H., & Sarbon, N. M. (2020). Effect of different molecular weight on

- the antioxidant activity and physicochemical properties of golden apple snail (Ampullariidae) protein hydrolysates. *Food Research*, 4(4), 1363–1370. [https://doi.org/10.26656/FR.2017.4\(4\).348](https://doi.org/10.26656/FR.2017.4(4).348)
- Saltvedt, E. (2015). *Protein Hydrolysates and Oil from Herring Rest Raw Material Erle Saltvedt. June*.
- Sand, J. (2005). A Short History of MSG: Good Science, Bad Science, and Taste Cultures (History of MSG and its marketing in Japan, Taiwan, China, and the U.S.). *Gastronomica*, 5(4).
- Schlichtherle-Cerny, H., Amado, R. (2002). Analysis of taste-active compounds in an enzymatic hydrolysate of deamidated wheat gluten. *Journal of Agricultural and Food Chemistry*, 50, 1515–1522.
- Selamassakul, O., Laohakunjit, N., Kerdchoechuen, O., & Ratanakhanokchai, K. (2016). A novel multi-biofunctional protein from brown rice hydrolysed by endo/endo-exoproteases. *Food and Function*, 7(6), 2635–2644. <https://doi.org/10.1039/c5fo01344e>
- Selamassakul, O., Laohakunjit, N., Kerdchoechuen, O., Yang, L., & Maier, C. S. (2018). Isolation and characterisation of antioxidative peptides from bromelain-hydrolysed brown rice protein by proteomic technique. *Process Biochemistry*, 70, 179–187. <https://doi.org/10.1016/j.procbio.2018.03.024>
- Selamassakul, O., Laohakunjit, N., Kerdchoechuen, O., Yang, L., & Maier, C. S. (2020). Bioactive peptides from brown rice protein hydrolyzed by bromelain: Relationship between biofunctional activities and flavor characteristics. *Journal of Food Science*, 85(3), 707–717. <https://doi.org/10.1111/1750-3841.15052>
- Setalaphruk, C., & Price, L.L. (2007). Children's traditional knowledge of wild food resources: a case study in rural village in Northeast Thailand. *J. Ethnobiol. Ethnomed.*, 3(33).
- Setyawati, N. (2018). Glutamat ampas tahu sebagai penyedap rasa pengganti msg (monosodium glutamate). *Semiar Nasional PPM*, 2(1).
- Sihombing, G. . (2019). *FORMULASI GRANUL EKSTRAK DAUN MEKAI (Albertisia papuana Becc.) SEBAGAI PENYEDAP RASA PADA MAKANAN*.
- Silvestre, M. P. C. ., Morais, H., Silva, V. D. M., & M. R. Silva. (2013). Degree of Hydrolysis and Peptide Profile of Whey Proteins Using Pancreatin. *J. Brazilian Soc. Food Nutr.*, 38(3), 278–290.
- Simanjorang, E., Kurniawati, N., & Hasan, Z. (2012). Pengaruh penggunaan enzim papain dengan konsentrasi yang berbeda terhadap karakteristik kimia kecap tutup. *Jurnal Perikanan Dan Kelautan*, 3(4).
- Sonklin, C., Laohakunjit, N., & Kerdchoechuen, O. (2011). Physicochemical and flavor characteristics of flavoring agent from mungbean protein hydrolyzed by bromelain. *Journal of Agricultural and Food Chemistry*, 59(15), 8475–8483. <https://doi.org/10.1021/jf202006a>
- Sonklin, C., Laohakunjit, N., Kerdchoechuen, O., & Ratanakhanokchai, K. (2018). Volatile flavour compounds, sensory characteristics and antioxidant activities of mungbean meal protein hydrolysed by bromelain. *Journal of Food Science and*

- Technology*, 55(1), 265–277. <https://doi.org/10.1007/s13197-017-2935-7>
- Su, G., Cui, C., Zheng, L., Yang, B., Ren, J., & Zhao, M. (2012). Isolation and Identification of Two Novel Umami and Umami-Enhancing Peptides from Peanut Hydrolysate by Consecutive Chromatography and MALD-TOF/TOF MS. *Food Chemistry*, 135(2), 479–485.
- Sudarmadji, S., Haryono, B., & Suhardi. (1997). *Prosedur Analisa Untuk Bahan Makanan dan Pertanian* (Edisi Keem). Penerbit Liberty.
- Suhartono, & Artika, W. (2017). Isolasi dan Uji Aktivitas Protease dari Aktinobakteri Isolat Lokal (AKJ-09) Aceh. *Bioleuser*, 1(3), 116–120.
- Susilo, E. . (2019). Pengaruh Formulasi dan Proses Pengukusan Terhadap Kandungan Asam Glutamat pada Bumbu Penyedap Berbahan Dasar Spirulina. In *Skripsi*. UNIKA Soegijapranata.
- Tamaya, A. C., Darmanto, Y. S., & Anggo, A. D. (2020). KARAKTERISTIK PENYEDAP RASA DARI AIR REBUSAN PADA JENIS IKAN YANG BERBEDA DENGAN PENAMBAHAN TEPUNG MAIZENA. *Jurnal Ilmu Dan Teknologi Perikanan*, 2(2), 13–21.
- Tanjung, I. S., Prastiwi, D. A., Nurmaghfiroh., Wulandari, R., & Kurniawan, E. K. (2013). *Bakso tutut: sumber protein baru penggemar bakso*.
- Tanuja, S., Viji, P., Zynudheen, A., & Joshy, C. (2012). Composition, functional properties and antioxidative activity of hydrolysates prepared from the frame meat of Striped catfish (*Pangasianodon hypophthalmus*). *Egyptian Journal of Biology*, 14(1), 27–35. <https://doi.org/10.4314/ejb.v14i1.3>
- Tarwendah, I. . (2017). Jurnal Review: Studi Komparasi Atribut Sensori dan Kesadaran Merek Produk Pangan. *Jurnal Pangan Dan Agroindustri*, 5(2), 66–73.
- Taufik, M., & Rahmawati, D. (2017). Fraksinasi dan Karakterisasi Komponen Rasa Gurih pada Bumbu Penyedap. *Jurnal Aplikasi Teknologi Pangan*, 6(1).
- Temussi, P. . (2011). The Good Taste of Peptides. *J.Peptide Science*, 18(2), 73–82.
- Tian, H., Zhang, Y., Qin, L., Chen, C., Liu, Y., & Yu, H. (2018). Evaluating Taste Contribution of Brown Sugar in Chicken Seasoning Using Taste Compounds, Sensory Evaluation, and Electronic Tongue. *International Journal of Food Properties*, 21(1), 471–483.
- Tjiptoputri, O. M. (2017). Evaluasi profil sensori sediaan pemanis dengan metode rate-all-that-apply (rata) olivia mellyana tjiptoputri. In *Skripsi*. Institut Pertanian Bogor.
- Toledo, N. ., Mondoni, J., Harada-Padermo, S. dos S., Vela-Pardez, R. ., Berni, P. R. ., Selani, M. M., & Canniati-Brazaca, S. . (2019). Characterization of Apple, Pineapple, and Melon By-Products and Their Application in Cookie Formulations as an Alternative to Enhance The Antioxidant Capacity. *Journal of Food Processing and Preservation*, 43(9), 1–9.
- Tsai, T. H., Liu, Y. C., Wann, S. R., Lin, W. R., Lee, S. J., Lin, H. H., Chen, Y. S., Yen, M. Y., & Yen, C. M. (2001). *An outbreak of meningitis caused by Angiostrongylus cantonensis in Kaohsiung*. 34, 50–56.
- Umah, L., Agustini, T. ., & Fahmi, A. . (2021). Karakteristik Perisa Bubuk Ekstrak Kepala

- Udang Vanamei (*Litopenaeus vannamei*) dengan Penambahan Konsentrat Tomat menggunakan Metode Foam Mat Drying. *Jurnal Ilmu Dan Teknologi Perikanan*, 3(1), 50–58.
- Utami, R. (2014). *Karakterisasi Komponen Pembentuk Rasa yang Terdapat dalam Ekstrak Larut Air Tempe Terfermentasi Lanjut*. IPB.
- Vidal, N. P., Manful, C. F., Pham, T. H., Stewart, P., Keough, D., & Thomas, R. H. (2020). The use of XLSTAT in conducting principal component analysis (PCA) when evaluating the relationships between sensory and quality attributes in grilled foods. *MethodsX*, 7, 100835. <https://doi.org/10.1016/j.mex.2020.100835>
- Wicaksono, L. A., & Winarti, S. (2021). Karakteristik Penyedap Rasa Alami dari Biji Bunga Matahari dan Kupang Putih dengan Hidrolisis Enzimatis. *AGRITEKNO: Jurnal Teknologi Pertanian*, 10(1), 64–73. <https://doi.org/10.30598/jagritekno.2021.10.1.64>
- Widadi, I. . (2011). Pembuatan dan Karakterisasi Hidrolisat Protein dari Ikan Lele Dumbo (*Clarias gariepinus*) Menggunakan Enzim Papain. In *Skripsi*. IPB.
- Widyasanti, A., Septianti, N. A., & Nurjanah, S. (2018). Pengaruh Penambahan Maltodekstrin Terhadap Karakteristik Fisikokimia Bubuk Tomat Hasil Pengeringan Pembusaan (Foam Mat Drying). *Agrin*, 22(1), 22. <https://doi.org/10.20884/1.agrin.2018.22.1.456>
- Wijaya, H. . (2009). Sensasi Rasa. In *Food Review*. Institut Pertanian Bogor.
- Wijaya, J. C., & Yuniarta, Y. (2015). Pengaruh Penambahan Enzim Bromelin Terhadap Sifat Kimia dan Organoleptik Tempe Gembus (Kajian Konsentrasi dan Lama Inkubasi dengan Enzim). *Jurnal Pangan Dan Agroindustri*, 3(1), 96–106.
- Witono, Y., Fauziah, R. R., Windrati, W. S., Taruna, I., Azkiyah, L., & Wijayanti, R. P. (2019). Formulation of flavor enhancer from common barb (*Rasbora jacobsoni*) protein hydrolysate. *AIP Conference Proceedings*, 2199(December). <https://doi.org/10.1063/1.5141311>
- Witono, Yuli, Taruna, I., Siti Widrati, W., & Ratna, A. (2014). HIDROLISIS IKAN BERNILAI EKONOMI RENDAH SECARA ENZIMATIS MENGGUNAKAN PROTEASE BIDURI [Enzymatic Hydrolysis of Low Economic Value Fishes using Biduri's Protease]. *Jurnal Teknologi Dan Industri Pangan*, 25(2), 140–145. <https://doi.org/10.6066/jtip.2014.25.2.140>
- Wiyati, P. ., & Tjitraesmi, A. (2018). Review: Karakterisasi, Aktivitas Dan Isolasi Enzim Bromelin Dari Tumbuhan Nanas (*Ananas sp.*). *Farmaka: Suplemen*, 16(2).
- Wouters, A. G. B., Rombouts, I., Fierens, E., Brijs, K., & Delcour, J. A. (2016). Relevance of the Functional Properties of Enzymatic Plant Protein Hydrolysates in Food Systems. *Comprehensive Reviews in Food Science and Food Safety*, 15(4), 786–800. <https://doi.org/10.1111/1541-4337.12209>
- Xia, Y., S., J., Z., F., H., J., & O., M. (2020). The 9-point hedonic scale: Using R-Index Preference Measurement to Compute Effect Size and Eliminate Artifactual Ties. *Food Research International*.
- Xu, Q., Hong, H., Yu, W., Jiang, X., Yan, X., & Wu, J. (2018). Sodium Chloride Suppresses the Bitterness of Protein Hydrolysates by Decreasing Hydrophobic

- Interactions. *Journal of Food Science*, 84(1), 86–91. <https://doi.org/10.1111/1750-3841.14419>
- Yamamoto, T. (2015). *Umami*. Standarisasi Nasional. www.umamiinfo.com
- Yarnpakdee, S., Benjakul, S., Kristinsson, H. G., & Kishimura, H. (2015). Antioxidant and sensory properties of protein hydrolysate derived from Nile tilapia (*Oreochromis niloticus*) by one-and two-step hydrolysis. *J. Food Sci. Technol.*, 52, 3336–3349.
- Yen, A. . (2009). Edible insect: traditional knowledge or western phobia ? *Entomol. Res.*, 39, 289–298.
- Yenket, R. (2011). *Understanding methods for internal and external preference mapping and clustering in sensory analysis*. Kansas State University.
- Yenrina, R., Nazi, N., & Sari, N. (2014). Studi Keamanan dan Daya Simpan Kunyit Giling yang dijual di beberapa Pasar Tradisional di Kota Padang. *Prosiding Seminar Nasional Politeknik Pertanian Negeri Payakumbuh: Kebijakan Dan Pengembangan Teknologi Hilirisasi Dalam Upaya Peningkatan Nilai Tambah Produk Pertanian*, 295–304.
- Yonata, D., Nurhidajah, Pranata, B., & Yusuf, M. (2021). Pengembangan Penyedap Rasa Alami dari Cangkang Rajungan dengan Metode Foam Mat Drying. *Agrointek*, 15(1), 371–381.
- Yuniarti, T., Prayudi, A., Supenti, L., Suhwardan, H., & Martosuyono, P. (2021). Produksi dan Profil Kimia Hidrolisat Protein dari Hasil Samping Pengolahan Udang Segar. *Jurnal Perikanan Universitas Gadjah Mada*, 23(1), 63. <https://doi.org/10.22146/jfs.59906>
- Yustina, I. (2012). *Pengaruh Penambahan Aneka Rempah*. Universitas Trunojoyo Madura.
- Zhang, J., Sun-Waterhouse, D., Su, G., & Zhao, M. (2019). New insight into umami receptor, umami/umami-enhancing peptides and their derivatives: A review. *Trends in Food Science and Technology*, 88, 429–438.
- Zhang, Y., Venkatasamy, C., Pan, Z., Liu, W., & L., Z. (2017). Novel Umami Ingredients: Umami Peptides and Their Taste. *J Food Sci.*, 82(1), 16–23.
- Zhao, Y., Zhang, M., Devahastin, S., & Liu, Y. (2019). Progresses on processing methods of umami substances: A review. *Trends in Food Science and Technology*, 93(August), 125–135. <https://doi.org/10.1016/j.tifs.2019.09.012>