

DAFTAR PUSTAKA

- Anthony, Wilbraham, C., dan Michael, B, M. (1992). *Pengantar Kimia Organik dan Hayati*. Penerbit ITB.
- Ardhini, R. R. (2018). *Oxidation ditch alga reactor dalam pengolahan zat organik limbah grey water*.
- Barker, D. J., & Stuckey, D. C. (1999). *A REVIEW OF SOLUBLE MICROBIAL PRODUCTS (SMP) IN WASTEWATER TREATMENT SYSTEMS DUNCAN*. 33(14).
- Barrett, S. E., Krasner, S. W., & Amy, G. L. (2000). Natural organic matter and disinfection by-products: Characterization and control in drinking water - An overview. *ACS Symposium Series*, 761(11), 2–14. <https://doi.org/10.1021/bk-2000-0761.ch001>
- Chisti, Y. (2007). Biodiesel from microalgae. *Biotechnology Advances*, 25(3), 294–306. <https://doi.org/10.1016/j.biotechadv.2007.02.001>
- Christwardana, M., & Nur, M. M. A. (2013). *Spirulina platensis : POTENSINYA SEBAGAI BAHAN PANGAN FUNGSIONAL*. 2(1), 1–4.
- Dachriyanus. (2004). *Analisis Struktur Senyawa Organik Secara Spektroskopi*.
- Donald M. (2008). Harmful Algal Blooms and Eutrophication Nutrient Sources, Composition, and Consequences. *Chemical Society Reviews*, 37(4), 639–647. <https://doi.org/10.1039/b709565c>
- Eaton, A. (1995). Measuring UV-absorbing organics: a standard method. *Journal - American Water Works Association*, 87(2), 86–90. <https://doi.org/10.1002/j.1551-8833.1995.tb06320.x>
- Fang, J., Yang, X., Ma, J., Shang, C., & Zhao, Q. (2010). Characterization of algal organic matter and formation of DBPs from chlor(am)ination. *Water Research*, 44(20), 5897–5906. <https://doi.org/10.1016/j.watres.2010.07.009>
- Farahdiba, A. U., Nurrohman, R., Desliani, A., & Juliany, A. (2018). *Oxidation Ditch Algae Reactor (ODAR) for Nutrient and Pathogen Removal in Grey Water System*. January. <https://doi.org/10.2991/icst-18.2018.185>
- Furukawa, S., Tokimori, K., Hirotsuji, J., & Shiono, S. (1998). New operational support system for high nitrogen removal in oxidation ditch process. *Water Science and Technology*, 37(12), 63–68. [https://doi.org/10.1016/S0273-1223\(98\)00336-9](https://doi.org/10.1016/S0273-1223(98)00336-9)
- Ghernaout, D., Elboughdiri, N., Ghareba, S., & Salih, A. (2020). Coagulation

- Process for Removing Algae and Algal Organic Matter—An Overview. *OALib*, 07(04), 1–21. <https://doi.org/10.4236/oalib.1106272>
- H.W.D. (1940). Metcalf. In *Notes and Queries* (Vol. 179, Issue 18, p. 317). <https://doi.org/10.1093/nq/179.18.317-a>
- Henderson, R. K., Baker, A., Parsons, S. A., & Jefferson, B. (2008). Characterisation of algogenic organic matter extracted from cyanobacteria, green algae and diatoms. *Water Research*, 42(13), 3435–3445. <https://doi.org/10.1016/j.watres.2007.10.032>
- Her, N., Amy, G., Park, H. R., & Song, M. (2004). Characterizing algogenic organic matter (AOM) and evaluating associated NF membrane fouling. *Water Research*, 38(6), 1427–1438. <https://doi.org/10.1016/j.watres.2003.12.008>
- Jarusutthirak, C., & Amy, G. (2007). Understanding soluble microbial products (SMP) as a component of effluent organic matter (EfOM). *Water Research*, 41(12), 2787–2793. <https://doi.org/10.1016/j.watres.2007.03.005>
- Jones, R. W. (2000). Infrared Technology. *Kirk-Othmer Encyclopedia of Chemical Technology*, 1, 1–20. <https://doi.org/10.1002/0471238961.0914061810151405.a01>
- Kanokkantapong, V., Marhaba, T. F., Panyapinyophol, B., & Pavasant, P. (2006). FTIR evaluation of functional groups involved in the formation of haloacetic acids during the chlorination of raw water. *Journal of Hazardous Materials*, 136(2), 188–196. <https://doi.org/10.1016/j.jhazmat.2005.06.031>
- Kebede, E., & Ahlgren, G. (1996). Optimum growth conditions and light utilization efficiency of *Spirulina platensis* (= *Arthrospira fusiformis*) (Cyanophyta) from Lake Chitu, Ethiopia. *Hydrobiologia*, 332(2), 99–109. <https://doi.org/10.1007/BF00016689>
- Koottatep, S., Leesanga, C., & Araki, H. (1993). Intermittent aeration for nitrogen removal in small aerated lagoon. *Water Science and Technology*, 28(10), 335–341. <https://doi.org/10.2166/wst.1993.0251>
- Kurniasari, L., Safrilia, S., Made, N., Febriana, M., & Ramadhan, I. (2020). *Performance of Spirulina Platensis in Oxidation Ditch Reactor for treating Tofu Wastewater*. 2020, 86–90.
- Li, L., Gao, N., Deng, Y., Yao, J., & Zhang, K. (2012). Characterization of intracellular & extracellular algae organic matters (AOM) of *Microcystis aeruginosa* and formation of AOM-associated disinfection byproducts and odor & taste compounds. *Water Research*, 46(4), 1233–1240. <https://doi.org/10.1016/j.watres.2011.12.026>

- Malcolm, R. L., & MacCarthy, P. (1992). Quantitative evaluation of XAD-8 and XAD-4 resins used in tandem for removing organic solutes from water. *Environment International*, 18(6), 597–607. [https://doi.org/10.1016/0160-4120\(92\)90027-2](https://doi.org/10.1016/0160-4120(92)90027-2)
- Menteri Negara Lingkungan Hidup. (2003). Keputusan Menteri Negara Lingkungan Hidup Nomor 112 Tahun 2003 Tentang Baku Mutu Air Limbah Domestik. *Pemerintah Indonesia*, 1–6.
- Moore, L. (2006). Enhancing the Performance of Oxidation Ditches. *The University of Memphis*. http://airoflo.com/reports/enhancing_oxi_ditches.pdf
- Ni, B. J., Zeng, R. J., Fang, F., Xie, W. M., Sheng, G. P., & Yu, H. Q. (2010). Fractionating soluble microbial products in the activated sludge process. *Water Research*, 44(7), 2292–2302. <https://doi.org/10.1016/j.watres.2009.12.025>
- Nius, A. (2021). *Senyawa alkohol dan fenol*. January.
- Nurrohman, R. (2016). *Oxidation Ditch Algae Reactor (ODAR) Dakam Pengolahan Nutrien Limbah Greywater Perkotaan*.
- Panggabean, L. M. G. (2006). Toksin alam dari mikroalgae. *Oseana*, 31(3), 1–12. [http://oseanografi.lipi.go.id/dokumen/oseana_xxxi\(3\)1-12.pdf](http://oseanografi.lipi.go.id/dokumen/oseana_xxxi(3)1-12.pdf)
- Pick, F. R. (2016). Blooming algae: A Canadian perspective on the rise of toxic cyanobacteria. *Canadian Journal of Fisheries and Aquatic Sciences*, 73(7), 1149–1158. <https://doi.org/10.1139/cjfas-2015-0470>
- Rahadi, et al. (2018). Anaerobic-Aerobic System on Wastewater Treatment of Tofu. *Jurnal Sumberdaya Alam Dan Lingkungan*, 17–26.
- Ratanatamskul, C., & Kongwong, J. (2017). Impact of intermittent aeration mode on enhancement of biological nutrient removal by the novel prototype IT/OD-MBR(Inclined Tube/Oxidation-Ditch Membrane Bioreactor) for high-rise building's wastewater recycling. *International Biodeterioration and Biodegradation*, 124, 36–44. <https://doi.org/10.1016/j.ibiod.2017.06.005>
- Riswiyanto. (2009). *Kimia Organik*. Erlangga.
- Rizqa, F. (2019). *Karakteristik Bahan Organik Alami Pre-Klorinasi, Koagulasi, dan Adsorpsi pada Proses Pengolahan Air Minum*. University of Pembangunan Nasional Jawa Timur.
- USEPA. (1999). *Alternative Disinfectants and Oxidants Guidance Manual, EPA, 815-R-99-014*.
- Waizh, N. T. (2018). *Pengaruh Densitas Alga Dan Kedalaman Reaktor Terhadap*

Penurunan Bod & Cod Limbah Cair Domestik the Effect of Algae Density and Depth of Reactor on the Removal of Bod & Cod From Domestic Wastewater. 2018, 48.

Wardiyah. (2016). *Kimia Organik Bahan Ajar Cetak Farmasi* (Vol. 148). Kementrian Kesehatan Republik Indonesia.

Widya, Y. Z. D. F. P. U. R. K. B. (2017). *Menurunkan, Untuk Polutan, Kadar Sagu, Cair. 140–153.*

Xing, Y., & Putz, G. (2010). Characterization of dissolved organic carbon in water using Fourier Transform Infrared Spectroscopy. *Proceedings, Annual Conference - Canadian Society for Civil Engineering, 1*, 731–740.

Yoshida, T. et al. (2000). *Aeration Control for Nitrogen in a Small-Scale Oxidation Removal Ditch*. [Japanese Journal of Water Treatment Biology Vol.36 No.3107-117 2000].

Zhao, Z. (2020). *Effects of Drinking Water Treatment Processes on Removal of Algal Matter and Subsequent Water Quality.*