

DAFTAR PUSTAKA

- Agrios, G. N. (2005). *Plant Pathology*. (5th eds.) Elsevier academic Press. *New York*.
- Ajayasee, T.S, Borkar S.G. (2018). Crop Host Specificity of Crop Host Specificity of Crop Host Specificity of *Xanthomonas campestris* pv. *vesicatoria* Prevalent in Nashik District in India. Department of Plant Pathology and Agriculture Microbiology, 13(1).
- Akbar, A., Ahmad, M., Azra, & Neelam, & Khan, S. Z., & Ahmad, Z. (2015). Characterization of the Causal Organism of Soft Rot of Tomatoes and Other Vegetables and Evaluation of Its Most Aggressive Isolates. *American Journal of Plant Sciences*, 06(04), 511–517. <https://doi.org/10.4236/ajps.2015.64055>
- Alfizar, Marlina dan F. Susanti., 2013. Kemampuan Antagonis *Trichoderma* sp. Terhadap Beberapa Jamur Patogen In Vitro. *J. Floratek* (8): 45-51.
- AL-Saleh, M. A. (2011). Pathogenic Variability Among Five Bacterial Isolates of *Xanthomonas campestris* pv. *vesicatoria*, Causing Spot Disease on Tomato and Their Response to Salicylic Acid. *Journal of the Saudi Society of Agricultural Sciences*, 10(1), 47–51. <https://doi.org/10.1016/j.jssas.2010.08.001>
- Araújo, E. R., Pereira, R. C., Ferreira, M. A. S. V., Café-Filho, A. C., Moita, A. W., & Quezado-Duval, A. M. (2011). Effect of Temperature on Pathogenicity Components of Tomato Bacterial Spot and Competition Between *Xanthomonas perforans* and *X. gardneri*. *Acta Horticulturae*, 914, 39–42. <https://doi.org/10.17660/ActaHortic.2011.914.3>
- Ardiansyah, Agung. 2015. Uji Metabolit Sekunder *Trichoderma* Sp. Sebagai Antimikrobia Patogen Tanaman *Pseudomonas Solanacearum* Secara In Vitro: Pt Bisi Internasional Tbk.
- Bailis, N., Djamaan, A., Rahma, H., & Liswarni, Y. (2019). Secondary Metabolite Production by *Trichoderma* spp and its Potential as Antibacteria. *International Journal of Current Microbiology and Applied Sciences*, 8(04), 196–201. <https://doi.org/10.20546/ijcmas.2019.804.020>
- Balai, L. O., Tanaman, P., Tropika, B., Raya, J., & Aripin, S. (2011). Potensi Agen Hayati dalam Menghambat Pertumbuhan *Phytophthora* sp. secara *In Vitro*. In *Buletin Plasma Nutfah* (Vol. 17, Issue 2).
- Berlian, I., Setyawan, B., Hananto, D., Balai, H., Getas, P., & Km, J. P. (2013). Mekanisme Antagonisme *Trichoderma* spp. Terhadap Beberapa Patogen Tular

Tanah Mechanism of Antagonism of *Trichoderma* spp. Againsts Several Soil Borne Pathogens.

- Bhowmilk, D., Kumar, S., Paswan, S., & Srivastava, S. 2012. Tomato-a Natural Medicine and Its Health Benefits. *Journal of Pharmacognosy and Phytochemistry*, 1: 34 – 39.
- Błaszczyk, L., Siwulski, M., Sobieralski, K., Lisiecka, J., & Jędrzycka, M. (2014). *Trichoderma* spp. Application and Prospects For Use In Organic Farming and Industry. In *Journal of Plant Protection Research* (Vol. 54, Issue 4). <http://www.isth.info/biodiversity//index.php>
- Chet, I., Benhamou, N., & Haran, S. (1998). *Trichoderma* and *Gliocladium*. In *Mycoparasitism and Lytic Enzymes* (pp. 153–172). Taylor and Francis London.
- Contreras-Cornejo, H. A., Macías-Rodríguez, L., del-Val, E., & Larsen, J. (2016). Ecological Functions of *Trichoderma* spp. and Their Secondary Metabolites in The Rhizosphere: Interactions with Plants. In *FEMS microbiology ecology* (Vol. 92, Issue 4, p. fiw036). <https://doi.org/10.1093/femsec/fiw036>
- Dubey, S. C., Aradhika, T., Dureja, P., & Grover, A. (2011). Characterization of Secondary Metabolites and Enzymes Produced by *Trichoderma* Species and Their Efficacy Against Plant Pathogenic Fungi. *Indian Journal of Agricultural Sciences*, 81(5), 455–461.
- Fitriani, E. (2012). Untung Berlipat Budidaya Tomat Di Berbagai Media Tanam.
- Green, H., Larsen, J., Pål, †, Olsson, A., Funck Jensen, D., & Jakobsen, I. (1999). Suppression of the Biocontrol Agent *Trichoderma harzianum* by Mycelium of the Arbuscular Mycorrhizal Fungus *Glomus intraradices* in Root-Free Soil. In *Applied and Environmental Microbiology* (Vol. 65, Issue 4).
- H M, R. B., Anuswedha, A., & Kalaiselvam, M. (2017). Antibacterial Efficacy of Crude Extracts of *Trichoderma* Spp. Isolated from Mangrove Rhizosphere. *International Research Journal of Pharmacy*, 8(8), 70–73. <https://doi.org/10.7897/2230-8407.088147>
- Harman, G. E., Howell, C. R., Viterbo, A., Chet, I., & Lorito, M. (2004). *Trichoderma* species Opportunistic, Avirulent Plant Symbionts. *Nature Reviews Microbiology*, 2(1), 43–56.
- Hasil, P., Daya, D., Buah, S., Galur Mutan, E., Fardhani, A., Ambarwati, E., Trisnowati, S., & Murti, R. H. (2013). 88-100 Yield Potency, Quality and Shelf Life of Fruit of Six Promising Lines of Mutant Tomato (*Solanum lycopersicum* L.) (Vol. 2, Issue 4).

- Herwidyarti, K. H. (2011). Pengamatan Keparahan Penyakit Bercak Daun Ungu (*Alternaria porri* (Ell.) Cif) Tanaman Bawang Daun Di Balai Penelitian Tanaman Sayuran Lembang Bandung. *Bandar Lampung: General Practice Report. Faculty of Agriculture Universitas Lampung*.
- Hpt Tropika, J., & Hpt Tropika, J. (2015). Mekanisme Parasitisme *Trichoderma harzianum* Terhadap *Fusarium oxysporum* Pada Semai *Acacia mangium* (Vol. 15, Issue 1).
- Ji, G.-H., Wei, L.-F., He, Y.-Q., Wu, Y.-P., & Bai, X.-H. (2008). Biological Control of Rice Bacterial Blight by *Lysobacter Antibioticus* Strain 13-1. *Biological Control*, 45(3), 288–296.
- Jones, J. B. (1991). *Compendium of tomato diseases*.
- Jones, J. B., Lacy, G. H., Bouzar, H., Stall, R. E., & Schaad, N. W. (2004). Reclassification of the Xanthomonads Associated with Bacterial Spot Disease of Tomato and Pepper. In *System. Appl. Microbiol* (Vol. 27). <http://www.elsevier.de/syapm>
- Jones Jr, J. B. (2007). *Tomato plant culture: in the field, greenhouse, and home garden*. CRC press.
- Kurniawan, A., Prabowo, E., Prihatiningsih, N., Soesanto, L., Perlindungan, J., Hpt, T. /, Unsoed, P., Kontak, P., & Soesanto, L. (2006). Potensi *Trichoderma harzianum* Dalam Mengendalikan Sembilan Isolat *Fusarium oxysporum* Schlecht. F.Sp. Zingiberi Trujillo Pada Kencur (Potency of *Trichoderma harzianum* In Controlling Nine Isolates of *Fusarium oxysporum* Schlecht. F.Sp. Zingiberi Trujillo On Galanga).
- Lee, Y. A., Sung, A. N., Liu, T. F., & Lee, Y. S. (2009). Combination of Chromogenic Differential Medium and Esta-Specific PCR For Isolation and Detection of Phytopathogenic *Xanthomonas* Spp. *Applied and Environmental Microbiology*, 75(21), 6831–6838. <https://doi.org/10.1128/AEM.01653-09>
- Leelavathi, M. S., Vani, L., & Reena, P. (2014). Antimicrobial Activity of *Trichoderma harzianum* Against Bacteria and Fungi. In *Int.J Curr Microbiol App Sci* (Vol. 3, Issue 1).
- Marcopolo, H., Lampung, B., Aeny, T. N., Juariyah, S., & Maryono, D. T. (2011). “Peran Strategis Sains & Teknologi Dalam Membangun Karakter Bangsa” Seminar Nasional Sains Dan Teknologi-Iv Potensi Antagonis Beberapa Isolat *Trichoderma* Terhadap *Phytophthora palmivora*, Penyebab Penyakit Busuk Buah Kakao.

- Mbega, E. R., Mortensen, C. N., Mabagala, R. B., & Wulff, E. G. (2012). The Effect of Plant Extracts as Seed Treatments to Control Bacterial Leaf Spot of Tomato in Tanzania. *Journal of General Plant Pathology*, 78(4), 277–286. <https://doi.org/10.1007/s10327-012-0380-z>
- Momol, T., Jones, J., Olson, S., Obradovic, A., Balogh, B., & King, P. (2002). Integrated Management of Bacterial Spot on Tomato in Florida. *EDIS*, 2002(7).
- Muneer, N., Rafi, A., & Akhtar, M. A. (2007). Isolation and Characterization Of *Xanthomonas oryzae* pv. *oryzae* Isolates from North West Frontier Province (Nwfp) Pakistan. In *Sarhad J. Agric* (Vol. 23, Issue 3).
- Naher, L., Kalsom Yusuf, U., Ismail, A., & Hossain, K. (2014). *Trichoderma* Spp.: A Biocontrol Agent for Sustainable Management of Plant Diseases. In *Pak. J. Bot* (Vol. 46, Issue 4).
- Naher, L., Yusuf, U. K., Ismail, A., & Hossain, K. (2014). *Trichoderma* spp.: A Biocontrol Agent For Sustainable Management Of Plant Diseases Putrajaya Wetlands View Project Micropropagation Of Vanilla View Project. In *Article in Pakistan Journal of Botany* (Vol. 66). <https://www.researchgate.net/publication/281736621>.
- Opara EU, Obani FT. 2010. Performance of Some Plant Extracts in The Control of Bacterial Spot Disease of Solanum, *Agricultural journal* 5(2), 45-49.
- Pernezny, K., Jones, J. B., Roberts, P. D., & Dickstein, E. (2003). An Outbreak of a Leaf Spot Disease of Cabbage in Southern Florida Caused by *Xanthomonas campestris* pv. *armoraciae*. *Plant Disease*, 87(7), 873.
- Pranoto, E., Fauzi, G., Penelitian, P., Dan, T., & Gambung, K. (2014). Isolasi dan Karakterisasi Bakteri Endofit Pada Tanaman Teh (*Camellia Sinensis* (L.) O. Kuntze) Produktif dan Belum Menghasilkan Klon GMB 7 Dataran Tinggi (Vol. 7, Issue 1).
- Rafi, A., Hameed, A., Akhtar, M. A., Sohail, K., Shahid, M., & Fahim, M. (2013). Identification and Characterization of *Xanthomonas oryzae* pv. *oryzae* in North-West of Pakistan. *Sarhad Journal of Agriculture*, 29(3).
- Ritchie, D. F. (2000). Bacterial Spot of Pepper and Tomato. The Plant Health Instructor. *Online Publication. Doi*, 10.
- Saito, H., Sakakibara, Y., Sakata, A., Kurashige, R., Murakami, D., Kageshima, H., Saito, A., & Miyazaki, Y. (2019). Antibacterial Activity of Lysozyme-Chitosan Oligosaccharide Conjugates (LYZOX) Against *Pseudomonas aeruginosa*,

- Acinetobacter Baumannii And Methicillin-Resistant Staphylococcus Aureus. *PLoS ONE*, 14(5). <https://doi.org/10.1371/journal.pone.0217504>
- Saksirirat, W., Chareerak, P., & Bunyatrachata, W. (2009). Asian Journal of Food and Agro-Industry Induced systemic resistance of biocontrol fungus, *Trichoderma* spp. against bacterial and gray leaf spot in tomatoes. *As. J. Food Ag-Ind*, 99–104. www.ajofai.info.
- Saxena, A., Raghuwanshi, R., & Singh, H. B. ahadur. (2015). *Trichoderma* species Mediated Differential Tolerance Against Biotic Stress of Phytopathogens in *Cicer arietinum* L. *Journal of Basic Microbiology*, 55(2), 195–206. <https://doi.org/10.1002/jobm.201400317>.
- Schaad, N. W., Jones, J. B., & Chun, W. (2001). Laboratory Guide for the Identification of Plant Pathogenic Bacteria. (Issue Ed. 3). American Phytopathological Society (APS Press).
- Scherer, A., Meadows, I., and Henson, M. (2019). Bacterial spot of pepper and tomato. Vegetable Pathology Factsheets. NC State Extension.
- Scientific Opinion on the Pest Categorisation of *Xanthomonas campestris* pv. *vesicatoria* (Doidge) Dye. (2014). *EFSA Journal*, 12(6). <https://doi.org/10.2903/j.efsa.2014.3720>.
- Shah S., Nasreen S., Sheikh P. A. (2012). Cultural and Morphological Characterization Of *Trichoderma* Spp. Associated With Green Mold Disease of *Pleurotus* spp. in Kashmir. *Res. J. Microbiol.* 7, 139–144. [10.3923/jm.2012.139.144](https://doi.org/10.3923/jm.2012.139.144).
- Shukla, A., Shyam, K. R., Gupta', S. K., & Parmar, Y. S. (2003). Bacterial Spot Of Tomato (*Xanthomonas Vesicatoria* And Its Management-A Review. In *Agric. Rev* (Vol. 24, Issue 2).
- Soesanto, L. (2013). Pengantar pengendalian hayati penyakit tanaman.
- Soesanto, L., Mugiastuti, E., & Prakoso, B. (2014). Perakitan Biopestisida *Trichoderma* spp. sebagai Agensia Hayati Penyakit Tanaman untuk Meningkatkan Produksi Tanaman. *Laporan Penelitian Hibah Kompetensi Tahun II*.
- Stall, R. E., Gottwald, T. R., Koizumi, M., & Schaad, N. C. (1993). Ecology of Plant Pathogenic xanthomonads. In *Xanthomonas* (pp. 265–299). Springer.
- Stall, R. E., Jones, J. B., & Minsavage, G. v. (2009). Durability of Resistance in Tomato and Pepper to Xanthomonads Causing Bacterial Spot. *Annual Review of Phytopathology*, 47, 265–284. <https://doi.org/10.1146/annurev-phyto-080508-081752>.

Statistik Hortikultura 2019. (n.d.).

Sukapiring, D. N., Soekarno, B. P. W., & Yuliani, T. S. (2016). Potensi Metabolit Sekunder Cendawan Endofit Tanaman Cabai sebagai Penghambat *Fusarium* sp. Patogen Asal Biji Secara in Vitro. *Jurnal Fitopatologi Indonesia*, 12(1), 1–8. <https://doi.org/10.14692/jfi.12.1.1>

Sun², X., Nielsen², M. C., & Miller³, J. W. (n.d.). Bacterial Spot of Tomato and Pepper¹.

Susanto, D. S., & Ruga, R. (2012). Studi Kandungan Bahan Aktif Tumbuhan Meranti Merah (*Shorea leprosula* Miq) Sebagai Sumber Senyawa Antibakteri. *Mulawarman Scientifie*, 11(2), 181–190.

Tai, T. H., Dahlbeck, D., Clark, E. T., Gajiwala, P., Pasion, R., Whalen, M. C., Stall, R. E., & Staskawicz, B. J. (1999). Expression of the Bs2 Pepper Gene Confers Resistance to Bacterial Spot Disease in Tomato PLANT BIOLOGY. www.pnas.org.

Taufik, M., Triana, L., & Asniah, D. (2014). Karakterisasi Morfologis *Trichoderma* Spp. Indigenus Sulawesi Tenggara Morphological Characterization *Trichoderma* Spp. Indigenous Southeast of Sulawesi. 4(2), 88–94.

Thieme, F., Koebnik, R., Bekel, T., Berger, C., Boch, J., Büttner, D., Caldana, C., Gaigalat, L., Goesmann, A., Kay, S., Kirchner, O., Lanz, C., Linke, B., McHardy, A. C., Meyer, F., Mittenhuber, G., Nies, D. H., Niesbach-Klösger, U., Patschkowski, T., Kaiser, O. (2005). Insights into Genome Plasticity and Pathogenicity of the Plant Pathogenic Bacterium *Xanthomonas campestris* pv. *vesicatoria* Revealed by the Complete Genome Sequence. *Journal of Bacteriology*, 187(21), 7254–7266. <https://doi.org/10.1128/JB.187.21.7254-7266.2005>.

Utkhede, R., & Koch, C. (2004). Biological Treatments to Control Bacterial Canker of Greenhouse Tomatoes. *BioControl*, 49(3), 305–313. <https://doi.org/10.1023/B:BICO.0000025373.69584.08>

Vallad, G., Pernezny, K., & Momol, T. (n.d.). *A Series on Diseases in the Florida Vegetable Garden: Tomato I*. <http://edis.ifas.ufl.edu>.

Vauterin, L., Rademaker, J., & Swings, J. (2000). Synopsis on The Taxonomy of the Genus *Xanthomonas* (Vol. 90, Issue 7).

Vinale, F., Sivasithamparan, K., Ghisalberti, E. L., Woo, S. L., Nigro, M., Marra, R., Lombardi, N., Pascale, A., Ruocco, M., Lanzuise, S., Manganiello, G., & Lorito, M. (2014). Send Orders for Reprints to reprints@benthamscience. In *The Open Mycology Journal* (Vol. 8).

- Wattimena, J. R., Sugiarto, N. C., Widiyanto, M. B., Sukandar, E. Y., Soemardji, A. A., & Setiadi, A. R. (1991). *Farmakodinamik dan Terapi Antibiotik*. Gajah Mada University. Yogyakarta.
- Widiastuti, H. (2007). Pemanfaatan Tandan Kosong Kelapa Sawit Sisa Jamur Merang (*Volvariella volvacea*) (TKSJ) Sebagai Pupuk Organik pada Pembibitan Kelapa Sawit Utilization of Spent Mushroom (*Volvariella Volvacea*) Media Derived from Empty Fruit Bunches of Oil Palm (SMEB) As Organic Fertilizer on Oil Palm Seedling. *E-Journal Menara Perkebunan*, 75(2).
- Widyastuti, S. M., Sumardi, S., & Sumantoro, P. (2001). Efektivitas *Trichoderma* spp. sebagai Pengendali Hayati terhadap Tiga Patogen Tular Tanah pada Beberapa Jenis Tanaman Kehutanan. *Jurnal Perlindungan Tanaman Indonesia*, 7(2), 98–107.
- Wijaya, S. (2002). Isolasi Kitinase dari *Scleroderma columnare* dan *Trichoderma harzianum*. *Jurnal Ilmu Dasar*, 3(1), 30–35.
- Winarsih, S. (n.d.). Syafrudin. 2001. Pengaruh pemberian *Trichoderma viride* dan sekam padi terhadap penyakit rebah kecambah di persemaian cabai. *J. Ilmu Pertanian Indonesia*, 3(1), 49–55.
- Yenni, K., & Gunawan Balai Penelitian Tanaman Sayuran, (2004). Karakterisasi Koleksi Plasma Nutfah Tomat Lokal dan Introduksi. In *Buletin Plasma Nutfah* (Vol. 10, Issue 2).