

## DAFTAR PUSTAKA

- I\_Metcalf and Eddy, AECOM - Wastewater Engineering\_ Treatment and Resource Recovery-McGraw-Hill (2014).pdf.* (n.d.).
- Alfiah, T., & Sinatria, A. Z. (2013). Pengolahan Lindi Pios Menggunakan Sequencing Batch Reactor (SBR) Pada Perbandingan F/M Rendah. *Seminar Nasional Sains Dan Teknologi Terapan V 2017*, 30(72), 43–48.
- Ammary, B. Y. (2004). Nutrients requirements in biological industrial wastewater treatment. *African Journal of Biotechnology*, 3(4), 236–238.  
<https://doi.org/10.5897/ajb2004.000-2042>
- Andiese, V. W. (2011). Pengolahan Limbah Cair Rumah Tangga Dengan Metode Kolam Oksidasi. *Infrastruktur*, 1(2), 103–110.  
<http://jurnal.untad.ac.id/jurnal/index.php/JTSI/article/view/691/595>
- Anisa, A., & Herumurti, W. (2017). Pengolahan Limbah Domestik Menggunakan Moving Bed Biofilm Reactor (MBBR) dengan Proses Aerobik-Anoksik untuk Menurunkan Konsentrasi Senyawa Organik dan Nitrogen. *Jurnal Teknik ITS*. <https://doi.org/10.12962/j23373539.v6i2.25166>
- Becker, F. G., Cleary, M., Team, R. M., Holtermann, H., The, D., Agenda, N., Science, P., Sk, S. K., Hinnebusch, R., Hinnebusch A, R., Rabinovich, I., Olmert, Y., Uld, D. Q. G. L. Q., Ri, W. K. H. U., Lq, V., Frxqwu, W. K. H., Zklfk, E., Edvhg, L. V, Wkh, R. Q., ... )2015. (فاطمى, ح). 主観的健康感を中心とした在宅高齢者における健康関連指標に関する共分散構造分析Title. In *Syria Studies* (Vol. 7, Issue 1).  
[https://www.researchgate.net/publication/269107473\\_What\\_is\\_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~renyal/Civil\\_wars\\_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625](https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~renyal/Civil_wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625)
- Chen, X., Chen, G., & Yue, P. L. (2000). Separation of pollutants from restaurant wastewater by electrocoagulation. *Separation and Purification Technology*.

[https://doi.org/10.1016/S1383-5866\(99\)00072-6](https://doi.org/10.1016/S1383-5866(99)00072-6)

Essa, N. (2017). *Aplikasi Sequencing Batch Biofilter Granular Pada*.

Goode, C., & Goode, C. (2010). *MBBR thesis, toranto*.

Goodhand KL, Watt RG, Stainer ME, Hutchinson JSM, B. J. (1999). *No 主観的健康感を中心とした在宅高齢者における健康関連指標に関する共分散構造分析* Title. *1*(10), 9–39.

Hadiwidodo, M. (2001). *Pengaruh Waktu Reaksi Dan Waktu Tinggal Stabilisasi Pada Sequencing Batch Reactor Aerob Dengan Penambahan Karbon Aktif Terhadap Penurunan*. *1914*, 67–72.

Hendrasarie, N., & Andhika, A. P. (2021). Efektivitas Penambahan Green Adsorbent Di Sequencing Batch Reactor Untuk Menurunkan Parameter Bod, Tss, Dan Warna Pada Limbah Industri Batik. *EnviroUS*, *2*(1), 9–17.  
<https://doi.org/10.33005/envirous.v2i1.52>

Hernández-Leal, L., Temmink, H., Zeeman, G., & Buisman, C. J. N. (2011). Removal of micropollutants from aerobically treated grey water via ozone and activated carbon. *Water Research*, *45*(9), 2887–2896.  
<https://doi.org/10.1016/j.watres.2011.03.009>

Kang, J. xiong, Lu, L., Zhan, W., Li, B., Li, D. sheng, Ren, Y. zheng, & Liu, D. qi. (2011). Photocatalytic pretreatment of oily wastewater from the restaurant by a vacuum ultraviolet/TiO<sub>2</sub> system. *Journal of Hazardous Materials*.  
<https://doi.org/10.1016/j.jhazmat.2010.11.075>

Metcalf, W., & Eddy, C. (2003). *Metcalf and Eddy Wastewater Engineering: Treatment and Reuse*. *Wastewater Engineering: Treatment and Reuse McGraw Hill*. New York, NY.

Muhamad, M. H., Abdullah, S. R. S., & Hasan, H. A. (2015). Efficiency of attached-growth sequencing batch reactor in the treatment of recycled paper mill wastewater. *Jurnal Teknologi*, *74*(3), 89–94.

<https://doi.org/10.11113/jt.v74.4557>

Nelabhotla, A. B. T., Khoshbakhtian, M., Chopra, N., & Dinamarca, C. (2020).

Effect of Hydraulic Retention Time on MES Operation for Biomethane Production. *Frontiers in Energy Research*, 8(May), 1–6.

<https://doi.org/10.3389/fenrg.2020.00087>

Pan, S., Tay, J. H., He, Y. X., & Tay, S. T. L. (2004). The effect of hydraulic retention time on the stability of aerobically grown microbial granules.

*Letters in Applied Microbiology*, 38(2), 158–163.

<https://doi.org/10.1111/j.1472-765X.2003.01479.x>

Prahas, D., Kartika, Y., Indraswati, N., & Ismadji, S. (2008). Activated carbon

from jackfruit peel waste by H<sub>3</sub>PO<sub>4</sub> chemical activation: Pore structure and surface chemistry characterization. *Chemical Engineering Journal*, 140(1–3),

32–42. <https://doi.org/10.1016/j.cej.2007.08.032>

Pratama, A. (2020). Efektifitas Penambahan Green Adsorbent Di Sequencing

Batch Reactor Untuk Menurunkan Parameter BOD, TSS, Dan Warna Pada Limbah Industri Batik. *Skripsi, Fakultas Teknik Universitas Pembangunan Nasional “Veteran” Jawa Timur*.

Putri, F. E., Mulyati, S. S., Saputra, A. S., & Fikri, E. (2019). Perbedaan Waktu

Operasional Aerator Lumpur Aktif terhadap Kadar COD Limbah Cair Industri Susu. *Jurnal Riset Kesehatan*, 11(1), 207–210.

Retnosari, A. A., & Shovitri, M. (2013). Kemampuan Isolat Bacillus Sp. dalam

Mendegradasi Limbah Tangki Septik. *Jurnal Sains Dan Seni POMItS*, 2(1), 7–11.

Roy, R. R., & Aditya, A. (2016). A Review on applicability and design of

sequencing batch reactor. *International Journal of Applied Sciences and Engineering Research*, 5(3), 245–256. <https://doi.org/10.6088/ijaser.05025>

Said, I. (2017). Teknologi Pengolahan Air Limbah Teori dan Aplikasi. In *Buku Erlangga*.

- Said, N. I. (2000). Teknologi Pengolahan Air Limbah Dengan Proses Biofilm Tercepat. *Jurnal Teknologi Lingkungan*, 1(2), 101–113.
- Said, N. I., & Santoso, T. I. (2018). Penghilangan Polutan Organik Dan Padatan Tersuspensi Di Dalam Air Limbah Domestik Dengan Proses Moving Bed Biofilm Reactor (Mbbr). *Jurnal Air Indonesia*, 8(1), 33–46.  
<https://doi.org/10.29122/jai.v8i1.2382>
- Sasdika, A. H., Studi, P., Lingkungan, T., & Teknik, F. (2022). *PSEUDOMONAS SP DAN BACILLUS SP LIMBAH INDUSTRI BATIK JETIS*.
- Sekarani, F. A., & Hendrasarie, N. (2020). Reduction of Organic Parameters in Apartment Wastewater using Sequencing Batch Reactor by adding Activated Carbon Powder. *IOP Conference Series: Earth and Environmental Science*, 506(1). <https://doi.org/10.1088/1755-1315/506/1/012026>
- Sekarani, Fatiha Ayu. (2019). *Pengaruh Waktu Retensi Hidrolik (HRT) dan Laju Aerasi Terhadap Penurunan COD, N Total dan TSS Menggunakan Powdered Activated Carbon - Sequencing Batch Reactor (PAC-SBR)*.
- Shariati, S. R. P., Bonakdarpour, B., Zare, N., & Ashtiani, F. Z. (2011). The effect of hydraulic retention time on the performance and fouling characteristics of membrane sequencing batch reactors used for the treatment of synthetic petroleum refinery wastewater. *Bioresource Technology*, 102(17), 7692–7699. <https://doi.org/10.1016/j.biortech.2011.05.065>
- Sifaul, Y., Eri, I. R., & Hermiyanti, P. (2020). GEMA Lingkungan Kesehatan VOL 18 NO 1 JANUARI 2020 BIOFILTER AEROB MEDIA. *GEMA Lingkungan Kesehatan*, 18(1), 16–19.
- Sirianuntapiboon, S., Sadahiro, O., & Salee, P. (2007). Some properties of a granular activated carbon-sequencing batch reactor (GAC-SBR) system for treatment of textile wastewater containing direct dyes. *Journal of Environmental Management*, 85(1), 162–170.  
<https://doi.org/10.1016/j.jenvman.2006.09.001>

- Suryawan, I. W. K., Afifah, A. S., & Prajati, G. (2019). Degradasi Bahan Organik dan Pertumbuhan Biomassa Konsorsium pada Air Limbah Olahan Babi dengan Lumpur Aktif Anoksik. *Jurnal Teknik Kimia Dan Lingkungan*.  
<https://doi.org/10.33795/jtkl.v3i1.88>
- Tao, J., Qin, L., Liu, X., Li, B., Chen, J., You, J., Shen, Y., & Chen, X. (2017). Effect of granular activated carbon on the aerobic granulation of sludge and its mechanism. *Bioresource Technology*, 236, 60–67.  
<https://doi.org/10.1016/j.biortech.2017.03.106>
- Utami, L. I., Wihandhita, W., Marsela, S., & Nurma, K. (2017). Pengolahan Limbah Cair Minyak Bumi Secara Biologi Aerob Proses Batch Processing of Liquid Waste Equipment on. *Jurnal Teknik Kimia*.
- Von Sperling, M. (2015). Activated Sludge and Aerobic Biofilm Reactors. In *Water Intelligence Online* (Vol. 6, Issue 0).  
<https://doi.org/10.2166/9781780402123>
- Wagner, M., Loy, A., Nogueira, R., Purkhold, U., Lee, N., & Daims, H. (2002). Microbial community composition and function in wastewater treatment plants. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 81(1–4), 665–680.  
<https://doi.org/10.1023/A:1020586312170>
- Wang, X., Li, J., Zhang, X., Chen, Z., Shen, J., & Kang, J. (2021). Impact of hydraulic retention time on swine wastewater treatment by aerobic granular sludge sequencing batch reactor. *Environmental Science and Pollution Research*, 28(5), 5927–5937. <https://doi.org/10.1007/s11356-020-10922-w>
- Yu, Z., Peldszus, S., & Huck, P. M. (2008). Adsorption characteristics of selected pharmaceuticals and an endocrine disrupting compound-Naproxen, carbamazepine and nonylphenol-on activated carbon. *Water Research*, 42(12), 2873–2882. <https://doi.org/10.1016/j.watres.2008.02.020>
- Yusuf, M., Nugraha, C., Studi, P., Lingkungan, T., Teknik, F., & Timur, J. (2021).

*SKRIPSI EFEKTIFITAS SEQUENCING BATCH REACTOR CONTINUOUS FLOW UNTUK MENGOLAH LIMBAH CAIR RUMAH EFEKTIFITAS SEQUENCING BATCH REACTOR CONTINUOUS FLOW UNTUK.*

Zahra, L. Z., & Purwanti, I. F. (2015). Pengolahan Limbah Rumah Makan dengan Proses Biofilter Aerobik. *Jurnal Teknik ITS*, 4(1), D35–D39.  
<http://www.ejurnal.its.ac.id/index.php/teknik/article/view/8882>