



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS PEMBANGUNAN NASIONAL "VETERAN" JAWA TIMUR
UPT TEKNOLOGI INFORMASI DAN KOMUNIKASI

Jl. Raya Rungkut Madya Gunung Anyar Surabaya Telp.(031) 8793589
Laman: <http://upttik.upnjatim.ac.id>, Email: upttik@upnjatim.ac.id

SURAT KETERANGAN
HASIL PEMERIKSAAN TINGKAT PLAGIARISME
Nomor : 242/UN63/UPTTIK/VII/2022

Yang bertanda-tangan di bawah ini,

Nama : Mohamad Irwan Afandi, ST, M.Sc.

NI P3K : 197607182021211003

Jabatan : Kepala UPT TIK – UPN "Veteran" Jawa Timur

dengan ini menerangkan bahwa Penulis telah melakukan pemeriksaan tingkat kesamaan (plagiarisme) menggunakan *software Turnitin* secara mandiri terhadap dokumen dalam daftar di bawah ini:

Judul Karya Tulis : Synthesis and Characteristics of Calcium Phosphate
from White Mussel Shell

Jenis Publikasi : Jurnal

Penulis : NOVE KARTIKA ERLIYANTI , ST., MT.

Tingkat Kesamaan (%) : 23%

Demikian Surat Keterangan ini dibuat dengan sebenarnya, agar dapat digunakan sebagaimana mestinya.

Surabaya, 18 Juli 2022
Kepala UPT TIK

Mohamad Irwan Afandi, ST, MSc.
NI P3K 197607182021211003



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS PEMBANGUNAN NASIONAL "VETERAN" JAWA TIMUR

UPT TEKNOLOGI INFORMASI DAN KOMUNIKASI

Jl. Raya Rungkut Madya Gunung Anyar Surabaya Telp.(031) 8793589

Laman: <http://upttik.upnjatim.ac.id>, Email: upttik@upnjatim.ac.id

15. Synthesis and Characteristics of Calcium Phosphate from White Mussel Shell

by Nove Kartika Erliyanti

Submission date: 21-Apr-2021 09:01AM (UTC+0700)

Submission ID: 1565217026

File name: Characteristics_of_Calcium_Phosphate_from_White_Mussel_Shell.pdf (379.08K)

Word count: 2734

Character count: 14438

Conference Paper**Synthesis and Characteristics of Calcium Phosphate from White Mussel Shell**

Srie Muljani *, Ketut Sumada, Nove Kartika Erliyanti

Department of Chemical Engineering, Faculty of Engineering, Universitas Pembangunan Nasional "Veteran" Surabaya, East Java

Abstract

Biomaterials are materials that have been developed for repair, recovery of function, and replacement of diseased or damaged parts of the body especially in cases of fractures. The material for biomaterial that is commonly used is calcium phosphate ($\text{Ca}_3(\text{PO}_4)_2$). The purpose of this research is to synthesize calcium phosphate and study its characteristics. The source of calcium carbonate in this study was from white mussel shells. The experiment was carried out by reacting calcium carbonate (CaCO_3) and phosphoric acid (H_3PO_4) to form the liquid phase of calcium phosphate. The calcium phosphate solution was filtered and the filtrate obtained was added with a solution of NaOH as a pH controller, stirred using a magnetic stirrer in the time range from 10 to 50 minutes to form a calcium phosphate crystal. Filtration is carried out to separate the calcium phosphate crystals from the solution. The results showed calcium phosphate products containing 62% of β -dicalcium phosphate ($\beta\text{-Ca}_2\text{P}_2\text{O}_7$) and 38% of hydroxyapatite ($\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$) so that it could be stated that the product was biphasic calcium phosphate. The raw material of white mussel shell powder was analyzed using X-Ray Fluorescence (XRF), while the calcium phosphate solution was analyzed by Spectrophotometry, Gravimetry, and AAS (calcium test). Hydroxyapatite products were analyzed by XRF, XRD (X-Ray Diffraction), FTIR (Fourier Transform InfraRed), and SEM (Scanning Electron Microscopy).

Keywords: biomaterial, calcium phosphate, hydroxyapatite, white mussel

Introduction

Animal health management will help increase livestock production to the desired optimal extent. Production productivity is the achievement of beef cattle production which is expected to reach a certain average weight gain every day (ADG) (Fathurohman *et al.*, 2018).

Specially designed material has been developed for the repair, recovery of function, and replacement of diseased or damaged body parts such as in cases of fractures. This material is called a biomaterial. A biomaterial is a material that is used as a system in tissues, organs, or bodily functions as well as bone implantation which is expected to interact with tissue without any backreaction or rejection by the human body. In this case, it is necessary to have an ingredient that is expected to be an alternative to replace or speed up the process of repairing the damaged bone. Hydroxyapatite (HA) in powder form is often used in biomedical applications such as bone bioimplants (Ghosh *et al.*, 2008; Carrodegua and Salvador, 2012; Borges *et al.*, 2015). This is because HA has excellent biocompatibility properties (the ability of the material to match the bone tissue in the body), bioactivity (the ability of the material to provide a suitable framework for bone formation), osteoconductivity, and the chemical elements and structure have



* Corresponding author

Email address: sriemuljani.tk@upnjatim.ac.id

How to cite this article: Muljani, Srie, Sumada, K., and Erliyanti, K. (2019). Synthesis and characteristic of calcium phosphate from white mussel shell. *4th International Seminar of Research Month*. NST Proceedings. pages 551-557. doi:10.11594/nstp.2019.0473.

similarities with natural bone minerals (Chaair *et al.*, 2017; Shahni *et al.*, 2012). In general, the biomaterial used is Calcium Phosphate ($\text{Ca}_3(\text{PO}_4)_2$) because this material has a chemical composition that is close to the inorganic components that are in the bones (Yashima *et al.*, 2003; Franca *et al.*, 2014). Hydroxyapatite (HA) is an apatite mineral compound with the chemical formula $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ made with a Ca / P concentration ratio of 1.67 (Tas *et al.*, 1997; Jaw, 2006; Hung *et al.*, 2012; Zyman *et al.*, 2013; Xidaki *et al.*, 2018). In the HAp structure, there are two parts of the structure, hexagonal and monoclinic (Duncan *et al.*, 2014). The monoclinic structure is caused by the arrangement of OH- forming the OH-OHOH-OH sequence which makes the lattice parameter b be 2 times a. However, hexagonal structures can also be obtained under stoichiometric conditions if the OH arrangement is irregular (Kannan *et al.*, 2010).

Various synthesis techniques, such as sol-gel synthesis, hydrothermal reaction, solid-state reaction, and chemical precipitation have been developed to synthesize HA powder (Tanimoto *et al.*, 2007; Eshtiagh-Hosseini *et al.*, 2008; Li *et al.*, 2009; Kanman *et al.*, 2010; Kang *et al.*, 2017). Using this technique, powder with different morphology, stoichiometry, grain size, and crystallinity can be obtained. In the last two decades, the use of biogenic materials such as eggshells, shells, animal bones, and corals have been widely used. The use of biogenic materials is an interesting way to produce HA powder not only because it uses biogenic resources, but the economic and environmental benefits are obtained through waste recovery. In previous studies, white mussel shells were used as ingredients for the characteristics of β -Tricalcium phosphate by precipitation method (Li *et al.*, 2017). The results obtained from this study are the optimum β -tricalcium phosphate obtained with calcination temperature of 1000°C. Crystal structure of β -tricalcium phosphate formed by rhombohedral crystals and Fluorescence x-ray results obtained Ca / P 2.72 mol (Onoda and Nakanishi, 2012). In addition to using white mussel shells as a source of calcium, the hydroxyapatite can be synthesized using other raw materials such as biological waste, marine corals, eggshells, shells, and other bio-membranes.

This research develops the synthesis of Hydroxyapatite ($\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$) from white shells as a source of Calcium Carbonate (CaCO_3) which is then reacted with Phosphoric Acid (H_3PO_4) for the production of Hydroxyapatite (HA).

Research Method


Preparation of Hidroxyapatite

The raw of white mussel shell powder 50g which is the source of CaCO_3 is reacted with H_3PO_4 , then the product will be in the form of the liquid phase. Phosphoric Acid 85% 34.5 ml diluted with demineralizing water up to 500 ml to obtain a concentration of H_3PO_4 3,375 N.

The formation of HA follows the reaction:



Hydroxyapatite formed is then filtered to separate solids and filtrate. The filtrate obtained is then stirred using a magnetic stirrer with reaction time in the range of 10,20,30,40, and 50 min, then NaOH solution is added as a pH controller in the range 5,6,7,8, and 9 to form precipitates in the form of crystals HA ($\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$). Furthermore, the mixture is filtered to separate HA crystals and filtrate. The precipitation reaction follows the reaction:



The filtered HA crystals are dried in an oven at 100 C for 24 h and then HA crystals that are already dry enough are burned in a furnace at 800 C.

Characteristic

The analysis was performed on the ingredients of white mussel shell powder and the resulting product. To find out the composition of raw materials analyzed using XRF (X-Ray Fluorescence) method, while the results of mixing white shell powder with phosphoric acid (in the form of filtrate) were analyzed by Spectrophotometry (Phosphor test as PO₄), Gravimetry (phosphate test) and AAS (phosphate test) calcium). The resulting product is then analyzed by XRF (X-Ray Fluorescence), XRD (X-Ray Diffraction), FTIR (Fourier Transform InfraRed), and SEM (Scanning Electron Microscopy) methods.

Result and Discussion

Analysis of the composition of white mussel shells used in this experiment was carried out using XRF (X-Ray Fluorescence) with the results presented in Table 1.

Table 1. Composition of white mussel shells

No	Component	Concentration (%w)
1.	Al	0,8
2.	S	0,081
3.	Ca	96,98
4.	Ti	0,05
5.	Mn	0,18
6.	Fe	0,91
7.	Cu	0,083
8.	Zn	0,11
9.	Br	0,01
10.	Sr	0,73

The results of the analysis of calcium phosphate solution (filtrate) using AAS revealed that the calcium (Ca) mole concentration was 0.0165 and using spectrophotometry for the phosphor (P) was 0.0187 mole.

Effect of pH

Figure 1 showed the effect of pH on the Ca/P ratio on various reaction times. The results showed that there were various doses of the use of NPK fertilizer and organic fertilizer doses which could increase NPK fertilizer by several percents, depending on the level of use of inorganic fertilizers.




Figure 1. Effect of pH on Ca/P ratio

The mole ratio of Ca / P in HA products tends to decrease with increasing pH. Decreasing the mole ratio of Ca / P is influenced by the solubility of Ca and P in water. The higher the pH, the solubility of Ca, and P decreases. The decrease in P solubility tends to be greater than the solubility of Ca. That's because the rate of precipitation of P increases with increasing pH. Therefore, more P solids are formed than Ca, so the mole ratio of Ca / P is reduced.

Characteristic of Calcium Phosphate from white mussel shell

Characteristic of XRD

The results of XRD analysis for product samples at pH 6, reaction time of 100 minutes, and a temperature of 800 C showed that the percentage of calcium phosphate was 64% and HA 36%.




Figure 2. XRD for Calcium Phosphate at 800 °C

To identify the resulting phase is done by comparing the sample data XRD analysis results against JCDPS for Calcium Phosphate and Hydroxyapatite (HA). The results showed that the sample was dominated by Calcium Phosphate type β -Dicalcium Diphosphate (β - $\text{Ca}_2\text{P}_2\text{O}_7$) of 62%, and

Hydroxyapatite (HA) of 38%. It can be stated that the product produced is Biphase Calcium Phosphate (Franca *et al.*, 2014).

Characteristic of IR Spectra

Calcium Phosphate compounds contain several functional groups namely OH^- , PO_4^{3-} , CO_3^{2-} and other functional groups. Figure 3 shows IR spectra for calcium phosphate products. Samples containing OH- functional groups at wave number 3400 cm^{-1} ; the C-O function group at the wave number 1208.18 cm^{-1} ; PO_4^{3-} functional group at wave number 914.44 cm^{-1} , and $\text{P}_2\text{O}_7^{4-}$ functional groups at wavenumbers 723.17 cm^{-1} .




Figure 3. IR Spectra for Calcium Phosphate at 800 °C

Characteristic of SEM Image

Figure 4 showed the results of SEM of calcium phosphate samples. SEM image showed that calcium phosphate is in the form of large particles with an average diameter of $10\mu\text{m}$ and small particles with an average size of $2\mu\text{m}$. The particles are arranged into a coarse aggregate.




Figure 4. IR SEM image Calcium Phosphate product at 800 °C

Conclusion

The results showed that the problem of miscarriage or brucellosis often

The results of the study can be concluded that:

1. Synthesis of Calcium Phosphate from white shells with a Ca / P mol ratio of 0.88 has been successfully carried out and produces calcium phosphate which has Ca / P in the range of 2 - 2.4.
2. The length of time of stirring causes the mole ratio of Ca / P to decrease.
3. Products are dominated by Calcium Phosphate type β -Dicalcium Diphosphate (β -Ca₂P₂O₇) of 62%, and HA of 38%. Thus, it can be concluded that the product produced is Biphase Calcium Phosphate.
4. β -Dicalcium Phosphate produced has an average size of 2 μ m-10 μ m.
5. Samples contain functional groups OH-, C-O, PO₄³⁻, and P₂O₇⁴⁻. which indicates the presence of Calcium Diphosphate or Calcium Pyrophosphate (C₂P₂O₇). The provision of bio-sensitive vermicompost combined with a reduction in NPK fertilizers has produced unreal results on the growth and yield of soybean crops.

Acknowledgment

The authors are grateful to the Ministry of Research and Technology, Indonesia for its financial support through Hibah Desentralisasi UPN Veteran Jawa Timur. We also would like to thank the Head of Chemical Engineering for the faculty. We also thank the team of Material Research group especially Olvy Dwi P and Adelia for assistant this experiment in the Material Laboratory Chemical Engineering Department, UPN "Veteran" East Java.

References

- Borges, F. A., Filho, E. A., Miranda, M. C. R., Santos, M. L., Herculano, R. D., and Guastaldi, A.C. (2015). Natural rubber latex coated with calcium phosphate for biomedical application. *Journal of Biomaterials Science, Polymer Edition*, 26, 1256-1268.
- Carrodeguas, R. G. and Salvador De, A. (2012). α -Tricalcium phosphate: Synthesis, properties and biomedical applications. *Acta Bio*, 7, 3536-3546.
- Chair, H., Labjar, H., and Britel, O. (2017). Synthesis of β -tricalcium phosphate. *Morphologie* 101(334) 120-124.
- Duncan, J., Macdonald, J. F., Hanna, J. V., Shirotsaki, Y., Hayakawa, S., Osaka, A., Skakle, J. M., Gibson, I. R. 2014. The role of the chemical composition of monetite on synthesis and properties of α -tricalcium phosphate. *Material Science and Engineering:C*, 34, 123-129.
- Eshtiagh-Hosseini, H., Houssanindokht, M. R., Chahkandhi, M., and Youssefi, A. (2008). Preparation of anhydrous dicalcium phosphate, DCPA, through sol- gel process, identification and phase transformation evaluation. *Journal of Non-Crystalline Solid*, 354 (32), 3845-3857.
- França, R., Samani, T. D., Bayade, G., Yahia, L., and Sacher, E. (2014). Nanoscale surface characterization of biphasic calcium phosphate, with comparisons to calcium hydroxyapatite and β -tricalcium phosphate bioceramics. *Journal of Colloid and Interface Science*, 420, 182-188.
- Ghosh, S. K., Nandi, S. K., Kundu, B., Datta, S., De, D. K., Roy, S. K., and Basu, D. (2008). In vivo response of porous hydroxyapatite and β -tricalcium phosphate prepared by aqueous solution combustion method and comparison with bioglass scaffolds. *Journal of Biomedical Materials*

- 2 *Research Part B: Applied Biomaterials*, 86B, (1) 217–227.
- Hung, I. M., Shih, W. J., Hon, M. H., and Wang, M. C. (2012). The properties of sintered calcium phosphate with $[Ca]/[P] = 1.50$. *International Journal of Molecular Sciences*, 13, 13569-13586.
- 1 Jaw, K. S. (2006). Preparation of a biphasic calcium phosphate from $Ca(H_2PO_4)_2 \cdot H_2O$ and $CaCO_3$. *Journal of Thermal Analysis and Calorimetry*, 83, 145–149.
- Kang, K. R., Piao, Z. G., Kim, J. S., Cho, I. A., Yi, M. J., Kim, B. H., Oh, J. S., Son, J. S., Kim, C. S., Kim, D. K., Lee, S. Y., and Kim, S. G. (2017). Synthesis and Characterization of β -Tricalcium Phosphate Derived from *Haliotis* sp. Shells. *Implant Dent.*, 26(3), 378-387.
- 2 Kannan, S., Goetz-Neunhoeffler, F., Neubauer, J., Pina, S., Torres, P. M. C., and Ferreira, J. M. F. (2010). Synthesis and structural characterization of strontium- and magnesium-co-substituted β -tricalcium phosphate. *Acta Biomaterialia*, 6(2), 571-576.
- 1 Li, B., Liu, Z., Yang, J., Yi, Z., Xiao, W., Liu, X., and Liao, X. (2017). Preparation of bioactive β -tricalcium phosphate microspheres as bone graft substitute materials. *Materials Science and Engineering: C*, 70, 1200–1205.
- 12
- 1 Li, Y., Kong, F., and Weng, W. (2009). Preparation and characterization of novel biphasic calcium phosphate powders (α -TCP/HA) derived from carbonated amorphous calcium phosphates. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 89B (2), 508–517.
- 1 Onoda, H., and Nakanishi, H. (2012). Preparation of Calcium Phosphate with Oyster Shells. *Natural Resources*, 3, 71-74.
- 9
- Shahni, M. A., Hesarak, S., Ghader, A. A. B., and Ardakani, M. H. (2012). Mechanical properties and *in vitro* bioactivity of β -tri calcium phosphate, merwinite nanocomposites. *Key Engineering Materials*, 493-494, 582-587.
- 1
- Tanimoto, Y., Hayakawa, T., and Nemoto, K. (2007). Characterization of sintered TCP sheets with various contents of binder prepared by tape-casting technique. *Dental Materials*, 23(5), 549–555.
- 5
- Tas, A., Korkusuz, F., Tumucin, M., and Akkas, N. (1997). An investigation of the chemical synthesis and high-temperature sintering behaviour of calcium hydroxyapatite (HA) and tricalcium phosphate (TCP) bioceramics. *Journal of Materials Science: Materials in Medicine*, 8, 2, 91-96.
- 4
- Xidaki, D., Agrafioti P., Diomatari, D., Kaminari, A., Tsalavoutas-Psarras, E., Alexiou, P., Psycharis, V., Tsilibary, E. C., Silvestros, S., and Sagnou, M. (2018). Synthesis of hydroxyapatite, β -tricalcium phosphate and biphasic calcium phosphate particles to act as local delivery carriers of curcumin: loading, release and *in vitro* studies. *Materials*, 11(4), 595.
- 7
- Yashima, M., Sakai, A., Kamiyama, T., and Hoshikawa, A. (2003). Crystal structure analysis of β -tricalcium phosphate $Ca_3(PO_4)_2$ by neutron powder diffraction. *Journal of Solid State Chemistry*, 175(2), 272–277.
- 2
- Zyman Z. Z., Rokhmistrov. D. V., and Loza K. I. (2013). Determination of the Ca/P ratio in calcium phosphates during the precipitation of hydroxyapatite using X-ray diffractometry. *Processing and Application of Ceramics*, 7, (2) 93-95.

15. Synthesis and Characteristics of Calcium Phosphate from White Mussel Shell

ORIGINALITY REPORT

23%	%	%	23%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1 Submitted to UPN Veteran Jawa Timur **6%**
Student Paper

2 Submitted to Universiti Sains Malaysia **4%**
Student Paper

3 Submitted to Universiti Malaysia Perlis **2%**
Student Paper

4 Submitted to University College London **2%**
Student Paper

5 Submitted to University of Malaya **1%**
Student Paper

6 Submitted to Taipei Medical University **1%**
Student Paper

7 Submitted to Chulalongkorn University **1%**
Student Paper

8 Submitted to Konsorsium PTS Indonesia - Small Campus **1%**
Student Paper

Submitted to VIT University

9	Student Paper	1 %
10	Submitted to UIN Syarif Hidayatullah Jakarta Student Paper	1 %
11	Submitted to Universitas Diponegoro Student Paper	1 %
12	Submitted to King's College Student Paper	1 %
13	Submitted to Pontificia Universidad Catolica del Peru Student Paper	1 %
14	Submitted to University of Newcastle upon Tyne Student Paper	<1 %
15	Submitted to University of KwaZulu-Natal Student Paper	<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off