

## DAFTAR PUSTAKA

- Ambarwati, A. (2023). *Pemanfaatan Limbah Tahu (Whey) Dan Onggok Singkong Menjadi Plastik Biodegradable*. Universitas Pembangunan Nasional “Veteran” Jawa Timur.
- Ambarwati, A., & Rosariawari, F. (2023). *Pemanfaatan Limbah Tahu (Whey) dan Onggok Singkong Sebagai Plastik Biodegradable*. 6(1), 12–15.
- Anggarini, F. (2013). Aplikasi Plasticizer Gliserol Pada Pembuatan Plastik Biodegradable Dari Biji Nangka. *Indonesian Journal of Chemical Science*, 2(3).
- Antonius, R., Simamora, L. L. B., Setiani, P., Sitorus, T. A., Luthfiyana, H., & Idris, Z. Y. (2020). Production of biodegradable package material from tofu industry byproduct. *IOP Conference Series: Earth and Environmental Science*, 475(1). <https://doi.org/10.1088/1755-1315/475/1/012068>
- Ayu, A. K. (2006). *Isolasi Dan Degradasi Hemiselulosa Dari Limbah Tongkol Jagung Secara Enzimatis*.
- Bátori, V., Åkesson, D., Zamani, A., Taherzadeh, M. J., & Sárvári Horváth, I. (2018). Anaerobic degradation of bioplastics: A review. *Waste Management*, 80, 406–413. <https://doi.org/10.1016/j.wasman.2018.09.040>
- Coughlan, M. P. (1985). Cellulose hydrolysis: the potential, the problems and relevant research at Galway. *Biochemical Society Transactions*, 13(2), 405–406. <https://doi.org/10.1042/bst0130405>
- Dianursanti, Rizkytata, B. T., Gumelar, M. T., & Abdullah, T. H. (2014). Industrial Tofu Wastewater as a Cultivation Medium of Microalgae *Chlorella vulgaris*. *Energy Procedia*, 47, 56–61. <https://doi.org/10.1016/j.egypro.2014.01.196>

- Dogara, R. K., Yelwa, J. M., Zaccheus, S., & Soye, F. (2023). *Production of biodegradable polymer via graft copolymerization of gum Arabic and polyethylene glycol*. July.
- Geyer, R., Jambeck, J. R., & Law, K. L. (2017). Production, use, and fate of all plastics ever made. *Science Advances*, 3(7), 25–29. <https://doi.org/10.1126/sciadv.1700782>
- Gontard, N., Guilbert, S., & Cuq, J.-L. (1993). Water and Glycerol as Plasticizers Affect Mechanical and Water Vapor Barrier Properties of an Edible Wheat Gluten Film. *Journal of Food Science*, 58(1), 206–211. <https://doi.org/10.1111/j.1365-2621.1993.tb03246.x>
- Hafidz, E. (2012). *Sintesis Karboksimetil Selulosa (CMC)-Asam Humat dan Aplikasinya sebagai Pembenh Tanah pada Pertumbuhan Tanaman Cabai (Capsicum annum L)*. Universitas Gajah Mada.
- Hayati, K., Setyaningrum, C. C., & Fatimah, S. (2020). The Effect of Chitosan Addition on Characteristics of Biodegradable Plastic from Waste of Nata de Coco using Inversion Phase. *Rekayasa Bahan Alam Dan Energi Berkelanjutan*, 4(1), 9–14. <https://doi.org/10.21776/ub.rbaet.2020.004.01.02>
- Hendiarti, N. (2020). Combating Marine Plastic Debris in Indonesia. *Coordinating Ministry For Maritime Affairs Republic Of Indonesia*, June, 1–18. [http://www.unesco.or.id/publication/SC\\_Retreat/4\\_MarineDebrisIndonesia.pdf](http://www.unesco.or.id/publication/SC_Retreat/4_MarineDebrisIndonesia.pdf)
- Huda, T. (2007). Karakteristik Fisikokimiawi Film Plastik Biodegradable dari Komposit Pati Singkong-Ubi Jalar. *Logika*, 4(1). <https://doi.org/10.20885/logika.vol4.iss1.art4>
- Iryani, I., Iswendi, I., Etika, S. B., Devira, C., & Putra, R. F. (2021). Characterization of Biodegradable Plastic Nata De Soya Using Glycerol and Palm Oil Addictive Substances.pdf. *Eksakta : Berkala Ilmiah Bidang MIPA*,

22, 211–219. <https://doi.org/https://doi.org/10.24036//eksakta/vol22-iss2/285>

Islami, A. N. (2013). Biodegradasi Plastik Oleh Mikroorganisme. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.

Jambeck, J. (2018). *The Plastic Tide*.

Kalsum, U., Juniar, H., & Khirnanda, I. (2020). Pengaruh Sorbitol Dan Carboxymethyl Pada Bioplastik Dari Ampas Tebu Dan Ampas Tahu. *Jurnal Distilasi*, 5(1), 21. <https://doi.org/10.32502/jd.v5i1.3026>

Kamsiati, E., Herawati, H., & Purwani, E. Y. (2017). Potensi Pengembangan Plastik Biodegradable Berbasis Pati Sagu Dan Ubi Kayu Di Indonesia / The Development Potential of Sago and Cassava Starch-Based Biodegradable Plastic in Indonesia. *Jurnal Penelitian Dan Pengembangan Pertanian*, 36(2), 67. <https://doi.org/10.21082/jp3.v36n2.2017.p67-76>

Krochta, J. M. C. D. M.-J. (1997). *Edible and biodegradable polymer films: challenges and opportunities*. 2, 61–74.

McHugh, T. H., & Krochta, J. M. (1994). *Sorbitol- vs Glycerol-Plasticized Whey Protein Edible Films: Integrated Oxygen Permeability and Tensile Property Evaluation*. 841–845. <https://doi.org/10.1021/jf00040a001>

Misgiyarta. (2007). *Teknologi Pembuatan Nata De Coco*.

Montenegro, M. A., Boiero, M. L., Valle, L., & Borsarelli, C. D. (2012). Gum Arabic: More Than an Edible Emulsifier. *Products and Applications of Biopolymers, March*. <https://doi.org/10.5772/33783>

Murillo-Martínez, M. M., Pedroza-Islas, R., Lobato-Calleros, C., Martínez-Ferez, A., & Vernon-Carter, E. J. (2011). Designing W1/O/W2 double emulsions stabilized by protein–polysaccharide complexes for producing edible films: Rheological, mechanical and water vapour properties. *Food Hydrocolloids*, 25(4), 577–585. <https://doi.org/10.1016/j.foodhyd.2010.06.015>

- Noishiki, Y., Nishiyama, Y., Wada, M., Kuga, S., & Magoshi, J. (2002). Mechanical properties of silk fibroin-microcrystalline cellulose composite films. *Journal of Applied Polymer Science*, 86(13), 3425–3429. <https://doi.org/10.1002/app.11370>
- Pambayun, R. (2002). *Teknologi Pengolahan Nata De Coco*. Yogyakarta: Kanisius.
- Pavani, P., & Rajeswari, T. R. (2014). Impact of Heavy Metals on Environmental Pollution. *Journal of Chemical and Pharmaceutical Sciences*, 94(3), 87–93.
- Pilla, S. (Ed.). (2011). *Handbook of Bioplastics and Biocomposites Engineering Applications*. Wiley. <https://doi.org/10.1002/9781118203699>
- Pratiwi, R. (2014). Manfaat Kitin dan Kitosan bagi kehidupan manusia. *Oseana XXXIX :1*, 35–44. <https://lib.ui.ac.id/detail?id=20436290&lokasi=lokal>
- Purwaningrum, P. (2016). Upaya Mengurangi Timbulan Sampah Plastik Di Lingkungan. *Indonesian Journal Of Urban And Enviromental Technology*, 8(2), 141–147. <https://doi.org/10.25105/urbanenvirotech.v8i2.1421>
- Qadri, O. R. J., Hamzah, F. H., & Ayu, D. F. (2023). Variasi konsentrasi kitosan dalam pembuatan bioplastik berbahan baku jerami nangka. *Agrointek : Jurnal Teknologi Industri Pertanian*, 17(1), 106–113. <https://doi.org/10.21107/agrointek.v17i1.14376>
- Rahadi, B., Setiani, P., & Antonius, R. (2020). Karakteristik Bioplastik Berbahan Dasar Limbah Cair Tahu (Whey) dengan Penambahan Kitosan dan Gliserol. *Jurnal Sumberdaya Alam Dan Lingkungan*, 7(2), 81–89. <https://doi.org/10.21776/ub.jsal.2020.007.02.5>
- Saputra, M. R. B., & Supriyo, E. (2020). Pembuatan Plastik Biodegradable Menggunakan Pati Dengan Penambahan Katalis ZnO dan Stabilizer Gliserol. *Pentana*, 1(1), 41–51.

- Sarka, Evzen, Zdenek Krulis, Jiri Kotek, Lubomir Ruzek, A., & Korbarova, Z. B. dan M. R. (2011). Application of Wheat B- Starch in Biodegradable Plastic Materials. *Czech Journal of Food Science*, 29.
- Seto, A. S., & Sari, A. M. (2013). Pembuatan Selulosa Asetat Berbahan Dasar Nata De Soya. In *Konversi* (Vol. 2). Universitas Muhammadiyah Jakarta.
- Sharma, C., Manepalli, P. H., Thatte, A., Thomas, S., Kalarikkal, N., & Alavi, S. (2017). Biodegradable starch/PVOH/laponite RD-based bionanocomposite films coated with graphene oxide: Preparation and performance characterization for food packaging applications. *Colloid and Polymer Science*, 295(9), 1695–1708. <https://doi.org/10.1007/s00396-017-4114-9>
- SIPSN. (2023). *Komposisi Sampah*. Sipsn.Menlhk.Go.Id. <https://sipsn.menlhk.go.id/sipsn/public/data/komposisi>
- Sitorus, B., Novianti, I., Adhitiyawarman, & Antonius. (2023). Peningkatan Biodegradabilitas dan Penyerapan Air Akibat Penambahan Mikroselulosa Hasil Isolasi Tandan Kosong Kelapa Sawit dalam Bioplastik. *JST (Jurnal Sains Dan Teknologi)*, 12(2), 335–343. <https://doi.org/10.23887/jstundiksha.v12i2.52469>
- Stevens, E. S. (2001). *Green Plastics*. Princeton University Press.
- Suseno, N., Adiarto, T., Alviany, R., & Novitasari, K. (2019). Pemurnian Gliserol Hasil Produk Samping Biodiesel Dengan Kombinasi Proses Adsorpsi-Mikrofiltrasi-evaporasi. *Jurnal Teknik Kimia*, 13(2). <https://doi.org/10.33005/tekkim.v13i2.1406>
- Ummah, N. (2013). *Uji Ketahanan Biodegradable Plastic Berbasis Tepung Biji Durian (Durio Zibethinus Murr) Terhadap Air Dan Pengukuran Densitasnya*.
- UNEP. (2018). Single use plastics: A roadmap for sustainability. In *Single-use*

*Plastic: A Roadmap for Sustainability.*

- Wahyusi, K. N., Siswanto, & Utami, L. I. (2017). Kajian Proses Asetilasi Terhadap Kadar Asetil Selulosa Asetat Dari Ampas Tebu Study of Acetylation Process on Acetyl Content of Cellulose Acetate From Bagasse. *Jurnal Teknik Kimia*, 12(1), 35–39.
- Widiatmono, B. R., Sulianto, A. A., & Debora, C. (2021). Biodegradabilitas Bioplastik Berbahan Dasar Limbah Cair Tahu dengan Penguat Kitosan dan Plasticizer Gliserol. *Jurnal Sumberdaya Alam Dan Lingkungan*, 8(1), 21–27. <https://doi.org/10.21776/ub.jsal.2021.008.01.3>
- Yang, J., Ching, Y. C., Sabariah Julai, J., Chuah, C. H., Nguyen, D. H., & Lin, P. C. (2022). Comparative study on the properties of starch-based bioplastics incorporated with palm oil and epoxidized palm oil. *Polymers and Polymer Composites*, 30, 1–11. <https://doi.org/10.1177/09673911221087595>
- Zulnazri, S. R. R. D. (2019). Pemanfaatan Pati Batang Ubi Kayu dan Pati Ubi Kayu untuk Bahan Baku Alternatif Pembuatan Plastik Biodegradable. *Jurnal Teknologi Kimia Unimal*, 8(Mei), 26–35. <http://ojs.unimal.ac.id/index.php/jtk>