

DAFTAR PUSTAKA

- [AOAC] *Association of Official Analytical Chemistry*. (2012). Official Method of Analysis 923.03, Chapter 32.1.05. Gaithersburg (US): AOAC.
- [AOAC] *Association of Official Analytical Chemistry*. (2012). Official Method of Analysis 925.10, Chapter 32.1.03. Gaithersburg (US): AOAC.
- [BPS] Badan Pusat Statistik. (2021). Produksi Tanaman Buah-Buahan 2021. <https://www.bps.go.id/indicator/55/62/2/produksi-tanaman-buah-buahan.html> Diakses Tanggal 16 Agustus 2023.
- [ILO] *International Labour Organization*. (2020). Wages and working conditions in the banana sector: the case of Costa Rica, Ethiopia, India, Indonesia, and Viet Nam. *International Labour Organization*, 1–21.
- [IPPA] *International Pectin Producers Association*. (2014). Pectin Commercial Production and Pectin in Organic Food Products. <https://pectinproducers.com> Diakses Tanggal 24 Juli 2023.
- Abano, E. E., dan Sam-Amoah, L. K. (2011). Effects of different pretreatments on drying characteristics of banana slices. *ARNP Journal of Engineering and Applied Sciences*, 6(3), 121–129.
- Abbasi, S., dan Rahimi, S. (2008). Microwave-assisted encapsulation of citric acid using hydrocolloids. *International Journal of Food Science and Technology*, 43(7), 1226–1232. <https://doi.org/10.1111/j.1365-2621.2007.01595.x>
- Abdullah, A., dan Amalia, Y. (2023). Lactic acid fermentation of banana peel using *Lactobacillus plantarum*: Effect of substrate concentration, inoculum concentration, and various nitrogen sources. *Reaktor*, 22(3), 92–101. <https://doi.org/10.14710/reaktor.22.3.92-101>
- Adha, F. F., dan Warsiki, E. (2023). Silica Synthesis from Oil Palm Mill Boiler Ash Under Different Concentration of NaOH and Extraction Time. *IOP Conference Series: Earth and Environmental Science*, 1187(1), 1–11. <https://doi.org/10.1088/1755-1315/1187/1/012012>
- Alba, K., dan Kontogiorgos, V. (2020). Emulsification properties of pectin. In *Pectin: Technological and Physiological Properties*. https://doi.org/10.1007/978-3-030-53421-9_5
- Anurag, R., & Chauhan, N. (2020). Development of banana chips using different drying methods and pretreatments Development of banana chips using different drying methods and pretreatments. *International Journal of Chemical Studies*, 6(4), 3120–3123. <https://doi.org/10.13140/RG.2.2.12913.30566>
- Apriliyanti, M. W., Suryanegara, M. A., Wahyono, A., dan Djamila, S. (2020). Kondisi Optimum Perlakuan Awal Dan Pengeringan Kulit Buah Naga Kering. *Jurnal Teknologi Dan Industri Pangan*, 31(2), 155–163.

<https://doi.org/10.6066/jtip.2020.31.2.155>

- Araújo, E. M. R., Coelho, F. E. B., Balarini, J. C., Miranda, T. L. S., dan Salum, A. (2017). Solvent Extraction of Citric Acid with Different Organic Phases. *Advances in Chemical Engineering and Science*, 07(03), 304–324. <https://doi.org/10.4236/aces.2017.73023>
- Arimpi, A., dan Pandia, S. (2019). PEMBUATAN PEKTIN DARI LIMBAH KULIT JERUK (*Citrus sinensis*) DENGAN METODE EKSTRAKSI GELOMBANG ULTRASONIK MENGGUNAKAN PELARUT ASAM SULFAT (H₂SO₄). *Jurnal Teknik Kimia USU*, 8(1), 18–24. <https://doi.org/10.32734/jtk.v8i1.1602>
- Atfitri, D., dan Purnami, A. S. (2018). Hubungan Motivasi dan Status Sosial Ekonomi Orangtua Dengan Prestasi Belajar Matematika Siswa Kelas VIII SMP NEGERI SE- KECAMATAN TEPUS KABUPATEN GUNUNGKIDUL. *Prosiding Seminar Nasional Etnomatnesia*, 20, 901–904.
- Azad, A. K. M., Ali, M. A., Akter, M. S., Rahman, M. J., dan Ahmed, M. (2014). Isolation and Characterization of Pectin Extracted from Lemon Pomace during Ripening. *Journal of Food and Nutrition Sciences*, 2(2), 30. <https://doi.org/10.11648/j.jfns.20140202.12>
- Aziz, T., Johan, M. E. G., dan Sri, D. (2018). Pengaruh jenis pelarut, temperatur dan waktu terhadap karakterisasi pektin hasil ekstraksi dari kulit buah naga (*Hylocereus polyrhizus*). *Jurnal Teknik Kimia*, 24(1), 17–27.
- Bagade, S. B., dan Patil, M. (2021). Recent Advances in Microwave Assisted Extraction of Bioactive Compounds from Complex Herbal Samples: A Review. *Critical Reviews in Analytical Chemistry*, 51(2), 138–149. <https://doi.org/10.1080/10408347.2019.1686966>
- Barba, F. J., Zhu, Z., Koubaa, M., Sant'Ana, A. S., dan Orlie, V. (2016). Green alternative methods for the extraction of antioxidant bioactive compounds from winery wastes and by-products: A review. *Trends in Food Science and Technology*, 49, 96–109. <https://doi.org/10.1016/j.tifs.2016.01.006>
- Beandrade, M. U. (2018). Formulasi dan Karakterisasi SNEDDS Ekstrak Jinten Hitam (*Nigella Sativa*) dengan Fase Minyak Ikan Hiu Cucut Botol (*Centropristis Striata*) serta Uji Aktivitas Immunostimulan. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 3(1), 50–61. <https://doi.org/10.20961/jpscr.v3i1.15506>
- Behera, S. K., Meena, H., Chakraborty, S., dan Meikap, B. C. (2018). Application of response surface methodology (RSM) for optimization of leaching parameters for ash reduction from low-grade coal. *International Journal of Mining Science and Technology*, 28(4), 621–629. <https://doi.org/10.1016/j.ijmst.2018.04.014>
- Belwal, T., Pandey, A., Bhatt, I. D., dan Rawal, R. S. (2020). Optimized microwave assisted extraction (MAE) of alkaloids and polyphenols from *Berberis roots* using multiple-component analysis. *Scientific Reports*, 10(1), 1–10.

<https://doi.org/10.1038/s41598-020-57585-8>

- Benassi, L., Alessandri, I., dan Vassalini, I. (2021). Assessing Green Methods for Pectin Extraction from Waste Orange Peels. *Molecules*, 26(6). <https://doi.org/10.3390/molecules26061766>
- Breig, S. J. M., dan Luti, K. J. K. (2021). Response surface methodology: A review on its applications and challenges in microbial cultures. *Materials Today: Proceedings*, 42, 2277–2284. <https://doi.org/10.1016/j.matpr.2020.12.316>
- Broomes, J., dan Badrie, N. (2010). Effects of Low-Methoxyl Pectin on Physicochemical and Sensory Properties of Reduced-Calorie Sorrel/ Roselle (Hibiscus sabdariffa L.) Jams. *The Open Food Science Journal*, 4(1), 48–55. <https://doi.org/10.2174/1874256401004010048>
- Burestan, N. F., Sayyah, A. H. A., dan Taghinezhad, E. (2020). Mathematical modeling for the prediction of some quality parameters of white rice based on the strength properties of samples using response surface methodology (RSM). *Food Science and Nutrition*, 8(8), 4134–4144. <https://doi.org/10.1002/fsn3.1703>
- Castillo-Israel, K. A. T., Bagoio, S. F., Diasanta, M. D. B., Lizardo, R. C. M., Dizon, E. I., dan Mejico, M. I. F. (2015). Extraction and characterization of pectin from Saba banana [*Musa 'saba'*(*Musa acuminata* x *Musa balbisiana*)] peel wastes: A preliminary study. *International Food Research Journal*, 22(1), 202–207.
- Chemat, F., Vian, M. A., dan Cravotto, G. (2012). Green extraction of natural products: Concept and principles. *International Journal of Molecular Sciences*, 13(7), 8615–8627. <https://doi.org/10.3390/ijms13078615>
- Cheok, C. Y., Sulaiman, R., Manan, N. A., Zakora, A. J., Chin, N. L., dan Hussain, N. (2018). Pasting and physical properties of green banana flours and pastas. *International Food Research Journal*, 25(6), 2585–2592.
- Cho, E. H., Jung, H. T., Lee, B. H., Kim, H. S., Rhee, J. K., dan Yoo, S. H. (2019). Green process development for apple-peel pectin production by organic acid extraction. *Carbohydrate Polymers*, 204(October 2018), 97–103. <https://doi.org/10.1016/j.carbpol.2018.09.086>
- Chua, B. L., Tang, S. F., Ali, A., dan Chow, Y. H. (2020). Optimisation of Pectin Production from Dragon Fruit Peels Waste: Drying, Extraction and Characterisation Studies. *SN Applied Sciences*, 2(4), 1–13. <https://doi.org/10.1007/s42452-020-2415-y>
- Ciriminna, R., Fidalgo, A., Delisi, R., Tamburino, A., Carnaroglio, D., Cravotto, G., Ilharco, L. M., dan Pagliaro, M. (2017). Controlling the Degree of Esterification of Citrus Pectin for Demanding Applications by Selection of the Source. *ACS Omega*, 2(11), 7991–7995. <https://doi.org/10.1021/acsomega.7b01109>
- Clarissa, C., Claudia, G., Putri, M. T., Handoyo, C. C., Firdayanti, S. A., Milka, M., dan El Kiyat, W. (2019). Review: Ekstraksi Pektin dari Limbah Kulit

- Kedondong (*Spondias dulcis*) dan Pemanfaatannya sebagai Edible Coating pada Buah. *IJCA (Indonesian Journal of Chemical Analysis)*, 2(01), 1–10. <https://doi.org/10.20885/ijca.vol2.iss1.art1>
- Colodel, C., dan Petkowicz, C. L. de O. (2019). Acid extraction and physicochemical characterization of pectin from cubiu (*Solanum sessiliflorum* D.) fruit peel. *Food Hydrocolloids*, 86, 193–200. <https://doi.org/10.1016/j.foodhyd.2018.06.013>
- Dao, T. P., Nguyen, D. C., Tran, T. H., Van Thinh, P., Hieu, V. Q., Vo Nguyen, D. V., Nguyen, T. D., dan Bach, L. G. (2019). Modeling and optimization of the orange leaves oil extraction process by microwave-assisted hydro-distillation: The response surface method based on the central composite approach (RSM-CCD Model). *Rasayan Journal of Chemistry*, 12(2), 666–676. <https://doi.org/10.31788/RJC.2019.1225107>
- Dao, T. A. T., Webb, H. K., dan Malherbe, F. (2021). Optimization of pectin extraction from fruit peels by response surface method: Conventional versus microwave-assisted heating. *Food Hydrocolloids*, 113, 106475. <https://doi.org/10.1016/j.foodhyd.2020.106475>
- Daud, N. Z. A., Said, B. N. M., Jaa'far, F., Yasin, H. M., Kusriani, E., dan Usman, A. (2019). pH-dependent yield and physicochemical properties of pectin isolated from citrus maxima. *International Journal of Technology*, 10(6), 1131–1139. <https://doi.org/10.14716/ijtech.v10i6.3595>
- De Oliveira, C. F., Giordani, D., Gurak, P. D., Cladera-Olivera, F., dan Marczak, L. D. F. (2015). Extraction of Pectin from Passion Fruit Peel Using Moderate Electric Field and Conventional Heating Extraction Methods. *Innovative Food Science and Emerging Technologies*, 29, 201–208. <https://doi.org/10.1016/j.ifset.2015.02.005>
- Destandau, E., Michel, T., dan Elfakir, C. (2013). Microwave-assisted extraction. In *RSC Green Chemistry* (Issue August 2015). <https://doi.org/10.1039/9781849737579-00113>
- Devi, W. E., Shukla, R. N., Bala, K. L., Kumar, A., Mishra, A. A., dan Yadav, K. C. (2014). Extraction of Pectin from Citrus Fruit Peel and Its Utilization in Preparation of Jelly. *International Journal of Engineering Research dan Technology (IJERT)*, 3(5), 1925–1932. www.ijert.org
- Dhake, K., Jain, S. K., Jagtap, S., dan Pathare, P. B. (2023). Effect of Pretreatment and Temperature on Drying Characteristics and Quality of Green Banana Peel. *AgriEngineering*, 5(4), 2064–2078. <https://doi.org/10.3390/agriengineering5040127>
- Dhawane, S. H., Kumar, T., dan Halder, G. (2015). Central composite design approach towards optimization of flamboyant pods derived steam activated carbon for its use as heterogeneous catalyst in transesterification of Hevea brasiliensis oil. *Energy Conversion and Management*, 100, 277–287. <https://doi.org/10.1016/j.enconman.2015.04.083>

- Dranca, F., Talón, E., Vargas, M., dan Oroian, M. (2021). Microwave vs. conventional extraction of pectin from *Malus domestica* 'Fälticeni' pomace and its potential use in hydrocolloid-based films. *Food Hydrocolloids*, 121(July). <https://doi.org/10.1016/j.foodhyd.2021.107026>
- Dwivedi, M., Kumar, P., Laddha, N. C., dan Kemp, E. H. (2016). Induction of regulatory T cells: A role for probiotics and prebiotics to suppress autoimmunity. *Autoimmunity Reviews*, 15(4), 379–392. <https://doi.org/10.1016/j.autrev.2016.01.002>
- Elsyana, V., dan Alvita, L. (2022). Characterization of Pectin from Cincau (*Premna Oblongifolia* Merr.) Leaves. *IOP Conference Series: Earth and Environmental Science*, 1012(1), 1–4. <https://doi.org/10.1088/1755-1315/1012/1/012050>
- Emaga, T. H., Andrianaivo, R. H., Wathelet, B., Tchango, J. T., dan Paquot, M. (2007). Effects of the stage of maturation and varieties on the chemical composition of banana and plantain peels. *Food Chemistry*, 103(2), 590–600. <https://doi.org/10.1016/j.foodchem.2006.09.006>
- Engelen, A., Sugiyono, dan Budijanto, S. (2015). Optimasi proses dan formula pada pengolahan mi sagu kering (Metroxylon sagu). *Agritech*, 35(4), 359–367.
- Estiasih, T., Ahmadi, K., Ginting, E., dan Kurniawati, D. (2013). Yield Optimization of Lecithin Extraction of Anjasmoro Variety Soybean Oil by Water Degumming. *Jurnal Teknologi Dan Industri Pangan*, 24(1), 97–104. <https://doi.org/10.6066/jtip.2013.24.1.97>
- Faggion, C. M., Menne, M. C., dan Pandis, N. (2021). Prediction intervals should be included in meta-analyses published in dentistry. *European Journal of Oral Sciences*, 129(6), 1–4. <https://doi.org/10.1111/eos.12827>
- Fajardo, A. R., Lopes, L. C., Pereira, A. G. B., Rubira, A. F., dan Muniz, E. C. (2012). Polyelectrolyte complexes based on pectin-NH₂ and chondroitin sulfate. *Carbohydrate Polymers*, 87(3), 1950–1955. <https://doi.org/10.1016/j.carbpol.2011.09.096>
- Fajriati, I., Ikhsani, A. Y., Monitasari, A., Zamhari, M., Kartika, B., dan Subba, J. R. (2022). The Effect of Extraction Method on the Extract Yield in the Carotenoid Pigment Encapsulation for Halal Natural Pigment. *Indonesian Journal of Halal Research*, 4(2), 97–106. <https://doi.org/10.15575/ijhar.v4i2.17188>
- Faraway, J. J. (2002). Practical Regression and Anova using R. In *University of Bath*.
- Febriansah, R. E., dan Meiliza, D. R. (2020). Buku Ajar Mata Kuliah Teori Pengambilan Keputusan. In *Umsida Press Sidoarjo*.
- Ferre, J. (2009). Regression Diagnostics. *Comprehensive Chemometrics*, 3(2), 33–88. <https://doi.org/10.2307/2075925>

- Fishman, M. L., Chau, H. K., Hotchkiss, A. T., White, A., Garcia, R. A., dan Cooke, P. H. (2019). Effect of long term cold storage and microwave extraction time on the physical and chemical properties of citrus pectin. *Food Hydrocolloids*, 92(December 2018), 104–116. <https://doi.org/10.1016/j.foodhyd.2018.12.047>
- Gan, C. Y., Abdul Manaf, N. H., dan Latiff, A. A. (2010). Physico-chemical properties of alcohol precipitate pectin-like polysaccharides from *Parkia speciosa* pod. *Food Hydrocolloids*, 24(5), 471–478. <https://doi.org/10.1016/j.foodhyd.2009.11.014>
- Gnanasambandam, R. dan Proctor, A. (2000). Determination of pectin degree of esterification by diffuse reflectance. *Food Chemistry*, 68, 327–332. www.elsevier.com/locate/foodchem
- Giacometti, J., Bursać Kovačević, D., Putnik, P., Gabrić, D., Bilušić, T., Krešić, G., Stulić, V., Barba, F. J., Chemat, F., Barbosa-Cánovas, G., dan Režek Jambrak, A. (2018). Extraction of bioactive compounds and essential oils from mediterranean herbs by conventional and green innovative techniques: A review. *Food Research International*, 113, 245–262. <https://doi.org/10.1016/j.foodres.2018.06.036>
- Girma, E., dan Worku, M. T. (2016). Extraction and Characterization of Pectin From Selected Fruit Peel Waste. *International Journal of Scientific and Research Publications*, 6(2), 447–454. www.ijsrp.org
- Gomez, L., Tiwari, B., dan Garcia-Vaquero, M. (2020). Emerging extraction techniques: Microwave-assisted extraction. In *Sustainable Seaweed Technologies: Cultivation, Biorefinery, and Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-817943-7.00008-1>
- Grassino, A. N., Brnčić, M., Vikić-Topić, D., Roca, S., Dent, M., dan Brnčić, S. R. (2016). Ultrasound assisted extraction and characterization of pectin from tomato waste. *Food Chemistry*, 198, 93–100. <https://doi.org/10.1016/j.foodchem.2015.11.095>
- Guo, X., Guo, X., Meng, H., Zhang, B., dan Yu, S. (2017). Using The High Temperature Resistant pH Electrode to Auxiliarily Study The Sugar Beet Pectin Extraction Under Different Extraction Conditions. *Food Hydrocolloids*, 70, 105–113. <https://doi.org/10.1016/j.foodhyd.2017.03.032>
- Häckl, K., dan Kunz, W. (2018). Some aspects of green solvents. *Comptes Rendus Chimie*, 21(6), 572–580. <https://doi.org/10.1016/j.crci.2018.03.010>
- Halim, Y., dan Darmawan, C. R. (2021). Characteristics of Edible Film Made from Pectin of Papaya Peel. *Reaktor*, 21(3), 116–123. <https://doi.org/10.14710/reaktor.21.3.116-123>
- Hano, T., Matsumoto, M., Ohtake, T., Sasaki, K., Hori, F., dan Kawano, Y. (1990). Extraction equilibria of organic acids with tri-n-octylphosphineoxide. In *Journal of Chemical Engineering of Japan* (Vol. 23, Issue 6, pp. 734–738). <https://doi.org/10.1252/jcej.23.734>

- Harefa, W., dan Pato, U. (2017). Evaluasi Tingkat Kematangan Buah Terhadap Mutu Tepung Pisang Kepok Yang Dihasilkan Evaluation of Level Fruit Maturity To Quality of Kepok Banana Flours That Produced. *Jom FAPERTA*, 4(2), 1–12.
- Hayati, Z. (2019). *Teori-Teori Pengambilan Keputusan*. July 7, 1–3. <https://doi.org/10.31227/osf.io/dbezK>
- Hidayat, I. R., Zuhrotun, A., dan Sopyan, I. (2020). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120. <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Hosseini, S. S., Khodaiyan, F., dan Yarmand, M. S. (2016). Optimization of microwave assisted extraction of pectin from sour orange peel and its physicochemical properties. *Carbohydrate Polymers*, 140, 59–65. <https://doi.org/10.1016/j.carbpol.2015.12.051>
- Hu, Q., He, Y., Wang, F., Wu, J., Ci, Z., Chen, L., Xu, R., Yang, M., Lin, J., Han, L., dan Zhang, D. (2021). Microwave technology: a novel approach to the transformation of natural metabolites. *Chinese Medicine (United Kingdom)*, 16(1), 1–22. <https://doi.org/10.1186/s13020-021-00500-8>
- Indrasari, F., dan Buanasari, B. (2022). The Effect of Solvent Ratio and Extraction Time on Antioxidant Activity and Flavonoid Concentration of Kedawung Leaf (*Parkia Biglobosa*) Through Microwave-Assisted Extraction. *Jurnal Bahan Alam Terbarukan*, 11(1), 17–22. <https://doi.org/10.15294/jbat.v11i1.33426>
- Ismail, N. S. M., Ramli, N., Hani, N. M., dan Meon, Z. (2012). Extraction and characterization of pectin from dragon fruit (*Hylocereus polyrhizus*) using various extraction conditions. *Sains Malaysiana*, 41(1), 41–45.
- Jariyah, J., Kurniati, E., dan Dwi Nurherdiana, S. (2022). Study of pectin extraction from pedada fruit and kepok banana peel. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 5(1), 40–48. <https://doi.org/10.21776/ub.afssaae.2022.005.01.4>
- Jens, R. A. R., A., R. C., Marcelle, R., dan Jean R. E., R. (2021). Influences of the pH, the liquid/solid ratio, and the mixing of the wastes of mango, passion fruit and Bambara groundnut on the extraction yield of pectin. *International Journal of Scientific and Research Publications (IJSRP)*, 11(7), 226–235. <https://doi.org/10.29322/ijsrp.11.07.2021.p11529>
- Jiang, Y., dan Du, J. (2017). Properties of high-methoxyl pectin extracted from “Fuji” apple pomace in China. *Journal of Food Process Engineering*, 40(3), 1–11. <https://doi.org/10.1111/jfpe.12497>
- Kamaludin, H., Lihan, T., Rahman, Z. A., Mustapha, M. A., Idris, W. M. R., dan Rahim, S. A. (2013). Integration of remote sensing, RUSLE and GIS Integration of remote sensing, RUSLE and GIS to model potential soil loss and sediment yield (SY) Integration of remote sensing, RUSLE and GIS. *HESSD Earth Syst. Sci. Discuss*, 10(10), 4567–4596.

<https://doi.org/10.5194/hessd-10-4567-2013>

- Kanmani, P. (2014). Extraction and Analysis of Pectin from Citrus Peels: Augmenting the Yield from Citrus limon Using Statistical Experimental Design. *Iranica Journal of Energy and Environment*, 5(3), 303–312. <https://doi.org/10.5829/idosi.ijee.2014.05.03.10>
- Karami, Z., Emam-Djomeh, Z., Mirzaee, H. A., Khomeiri, M., Mahoonak, A. S., dan Aydani, E. (2015). Optimization of microwave assisted extraction (MAE) and soxhlet extraction of phenolic compound from licorice root. *Journal of Food Science and Technology*, 52(6), 3242–3253. <https://doi.org/10.1007/s13197-014-1384-9>
- Karbus, P., dan Tugrul, N. (2021). Microwave and ultrasound assisted extraction of pectin from various fruits peel. *Journal of Food Science and Technology*, 58(2), 641–650. <https://doi.org/10.1007/s13197-020-04578-0>
- Karim, R., Nahar, K., Zohora, F. T., Islam, M. M., Bhuiyan, R. H., Jahan, M. S., dan Shaikh, M. A. A. (2022). Pectin from lemon and mango peel: Extraction, characterisation and application in biodegradable film. *Carbohydrate Polymer Technologies and Applications*, 4, 1–9. <https://doi.org/10.1016/j.carpta.2022.100258>
- Kartika, I. A., Fataya, I., Yunus, M., dan Yuliana, N. D. (2022). Optimasi Proses Ekstraksi Minyak Dan Resin Nyampung Dengan Pelarut Binermenggunakan Response Surface Method. *Jurnal Teknologi Industri Pertanian*, 32(1), 21–31. <https://doi.org/10.24961/j.tek.ind.pert.2022.32.1.21>
- Kassaian, J.-M. (2000). Tartaric Acid. In *Ullmann's Encyclopedia of Industrial Chemistry* (pp. 671–678). Wiley. https://doi.org/10.1002/14356007.a26_163
- Kazemi, M. (2019). Ultrasonic and Heating Extraction of Pistachio By-Product Pectin: Physicochemical, Structural Characterization and Functional Measurement. *Journal of Food Measurement and Characterization*, 14, 679–693. <https://doi.org/10.1007/s11694-019-00315-0>
- Khamsucharit, P., Laohaphatanalert, K., Gavinlertvatana, P., Sriroth, K., dan Sangseethong, K. (2018). Characterization of pectin extracted from banana peels of different varieties. *Food Science and Biotechnology*, 27(3), 623–629. <https://doi.org/10.1007/s10068-017-0302-0>
- Khan, M., dan Nandkishor. (2019). Optimization of Extraction Condition and Characterization of Low Methoxy Pectin From Wild Plum. *Journal of Packaging Technology and Research*, 3(3), 215–221. <https://doi.org/10.1007/s41783-019-00070-z>
- Koh, P. C., Leong, C. M., dan Noranizan, M. A. (2014). Microwave-assisted extraction of pectin from jackfruit rinds using different power levels. *International Food Research Journal*, 21(5), 2091–2097.
- Kraber, S. (2022). Improving Your DOE - Analysis with Response Transformations.

- Journal of Plastic Film dan Sheeting*, 38(1), 15–20.
<https://doi.org/10.1177/87560879211069688>
- Kratchanova, M., Pavlova, E., dan Panchev, I. (2004). The effect of microwave heating of fresh orange peels on the fruit tissue and quality of extracted pectin. *Carbohydrate Polymers*, 56(2), 181–185.
<https://doi.org/10.1016/j.carbpol.2004.01.009>
- Kurniawan, M. F., dan Adenia, Z. (2022). Ekstraksi Pektin Kulit Buah Naga Merah (*Hylocereus polyrhizus*) dengan Pelarut Asam Sitrat dan Aplikasinya sebagai Polimer Plastik Biodegradable. *Al-Kimiya*, 9(1), 10–18.
<https://doi.org/10.15575/ak.v9i1.17425>
- Kurniawan, M. F., Hapsari, D. R., Nurlaela, R. S., dan Citra, N. (2023). Pectin Extraction from Ambon Banana (*Musa paradisiaca var. sapientum*) Peel and Its Application for Gummy Jelly. *Indonesian Journal of Applied Research (IJAR)*, 4(1), 75–83. <https://doi.org/10.30997/ijar.v4i1.243>
- Kusuma, H. A. W., Kumalaningsih, S., dan Pranowo, D. (2019). Optimasi Suhu dan Konsentrasi Maltodekstrin pada Proses Pembuatan Serbuk Lobak dengan Metode Foam Mat Drying. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 8(3), 171–182.
<https://doi.org/10.21776/ub.industria.2019.008.03.2>
- Lai, J. C. H., Mahesan, D., Abdul Samat, N. A. S. binti, dan Bains, R. (2022). Characterization and optimization of extracted pectin from unripe banana and mango fruit peels. *Materials Today: Proceedings*, 65, 3020–3029.
<https://doi.org/10.1016/j.matpr.2022.03.580>
- Lara-González, L. Á., Guillermo-Rodríguez, W., Pineda-Triana, Y., Peña-Rodríguez, G., dan Salazar, H. F. (2020). Optimization of the Tensile Properties of Polymeric Matrix Composites Reinforced with Magnetite Particles by Experimental Design. *TecnoLógicas*, 23(48), 83–98.
<https://doi.org/10.22430/22565337.1499>
- Lasunon, P., dan Sengkhampan, N. (2022). Effect of Ultrasound-Assisted, Microwave-Assisted and Ultrasound-Microwave-Assisted Extraction on Pectin Extraction from Industrial Tomato Waste. *Molecules*, 27(4), 1157.
<https://doi.org/10.3390/molecules27041157>
- Lawson, J. (2020). Response Surface Designs. *Design and Analysis of Experiments with R*, 407–470. <https://doi.org/10.1201/b17883-13>
- Lei, X., Shuang, J., Yang, P., dan Liu, Y. (2019). Parametric study and optimization of dimpled tubes based on Response Surface Methodology and desirability approach. *International Journal of Heat and Mass Transfer*, 142, 118453.
<https://doi.org/10.1016/j.ijheatmasstransfer.2019.118453>
- Le Berre, C., Serp, P., Kalck, P., dan Torrence, G. P. (2014). Acetic Acid. In *Ullmann's Encyclopedia of Industrial Chemistry* (Vol. 10, Issue 1002, pp. 1–34). Wiley. https://doi.org/10.1002/14356007.a01_045.pub3

- Leong, C. M., Noranizan, M. A., Kharidah, M., dan Choo, W. S. (2016). Physicochemical properties of pectin extracted from jackfruit and chempedak fruit rinds using various acids. *International Food Research Journal*, 23(3), 973–978.
- Li, W., Zhang, J., Yu, C., Li, Q., Dong, F., Wang, G., Gu, G., dan Guo, Z. (2015). Extraction, degree of polymerization determination and prebiotic effect evaluation of inulin from Jerusalem artichoke. *Carbohydrate Polymers*, 121, 315–319. <https://doi.org/10.1016/j.carbpol.2014.12.055>
- Liang, R. H., Chen, J., Liu, W., Liu, C. M., Yu, W., Yuan, M., dan Zhou, X. Q. (2012). Extraction, characterization and spontaneous gel-forming property of pectin from creeping fig (*Ficus pumila* Linn.) seeds. *Carbohydrate Polymers*, 87(1), 76–83. <https://doi.org/10.1016/j.carbpol.2011.07.013>
- Liew, S. Q., Ngoh, G. C., Yusoff, R., dan Teoh, W. H. (2016). Sequential ultrasound-microwave assisted acid extraction (UMAE) of pectin from pomelo peels. *International Journal of Biological Macromolecules*, 93, 426–435. <https://doi.org/10.1016/j.ijbiomac.2016.08.065>
- Lindriati, T., Belgis, M., Fauzi, M., Juwita, Q. E., & Sakinah, S. (2023). Ultrasound Assisted Extraction and Characterization of Pectin from Red Dragon Fruit (*Hylocereus Polyrhizus*) Peels. *Journal of Applied Agricultural Science and Technology*, 7(2), 91–99. <https://doi.org/10.55043/jaast.v7i2.76>
- Liu, L., Cao, J., Huang, J., Cai, Y., dan Yao, J. (2010). Extraction of pectins with different degrees of esterification from mulberry branch bark. *Bioresource Technology*, 101(9), 3268–3273. <https://doi.org/10.1016/j.biortech.2009.12.062>
- Llompарт, M., Garcia-Jares, C., Celeiro, M., dan Dagnac, T. (2019). Extraction | Microwave-Assisted Extraction. In *Encyclopedia of Analytical Science* (3rd ed., Issue June). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-409547-2.14442-7>
- Ma, S., Yu, S. J., Zheng, X. L., Wang, X. X., Bao, Q. D., dan Guo, X. M. (2013). Extraction, characterization and spontaneous emulsifying properties of pectin from sugar beet pulp. *Carbohydrate Polymers*, 98(1), 750–753. <https://doi.org/10.1016/j.carbpol.2013.06.042>
- Mada, T., Duraisamy, R., dan Guesh, F. (2022). Optimization and characterization of pectin extracted from banana and papaya mixed peels using response surface methodology. *Food Science and Nutrition*, 10(4), 1222–1238. <https://doi.org/10.1002/fsn3.2754>
- Maddiboyina, B., Jhawar, V., Nakkala, R. K., Desu, P. K., dan Gandhi, S. (2021). Design expert assisted formulation, characterization and optimization of microemulsion based solid lipid nanoparticles of repaglinide. *Progress in Biomaterials*, 10(4), 309–320. <https://doi.org/10.1007/s40204-021-00174-3>
- Mahardiani, L., Larasati, R., Susilowati, E., Hastuti, B., dan Azizah, N. L. (2021).

- Potential edible coating of pectin obtained from banana peel for fruit preservation. *Journal of Physics: Conference Series*, 1912(1), 1–7. <https://doi.org/10.1088/1742-6596/1912/1/012019>
- Mahmoud, M. H., Abu-Salem, F. M., dan Azab, D. E. S. H. (2022). A Comparative Study of Pectin Green Extraction Methods from Apple Waste: Characterization and Functional Properties. *International Journal of Food Science*, 2022. <https://doi.org/10.1155/2022/2865921>
- Majid, M., Fallah-Joshaqani, S., Dalvi-Isfahan, M., dan Hamdami, R. (2023). Comparison of Conventional and Microwave-assisted Extraction of Pectin from Watermelon Rind. *Journal of Polymers and the Environment*, 31, 3363–3371. <https://doi.org/10.1007/s10924-023-02820-2>
- Mamuaja, C. F., dan Lumuindong, F. (2023). EFFECT OF TEMPERATURE AND EXTRACTION TIME ON YIELD, MOISTURE CONTENT, AND COCONUT COIR METHOXYL PECTIN. *Journal of Agriculture*, 2(01), 1–7. <https://doi.org/10.47709/joa.v2i01.2272>
- Mandal, V., Mohan, Y., dan Hemalatha, S. (2007). Microwave Assisted Extraction – An Innovative and Promising Extraction Tool for Medicinal Plant Research. *Phcog Rev.*, 1(1), 7–18.
- Maneerat, N., Tangsuphoom, N., dan Nitithamyong, A. (2017). Effect of extraction condition on properties of pectin from banana peels and its function as fat replacer in salad cream. *Journal of Food Science and Technology*, 54(2), 386–397. <https://doi.org/10.1007/s13197-016-2475-6>
- Maran, J. P. (2015). Statistical Optimization of Aqueous Extraction of Pectin from Waste Durian Rinds. *International Journal of Biological Macromolecules*, 73(1), 92–98. <https://doi.org/10.1016/j.ijbiomac.2014.10.050>
- Maran, J. P., Priya, B., Al-Dhabi, N. A., Ponmurugan, K., Moorthy, I. G., dan Sivarajasekar, N. (2017). Ultrasound assisted citric acid mediated pectin extraction from industrial waste of *Musa balbisiana*. *Ultrasonics Sonochemistry*, 35, 204–209. <https://doi.org/10.1016/j.ultsonch.2016.09.019>
- Marić, M., Grassino, A. N., Zhu, Z., Barba, F. J., Brnčić, M., dan Rimac Brnčić, S. (2018). An overview of the traditional and innovative approaches for pectin extraction from plant food wastes and by-products: Ultrasound-, microwaves-, and enzyme-assisted extraction. *Trends in Food Science and Technology*, 76, 28–37. <https://doi.org/10.1016/j.tifs.2018.03.022>
- Melton, L. D., dan Smith, B. G. (2005). Determining the Degree Of Methylation And Acetylation Of Pectin. *Handbook of Food Analytical Chemistry*, 1–2, 739–744. <https://doi.org/10.1002/0471709085.ch17>
- Minjares-Fuentes, R., Femenia, A., Garau, M. C., Meza-Velázquez, J. A., Simal, S., dan Rosselló, C. (2014). Ultrasound-assisted extraction of pectins from grape pomace using citric acid: A response surface methodology approach. *Carbohydrate Polymers*, 106(1), 179–189.

<https://doi.org/10.1016/j.carbpol.2014.02.013>

- Mohamadzadeh, J., Sadeghi-Mahoonak, A. R., Yaghbani, M., dan Aalami, M. (2010). Extraction of pectin from sunflower head residues of selected iranian cultivars. In *World applied science journal* (Vol. 8, Issue 1, pp. 21–24).
- Mohd Rasidek, N. A., Mad Nordin, M. F., Tokuyama, H., Nagatsu, Y., Mili, N., Zaini, A. S., Idham, Z., dan Che Yunus, M. A. (2021). Subcritical water-based pectin from banana peels (*Musa Paradisiaca* Cv.Tanduk) as a natural gelation agent. *Materials Today: Proceedings*, 47(3), 1329–1335. <https://doi.org/10.1016/j.matpr.2021.02.815>
- Moradi, M., Aminzadeh, A., Rahmatabadi, D., dan Rasouli, S. A. (2021). Statistical and Experimental Analysis of Process Parameters of 3D Nylon Printed Parts by Fused Deposition Modeling: Response Surface Modeling and Optimization. *Journal of Materials Engineering and Performance*, 30(7), 5441–5454. <https://doi.org/10.1007/s11665-021-05848-4>
- Mueanmas, C., Nikhom, R., Kaew-On, J., dan Prasertsit, K. (2017). Statistical Optimization for Esterification of Waste Coffee Grounds Oil using Response Surface Methodology. *Energy Procedia*, 138, 235–240. <https://doi.org/10.1016/j.egypro.2017.10.043>
- Muñoz-almagro, N., Valadez-carmona, L., Mendiola, J. A., Ibáñez, E., dan Villamiel, M. (2019). Structural characterisation of pectin obtained from cacao pod husk . Comparison of conventional and subcritical water extraction. *Carbohydrate Polymers*, 217(April), 69–78. <https://doi.org/10.1016/j.carbpol.2019.04.040>
- Muthukumaran, C., Banupriya, L., Harinee, S., Sivaranjani, S., Sharmila, G., Rajasekar, V., dan Kumar, N. M. (2017). Pectin from muskmelon (*Cucumis melo var. reticulatus*) peels: extraction optimization and physicochemical properties. *3 Biotech*, 7(1), 1–10. <https://doi.org/10.1007/s13205-017-0655-3>
- Nadar, C. G., Arora, A., dan Shastri, Y. (2022). Sustainability Challenges and Opportunities in Pectin Extraction from Fruit Waste. *ACS Engineering Au*, 2, 61–74. <https://doi.org/10.1021/acsengineeringau.1c00025>
- Nadir, M., Latifah, F., dan Meylinda, P. (2019). Rendeman dan karakteristik pektin dari kulit nenas dan kulit buah naga dengan microwave assisted extraction (MAE). *Prosiding Seminar Nasional Penelitian dan Pengabdian Kepada Masyarakat, 2019*, 124–128.
- Nandhu Lal, A. M., Prince, M. V., dan Sreeja, R. (2020). Studies on Characterisation of Combined Pulsed Electric Field and Microwave Extracted Pectin from Jack Fruit Rind and Core. *International Journal of Current Microbiology and Applied Sciences*, 9(3), 2371–2380. <https://doi.org/10.20546/ijcmas.2020.903.270>
- Nieminen, P. (2022). Application of Standardized Regression Coefficient in Meta-Analysis. *BioMedInformatics*, 2(3), 434–458.

<https://doi.org/10.3390/biomedinformatics2030028>

- Noordin, M. Y., Venkatesh, V. C., Sharif, S., Elting, S., dan Abdullah, A. (2004). Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel. *Journal of Materials Processing Technology*, 145(1), 46–58. [https://doi.org/10.1016/S0924-0136\(03\)00861-6](https://doi.org/10.1016/S0924-0136(03)00861-6)
- Noroozian, M., Ghaemi, A., dan Heidari, Z. (2023). Potential of artificial intelligence and response surface methodology to predict CO₂ capture by KOH-modified activated alumina. *Case Studies in Chemical and Environmental Engineering*, 8(June), 1–12. <https://doi.org/10.1016/j.cscee.2023.100442>
- Nurhidayat, N., Tamrin, T., dan Asyik, N. (2023). Ekstraksi dan Karakterisasi Pektin Pada Kulit Buah Kakao (*Theobroma cacao* L.) Berdasarkan Perbedaan Tingkat Kematangan Buah. *Jurnal Riset Pangan*, 1(1), 78–95.
- Nurmila, N., Nurhaeni, N., dan Ridhay, A. (2019). EKSTRAKSI DAN KARAKTERISASI PEKTIN DARI KULIT BUAH MANGGA HARUMANIS (*Mangifera Indica* L.) BERDASARKAN VARIASI SUHU DAN WAKTU. *KOVALEN: Jurnal Riset Kimia*, 5(1), 58–67. <https://doi.org/10.22487/kovalen.2019.v5.i1.11377>
- Nursid, M., Permatasari, A., Syafitri, U. D., dan Batubara, I. (2022). Application of Box-Behnken Design for the Extraction of *Padina australis*. *Molekul*, 17(2), 270. <https://doi.org/10.20884/1.jm.2022.17.2.6359>
- Ohyver, M. (2010). Penerapan Partial Least Squares Pada Data Gingerol. *ComTech: Computer, Mathematics and Engineering Applications*, 1(1), 39. <https://doi.org/10.21512/comtech.v1i1.2166>
- Öztürk, T., Özbek, H. N., dan Koçak Yanık, D. (2024). Environmentally Friendly Approach to Pectin Extraction from Grapefruit Peel: Microwave-Assisted High-Pressure CO₂/H₂O. *Foods*, 13(3), 1–15. <https://doi.org/10.3390/foods13030476>
- Pagarra, H., Rahman, R. A., Rachmawaty, Hartati, dan Azis, A. A. (2018). Characterization and monosaccharide content of pectin from *Nephrolepis biserrata* leaves. *AIP Conference Proceedings*, 2030. <https://doi.org/10.1063/1.5066819>
- Panwar, D., Panesar, P. S., dan Chopra, H. K. (2022). Green extraction of pectin from *Citrus limetta* peels using organic acid and its characterization. *Biomass Conversion and Biorefinery*, 0123456789. <https://doi.org/10.1007/s13399-021-02127-z>
- Paramitha, T., dan Paramitha, T. (2021). The Effect of Concentration of Citric Acid Solution on Extraction of Pectin from Watermelon Albedo. *KOVALEN: Jurnal Riset Kimia*, 7(3), 194–201. <https://doi.org/10.22487/kovalen.2021.v7.i3.15609>

- Pavia, D. L., Lampman, G. M., Kriz, G. S., dan Vyvyan, J. R. (2009). Introduction To Spectroscopy, Fourth Edition. In *Department of Chemistry Western Washington University Bellingham*.
<https://doi.org/10.3917/popu.p1977.32n1.0034>
- Perez, A. A., Sánchez, C. C., Rodríguez Patino, J. M., Rubiolo, A. C., dan Santiago, L. G. (2012). Foaming characteristics of β -lactoglobulin as affected by enzymatic hydrolysis and polysaccharide addition: Relationships with the bulk and interfacial properties. *Journal of Food Engineering*, 113(1), 53–60.
<https://doi.org/10.1016/j.jfoodeng.2012.05.024>
- Petkowicz, C. L. O., Vriesmann, L. C., dan Williams, P. A. (2017). Pectins from Food Waste: Extraction, Characterization and Properties of Watermelon Rind Pectin. *Food Hydrocolloids*, 65, 57–67.
<https://doi.org/10.1016/j.foodhyd.2016.10.040>
- Phaiphan, A. (2019). Optimisation of pectin extraction assisted by microwave from banana (*Musa sapientum* L.) fruit peels using response surface methodology. *Carpathian Journal of Food Science and Technology*, 11(2), 127–140.
<https://doi.org/10.34302/crpjfst/2019.11.2.10>
- Phaiphan, A. (2022). Ultrasound assisted extraction of pectin from banana peel waste as a potential source for pectin production. *Acta Scientiarum Polonorum Technologia Alimentaria*, 21(1), 17–30.
<https://doi.org/10.17306/j.afs.0974>
- Phaiphan, A., Churat, S., Doungta, T., Wichalin, P., Khanchai, W., dan Penjumras, P. (2020). Effects of microwave and ultrasound on the extraction of pectin and its chemical characterisation of banana (*Musa sapientum* L.) peels. *Food Research*, 4(6), 2030–2036. [https://doi.org/10.26656/fr.2017.4\(6\).248](https://doi.org/10.26656/fr.2017.4(6).248)
- Picauly, P., dan Tetelepta, G. (2021). Characterization of pectin from tongka langit banana peels with various extraction temperature. *IOP Conference Series: Earth and Environmental Science*, 883(1), 1–7. <https://doi.org/10.1088/1755-1315/883/1/012060>
- Picot-Allain, M. C. N., Ramasawmy, B., dan Emmambux, M. N. (2022). Extraction, Characterisation, and Application of Pectin from Tropical and Sub-Tropical Fruits: A Review. *Food Reviews International*, 38(3), 282–312.
<https://doi.org/10.1080/87559129.2020.1733008>
- Prabudi, M., Nurtama, B., dan Purnomo, E. H. (2018). Application of Response Surface Methodology (RSM) Using Historical Data on Optimization Burger Production Process. *Jurnal Mutu Pangan*, 5(2), 109–115.
- Pradana, N. D., Saraswati, R., dan Deviyanti, I. G. . S. (2022). Optimasi Output Produksi Kakao Bubuk pada Bagian Mixing dengan Menggunakan Response Surface Methodology – Box Behnken Design di PT. X. *Jurnal Riset Teknik*, 1(3), 1–12. <https://doi.org/10.54980/jer.v1i3.177>
- Prahasiwi, M. S. (2022). PENGARUH JENIS ASAM DAN SUHU EKSTRAKSI

BERBANTU GELOMBANG ULTRASONIK TERHADAP KARAKTERISTIK PEKTIN DARI KULIT BUAH JERUK PURUT (*Citrus hystrix* DC). *Repository Stifar*, 1–7.

- Putra, N. R., Aziz, A. H. A., Faizal, A. N. M., dan Che Yunus, M. A. (2022). Methods and Potential in Valorization of Banana Peels Waste by Various Extraction Processes: In Review. *Sustainability (Switzerland)*, 14(17), 1–18. <https://doi.org/10.3390/su141710571>
- Putri, W., Nasution, A., Tiffani, M., dan Wardana, A. (2021). Optimasi Konsentrasi Pelarut dan Waktu Ekstraksi Pektin Kulit Jeruk Manis (*Citrus Sinensis*) Dengan Metode Maserasi. *Jurnal Teknologi Pertanian*, 22(1), 47–56. <https://doi.org/10.21776/ub.jtp.2021.022.01.5>
- Putri, W. D. R., Riyanto, E. I., Heliana, A., Wellang, A., dan Zubaidah, E. (2021). Optimization of Microwave-Assisted Extraction (MAE) Time and Material to Solvent Ratio of Gembili (*Dioscorea esculenta*) Water-Soluble Polysaccharides (WSP). *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 10(1), 78–98. <https://doi.org/10.21776/ub.industria.2021.010.01.9>
- Qiu, P., Cui, M., Kang, K., Park, B., Son, Y., Khim, E., Jang, M., dan Khim, J. (2014). Application of Box-Behnken design with response surface methodology for modeling and optimizing ultrasonic oxidation of arsenite with H₂O₂. *Central European Journal of Chemistry*, 12(2), 164–172. <https://doi.org/10.2478/s11532-013-0360-y>
- Rahardjo, J., dan Iman, R. (2002). Optimasi Produksi dengan Metode *Response Surface*: Studi Kasus pada Perusahaan *Injection Moulding*. *Jurnal Teknik Industri*, 4(1), 36–44. <http://puslit2.petra.ac.id/ejournal/index.php/ind/article/view/16009>
- Rahmani, Z., Khodaiyan, F., Kazemi, M., dan Sharifan, A. (2020). Optimization of microwave-assisted extraction and structural characterization of pectin from sweet lemon peel. *International Journal of Biological Macromolecules*, 147(xxxx), 1107–1115. <https://doi.org/10.1016/j.ijbiomac.2019.10.079>
- Rahmati, S., Abdullah, A., dan Kang, O. L. (2019). Effects of Different Microwave Intensity on The Extraction Yield and Physicochemical Properties of Pectin from Dragon Fruit (*Hylocereus polyrhizus*) Peels. *Bioactive Carbohydrates and Dietary Fibre*, 18(October 2018), 100186. <https://doi.org/10.1016/j.bcdf.2019.100186>
- Rahmawati, R., Nurjanah, S., dan Mardawati, E. (2022). Optimisasi Tekanan dan Nisbah Refluks pada Pemurnian Δ -Guaiena Minyak Nilam (*Pogostemon cablin*) secara Distilasi Fraksional. *Jurnal Ilmu Pertanian Indonesia*, 27(4), 614–619. <https://doi.org/10.18343/jipi.27.4.614>
- Raja, K. S., Taip, F. S., Azmi, M. M. Z., dan Shishir, M. R. I. (2019). Effect of pre-treatment and different drying methods on the physicochemical properties of Carica papaya L. leaf powder. *Journal of the Saudi Society of Agricultural*

Sciences, 18(2), 150–156. <https://doi.org/10.1016/j.jssas.2017.04.001>

- Raji, Z., Khodaiyan, F., Rezaei, K., Kiani, H., dan Hosseini, S. S. (2017). Extraction optimization and physicochemical properties of pectin from melon peel. *International Journal of Biological Macromolecules*, 98, 709–716. <https://doi.org/10.1016/j.ijbiomac.2017.01.146>
- Ranjha, M. M. A. N., Kanwal, R., Shafique, B., Arshad, R. N., Irfan, S., Kieliszek, M., Kowalczewski, P. Ł., Irfan, M., Khalid, M. Z., Roobab, U., dan Aadil, R. M. (2021). A critical review on pulsed electric field: A novel technology for the extraction of phytoconstituents. *Molecules*, 26(16), 1–23. <https://doi.org/10.3390/molecules26164893>
- Rivadeneira, J. P., Wu, T., dan Castillo-Israel, K. A. T. (2022). Ultrasound-Assisted Extraction of Pectin from “Saba” Banana Peel Waste: Optimization and Rheology Study. *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, 98(2), 106–117. <https://doi.org/10.37934/arfmts.98.1.106117>
- Rivadeneira, J. P., Wu, T., Ybanez, Q., Dorado, A. A., Migo, V. P., Nayve, F. R. P., dan Castillo-Israel, K. A. T. (2020). Microwave-Assisted Extraction of Pectin from “Saba” Banana Peel Waste: Optimization, Characterization, and Rheology Study. *International Journal of Food Science*, 2020(2), 1–9. <https://doi.org/10.1155/2020/8879425>
- Rogers, P., Chen, J.-S., dan Zidwick, M. J. (2013). Organic Acid and Solvent Production: Acetic, Lactic, Gluconic, Succinic, and Polyhydroxyalkanoic Acids. In *The Prokaryotes* (Vol. 9783642313, pp. 3–75). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-31331-8_23
- Rombaut, N., Tixier, A.-S., Bily, A., dan Chemat, F. (2014). Green extraction processes of natural products as tools for biorefinery. *Biofuels, Bioproducts and Biorefining*, 8(4), 530–544. <https://doi.org/10.1002/bbb.1486>
- Rosalina, Y., Susanti, L., Silsia, D., & Setiawan, R. (2018). Karakteristik Tepung Pisang dari Bahan Baku Pisang Lokal Bengkulu. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 7(3), 153–160.
- Roselló-Soto, E., Koubaa, M., Moubarik, A., Lopes, R. P., Saraiva, J. A., Boussetta, N., Grimi, N., dan Barba, F. J. (2015). Emerging opportunities for the effective valorization of wastes and by-products generated during olive oil production process: Non-conventional methods for the recovery of high-added value compounds. *Trends in Food Science and Technology*, 45(2), 296–310. <https://doi.org/10.1016/j.tifs.2015.07.003>
- Roy, S., Priyadarshi, R., Łopusiewicz, L., Biswas, D., Chandel, V., dan Rhim, J. W. (2023). Recent progress in pectin extraction, characterization, and pectin-based films for active food packaging applications: A review. *International Journal of Biological Macromolecules*, 239(March). <https://doi.org/10.1016/j.ijbiomac.2023.124248>

- Said, K. A. M., Amin, M., dan Afizal, M. (2016). Overview on the Response Surface Methodology (RSM) in Extraction Processes. *Journal of Applied Science dan Process Engineering*, 2(1), 8–17. <https://doi.org/10.33736/jaspe.161.2015>
- Saini, A., Panesar, P. S., dan Bera, M. B. (2019). Valorization of fruits and vegetables waste through green extraction of bioactive compounds and their nanoemulsions-based delivery system. *Bioresources and Bioprocessing*, 6(1). <https://doi.org/10.1186/s40643-019-0261-9>
- Salve, R. R., dan Ray, S. (2020). Comprehensive study of different extraction methods of extracting bioactive compounds from pineapple waste-A review Ravindra R Salve and Subhajit Ray. *The Pharma Innovation Journal*, 9(6), 327–340. <https://doi.org/http://www.thepharmajournal.com>
- Sarah, M., Hanum, F., Rizky, M., dan Hisham, M. F. (2018). Microwave-assisted extraction of pectin from cocoa peel. *IOP Conference Series: Earth and Environmental Science*, 122(1). <https://doi.org/10.1088/1755-1315/122/1/012079>
- Sarangi, P. K., Mishra, S., Mohanty, P., Singh, P. K., Srivastava, R. K., Pattnaik, R., Adhya, T. K., Das, T., Lenka, B., Gupta, V. K., Sharma, M., dan Sahoo, U. K. (2023). Food and Fruit Waste Valorisation for Pectin Recovery: Recent Process Technologies and Future Prospects. *International Journal of Biological Macromolecules*, 235(March), 123929. <https://doi.org/10.1016/j.ijbiomac.2023.123929>
- Sari, A. M., Ishartani, D., dan Dewanty, P. S. (2018). Effects of microwave power and irradiation time on pectin extraction from watermelon rinds (*Citrullus lanatus*) with acetic acid using microwave assisted extraction method. *IOP Conference Series: Earth and Environmental Science*, 102(1). <https://doi.org/10.1088/1755-1315/102/1/012085>
- Sayah, M. Y., Chabir, R., Benyahia, H., Kandri, Y. R., Chahdi, F. O., Touzani, H., dan Errachidi, F. (2016). Yield, esterification degree and molecular weight evaluation of pectins isolated from orange and grapefruit peels under different conditions. *PLoS ONE*, 11(9), 1–16. <https://doi.org/10.1371/journal.pone.0161751>
- Setyadjit, Gibert, O., Hoerudin, Sukasih, E., Purwani, E. Y., dan Alamsyah, A. N. (2019). Effect of ripening degree on the quality of intermediate product, banana flour cv angka. *IOP Conference Series: Earth and Environmental Science*, 309(1). <https://doi.org/10.1088/1755-1315/309/1/012007>
- Shaha, R. K., Punichelvana, Y. N. A. P., dan Afandi, A. (2013). Optimized Extraction Condition and Characterization of Pectin from Kaffir Lime (*Citrus hystrix*). *Research Journal of Agriculture and Forestry Sciences*, 1(2), 1–11.
- Shang, A., Luo, M., Gan, R. Y., Xu, X. Y., Xia, Y., Guo, H., Liu, Y., dan Li, H. Bin. (2020). Effects of microwave-assisted extraction conditions on antioxidant capacity of sweet tea (*Lithocarpus polystachyus* rehd.). *Antioxidants*, 9(8), 1–17. <https://doi.org/10.3390/antiox9080678>

- Sharma, B.R., Naresh L., N.C. Dhuldhoya, S. U. M. and U. C. M. L. (2006). An overview on Pectins. *Times Food Processing Journal*, June-July, 44–51.
- Shivamathi, C. S., Moorthy, I. G., Kumar, R. V., Soosai, M. R., Maran, J. P., Kumar, R. S., dan Varalakshmi, P. (2019). Optimization of ultrasound assisted extraction of pectin from custard apple peel: Potential and new source. *Carbohydrate Polymers*, 225(July), 115240. <https://doi.org/10.1016/j.carbpol.2019.115240>
- Shrestha, D. L., dan Solomatine, D. P. (2006). Machine learning approaches for estimation of prediction interval for the model output. *Neural Networks*, 19(2), 225–235. <https://doi.org/10.1016/j.neunet.2006.01.012>
- Siddiqui, A., Chand, K., dan Shahi, N. C. (2021). Effect of Process Parameters on Extraction of Pectin from Sweet Lime Peels. *Journal of The Institution of Engineers (India): Series A*, 102(2), 469–478. <https://doi.org/10.1007/s40030-021-00514-3>
- Sivam, A. S., Sun-Waterhouse, D., Perera, C. O., dan Waterhouse, G. I. N. (2012). Exploring the interactions between blackcurrant polyphenols, pectin and wheat biopolymers in model breads; A FTIR and HPLC investigation. *Food Chemistry*, 131(3), 802–810. <https://doi.org/10.1016/j.foodchem.2011.09.047>
- Soquetta, M. B., Terra, L. de M., dan Bastos, C. P. (2018). Green technologies for the extraction of bioactive compounds in fruits and vegetables. *CYTA - Journal of Food*, 16(1), 400–412. <https://doi.org/10.1080/19476337.2017.1411978>
- Spinei, M., dan Oroian, M. (2022). Microwave-assisted extraction of pectin from grape pomace. *Scientific Reports*, 12(1), 12722. <https://doi.org/10.1038/s41598-022-16858-0>
- Starr, J. N., dan Westhoff, G. (2014). Lactic Acid. In *Ullmann's Encyclopedia of Industrial Chemistry* (pp. 1–8). Wiley-VCH Verlag GmbH dan Co. KGaA. https://doi.org/10.1002/14356007.a15_097.pub3
- Sulihono, A., Tarihoran, B., dan Agustina, T. E. (2012). Pengaruh Waktu, Temperatur, Dan Jenis Pelarut Terhadap Ekstraksi Pektin Dari Kulit Jeruk Bali (*Citrus Maxima*). *Jurnal Teknik Kimia*, 18(4), 1–8.
- Swamy, G. J., dan Muthukumarappan, K. (2017). Optimization of continuous and intermittent microwave extraction of pectin from banana peels. *Food Chemistry*, 220, 108–114. <https://doi.org/10.1016/j.foodchem.2016.09.197>
- Tamaki, Y., Konishi, T., Fukuta, M., dan Tako, M. (2008). Isolation and structural characterisation of pectin from endocarp of *Citrus depressa*. *Food Chemistry*, 107(1), 352–361. <https://doi.org/10.1016/j.foodchem.2007.08.027>
- Tarigan, L.D.B., Budi, U., dan Hanafi, N.D. (2014). Pemanfaatan Kulit Pisang Raja Difermentasi dengan Mol dan *Trichoderma harzianum* pada Berbagai Ransum terhadap Performans Kelinci Rex Jantan Lepas Sapih. *Jurnal*

- Peternakan Integratif*, 2(2), 134–143. <https://doi.org/10.32734/jpi.v2i2.2718>
- Taylor, C. J., Pomberger, A., Felton, K. C., Grainger, R., Barecka, M., Chamberlain, T. W., Bourne, R. A., Johnson, C. N., dan Lapkin, A. A. (2023). A Brief Introduction to Chemical Reaction Optimization. *Chemical Reviews*, 123(6), 3089–3126. <https://doi.org/10.1021/acs.chemrev.2c00798>
- Thirugnanasambandham, K., dan Sivakumar, V. (2015). Application of D-optimal design to extract the pectin from lime bagasse using microwave green irradiation. *International Journal of Biological Macromolecules*, 72, 1351–1357. <https://doi.org/10.1016/j.ijbiomac.2014.09.054>
- Torres-Gallo, R., Bayuelo-Bonilla, S., Carpio-Ortiz, L., Barreto-Rodríguez, G., dan Tirado, D. F. (2022). High-Intensity Ultrasound-Assisted Extraction of Pectin from Mango Wastes at Different Maturity. *International Journal of Food Science*, 2022, 4606024. <https://doi.org/10.1155/2022/4606024>
- Tugon, T. D. A., Larasati, R. D., Adnan, S., Sucimilawati, E., Agustiani, F. S., dan Jaswir, I. (2023). Characterization of Banana Peel Pectin (*Musa acuminata Colla*) as a Potential Halal Pharmaceutical Excipient. *Indonesian Journal of Halal Research*, 5(1), 41–52. <https://doi.org/10.15575/ijhar.v5i1.21285>
- Tuhuloula, A., Budiarti, L., dan Fitriana, E. N. (2013). Karakterisasi Pektin Dengan Memanfaatkan Limbah Kulit Pisang Menggunakan Metode Ekstraksi. *Konversi*, 2(1), 21. <https://doi.org/10.20527/k.v2i1.123>
- Vanitha, T., dan Khan, M. (2020). Role of Pectin in Food Processing and Food Packaging. *Pectins - Extraction, Purification, Characterization and Applications*. <https://doi.org/10.5772/intechopen.83677>
- Variyana, Y., Muchammad, R. S. C., dan Mahfud, M. (2019). Box-behnken design for the optimization using solvent-free microwave gravity extraction of garlic oil from *Allium sativum* L. *IOP Conference Series: Materials Science and Engineering*, 673(1), 1–13. <https://doi.org/10.1088/1757-899X/673/1/012005>
- Veggi, P. C., Martinez, J., dan Meireles, M. A. A. (2013). Fundamentals of microwave extraction. In *Food Engineering Series*. https://doi.org/10.1007/978-1-4614-4830-3_2
- Verhoff, F. H., dan Bauweleers, H. (2014). Citric Acid. In *Ullmann's Encyclopedia of Industrial Chemistry: Vol. 57 Suppl* (pp. 1–11). Wiley-VCH Verlag GmbH dan Co. KGaA. https://doi.org/10.1002/14356007.a07_103.pub3
- Wang, W., Ma, X., Xu, Y., Cao, Y., Jiang, Z., Ding, T., Ye, X., dan Liu, D. (2015). Ultrasound-assisted heating extraction of pectin from grapefruit peel: Optimization and comparison with the conventional method. *Food Chemistry*, 178, 106–114. <https://doi.org/10.1016/j.foodchem.2015.01.080>
- Wen, B., Li, R., Zhao, X., Ren, S., Chang, Y., Zhang, K., Wang, S., Guo, G., dan Zhu, X. (2021). A quadratic regression model to quantify plantation soil factors that affect tea quality. *Agriculture (Switzerland)*, 11(12).

<https://doi.org/10.3390/agriculture11121225>

- Wignyanto, W., Rahmah, N. L., dan Margani, A. D. (2017). The Best Solvent And Extraction Time In Pectin Production made From Waste Of Jackfruit (Bark and Straw). *Agroindustrial Journal*, 3(1), 141–147. <https://doi.org/10.22146/aij.v3i1.25030>
- Wongkaew, M., Sommano, S. R., Tangpao, T., Rachtanapun, P., dan Jantanasakulwong, K. (2020). Mango Peel Pectin by Microwave-Assisted Extraction. *Foods*, 9, 1–17.
- Wu, C., Pan, L.-L., Niu, W., Fang, X., Liang, W., Li, J., Li, H., Pan, X., Chen, W., Zhang, H., Lakey, J. R. T., Agerberth, B., de Vos, P., dan Sun, J. (2019). Modulation of Gut Microbiota by Low Methoxyl Pectin Attenuates Type 1 Diabetes in Non-obese Diabetic Mice. *Frontiers in Immunology*, 10(1733), 1–13. <https://doi.org/10.3389/fimmu.2019.01733>
- Wu, C., Pan, L. L., Luo, Y., Niu, W., Fang, X., Liang, W., Li, J., Li, H., Pan, X., Yang, G., Chen, W., Zhang, H., Lakey, J. R. T., Agerberth, B., de Vos, P., dan Sun, J. (2019). Low Methoxyl Pectin Protects against Autoimmune Diabetes and Associated Caecal Dysfunction. *Molecular Nutrition and Food Research*, 63(21), 1–8. <https://doi.org/10.1002/mnfr.201900307>
- Wulaningrum, R. A., Sunarto, W., dan Alauhdin, M. (2013). PENGARUH ASAMORGANIK DALAM EKSTRAKSI ZATWARNA KULIT BUAH MANGGIS (*Garcinia mangostana*). *Indonesian Journal of Chemical Science*, 2(2). <http://journal.unnes.ac.id/sju/index.php/edaj>
- Xu, S. (2017). Predicted residual error sum of squares of mixed models: An application for genomic prediction. *G3: Genes, Genomes, Genetics*, 7(3), 895–909. <https://doi.org/10.1534/g3.116.038059>
- Xu, S. Y., Liu, J. P., Huang, X., Du, L. P., Shi, F. L., Dong, R., Huang, X. T., Zheng, K., Liu, Y., dan Cheong, K. L. (2018). Ultrasonic-microwave assisted extraction, characterization and biological activity of pectin from jackfruit peel. *Lwt*, 90(September 2017), 577–582. <https://doi.org/10.1016/j.lwt.2018.01.007>
- Yakubu, Y., Aliyu, Z. Q., Usman, A., dan Evans, O. (2021). Split-plot Central Composite Experimental Design Method for Optimization of Cake Height to Achieve desired Texture. *Nigerian Journal of Basic and Applied Sciences*, 28(1), 30–39. <https://doi.org/10.4314/njbas.v28i1.5>
- Yangilar, F. (2015). Effects of Green Banana Flour on the Physical , Chemical and Sensory Properties of Ice Cream. *Food Technol. Biotechnol*, 53(3), 315–323. <https://doi.org/10.17113/ft b.53.03.15.3851>
- Yavuz-Düzgün, M., Zeeb, B., Dreher, J., Özçelik, B., dan Weiss, J. (2020). The Impact of Esterification Degree and Source of Pectins on Complex Coacervation as a Tool to Mask the Bitterness of Potato Protein Isolates. *Food Biophysics*, 15(3), 376–385. <https://doi.org/10.1007/s11483-020-09631-1>

- Yolmeh, M., dan Jafari, S. M. (2017). Applications of Response Surface Methodology in the Food Industry Processes. *Food and Bioprocess Technology*, 10(3), 413–433. <https://doi.org/10.1007/s11947-016-1855-2>
- Yopi, Rahmani, N., Andriani, A., Dewi, F., dan Meryandini, A. (2013). Purification and Characterization of Pectinase from *Aspergillus ustus* BL5. *Berita Biologi*, 12(3), 375–381.
- Zaini, H. M., Roslan, J., Saallah, S., Munsu, E., Sulaiman, N. S., dan Pindi, W. (2022). Banana peels as a bioactive ingredient and its potential application in the food industry. *Journal of Functional Foods*, 92(December 2021), 105054. <https://doi.org/10.1016/j.jff.2022.105054>
- Zhang, Q. W., Lin, L. G., dan Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhao, W., Guo, X., Pang, X., Gao, L., Liao, X., dan Wu, J. (2015). Preparation and characterization of low methoxyl pectin by high hydrostatic pressure-assisted enzymatic treatment compared with enzymatic method under atmospheric pressure. *Food Hydrocolloids*, 50, 44–53. <https://doi.org/10.1016/j.foodhyd.2015.04.004>
- Zhao, W., Hao, C., Guo, Y., Shao, W., Tian, Y., dan Zhao, P. (2023). Optimization of Adsorption Conditions Using Response Surface Methodology for Tetracycline Removal by MnFe₂O₄/Multi-Wall Carbon Nanotubes. *Water*, 15(2392), 1–17. <https://doi.org/10.3390/w15132392>
- Zhongdong, L., Guohua, W., Yunchang, G., dan Kennedy, J. F. (2006). Image study of pectin extraction from orange skin assisted by microwave. *Carbohydrate Polymers*, 64(4), 548–552. <https://doi.org/10.1016/j.carbpol.2005.11.006>