

DAFTAR PUSTAKA

- Agustin, I. S. D., Suryaminarsih, P., & Wiyatiningsih, S. (2023). Potensi Metabolit Sekunder *Streptomyces* sp. sebagai Biopestisida pada berbagai Kosentrasi terhadap Penyakit Moler Bawang Merah. *Jurnal Pertanian Agros*, 25(1), 1043-1050.
- Asril, M. (2011). Kemampuan Bakteri Tanah dalam Menghambat Pertumbuhan *Ganoderma Boninense* dan *Fusarium Oxysporum* Secara In Vitro dan Uji Penghambatan Penyakit Layu Fusarium pada Benih Cabai Merah (Doctoral dissertation, Universitas Sumatera Utara).
- Alfizar; Marlina dan F. Susanti. 2013. Kemampuan Antagonis *Trichoderma* sp. terhadap Beberapa Jamur Patogen In Vitro. *J. Floratek*. 8: 45-51.
- Abbasi, S., Spor, A., Sadeghi, A., & Safaie, N. (2021). *Streptomyces* strains modulate dynamics of soil bacterial communities and their efficacy in disease suppression caused by *Phytophthora capsici*. *Scientific reports*, 11(1), 9317.
- Abraham J, Chauhan R. (2018). Profiling of Red Pigment Produced by *Streptomyces* sp.. JAR6 and its Bioactivity. *3 Biotech*. 8(1): 22
- Akarapisan,A., Kumvinit,A., Falert,S., and Kositratana,W. 2023. Identification and detection of a virulence gene of *Streptomyces scabies* causing potato scab in Thailand. *Nat. Life Sci. Commun.* 22(2): e2023027.
- ANTON, E. O. (2016). Enumeration, identification and antagonistic potential of selected microbial isolates from sugarcane variety co 421 rhizosphere against *sporisorium scitamineum* in Kibos, Kisumu county, Kenya (Doctoral dissertation, Maseno University).
- Bantacut, T. (2010). Swasembada gula: prospek dan strategi pencapaiannya. *Jurnal Pangan*, 19(3), 245-256.
- Bhuiyan, S. A., Magarey, R. C., McNeil, M. D., & Aitken, K. S. (2021). Sugarcane smut, caused by *Sporisorium scitamineum*, a major disease of sugarcane: A contemporary review. *Phytopathology®*, 111(11), 1905-1917.
- Bubici, G. (2018). *Streptomyces* spp. as biocontrol agents against Fusarium species. *CABI Reviews*, (2018), 1-15.
- Berlian, I., Setyawan, B., & Hadi, H. (2013). Mekanisme antagonisme *Trichoderma* spp. terhadap beberapa patogen tular tanah. *Warta perkaretan*, 32(2), 74-82.
- Bontemps, C., Toussaint, M., Revol, P. V., Hotel, L., Jeanbille, M., Uroz, S., ... & Leblond, P. (2013). Taxonomic and functional diversity of *Streptomyces* in a forest soil. *FEMS microbiology letters*, 342(2), 157-167.

- Chen, W., Zhang, Z., Chen, X., Meng, Y., Huang, L., Kang, Z., & Zhao, J. (2021). Field production, germinability, and survival of *Puccinia striiformis* f. sp. *tritici* teliosporas in China. *Plant Disease*, 105(8), 2122-2128.
- Corral, D. A. P., Paz, J. D. J. O., Orozco, G. I. O., Muñiz, C. H. A., Marina, M. Á. S., Cisneros, M. F. R., ... & Velasco, C. R. (2020). Antagonistic effect of volatile and non-volatile compounds from *Streptomyces* strains on cultures of several phytopathogenic fungi. *Emirates Journal of Food and Agriculture*, 879-889.
- Dewi, R. S., Guyanto, G., Sinaga, M. S., Dadang, D., & Nuryanto, B. (2020). The Potential Biological Agent Bacteria Against for Controlling Important Pathogens on Rice. *Jurnal Fitopatologi Indonesia*, 16(1), 37-48.
- El-Dawy, E. G., Gherbawy, Y. A., Salamah, O., Alian, R., Ahmed, S., Aoud, S., ... & Mahmoud, A. A. (2023). Diagnosis and Biocontrol of *Sporisorium scitamineum* Associated with Whip Smut Sugarcane. *Asian Journal of Biochemistry, Genetics and Molecular Biology*, 15(1), 31-40.
- Gengfeng, Z. H. A. O., Xiong, G., Wenzhi, W. A. N. G., Linbo, S. H. E. N., & Zhang, S. (2018). Isolation, Screening and Identification of Antagonistic Actinomycetes against *Ustilago scitaminea* Syd. *Agricultural Biotechnology* (2164-4993), 7(4).
- Gowdar, S. B., Deepa, H., & Amaresh, Y. S. (2018). A brief review on biocontrol potential and PGPR traits of *Streptomyces* sp. for the management of plant diseases. *Journal of Pharmacognosy and Phytochemistry*, 7(5), 03-07.
- Fatmawati, U. (2015). Actinomycet: Potential microorganisms for developing PGPR and biological control in Indonesia. In *Proceeding Biology Education Conference: Biology, Science, Environmental, and Learning* (Vol. 12, No. 1, pp. 885-891).
- Ferreira, R. B., Monteiro, S., Freitas, R., Santos, C. N., Chen, Z., Batista, L. M., ... & Teixeira, A. R. (2006). Fungal pathogens: the battle for plant infection. *Critical Reviews in Plant Sciences*, 25(6), 505-524.
- Flärdh, K., & Buttner, M. J. (2009). *Streptomyces* morphogenetics: dissecting differentiation in a filamentous bacterium. *Nature Reviews Microbiology*, 7(1), 36-49.
- Fuchs, U., Hause, G., Schuchardt, I., & Steinberg, G. (2006). Endocytosis is essential for pathogenic development in the corn smut fungus *Ustilago maydis*. *The Plant Cell*, 18(8), 2066-2081.
- Hamid, M. E., Mahgoub, A., Babiker, A. J., Babiker, H. A., Holie, M. A., Elhassan, M. M., & Joseph, M. R. (2020). Isolation and identification of

- Streptomyces* spp. from desert and savanna soils in Sudan. *International Journal of Environmental Research and Public Health*, 17(23), 8749.
- Hanif, A., Suryanto, D., & Nurwahyuni, I. (2012). Pemanfaatan bakteri kitinolitik dalam menghambat pertumbuhan *Curvularia* sp. penyebab penyakit bercak daun pada tanaman mentimun. *J Saintia Biologi*, 1(1), 26-32.
- Halimah, Siti. 2018. Potensi Antagonisme Jamur Endofit pada Tanaman Tebu (*Saccharum officinarum* L.) Untuk Menekan Pertumbuhan Jamur *Ustilago scitaminea* Penyebab Penyakit Luka Api pada Tanaman Tebu secara In Vitro. Malang : Universitas Brawijaya
- Harir, M., Bendif, H., Bellahcene, M., Fortas, Z., and Pogni, R. (2018). *Streptomyces* secondary metabolites. Basic Biol. Appl. Actinobacteria 6, 99–122.
- Hidayah, Nurul. 2020. Peluang Pengembangan Pengendalian Penyakit Luka Api pada Tebu di Indonesia. *Buletin Tanaman Tembakau, serat & Minyak Industri*. 12(2) : 94-108.
- Indonesia, S. P. (2018). Tebu. Direktorat Jenderal Perkebunan: Jakarta.
- Indonesia, S. P. (2022). Tebu. Direktorat Jenderal Perkebunan: Jakarta.
- Izadi, M. B., & Moosawi-Jorf, S. A. (2007). Isolation and identification of yeast-like and mycelial colonies of *Ustilago scitaminea* using specific primers. *Asian Journal of Plant Sciences*, 6(7), 1137-1142.
- Juwita, R. (2012). Studi produksi alkohol dari tetes tebu (*Saccharum officinarum* L) selama Proses Fermentasi. *Skripsi Universitas Hasanudin Makassar*.
- Jones, S. E., Ho, L., Rees, C. A., Hill, J. E., Nodwell, J. R., & Elliot, M. A. (2017). *Streptomyces* exploration is triggered by fungal interactions and volatile signals. *Elife*, 6, e21738.
- Kawuri, Retno. 2016. Isolasi dan Identifikasi *Streptomyces* sp. pada Rhizosfer Tanaman Pisang (*Musa paradisiaca*) di Desa Pendem Jembrana Bali. *Jurnal Metamorfosa III* (2) : 140-148.
- Kristini, A., Adi, H. C., Kardianasari, A., Rifai, F. D., & Jati, W. W. (2022). Pengendalian Penyakit Luka Api pada Tanaman Tebu dengan Fungisida Flutriafol. *Indonesian Sugar Research Journal*, 2(2), 86-94.
- Kurniawan, R. (2016). *Analisis regresi*. Prenada Media.
- Linnenluecke, M.K., Nucifora, N., Thompson, N. 2018. Implications of climate change for the sugarcane industry. *Wiley Interdiscip. Rev. Clim. Chang.* 9, 1–34.
- Lin, X., & Heitman, J. (2005). Chlamydospore formation during hyphal growth in

- Cryptococcus neoformans. *Eukaryotic Cell*, 4(10), 1746-1754.
- Mujoko, T., Sastrahidayat, I. R., Hadiastono, T., & Djauhari, S. (2014). Antagonistic effect of *Streptomyces* spp. on spore germination and mycelial growth of *Fusarium oxysporum* f. sp. lycopersici. *IJB*, 5, 414-422.
- Lal, R. J., Sinha, O. K., Bhatnagar, S., Lal, S., & Awasthi, S. K. (2009). Biological control of sugarcane smut (*Sporisorium scitamineum*) through botanicals and *Trichoderma viride*. *Sugar Tech*, 11, 381-386.
- Permatasari, S. I. (2023). Pengaruh Luas Lahan Terhadap Penghasilan Rendemen Tebu Pada Produksi Gula PT. Buma Cima Nusantara Di Cinta Manis Ogan Ilir 2017-2022. *Jurnal Ekonomi Bisnis, Manajemen dan Akuntansi*, 2(3), 569-580.
- Putri, Ade Lia, and Arif Nurkanto. "Keragaman Aktinomisetes Asal Serasah, Sedimen, dan Tanah Pulau Enggano, Bengkulu." *Berita Biologi* 15.3 (2017): 217-225.
- Raharini, A. O., Kawuri, R., & Khalimi, K. H. A. M. D. A. N. (2012). Penggunaan *Streptomyces* sp. sebagai biokontrol penyakit layu pada tanaman cabai merah (*Capsicum annuum* L.) yang disebabkan oleh *Fusarium oxysporum* f. sp. *capsici*. *Jurnal Agrotrop*, 2(2), 151-159.
- Respati, E. 2020. Outlook Tebu. In Pusat Data dan Sistem Informasi Pertanian.
- Risdiyanti, R. L., Rahmadhini, N., Suryaminarsih, P., & Mujoko, T. (2023). Study of *Streptomyces* spp. to control purple blotch disease caused by *Alternaria porri* in shallot plant. *CROPSAVER-Journal of Plant Protection*, 6(1), 56-61.
- Saputra, R., Arwiyanto, T., & Wibowo, A. (2019). *Streptomyces* sp.: characterization, identification and its potential as a *Ralstonia solanacearum* biological control agent in vitro. *Indonesian Journal of Agricultural Research*, 2(3), 148-155.
- Sastrahidayat, I. R. (2017). *Penyakit Tumbuhan yang disebabkan oleh Jamur*. Universitas Brawijaya Press.
- Siwi, P., & Handojo, B. (2019). Impor Gula Mentah (Raw Sugar) Versus Swasembada Gula. *Majalah Ilmiah Bahari Jogja*, 17(2), 100-111.
- Sundar, A. R., Barnabas, E. L., Malathi, P., Viswanathan, R., Sundar, A. R., & Barnabas, E. L. (2012). A mini-review on smut disease of sugarcane caused by *Sporisorium scitamineum*. *Botany*, 2014, 226.
- Yepes-García J, Caicedo-Montoya C, Pinilla L, Toro L F, Ríos-Estepa R. (2020). Morphological Differentiation of *Streptomyces clavuligerus* Exposed to Diverse Environmental Conditions and its Relationship with Clavulanic

Acid Biosynthesis. Processes. 8: 2-17

Yurnaliza, Y., Margino, S., & Sembiring, L. (2012). Kemampuan kitinase *Streptomyces* RKt5 sebagai Antijamur terhadap patogen *Fusarium oxysporum*. *Jurnal Natur Indonesia*, 14(1), 42-46.