

DAFTAR PUSTAKA

- Apriyani, H., & Kurniati, K. (2020). Perbandingan Metode Naïve Bayes Dan Support Vector Machine Dalam Klasifikasi Penyakit Diabetes Melitus. *Journal of Information Technology Ampera*, 1(3), 133–143.
<https://doi.org/10.51519/journalita.volume1.issuue3.year2020.page133-143>
- Arlot, S., & Celisse, A. (2010). A survey of cross-validation procedures for model selection. *Statistics Surveys*, 4(July 2009), 40–79. <https://doi.org/10.1214/09-SS054>
- Bhuiya, a. (2006). Disease Control Priorities in Developing Countries, Second Edition (DCP2); Priorities in Health; Global Burden of Disease and Risk Factors. In *JAMA: The Journal of the American Medical Association* (Vol. 296, Issue 22). <http://jama.ama-assn.org/cgi/doi/10.1001/jama.296.22.2740>
- Bianto, M. A., Kusriani, K., & Sudarmawan, S. (2020). Perancangan Sistem Klasifikasi Penyakit Jantung Menggunakan Naïve Bayes. *Creative Information Technology Journal*, 6(1), 75.
<https://doi.org/10.24076/citec.2019v6i1.231>
- Cahyanti, D., Rahmayani, A., & Husniar, S. A. (2020). Analisis performa metode Knn pada Dataset pasien pengidap Kanker Payudara. *Indonesian Journal of Data and Science*, 1(2), 39–43. <https://doi.org/10.33096/ijodas.v1i2.13>
- Chromiński, K., Benko, L., Hernández-Figueroa, Z. J., González-Domínguez, J. D., & Rodríguez-del-Pino, J. C. (2021). Python Fundamentals. *Python Fundamentals*, c. <https://doi.org/10.17846/fpvai-2021-14>
- Dawe, R. S., & Ferguson, J. (2003). Diagnosis and treatment of chronic actinic dermatitis. *Dermatologic Therapy*, 16(1), 45–51.
<https://doi.org/10.1046/j.1529-8019.2003.01607.x>
- Elisia, E., & Dalem Pemayun, T. (2019). Profil dermatitis seboroik pada pasien di Poliklinik Rawat Jalan Kulit dan Kelamin RSUD Wangaya Denpasar periode Oktober 2017-Oktober 2018. *Intisari Sains Medis*, 10(2), 497–500.
<https://doi.org/10.15562/ism.v10i2.414>
- Febriani, S. (2022). Analisis Deskriptif Standar Deviasi. *Jurnal Pendidikan Tambusai*, 6(1), 910–913.
<https://jptam.org/index.php/jptam/article/view/8194>

- Firasari, E., Khasanah, N., Khultsum, U., Kholifah, D. N., Komarudin, R., & Widyastuty, W. (2020). Comparison of K-Nearest Neighbor (K-NN) and Naive Bayes Algorithm for the Classification of the Poor in Recipients of Social Assistance. *Journal of Physics: Conference Series*, 1641(1).
<https://doi.org/10.1088/1742-6596/1641/1/012077>
- Furqan, M., Nasution, Y. R., & Fadillah, R. (2022). Klasifikasi Penyakit Kulit Menggunakan Algoritma Naïve Bayes Berdasarkan Tekstur Warna Berbasis Android. *Jurnal Sains Komputer & Informatika (J-SAKTI)*, 6(1), 12–20.
- Gudjonsson, J. E., & Elder, J. T. (2007). Psoriasis: epidemiology. *Clinics in Dermatology*, 25(6), 535–546.
<https://doi.org/10.1016/j.clindermatol.2007.08.007>
- Hartatik, H., Tamam, M. B., & Setyanto, A. (2020). Prediction for Diagnosing Liver Disease in Patients using KNN and Naïve Bayes Algorithms. *2020 2nd International Conference on Cybernetics and Intelligent System, ICORIS 2020*. <https://doi.org/10.1109/ICORIS50180.2020.9320797>
- Hastie, T., Tibshirani, R., & Friedman, J. (2009). The Elements of Statistical Learning. In *Revista Espanola de las Enfermedades del Aparato Digestivo* (Vol. 26, Issue 4). Springer New York. <https://doi.org/10.1007/978-0-387-84858-7>
- Jadhav, S. D., & Channe, H. P. (2016). Comparative Study of K-NN, Naive Bayes and Decision Tree Classification Techniques. *International Journal of Science and Research (IJSR)*, 5(1), 1842–1845.
<https://doi.org/10.21275/v5i1.nov153131>
- Jung, Y. (2018). Multiple predicting K-fold cross-validation for model selection. *Journal of Nonparametric Statistics*, 30(1), 197–215.
<https://doi.org/10.1080/10485252.2017.1404598>
- Lacina, L., & Štork, J. (2021). Lichen planus. *Cesko-Slovenska Dermatologie*, 96(1), 3–15. <https://doi.org/10.4103/etmj.etmj-d-23-00004>
- Nurainun, N., Haerani, E., Syafria, F., & Oktavia, L. (2023). Penerapan Algoritma Naïve Bayes Classifier Dalam Klasifikasi Status Gizi Balita dengan Pengujian K-Fold Cross Validation. *Journal of Computer System and Informatics (JoSYC)*, 4(3), 578–586.

<https://doi.org/10.47065/josyc.v4i3.3414>

- Nuthan, R., & Rohith, V. (2021). Detection of Skin Cancer Using KNN and Naive Bayes Algorithms. *Turkish Online Journal of Qualitative Inquiry (TOJQI)*, 12(6), 8257–8266.
- Paek, S. Y., & Lim, H. W. (2014). Chronic actinic dermatitis. *Dermatologic Clinics*, 32(3), 355–361. <https://doi.org/10.1016/j.det.2014.03.007>
- Prasetyo, A. B., & Laksana, T. G. (2022). Optimasi Algoritma K-Nearest Neighbors dengan Teknik Cross Validation Dengan Streamlit (Studi Data: Penyakit Diabetes). *Journal of Applied Informatics and Computing (JAIC)*, 6(2), 194–204. <http://jurnal.polibatam.ac.id/index.php/JAIC>
- Seidl, T. (2009). Nearest Neighbor Classification. *Encyclopedia of Database Systems*, 1, 1885–1890. https://doi.org/10.1007/978-0-387-39940-9_561
- Sriyanto, A., & Hartati, S. (2022). Perkembangan dan Ciri-Ciri Perkembangan pada Anak Usia Dini. *Journal Fascho: Jurusan Pendidikan*, 2(1), 28–32. <http://www.ejournal.stitmuhngawi.ac.id/index.php/Fascho/article/view/39>
- Tizek, L., Schielein, M. C., Seifert, F., Biedermann, T., Böhner, A., & Zink, A. (2019). Skin diseases are more common than we think: screening results of an unreferrred population at the Munich Oktoberfest. *Journal of the European Academy of Dermatology and Venereology*, 33(7), 1421–1428. <https://doi.org/10.1111/jdv.15494>
- Villalon-Gomez, J. M. (2018). Pityriasis Rosea: Diagnosis and Treatment. *American Family Physician*, 97(1), 38–44.
- Walters, K. A. (2002). Dermatological and transdermal formulations. In *Dermatological and Transdermal Formulations*. <https://doi.org/10.1201/9780824743239>
- Wang, D., Chong, V. C. L., Chong, W. S., & Oon, H. H. (2018). A Review on Pityriasis Rubra Pilaris. *American Journal of Clinical Dermatology*, 19(3), 377–390. <https://doi.org/10.1007/s40257-017-0338-1>
- Yuliarina, A. N. (2022). COMPARISON OF PREDICTION ANALYSIS OF GOFOOD SERVICE USERS USING THE KNN & NAIVE BAYES ALGORITHM WITH RAPIDMINER SOFTWARE PERBANDINGAN ANALISIS PREDIKSI KEPUASAN PENGGUNA LAYANAN GOFOOD

MENGGUNAKAN ALGORITMA KNN & NAIVE BAYES DENGAN SOFTWARE RAPIDMINER. *Jurnal Teknik Informatika (JUTIF)*, 3(4), 847–856.