



DAFTAR PUSTAKA

- Ajimoto, H.A. *et al.* (2019) ‘Physico-mechanical Properties of Composite Briquettes from Corncob and Rice Husk’, *Journal of Bioresources and Bioproducts*, 4(3), pp. 159–165. Available at: <https://doi.org/10.12162/jbb.v4i3.004>.
- AK Wijaya, Agnesia, A., Yulianti, N.L. and Gunadnya, I.B. (2021) ‘Karakteristik Briket Biomassa dari Variasi Bahan Baku Dan Persentase Perikat yang Berbeda’, *JURNAL BETA (BIOSISTEM DAN TEKNIK PERTANIAN)*, 9(2), pp. 1–10.
- Aljarwi, M.A., Pangga, D. and Ahzan, S. (2020) ‘Uji Laju Pembakaran Dan Nilai Kalor Briket Wafer Sekam Padi Dengan Variasi Tekanan’, *ORBITA: Jurnal Kajian, Inovasi dan Aplikasi Pendidikan Fisika*, 6(2), p. 200. Available at: <https://doi.org/10.31764/orbita.v6i2.2645>.
- Almu, M.A., Syahrul and Padang, Y.A. (2014) ‘Analisa Nilai Kalor dan Laju Pembakaran pada Briket Campuran Biji Nyamplung (*Calophyllum Inophyllum*) dan Abu Sekam Padi’, *Journal of Materials Processing Technology*, 4(2), pp. 117–122.
- Anizar, H., Sribudiani, E. and Somadona, S. (2020) ‘Pengaruh Bahan Perikat Tapioka Dan Sagu Terhadap Kualitas Briket Arang Kulit Buah Nipah’, *Perennial*, 16(1), pp. 11–17.
- Astuti, W. (2018) *Adsorpsi Menggunakan Material Berbasis Lignoselulosa*, Unnes Press.
- Basuki, H.W., Yuniarti, Y. and Fatriani, F. (2020) ‘ANALISA SIFAT FISIK DAN KIMIA BRIKET ARANG DARI CAMPURAN TANDAN KOSONG AREN (*Arenga pinnata* Merr) DAN CANGKANG KEMIRI (*Aleurites trisperma*)’, *Jurnal Sylva Scientiae*, 3(4), p. 626. Available at: <https://doi.org/10.20527/jss.v3i4.2346>.
- Dharma, U.S., Rajabiah, N. and Setyadi, C. (2017) ‘Biobriket Dengan Perikat Berbahan Baku Tetes Tebu’, *Jurnal Teknik Mesin Univ. Muhammadiyah Metro*, 6(1), pp. 92–102.
-



LAPORAN HASIL PENELITIAN

“Optimasi Ukuran Partikel dan Penambahan Limbah Vinasse dalam Meningkatkan Sifat Fisik Briket Arang Sekam Padi”

- Hidayati, N.R. *et al.* (2021) ‘Teknologi Pemanfaatan Limbah’, *Cv. Ae Media Grafika*, pp. 5–24.
- Irianto, K. (2015) ‘Pengelolaan Limbah Pertanian’, *Warmadewa*, 24(2), p. 91.
- Irshad, M.K. *et al.* (2022) ‘Elucidating the impact of goethite-modified biochar on arsenic mobility, bioaccumulation in paddy rice (*Oryza sativa* L.) along with soil enzyme activities’, *Process Safety and Environmental Protection*, 160, pp. 958–967.
- Jaswella, R.W.A., Sudding and Ramdani (2022) ‘Pengaruh Ukuran Partikel terhadap Kualitas Briket Arang Tempurung Kelapa’, *Jurnal Chemica*, 23(1), pp. 7–19.
- Kipngetch, P. *et al.* (2023) ‘Effects of carbonization on the combustion of rice husks briquettes in a fixed bed’, *Cleaner Engineering and Technology*, 13(December 2022), p. 100608. Available at: <https://doi.org/10.1016/j.clet.2023.100608>.
- Liu, Z. *et al.* (2013) ‘Production of solid biochar fuel from waste biomass by hydrothermal carbonization’, *Fuel*, 103, pp. 943–949. Available at: <https://doi.org/10.1016/j.fuel.2012.07.069>.
- Lubwama, M., Yiga, V.A. and Lubwama, H.N. (2022) ‘Effects and interactions of the agricultural waste residues and binder type on physical properties and calorific values of carbonized briquettes’, *Biomass Conversion and Biorefinery*, 12(11), pp. 4979–4999. Available at: <https://doi.org/10.1007/s13399-020-01001-8>.
- Myers, R., Montgomery, D. and Anderson-Cook, C. (2009) *Response Surface Methodology*. 3rd Editio. Edited by J. Wiley and S. inc. Canada.
- Oladosu, K.O. *et al.* (2023) ‘Optimization of fuel briquette made from bi-composite biomass for domestic heating applications’, *Scientific African*, 21(July), p. e01824. Available at: <https://doi.org/10.1016/j.sciaf.2023.e01824>.
- Orisaleye, J.I. *et al.* (2022) ‘Empirical models for physical properties of abura (*Mitragyna ciliata*) sawdust briquettes using response surface methodology’, *Cleaner Engineering and Technology*, 7, pp. 1–8.
- Otoo, M. and Drechsel, P. (2018) *Resource Recovery From Waste*. New York.
-



LAPORAN HASIL PENELITIAN

“Optimasi Ukuran Partikel dan Penambahan Limbah Vinasse dalam Meningkatkan Sifat Fisik Briket Arang Sekam Padi”

- Porol, J.T.C., Claur, W.A. and Antonio, A.Z.C. (2019) ‘Performance Evaluation of Charcoal Briquettes Derived from Sugarcane Tops Using Vinasse as Binder’, *2019 IEEE 11th International Conference on Humanoid, Nanotechnology, Information Technology, Communication and Control, Environment, and Management, HNICEM 2019* [Preprint]. Available at: <https://doi.org/10.1109/HNICEM48295.2019.9073606>.
- Razuan, R. *et al.* (2011) ‘Pelletised fuel production from palm kernel cake’, *Fuel Processing Technology*, 92(3), pp. 609–615. Available at: <https://doi.org/10.1016/j.fuproc.2010.11.018>.
- Ruslan (2020) ‘Ruslan dkk (2020)-ukuran partikel’, 2(September), pp. 59–65.
- Satriyani Siahaan, Melvha Hutapea and Rosdanelli Hasibuan (2013) ‘Penentuan Kondisi Optimum Suhu Dan Waktu Karbonisasi Pada Pembuatan Arang Dari Sekam Padi’, *Jurnal Teknik Kimia USU*, 2(1), pp. 26–30. Available at: <https://doi.org/10.32734/jtk.v2i1.1423>.
- Susanto, H. (2018) *Pengembangan Teknologi Gasifikasi untuk Mendukung Kemandirian Energi dan Industri Kimia, Forum Guru Besar Institut Teknologi Bandung*.
- Vegatama, M.R. and Sarungu, S. (2022) ‘Pengaruh Variasi Jenis Perekat Organik terhadap Nilai Kalor Biobriket Serbuk Kayu’, *Jurnal Pendidikan Tambusai*, 6(2), pp. 13256–13262.