



LAPORAN HASIL PENELITIAN
Preparasi dan Karakterisasi Membran Mikrofiltrasi Berbahan Selulosa
Asetat dan Limbah Kulit Kakao untuk Pengolahan Air Garam

DAFTAR PUSTAKA

- Abdullah Ali, S.F., William, L.A. dan Fadl, E.A. (2020) ‘Cellulose Acetate, Cellulose Acetate Propionate and Cellulose Acetate Butyrate Membranes for Water Desalination Applications’, *Cellulose*, 27(16), pp. 9525–9543.do
- Abdullah, R., Astira, D., Zulfiani, U., Widyanto, A.R., Hidayat, A.R.P., Sulistiono, D.O., Rahmawati, Z., Gunawan, T., Kusumawati, Y., Othman, M.H.D. dan Fansuri, H., (2023). Fabrication of Composite Membrane with Microcrystalline Cellulose from Lignocellulosic Biomass as Filler on Cellulose Acetate Based Membrane for Water Containing *Methylene Blue* Treatment. *Bioresource Technology Reports*, 25, pp.101728.
- Ahmad, S. (2005) ‘Pembuatan Membran Selulosa Asetat pada Berbagai Variasi Komposisi Polimer, Jenis Pelarut, dan Konsentrasi Aditif’, *Prosiding Simposium Nasional Polimer V*, pp. 75–80.
- Ahuchaogu, A.A, Chukwu, O. J., Obike, A. I., Igara, C. E., Nnorom, I. C., & Echeme, J. B. O. (2018) ‘Reverse Osmosis Technology, its Applications and Nano-Enabled Membrane’, *International Journal of Advanced Research in Chemical Science*, 5(2), pp. 20–26.
- Akinjokun, A.I, Petrik, L. F., Ogunfowokan, A. O., Ajao, J., & Ojumu, T. V. (2021) ‘Isolation and Characterization of Nanocrystalline Cellulose From Cocoa Pod Husk (CPH) Biomass Wastes’, *Heliyon*, 7(4), pp. 20-24.
- Apriana Putri Husni, D. (2018) ‘Pembuatan Membran Selulosa Asetat Dari Selulosa Pelepah Pohon Pisang’, *Kovalen*, 4(1), pp. 41–52.
- Arahman, N. (2017) *Teknologi Membran : Material, Pembuatan, Modifikasi dan Karakterisasi*. Syiah Kuala University Press.
- Arthanareeswaran, G., Thanikaivelan, P., Srinivasn, K., Mohan, D., & Rajendran, M. (2004) ‘Synthesis, Characterization and Thermal Studies on Cellulose Acetate Membranes with Additive’, *European Polymer Journal*, 40(9), pp. 2153–2159.



LAPORAN HASIL PENELITIAN
Preparasi dan Karakterisasi Membran Mikrofiltrasi Berbahan Selulosa
Asetat dan Limbah Kulit Kakao untuk Pengolahan Air Garam

- Bahtiar, A.D.M. (2021) ‘Analisis Kekuatan Tarik Membran Kitosan Kreco Sebagai Filtrasi Air Konsumsi Rumah Tangga’, *Jurnal Mesin Nusantara*, 4(2), pp. 70–75.
- Boretti, A. dan Rosa, L. (2019) ‘Reassessing the Projections of the World Water Development Report’, *Clean Water*, 2(1). Pp. 12-31.
- Casey, J.P. (1980) *Pulp and Paper Chemistry and Chemical Technology*. Volume IA. New York: Willey Interscience Publisher.
- Dareda, C.T., Suryanto, E. dan Momuat, L.I. (2020) ‘Karakterisasi dan Aktivitas Antioksidan Serat Pangan dari Daging Buah Pala (*Myristica fragrans Houtt*)’, *Chemistry Progress*, 13(1), pp. 48–55.
- Dungani, R. Owolabi, A. F., Saurabh, C. K., Abdul Khalil, H. P. S., Tahir, P. M., Hazwan, C. I. C. M. (2017) ‘Preparation and Fundamental Characterization of Cellulose Nanocrystal from Oil Palm Fronds Biomass’, *Journal of Polymers and the Environment*, 25(3), pp. 692–700.
- Duraikkannu, S.L., Castro-Muñoz, R. dan Figoli, A. (2021) ‘A Review on Phase-Inversion Technique-based Polymer Microsphere Fabrication’, *Colloids and Interface Science Communications*, 13(1), pp. 48–55.
- Dwi Nurherdiana, S. Wahyudi, B., Stefanny, M. J., Karlina, A., Yogaswara, R. R., Jalil, M. J., & Fansuri, H. (2023). Characteristics Of Styrofoam Waste-Based Membrane Through Vapor and Liquid-Induced Phase Inversion Process, *Jurnal Kimia Riset*. 2(1). Pp. 12-31.
- Dwi Veptiyan, E., Apriani, M. dan Eka Mayangsari, N. (2018) ‘Pengaruh Waktu Delignifikasi terhadap Karakteristik Selulosa dari Daun Nanas dan Jerami’, *National Conference Proceeding on Waste Treatment Technology* , (2623), pp. 59–64.
- Fathanah, U. (2020) ‘The Improvement of Hydrophilic Property of Polyethersulfone Membrane with Chitosan as Additive’, *Jurnal Rekayasa Kimia & Lingkungan*, 15(1), pp. 53–61.



LAPORAN HASIL PENELITIAN
Preparasi dan Karakterisasi Membran Mikrofiltrasi Berbahan Selulosa
Asetat dan Limbah Kulit Kakao untuk Pengolahan Air Garam

- Fatmasari, S.R., Damayanti, A. dan Yuswarini, E. (2012) ‘Pemanfaatan Silika Sekam Padi Sebagai Bahan Baku Pembuatan Membran Untuk Desalinasi Air Laut’, *Environmental Technology Scientific Conference IX*, pp. 1–6.
- Fei, P., Liao, L., Cheng, B., & Song, J. (2017) ‘Quantitative Analysis of Cellulose Acetate with a High Degree of Substitution by FTIR and its Application’, *Analytical Methods*, 9(43), pp. 6194–6201.
- Ganesh, B.M., Isloor, A.M. dan Ismail, A.F. (2013) ‘Enhanced Hydrophilicity and Salt Rejection Study of Graphene Oxide-polysulfone Mixed Matrix Membrane’, *Desalination*, 313, pp. 199–207.
- Girawan, B.A. (2022) ‘Pembuatan Sistem Desalinasi Kapasitas 240 liter/jam di Dusun Bondan Kecamatan Kampung Laut Cilacap’, *Madani : Indonesian Journal of Civil Society*, 4(2), pp. 30–35.
- Giraldo, G.A., Mantovan, J., Marim, B.M., Kishima, J.O.F. and Mali, S., 2021. Surface Modification of Cellulose from Oat Hull with Citric Acid using Ultrasonication and Reactive Extrusion Assisted Processes. *Polysaccharides*, 2(2), pp.218-233.
- Hadinata, S. dan Marianti, M.M. (2020) ‘Analisis Dampak Hilirisasi Industri Kakao di Indonesia’, *Jurnal Akuntansi Maranatha*, 12(1), pp. 99–108.
- Han, J., Zhou, C., Wu, Y., Liu, F., & Wu, Q (2013) ‘Self-assembling Behavior of Cellulose Nanoparticles during Freeze-drying: Effect of Suspension Concentration, Particle Size, Crystal Structure, and Surface Charge’, *Biomacromolecules*, 14(5), pp. 1529–1540.
- He, Y. dkk. (2009) ‘Experimental Study on the Rejection of Salt and Dye With Cellulose Acetate Nanofiltration Membrane’, *Journal of the Taiwan Institute of Chemical Engineers*, 40(3), pp. 289–295.
- Holilah, H. (2021) ‘Hydrothermal Assisted Isolation of Microcrystalline Cellulose from Pepper (*Piper nigrum L.*) Processing Waste for Making Sustainable Bio-composite’, *Journal of Cleaner Production*, 305, pp. 127229.



LAPORAN HASIL PENELITIAN
Preparasi dan Karakterisasi Membran Mikrofiltrasi Berbahan Selulosa
Asetat dan Limbah Kulit Kakao untuk Pengolahan Air Garam

- Husni, D.A.P., Rahim, E.A. dan Ruslan (2018) ‘Pembuatan Membran Selulosa Asetat dari Selulosa Pelepas Pohon Pisang’, *Kovalen*, 4(1), pp. 41–52.
- Jiang, L. dkk. (2020) ‘Improving Mechanical Properties of Electrospun Cellulose Acetate Nanofiber Membranes by Cellulose Nanocrystals with and Without Polyvinylpyrrolidone’, *Cellulose*, 27(2), pp. 955–967.
- Ji, H. Xiang, Z., Qi, H., Han, T., Pranovich, A., & Song, T. (2019) ‘Strategy Towards One-step Preparation of Carboxylic Cellulose Nanocrystals and Nanofibrils with High Yield, Carboxylation and Highly Stable Dispersibility Using Innocuous Citric Acid’, *Green Chemistry*, 21(8), pp. 1956–1964.
- Kesting, R.E. (1971) *Synthetic Polymeric Membranes*. University of California: McGraw-Hill.
- Khan, M.S. Lal, B., Sabil, K. M., & Ahmed, I. (2019) ‘Desalination of Seawater Through Gas Hydrate Process: An overview’, *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, 55(1), pp. 65–73.
- Kusuma, I.G.N.S., Putra, I.N.K. dan Darmayanti, L.P.T. (2019) ‘Pengaruh Suhu Pengeringan Terhadap Aktivitas Teh Herbal Kulit Kakao (*Theobroma cacao L.*)’, *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 8(1), pp. 85.
- Mulyadi, I. (2019) ‘Isolasi dan Karakterisasi Selulosa : Review’, *Jurnal Saintika Unpam : Jurnal Sains dan Matematika Unpam*, 1(2), pp. 177.
- Mulyati, S. dan Razi, F. (2017) ‘Karakteristik Membran Asimetris Polietersulfone (Pes) Dengan Pelarut Dimetil’, *Jurusan Teknik Kimia, Fakultas Teknik, Universitas Syiah Kuala*, 55(1), pp. 65–73.
- Murni, S.W. (2014) ‘Preparasi Membran Selulosa Asetat untuk Penyaringan Nira Tebu’, *Eksperi*, 10(2), pp. 36-43.
- Mustabsyirah, M. (2022) ‘Peningkatan Kinerja Membran Polietersulfon (PES) dengan Modifikasi Menggunakan Aditif Hidrofilik’, *Jurnal Serambi Engineering*, 7(1), pp. 2656–2662.



LAPORAN HASIL PENELITIAN
Preparasi dan Karakterisasi Membran Mikrofiltrasi Berbahan Selulosa
Asetat dan Limbah Kulit Kakao untuk Pengolahan Air Garam

- Nandiyanto, A.B.D., Oktiani, R. dan Ragadhita, R. (2019) ‘How to Read and Interpret FTIR Spectroscopic of Organic Material’, *Indonesian Journal of Science and Technology*, 4(1), pp. 97–118.
- Nengsih, S. (2020) ‘Potensi Air Laut Aceh Sebagai Sumber Energi Listrik Alternatif’, *CIRCUIT: Jurnal Ilmiah Pendidikan Teknik Elektro*, 4(2), p. 81.
- Niknejad, A.S., Bazgir, S. dan Kargari, A. (2021) ‘Mechanically Improved Superhydrophobic Nanofibrous Polystyrene/high-impact Polystyrene Membranes for Promising Membrane Distillation Application’, *Journal of Applied Polymer Science*, 138(36), pp. 1–11.
- Nurjannah, N.R., Sudiarti, T. dan Rahmidar, L. (2020) ‘Sintesis dan Karakterisasi Selulosa Termetilasi sebagai Biokomposit Hidrogel’, *al-Kimiya*, 7(1), pp. 19–27.
- Pakaya, S.A. dan Zainudin, S. (2019) ‘Performa Ayam Kampung Super yang di Beri Level Penambahan Tepung Kulit Kakao (*Theobroma cacao, L.*) Fermentas dalam Ransum’, *Jambura Journal of Animal Science*, 1(2), pp. 40–45.
- Porter, J.J. dan Zhuang, S. (1996) ‘Microfiltration of Sodium Nitrate and Direct Red 2 Dye Using Asymmetric Titanium Dioxide Membranes on Porous Ceramic Tubes’, *Journal of Membrane Science*, 110(1), pp. 119–132.
- Radiman, C.L. dan Eka, I. (2007) ‘Membran Selulosa Asetat’, *Makara, Sains*, 11(2), pp. 80–84.
- Ragetisvara, A.A. dan Titah, H.S. (2021) ‘Studi Kemampuan Desalinasi Air Laut Menggunakan Sistem Sea Water Reverse Osmosis (SWRO) pada Kapal Pesiar’, *Jurnal Teknik ITS*, 10(2). Pp. 36-46.
- Rahmayani, I., Zaharah, T.A. dan Alimuddin, A.H. (2020) ‘Karakterisasi Adsorben Komposit Selulosa-Limbah Karet Alam Untuk Penurunan Kadar Cod Dan Minyak Lemak Lcpks’, *Jurnal Kimia Khatulistiwa*, 8(3), pp. 16–22.
- Rezaee, R. Lal, B., Sabil, K. M., & Ahmed, I. (2015) ‘Fabrication and Characterization of a Polysulfone-graphene Oxide Nanocomposite’.
-



LAPORAN HASIL PENELITIAN
Preparasi dan Karakterisasi Membran Mikrofiltrasi Berbahan Selulosa
Asetat dan Limbah Kulit Kakao untuk Pengolahan Air Garam

- Membrane for Arsenate Rejection from Water', *Journal of Environmental Health Science and Engineering*, 13(1), pp. 1–11.
- Rezki Putri Juliani, S. dan Erita, J. (2023) 'Analisis Validitas dan Reliabilitas Instrumen Penilaian Kemampuan Berpikir Kritis dalam Konteks Sekolah Menengah', *Journal of Educational Integration and Development*, 3(3), pp. 2023.
- Riani, P. (2019) 'Pembuatan dan karakterisasi membran selulosa asetat dari limbah kulit kakao (*Theobroma cacao L.*) Dengan Metode Inversi Fasa untuk Adsorpsi Logam Timbal', *Journal of Educational Integration and Development*, pp. 1018–1027.
- Riani, P., Syafrinal dan Ikhlas Armin, M. (2022) 'Production of Cellulose Acetate Membrane From Cocoa (*Theobroma Cacao L.*) Shell Modified Polyethylene Glicol for Pb Metal Ion Filtration', *Jurnal Kimia Saintek Dan Pendidikan*, 6(2), pp. 79–85.
- Rijal, M.S., Nasir, M., Purwasasmita, B.S. dan Asri, L.A., (2023). Cellulose Nanocrystals-Microfibrils Biocomposite with Improved Membrane Performance. *Carbohydrate Polymer Technologies and Applications*, pp.100326.
- Said, N.I. (2009) 'Uji Kinerja Pengolahan Air Siap Minum Dengan Proses Biofiltrasi, Ultrafiltrasi Dan Reverse Osmosis (Ro) Dengan Air Baku Air Sungai Nusa Idaman Said', *Jai*, 5(2), pp. 144–161.
- Santoso, A.F. dan Fibrianto, K. (2017) 'Pengaruh Ekstrak Kulit Buah Naga Merah (*Hylocereus polyrhizus*) Terhadap Kualitas Sosis Ayam: Tinjauan Pustaka', *Jurnal Pangan dan Agroindustri*, 5(4), pp. 92–96.
- Saputri, L.H. dan Sukmawan, R. (2020) 'Pengaruh Proses Blending dan Ultrasonikasi terhadap Struktur Morfologi Ekstrak Serat Limbah Batang Kelapa Sawit untuk Bahan Baku Bioplastik (Selulosa Asetat)', *Rekayasa*, 13(1), pp. 15–21.



LAPORAN HASIL PENELITIAN
Preparasi dan Karakterisasi Membran Mikrofiltrasi Berbahan Selulosa
Asetat dan Limbah Kulit Kakao untuk Pengolahan Air Garam

- Sheikh, E. dan Sheikh, A. (2020) ‘Effects of Gelatin and Nano-ZnO on the Performance and Properties of Cellulose Acetate Water Membranes’, *Chemical Engineering and Technology*, 43(9), pp. 1749–1757.
- Silva, P.S., Starov, V.M. dan Holdich, R.G. (2017) ‘Membrane Emulsification: Formation of Water in Oil Emulsions Using a Hydrophilic Membrane’, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 532, pp. 297–304.
- Soni, P. dan Vyas, S. (2022) ‘Studies on X-Ray Diffraction (XRD) patterns of Soya-hulls for Interpretation of Crystallinity Index’, *Asian Journal of Research in Chemistry*, pp. 225–227.
- Tria, F., Heru, C. dan Sudarno, S. (2015) ‘Pengolahan Limbah Lindi Menggunakan Membran Nanofiltrasi Nf270’, *Rekayasa*, 4(4), pp. 86–96.
- Xiang, L. Y., Mohammed, M. A., & Samsu Baharuddin, A. (2016). Characterisation of Microcrystalline Cellulose from Oil Palm Fibres for Food Applications. *Carbohydrate Polymers*, 148, 11–20.
- Zhou, J. Chen, J., He, M., & Yao, J. (2016) ‘Cellulose Acetate Ultrafiltration Membranes Reinforced by Cellulose Nanocrystals: Preparation and Characterization’, *Journal of Applied Polymer Science*, 133(39).