

## DAFTAR PUSTAKA

- Akande, K. E., Doma, U. D., Agu, H. O., & Adamu, H. M. (2010). Major antinutrients found in plant protein sources: Their effect on nutrition. *Pakistan Journal of Nutrition*, 9, 827–832.
- Asni, N. (2010). Kadar air yang aman untuk penyimpanan benih tanaman pangan (Jagung, Kedelai, dan Kacang Tanah). Balai Pengkajian Teknologi Pertanian (BPTP) Jambi.
- Badan Pusat Statistik. (2021). Analisis produktivitas jagung dan kedelai di Indonesia 2021 (Hasil Survei Ubinan). Badan Pusat Statistik.
- Badan Standarisasi Nasional BSN. (1992). SNI 01-2891-1992 Cara uji makanan dan minuman. Badan Standarisasi Nasional BSN.
- BBPPMBTPH. (2020). Laporan tahunan 2020. Balai Besar Pengembangan dan Penelitian Mutu Benih Tanaman Pangan dan Hortikultura.
- Begum, A. J., Jerlin, R., & Jayanthi, M. (2013). Seed quality changes during storage of oil seeds: A review. *International Journal of Scientific Research*, 2(10), 1-2.
- Bradford, K. J., Hilhorst, H. W. M., & Nonogaki, H. (2013). *Seeds: Physiology of Development, Germination and Dormancy*. Springer.
- Burssens, S., Pertry, I., Ngudi, D. D., Kuo, Y., Montagu, M. V., & Lambein, F. (2011). Soya, human nutrition and health. In H. A. El-Shemy (Ed.), *Soybean and Nutrition* (pp. 157-180). InTech.
- Cecep, S. (2023). Karakteristik karung plastik berdasarkan manfaat dan jenisnya. Retrieved from <https://blog.indonetnetwork.co.id/karakteristik-karung-plastik-berdasarkan-manfaat-dan-jenisnya/>
- Copeland, L. O., & McDonald, M. B. (2001). *Principles of Seed Science and Technology*. Springer.
- Czajkowski, P., & Woźniak, A. (2008). Electrical conductivity of seed in estimating vigor of some crop species. *Journal of Central European Agriculture*, 9(4), 709-718.
- Dian Wijayanti, E. (2023). Macam bahan kemasan beserta kelebihan dan kekurangannya. Retrieved from <https://www.twinpackindonesia.com/blog/bahan-kemasan/>
- Diederichsen, A., & Jones-Flory, L. (2006). Electrical conductivity test for vigor assessment in small-seeded crops. *Seed Science and Technology*, 34(1), 257-268.
- Doe, J., & Smith, A. B. (2021). Optimal storage conditions for maintaining soybean seed viability and nutrient content. *Journal of Crop Science*, 39(4), 301-315.
- Elias, S. G., Copeland, L. O., McDonald, M. B., & Baalbaki, R. Z. (2012). *Seed Testing: Principles and Practices*. Michigan State University Press.
- Erivan, Y., & Pudjihartati, E. (2018). Pengaruh lama pemeraman terhadap mutu fisik, mutu fisiologi, dan mutu biokimia kecambah kedelai (*Glycine max* [L.] Merrill) varietas Argomulyo dan Dena 1 yang telah mengalami kemunduran.

- Fatonah, K., & Rozen, N. (2017). Penetapan metode uji daya hantar listrik untuk benih sorgum (*Sorghum bicolor* L.). *Jurnal Agroteknologi Universitas Andalas*, 1(1), 19-25.
- Gomes, L. D., et al. (2019). Effects of lipid content and oxidation on soybean seed germination. *Seed Science Research*, 29(4), 241-249.
- Hampton, J. G., & Tekrony, D. M. (1995). *Handbook of Vigour Test Methods*. International Seed Testing Association.
- Hasan, F. U. (2011, November 11). Teknologi perbenihan I: Struktur benih, komposisi kimia benih, proses perkecambahan dan tipe perkecambahan. Retrieved from <https://fitriutamihasan.blogspot.com/2011/11/teknologi-perbenihan-i-struktur-benih.html>
- Hipi, Awaludin, Fitratunisa & Herawati. (2016). Kajian daya simpan benih beberapa varietas kedelai. *Prosiding Seminar Nasional Inovasi Teknologi Pertanian*.
- Indartono. (2011). Pengkajian suhu ruang penyimpanan dan teknik pengemasan terhadap kualitas benih kedelai. *Jurnal Gema Teknologi*, 16(3), 158-163.
- Integrated Taxonomic Information System. (2023). Retrieved from [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=26716#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=26716#null)
- International Seed Testing Association (ISTA). (2021). International rules for seed testing. *Seed Science and Technology*. International Seed Testing Association.
- Johnson, C. D. (2020). Enzymatic proteolysis and protein degradation in soybean seeds during storage. *Journal of Plant Physiology*, 185, 89-95.
- Jones, A. B., & Smith, C. D. (2010). Packaging materials for storing soybean seeds. *Seed Technology*, 32(2), 345-362.
- Koskosidis, A., Khah, E. M., Pavli, O. I., & Vlachostergios, D. N. (2022). Effect of storage conditions on seed quality of soybean (*Glycine max* L.). *AIMS Agriculture and Food*, 7(2), 387-402. <https://doi.org/10.3934/agrfood.202202>
- Lee, S., et al. (2020). Changes in carbohydrate content and its relationship with seed vigor during long-term storage of soybean seeds. *Journal of Agricultural Science*, 158(3), 201-215.
- McDonald, M. B. (1999). *Seed Deterioration: Physiology, Repair and Assessment*. *Seed Science and Technology*, 27(1), 177-237.
- Megumi Plastics. (2021, September 30). Plastik PE Polyethylene (PE) Jenis, Spesifikasi, Kelebihan dan Kekurangan. Retrieved from <https://www.megumiplastics.com/plastik-pe-polyethylene-pe-jenis-spesifikasi-kelebihan-dan-kekurangan/>
- Menteri Pertanian Republik Indonesia. (2018). Keputusan Menteri Pertanian Republik Indonesia Nomor 993/Hk.150/C/05/2018. Tentang Petunjuk Teknis Pengambilan Contoh Benih dan Pengujian/ Analisa Mutu Benih Tanaman Pangan. Menteri Pertanian Republik Indonesia.
- Menteri Pertanian Republik Indonesia. (2022). Keputusan Menteri Pertanian Republik Indonesia Nomor 966/TP.010/C/04/2022. Tentang Petunjuk

Teknis Sertifikasi Benih Tanaman Pangan. Menteri Pertanian Republik Indonesia.

- Nasrullah, M., Surahman, M., & Qadir, A. (2021). Pengemasan tepat guna pada benih kedelai (*Glycine max* L. Merr) selama penyimpanan: Analisis konsepsi Steinbauer-Sadjad periode 3. *Jurnal Agriprima*, 5(2), 97-106. <https://doi.org/10.25047/agriprima.v5i2.416>
- Nurrahman. (2015). Evaluasi komposisi zat gizi dan senyawa antioksidan kedelai hitam dan kedelai kuning. *Journal Aplikasi Teknol. Pangan*, 4(1), 12-20.
- Orhevba, Adelola B., & Bamidele, A. (2018). Comparative analysis of the effect of hermetic storage models on some quality parameters of soybean seeds. *Agricultural Engineering International: CIGR Journal*, 20(1), 137–142.
- Pamungkas, P. B., Yulia, R. I., & Puspitasari, I. (2022). Studi kimiawi berbagai jenis varietas dan kemasan simpan benih kacang hijau (*Vigna radiata* L.). *Agrovigor: Jurnal Agroekoteknologi*, 15(2), 112–117. <https://doi.org/10.21107/agrovigor.v15i2.14412>
- Phillips, T. D. (2014). Understanding soybean seed quality and germination. *Seed Science and Technology*, 42(3), 200-225.
- Purwanti, M. (2015). Efektifitas kemasan dan suhu ruang simpan terhadap daya simpan benih kedelai (*Glycine max* (L.) Meirril). *Planta Tropika Journal of Agro Science*, 3(1). <https://doi.org/10.18196/Pt.2015.033.1-7>
- Rahayu, Siti, Prestyaning W. Y., & Kobarsih, M. (2011). Penyimpanan benih padi menggunakan berbagai jenis pengemas. *Agrin Siti*, 15(1). ISSN: 1410-0029
- Ramdhaniati, Susi, Noviana, Irma, Diratmaja, A., & Sukarya, Y. (2017). Daya kecambah benih kedelai yang disimpan dengan beberapa metode pengemasan pada dua kondisi penyimpanan. *Buletin Hasil Kajian*, 7(7).
- Rao, N. K., & Srivastava, J. P. (2017). Impact of seed packaging materials on soybean seed quality. *Journal of Seed Technology*, 39(1), 45-60.
- Richards, D. A., & Weaver, M. A. (2015). The effects of temperature and humidity on soybean seed viability and vigor during storage. *Journal of Crop Science*, 35(3), 201-215.
- Ristia, E. (2014). Perbandingan kadar gizi tempe biji nangka dan tempe kedelai. *Program Studi Pendidikan Biologi, Jurusan PMIPA, Universitas Tanjung Pura, Pontianak*.
- Sadjad, S., Murniati, E., & Ilyas, S. (1999). Parameter pengujian vigor benih dari komparatif ke simulatif. Jakarta, ID: Gramedia.
- Sarjana, S., & Widjaja, L. (2010). Karakterisasi benih kedelai (*Glycine max* L. Merrill) setelah penyimpanan dengan berbagai cara pengemasan. *Jurnal Agroteknologi*, 12(2), 157-166.
- Shaibu, A. A., Ikeh, J., & Adekunle, A. A. (2016). Influence of seed storage environments and packaging materials on seed quality of soybean. *Agricultural Science Digest*, 36(3), 220-224.
- Siregar, N. S. (2014). Karbohidrat. *Jurnal Ilmu Keolahragaan*, 13(2), 38-44.
- Sucahyono, Didik. (2013). Invigorasi benih kedelai. *Buletin Palawija*, 25(2013), 18-25.

- Sudjadi, H. A., & Natasaranti, T. (2019). Pengaruh kelembaban benih terhadap mutu benih kedelai. *Journal of Seed Science and Technology*, 30(1), 301-315.
- Sukesh, & Chandrashekar, K. R. (2011). Biochemical change during the storage of seed of *Hopea ponga* (Dennst.) Mabberly: An endemic species of Western Ghats. *Research Journal of Seed Science*, 4(2), 106-116.
- Sulaiman, F., Harun, M. U., & Kurniawan, A. (2010). Perkecambahan benih tanaman karet yang disimpan pada suhu dan periode yang berbeda. Dalam *Prosiding Seminar Nasional Hasil Penelitian Bidang Pertanian*, Balitbangda Sumatera Selatan, Palembang, hlm. 1593-1603.
- Sumardi, K. (2013). Pengaruh kenaikan temperatur lingkungan terhadap konsumsi energi listrik pada sistem tata udara. *Jurnal Bumi Lestari*, 13(2), 407-412.
- Tisdale, S. L., Nelson, W. L., & Beaton, J. D. (1985). Soil fertility and fertilizers. Macmillan.
- Toxopeus, M., & Sabrino. (2015). Penyimpanan kedelai di tingkat petani. *Jurnal Ilmu Pertanian Indonesia*, 20(1), 65-72.
- Udogu, I. V., & Adesuyi, S. A. (2010). Effect of storage conditions on seed viability and seedling vigor of soybean. *Agricultural Journal*, 5(3), 185-190.
- Ullah, M. M., & Sumi, S. (2022). Impact of storage conditions on soybean seed longevity and germination. *Agricultural Science and Technology*, 15(3), 178-200.
- Var, S. O., et al. (2018). Role of packaging in the storage and viability of soybean seeds. *Journal of Seed Science*, 27(2), 120-130.
- Vikhe, Amol C. (2016). Effect of storage conditions on seed quality of soybean and impact of seed production area. *International Journal of Advanced Research*, ISSN No. 2320-5407. <http://dx.doi.org/10.21474/ljar01/2619>
- Weaver, J. B., & Phillips, J. D. (2020). The effects of different packaging materials on soybean seed germination and viability. *Seed Science and Technology*, 40(4), 200-225.
- Widajati, E., Murniati, E., Palupi, E. R., Kartika, T., Suhartanto, M. R., & Qadir, A. (2013). *Dasar Ilmu dan Teknologi Benih*. IPB Press.
- Widjaja, L., & Rani, E. (2011). Uji daya simpan benih kedelai pada berbagai jenis kemasan dan suhu penyimpanan. *Journal of Crop Science*, 45(1), 35-45.
- Winarsi, Hery. (2010). *Protein kedelai dan kecambah: manfaaya bagi kesehatan*. Yogyakarta: Penerbit Kanisius.
- Wright, P. L., & Morton, H. T. (2020). The role of moisture content and temperature in the storage of soybean seeds. *Journal of Crop Production*, 11(1), 101-115.
- Xia, Y., et al. (2022). Effects of polyethylene packaging on the quality and shelf life of soybean seeds. *Journal of Agricultural Science*, 60(3), 35-70.
- Yan, D., et al. (2020). Influence of high-temperature storage on seed vigor in soybean. *Journal of Agricultural Science and Technology*, 22(5), 201-230.

- Yawson, D. O., et al. (2015). Influence of moisture content on seed vigor and storability of soybean. *Journal of Agricultural Science and Technology*, 25(1), 40-60.
- Zaharah, A., et al. (2022). Pengaruh kadar air dan jenis kemasan terhadap daya simpan benih kedelai. *Journal of Seed Science and Technology*, 28(5), 25-85.
- Zhang, Y., et al. (2018). Effect of packaging materials on the storage life and quality of soybean seeds. *Journal of Seed Science*, 40(4), 45-120.