

DAFTAR PUSTAKA

- [AOAC]. (1995). *Official Method of Analysis of The Association of Official Analytical Chemist*. Wasington: Analysis of The Association of Analytical Chemist.
- [AOAC]. (2005). *Official Methods of Analysis of The Association of Analytical Chemist*. Wasington: Analysis of The Association of Analytical Chemist.
- [AOAC]. (2016). *Official Methods of Analysis of The Association of Analytical Chemist*. Wasington: Analysis of The Association of Analytical Chemist.
- [BSN]. (2022). *SNI 2973-2022 Biskuit*. Jakarta: Badan Standarisasi Nasional.
- [FSD]. (2003). Sorghum: Post-Harvest Operations. Food Security Department <http://Www.Fao.Org./Inpho/Compend/Text/Ch07.Htm>
- [Statease]. (2005). *Design Expert*. Diakses melalui www.Statease.com pada 1 Januari 2023
- [USDA]. (2010). *USDA National Nutrient Database For Standard Reference*, Release 23. Agricultural Research Service, United States Department of Agricultural,
- [USDA]. (2022). *USDA National Nutrient Database For Standard Reference: Sorghum Flour, Whole Grain*. Agricultural Research Service, United States Department of Agricultural, <https://fdc.nal.usda.gov/fdc-app.html#/food-details/168943/nutrients>
- [USDA]. (2022). *USDA National Nutrient Database For Standard Reference: Buckwheat Flour, Whole Grain*. Agricultural Research Service, United States Department of Agricultural, <https://fdc.nal.usda.gov/fdc-app.html#/food-details/359354/nutrients>
- Abdel-Raheem, I. T. (2010). Gastroprotective Effect of Rutin Against Indomethacin-Induced Ulcers In Rats. *Basic Clin Pharmacol Toxicol* 107.742–750.
- Abuelgassim & Al-Showayman. (2012). The Effect Of Pumpkin Seeds And Larginine Supplementation On Serum Lipid Concentration In Atherogenic Rats. *Afr J Tradit Complement Alterb Med*. Departement Of Biochemistry, King Saudi University
- Adebo, J. A., & Kesa, H. (2023). Evaluation of nutritional and functional properties of anatomical parts of two sorghum (*Sorghum bicolor*) varieties. *Heliyon*, 9(6), e17296. <https://doi.org/10.1016/j.heliyon.2023.e17296>
- Adejumo, P. O., Adejumo, A. O., Olukoya, F. O., Oyeribhor, E., & Anagor, C. (2023). Physicochemical and sensory properties of cookies produced from malted sorghum and cassava grate composite flour blends. *GSC Advanced Research and Reviews*. 15. 088-097. 10.30574/gscarr.2023.15.1.0115.
- Adeyeye, S. A. O. (2016). Assessment of quality and sensory properties of sorghum–wheat flour cookies. *Cogent Food & Agriculture*, 2(1). <https://doi.org/10.1080/23311932.2016.1245059>
- Afandi, F. (2023). Potensi Sumber Karbohidrat Indonesia Sebagai Ingridien Pangan Fungsional dengan Kadar Pati Resisten dan Aktivitas Antioksidan Tinggi. *Food Scientia: Journal of Food Science and Technology*. 3. 40-57. 10.33830/fsj.v3i1.4989.2023.

- Afifah, N. (2023). *Pengaruh Perbandingan Tepung Sorgum (Sorghum bicolor) Dan Tepung Kacang Hijau (Vigna radiata L.) Terhadap Karakteristik Kue Semprong Gluten Free*. Skripsi. Program Studi Teknologi Pangan, Universitas Pasundan
- Afify, A. E. M., El-Beltagi, H. S., El-Salam, S. M., & Omran, A. A. (2012). Biochemical changes in phenols, flavonoids, tannins, vitamin E, β -carotene and antioxidant activity during soaking of three white sorghum varieties. *Asian Pacific journal of tropical biomedicine*, 2(3), 203–209. [https://doi.org/10.1016/S2221-1691\(12\)60042-2](https://doi.org/10.1016/S2221-1691(12)60042-2)
- Afroz, S., Ikoma, T., Yagi, A., Kogure, K., Tokumura, A., & Tanaka, T. (2016). Concentrated Phosphatidic Acid in Cereal Brans as Potential Protective Agents against Indomethacin-Induced Stomach Ulcer. *J Agric Food Chem*. 21;64(37):6950-7. doi: 10.1021/acs.jafc.6b02884. PMID: 27561232.
- Ain, H. B. U., Saeed, F., Khan, M. A., Niaz, B., Khan, S. G., Anjum, F. M., Tufail, T., & Hussain, S. (2019). Comparative study of chemical treatments in combination with extrusion for the partial conversion of wheat and sorghum insoluble fiber into soluble. *Food science & nutrition*, 7(6), 2059–2067. <https://doi.org/10.1002/fsn3.1041>
- Aji, D. (2017). *Pengaruh Substitusi Tepung Gatot Instan Dan Penambahan Metega Terhadap Sifat Organoleptik Rich Biscuit*. Jurusan Pendidikan Kesejahteraan Keluarga. Universitas Negeri Surabaya : Surabaya
- Aj-Juwita, A. T., & Kusnadi, J. (2015). Pembuatan Biskuit Beras Parboiled (Kajian Proporsi Tepung Beras Parboiled Dengan Tepung Tapioka Dan Penambahan Kuning Telur). *Jurnal Pangan Dan Industri*, 3(4): 1711- 1721
- Alfiya, P. V., Jayashree, E., & Sneha, C. (2023). Development and shelf-life evaluation of spice flavoured sorghum (*Sorghum bicolor*) cookies: A study on valorisation of millets for food security. *The Pharma Innovation Journal*. 12(12S): 96-112.
- Aljobair, M. (2022). Physicochemical properties and sensory attributes of cookies prepared from sorghum and millet composite flour. *Food Science & Nutrition*. 10. 10.1002/fsn3.2942.
- Altındağ, G., Certel, M., Erem, F., & Konak, Ü. İ. (2015). Quality characteristics of gluten-free cookies made of *Buckwheat*, corn, and rice flour with/without transglutaminase. *Food science and technology international = Ciencia y tecnologia de los alimentos internacional*, 21(3), 213–220. <https://doi.org/10.1177/1082013214525428>
- Ardabili, A., Farhosh, R., & Khodaparast, M. (2011). Chemical Composition And Physicochemical Properties Of Pumpkin Seeds (Cucurbita Pepo Subsp. Pepo Var. Styriaca) Grown In Iran. *J. Ag. Sci. Tech*. Vol. 13: 1053-1063
- Atuna, R. A., Ametei, P. N., Bawa, A. A., & Amagloh, F. K. (2022). Traditional processing methods reduced phytate in cereal flour, improved nutritional, functional and rheological properties. *Scientific African*, Volume 15, 2022, e01063, ISSN 2468-2276. <https://doi.org/10.1016/j.sciaf.2021.e01063>.
- Aubert, L., Decamps, C., Jacquemin, G., & Quinet, M. (2021). Comparison of Plant Morphology, Yield and Nutritional Quality of *Fagopyrum esculentum* and *Fagopyrum tataricum* Grown under Field Conditions in Belgium. *Plants* (Basel, Switzerland), 10(2), 258. <https://doi.org/10.3390/plants10020258>

- Avif, A. N. & Dewi, A. O. T. (2020). Analisis Sifat Kimia Tepung Dan Pati Sorgum Dari Varietas Bioguma Dan Lokal Di Provinsi Nusa Tenggara Timur, Indonesia. *Lantanida Journal*, Vol. 8 No. 2 (2020) 96-188
- Awika, J.M., & Rooney. 2004. Sorghum Phytochemical And Their Potential Impact On Human Health. *J. Phytochemistry*. 65: 1199-1221.
- A'yunin, N. A. Q., Atmadja, T. F. A., Aini, N., & Haryanti, P. (2022). Characterisation of Polishing Frequency for Three Varieties of Sorghum Grain in Java, Indonesia. *International journal of food science*, 2022, 2949665. <https://doi.org/10.1155/2022/2949665>
- Baik, O. D., Marcotte, M., Sablani, S. S., & Castaigne, F. (2001). Thermal and physical properties of bakery products. *In Critical Reviews in Food Science and Nutrition* (Vol. 41, Nomor 5). <https://doi.org/10.1080/20014091091832>
- Baljeet, S. Y., Ritika, D. Y., & Roshanlal. (2010). Studies On Functional Properties And Incorporation Of *Buckwheat* Flour For Biskuit Making. *International Food Research Journal*. 17. 1067-1076.
- Banu, I., & Aprodu, I. (2022). Investigations on Functional and Thermo-Mechanical Properties of Gluten Free Cereal and Pseudocereal Flours. *Foods*, 11(13). <https://doi.org/10.3390/foods11131857>
- Bastida, J. A., Piskula, M., & Zieliński, H. (2015). Recent Advances in Processing and Development of *Buckwheat* Derived Bakery and Non-Bakery Products - A Review. *Polish Journal of Food and Nutrition Sciences*. 65. 9-20. 10.1515/pjfn-2015-0005.
- Batariuc, A., Ungureanuluga, M., & Mironeasa, S. (2021). Effects of Dry Heat Treatment and Milling on Sorghum Chemical Composition, Functional and Molecular Characteristics. *Appl. Sci.* 2021, 11, 11881. <https://doi.org/10.3390/app112411881>
- Bell, D., dan Weaver. (2002). *Commercial Chicken Meat And Egg*. America: Kluwer Academic Publishers.
- Bhat, N. A., Wani, I. A., & Hamdani, A. M. (2020). Tomato powder and crude lycopene as a source of natural antioxidants in whole wheat flour cookies. *Heliyon*, 6(1), e03042. <https://doi.org/10.1016/j.heliyon.2019.e03042>
- Bolanho, B., Egea, M., & Campos, I. (2014). Antioxidant And Nutritional Potential Of Cookies Enriched With *Spirulina Platensis* And Sources Of Fibre. *Journal Of Food And Nutrition Research*, 53: 171-179.
- Bonafaccia, G., Marocchini, M., & Kreft, I. (2003). Composition and technological properties of the flour and bran from common and tartary *Buckwheat*. *Food Chemistry* 80 (2003) 9–15.
- Box, G. E. P. & Draper, N. R. (1987). *Empirical Model-Building and Response Surfaces*. New York: John Wiley&Sons , Inc.
- Brennan, J. G. (2006). *Food Processing Handbook*. Weinheim: Wiley-Vch.
- Cardoso, L. de M., Pinheiro, S. S., de Carvalho, C. W. P., Queiroz, V. A. V., de Menezes, C. B., Moreira, A. V. B., de Barros, F. A. R., Awika, J. M., Martino, H. S. D., & Pinheiro-Sant'Ana, H. M. (2015). Phenolic compounds profile in sorghum processed by extrusion cooking and dry heat in a conventional oven. *Journal of Cereal Science*, 65, 220–226. <https://doi.org/10.1016/j.jcs.2015.06.015>

- Chaturvedi, P., Shukla, N., Shukla, R., & Dhumketi, K. (2022). Development and assessment of healthy multigrain biscuits of wheat flour with pearl millet, maize and *Buckwheat* composite flours. *The Pharma Innovation Journal* 2022; 11(7): 1702-1707
- Claudia, R., Estiasih, T., Ningtyas, D. W., & Widyastuti, E. (2015). Pengembangan Biskuit Dari Tepung Ubi Jalar Oranye Dan Tepung Jagung Fermentasi: Kajian Pustaka. *Jurnal Pangan Dan Agroindustri*, 2(3): 1589-1595.
- Crum, C. W., Prescott, J. M., & Christensen, P. J. (1993). Genetic Approaches To Increased Nutritional Value In Oilseed Meal. *Proceedings of the World Conference on Oilseed Technology and Utilization*, AOAC Press, Champaign Il. 334-338
- DeGarmo, E. P., Sullivan, W. G., & Canada, J. R. (1984). *Ekonomi Teknik*, Versi Bahasa Indonesia, Jilid 1. Jakarta: Erlangga.
- Dicko, M. H., Gruppen, H., Traore, A. S., Voragen, A. G. J., & Van-Berkel, W. J. H. (2006). Sorghum Grain as Human Food In Africa, Relevance Of Content Of Starch And Amylase Activities. *Afr. J. Biotechnol.* 5(5): 384395.
- Dietrych-Szostak, D. & Oleszek, W. (1999). Effect Of Processing On The Xavonoid Content In *Buckwheat* (*Fagopyrum Esculentum* Moench) Grain. *Journal Of Agricultural And Food Chemistry*, 47, 4384–4387
- Dindu, M., Mazumdar, S.D., Maloo, S., Renu, R., & Bhaskar (2018). Standardization and formulation of sorghum based cookies and their nutritional composition. *Journal of Pharmacognosy and Phytochemistry*, 7, 1836-1839.
- Divyashree, K., Kumar, A. K., Sharma, G. K., Semwal, A. D., & Umesha. (2016). Development and Storage Stability of *Buckwheat* - Chia Seeds Fortified Biscuits. *International Journal of Food and Fermentation Technology*, 6(1), 103. <https://doi.org/10.5958/2277-9396.2016.00032.5>
- Dogan, I. S., Yildiz, O., & Meral, R. (2016). Optimization of corn, rice and *Buckwheat* formulations for gluten-free wafer production. *Food science and technology international = Ciencia y tecnologia de los alimentos internacional*, 22(5), 410–419. <https://doi.org/10.1177/1082013215610981>
- Dossa, S., Dragomir, C., Plustea, L., Dinulescu, C., Cocan, I., Negrea, M., Berbecea, A., Alexa, E., & Ravis, A. (2023). Gluten-Free Cookies Enriched with Baobab Flour (*Adansonia digitata* L.) and *Buckwheat* Flour (*Fagopyrum esculentum*). *Appl. Sci.*, 13, 12908. <https://doi.org/10.3390/app132312908>
- Dykes, L. & Rooney, L. W. (2006). Sorghum And Millet Phenols And Antioxidants. *Journal Of Cereal Science*, 44, 236–251. Doi: 10.1016/J.Jcs.2006.06.007.
- Dykes, L. & Rooney, L.W. (2007). *Phenolic Compounds In Cereal Grains And Their Health Benefits*. http://Shared.Texasiagroup.Com/Prod/Black-Rice/Cereal_Foods_-World_Article.Pdf
- Dykes, L., Rooney, L.W., & Waniska, R. (2005). Phenolic Compounds And Antioxidant Activity Of Sorghum Grain Of Varying Genotypes. *J Agric. Food Chem.* 53: 6813-6818.
- Ellis, R., Kelsay, J. L., Reynolds, R. D., Morris, E. R., Moser, P. B., & Frazier, C. W. (1987). Phytate:zinc and phytate X calcium:zinc millimolar ratios in self-

- selected diets of Americans, Asian Indians, and Nepalese. *Journal of the American Dietetic Association*, 87(8), 1043–1047.
- Eunice, A. T. , Phebean, I. O. , Samuel, O. , Edith, E. N. , & Dorcas, A. O. (2020). Production of Gluten-free Cookies from Blends of Malted Sorghum (*S. Bicolor*) and Tiger Nut (*Cyperus esculentus*) Flour. *American Journal of Food Science and Technology*, 8(3), 106-111.
- Farrah, S. D., Emilia, E., Mutiara, E., Purba, R., Ingtyas, F. T., & Marhamah. (2022). The Effect of Wheat Flour Substitution with Sorghum Flour (*Sorghum bicolor*, L) on Consumers' Preference Levels for Cookies. *Media Pendidikan Gizi dan Kuliner* 11 (1) (2022) 11-18
- Faulina, R., Andari, S., & Anggraeni, D. (2011). *Response Surface Methodology (RSM) dan Aplikasinya*. Surabaya: Jurusan Statistika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Teknologi Sepuluh Nopember.
- Fauzi. (2006). *Kelapa Sawit*. Yogyakarta : Kanisius
- Fernandes, P. A. R. & Coimbra, M. A. (2023). The antioxidant activity of polysaccharides: A structure-function relationship overview. *Carbohydrate polymers*, 314, 120965. <https://doi.org/10.1016/j.carbpol.2023.120965>
- Filipčev, B., Šimurina, O., Bodroža-Solarov, M., & Vujakovic, M. (2011). Evaluation of physical, textural and microstructural properties of dough and honey biscuits enriched with *Buckwheat* and rye. *Chemical Industry and Chemical Engineering Quarterly*. 17. 291-298. 10.2298/CICEQ110204014F
- Frølich, W., Mejborn, H., & Tetens, I. (2011). Phytate – a natural component in plant food. E-artikel fra DTU Fødevareinstituttet, (1). Phytate-a-natural-component-in-plant-food-1.pdf
- Gallagher, E., Gormley, T. R., & Arendt, E. K. (2004). Recent Advances In The Formulation Of Gluten-Free Cereal Based Products. *Trends In Food Science And Technology*, 15, 143e152.
- Gambuś, H., Gambuś F, Pastuszka D, Wrona P, Ziobro R, Sabat R, Mickowska B, Nowotna A, & Sikora M. (2009). Quality of gluten-free supplemented cakes and biscuits. *Int J Food Sci Nutr*. 2009;60 Suppl 4:31-50. doi: 10.1080/09637480802375523.
- Girard, A. L. & Awika, J. M. (2018). Sorghum Polyphenols And Other Bioactive Components As Functional And Health Promoting Food Ingredients. *Journal Of Cereal Science*, 84, 112–124.
- Gisslen, W. (2013). *Professional Baking: Sixth Edition*. New Jersey: John Wiley & Sons, Inc.
- Goswami, M., Sharma, B.D., Mendiratta, S.K., & Pathak, V. (2021). Quality Improvement Of Refined Wheat Flour Cookies With Incorporation Of Functional Ingredients. *Journal of Food Processing and Preservation* 45(4). DOI: 10.1111/jfpp.14945.
- Grewal, P. K. (2018). *Development And Quality Evaluation Of Antioxidant Rich And High Protein Biscuits*. Thesis (M.Res.). Sydney: Western Sydney University.
- Grommers, H. E. & Krogt, D. A. V. D. (2009). Potato Starch: Production, Modifications And Uses In:, Bemiller, J.N., & Whistler, R.L (Eds), *Starch: Chemistry And Technology*, 3rd Ed., Fl: Elsevier, Chapter 11, 511-539.

- Hadaegh, H., Tarzi, B. G., Ardabili, S. M. S., Bassiri, A., & Khani, S. K. (2011). Effect of DATEM and fat reduction in semi-hard biscuits using RSM. *Advances in Environmental Biology* Vol.5, 2451
- Hadiningsih, N. (2004). *Optimasi Formula Makanan Pendamping ASI dengan Menggunakan Response Surface Methodology (RSM)*. [Tesis]. Bogor: Sekolah Pascasarjana IPB
- Hagerman, A. E., Riedl, K. M., Jones, G. A., Sovik, K. N, Titchard, N. T, Hartzfied, P. W., & Riechel, T. L. (1998). High Molecular Weight Plant Polyphenolics (Tannin) As Biological Antioxidants. *J. Agric. 1892.Food Chem.* 46: 1887
- Hardianti, (2018). *Daya Terima Biskuit Berbasis Tepung Biji Labu Kuning (Cucurbita Sp.) Sebagai Snack Sehat Pada Anak Sekolah Dasar*. [Skripsi]. Makassar: Fakultas Kesehatan Masyarakat, Universitas Hasanuddin.
- Hariyadi, P. (2006). Minyak Sawit: Ingridien Pangan Fungsional. *Majalah Foodreview Indonesia* Vol I (2), 2006. Halaman 10-13
- Hariyadi, P. (2014). *Mengenal Minyak Sawit Dengan Beberapa Karakter Unggulnya*. Jakarta: Gapki.
- Hepi, D. A., Yulianti, N. L., & Setiyo, Y. (2021). Optimasi Suhu Pengeringan dan Ketebalan Irisan pada Proses Pengeringan Jahe Merah (*Zingiber officinale* var. *rubrum*) dengan Response Surface Methodology (RSM). *Jurnal BETA (Biosistem Dan Teknik Pertanian)*, 9(1), 66. <https://doi.org/10.24843/jbeta.2021.v09.i01.p07>
- Hermeni, Jumiyati, & Yulianti, R. (2023). Daya Terima, Mutu Hedonik dan Profil Nilai Gizi Kukis Substitusi Tepung Sorgum (*Sorghum bicolor*). *Ghidza: Jurnal Gizi dan Kesehatan*. 7. 234-244. 10.22487/ghidza.v7i2.1036.
- Holasova, M., Fiedlerova, V., Smrcinova, H., Orsák, M., Lachman, J., & Vavreinová, S. (2002). *Buckwheat* - The source of antioxidant activity in functional foods. *Food Research International*. 35. 207-211. 10.1016/S0963-9969(01)00185-5.
- Honary, L. & Richter, E. (2011). *Biobased Lubricants And Greases: Technology And Products*". First Edition, John Wiley & Son, Ltd.
- Hui, F. H. (1992). *Encyclopedia Of Food Science And Technology*. John Willy And Sons, Inc. Usa
- Hussain, A., & Kaul, R. (2018). Formulation and Characterization of *Buckwheat-Barley* Supplemented Multigrain Biscuits. *Current Research in Nutrition and Food Science Journal*. 6. 873-881. 10.12944/CRNFSJ.6.3.30.
- Hussain, A., Ali, S., Hussain, A., Hussain, Z., Manzoor, M.F., Hussain, A., Ali, A., Mahmood, T., Abbasi, K.S., Karrar, E., Hussain, M., & Tajudin. (2021). Compositional profile of barley landlines grown in different regions of Gilgit-Baltistan. *Food Sci Nutr*. 2021 Mar 24;9(5):2605-2611. doi: 10.1002/fsn3.2215. PMID: 34029360; PMCID: PMC8116868.
- Hussain, A., Kaul R., & Bhat, A. (2018). Development of healthy multigrain biscuits from *Buckwheat-barley* composite flours. *Asian Journal of Dproteiny and Food Research*, 10.18805/DR-1328.
- Hussain, N., Ullah, J., Elahi, E., Ahmad, S., Zakaria, M., Murtaza, Ahmed, S., Ahmed, N., & Huma, Z. (2017). Development of *Buckwheat* Cookies Supplemented with Wheat Flour. *Pakistan Journal of Scientific and*

- Industrial Research Series B: Biological Sciences*. 60. 27-35. 10.52763/PJSIR.BIOL.SCI.60.1.2017.27.35.
- Ikeda, S. & Yamashita, Y. (1994). *Buckwheat As A Dietary Source Of Zinc, Copper, And Manganese*. *Fagopyrum* 14: 29-34.
- Ikumi, P.W., Mburu, M., Njoroge, D., Gikonyo, N. & Musingi, B.M. (2022). Physical, Total Phenolic and Total Flavonoid Properties of Chia (*Salvia hispanica* L.) Seeds Grown in Kenya. *Food and Nutrition Sciences*, 13, 973-985. <https://doi.org/10.4236/fns.2022.1312068>
- Illelaboye, N. O. A. & Jesusina, T. I. (2021). Physicochemical Evaluation and Pasting Properties of Flours, Biscuit and Chinchin Prepared from Okara Fortified Plantain – Sorghum Blends. *FEPI-JOPAS*, 3 (2). pp. 1-13. ISSN 2714-2531
- Isdamayani, L. (2015). *Kandungan Flavonoid, Total Fenol, Dan Antioksidan Snack Bar Sorgum Sebagai Alternatif Makanan Selingan Penderita Diabetes Mellitus Tipe 2*. Skripsi. Program Studi Ilmu Gizi, Fakultas Kedokteran, Universitas Diponegoro
- Ishak, A. (2018). *Analisis Fitokimia Dan Uji Aktivitas Antioksidan Biskuit Biji Labu Kuning (Curcubita Sp.) Sebagai Snack Sehat*. Skripsi. Makassar: Program Studi Ilmu Gizi, Fakultas Kesehatan Masyarakat, Universitas Hasanuddin
- Ishiwu, C., Ukpong, E., & Homa, F. A. (2020). Production and optimization of physical and chemical properties of cookies from mixture of malted sorghum, whole wheat and tiger nut flours Randomized Trials. *American Journal of Food Science and Nutrition* Vol.2 No.1. 47-60.
- Istinganah, M., Rauf, R., & Widyaningsih, N.E. (2017). Tingkat Kekerasan dan Daya Terima Biskuit dari Campuran Tepung Jagung dan Tepung Terigu dengan Volume Air yang Proporsional. *Jurnal Kesehatan*. 10. 83-93. 10.23917/jk.v10i2.5537.
- Jara, P. A., Schoeninger, V., Dias, L. M., Siqueira, V. C., & Lourente, E. R. P. (2022). Physicochemical Quality Characteristics Of *Buckwheat* Flour. *Engenharia Agrícola, Jaboticabal*, v.42, n.4, e20210026. <http://dx.doi.org/10.1590/1809-4430-Eng.Agric.v42n4e20210026/2022>
- Jibril, S., Basar, N., Sirat, H. M., Wahab, R. A., Mahat, N. A., Nahar, L., & Sarker, S. D. (2018). Application of Box–Behnken design for ultrasound-assisted extraction and recycling preparative HPLC for isolation of anthraquinones from *Cassia singueana*. *Phytochemical Analysis*: 1-9.
- Joshi, B. K. (2011). *Diversity analysis of Tartary Buckwheat (Fagopyrum tataricum Gaertn.) in Nepal*. Thesis. Life and Environmental Sciences, University of Tsukuba
- Kaur, B., Arifin F., Bhat, R., & Karim, A.A. (2012). Progress In Starch Modification In The Last Decade. *Food Hydrocolloids*, Vol. 26, No. 2 : 398–404
- Kaur, M., Sandhu, K.S., Arora, A.S., dan Sharma, A. (2015). Gluten free biscuits prepared from *Buckwheat* flour by incorporation of various gums: Physicochemical and sensory properties. *Lwt - Food Science and Technology*, 62, 628-632.
- Khaerunnisa, R. & Maria, R.D.P. (2022). *Kemenperin Optimis Industri Biskuit Indonesia Bertumbuh*. [Kemenperin Optimis Industri Biskuit Indonesia Bertumbuh - Antara News](#)

- Khuri, A.I. & Mukhopadhyay, S. (2010). Response Surface Methodology. *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(2), pp.128–149
- Kim, B. S., Kim, H. S., & Yoo, S. H. (2015). Characterization of enzymatically modified rice and barley starches with amylosucrase at scale-up production. *Carbohydrate polymers*, 125, 61–68. <https://doi.org/10.1016/j.carbpol.2015.02.048>
- Korompot, A. R. H., Fatimah, F., & Wuntu, A. D. (2018). Kandungan Serat Kasar Dari Bakasang Ikan Tuna (*Thunnus sp.*) Pada Berbagai Kadar Garam, Suhu Dan Waktu Fermentasi. *Jurnal Ilmiah Sains*. 18. 31. 10.35799/jis.18.1.2018.19455.
- Kreft, I., Fabjan, N., & Yasumoto, K. (2006). Rutin Content In *Buckwheat* (*Fagopyrum Esculentum* Moench) Food Materials And Products. *Food Chem.*, 98, 508–512.
- Kumar, A., Elavarasan, K., Hanjabam, M. D., Binsi, P. K., Mohan, C.O., Zynudheen, A. A., & Kumar, K. A. (2019). Marine collagen peptide as a fortificant for biscuit: Effects on biscuit attributes. *LWT*, Vol. 109, 450-456, ISSN 0023-6438. <https://doi.org/10.1016/j.lwt.2019.04.052>
- Kumar, Y., Yadav, D. N., Ahmad, T. & Narsaiah, K. (2015). Recent Trends In The Use Of Natural Antioxidants For Meat And Meat Products. *Comprehensive Reviews In Food Science And Food Safety*, 14: 796-812.
- Kusnandar, F. (2010). *Kimia Pangan Komponen Makro*. Dian Rakyat, Jakarta.
- Lebeharia, S. M. (2016). *Pertumbuhan Dan Kualitas Biomassa Spirulina plantenesis Yang Diproduksi Pada Media Zarouk*. Skripsi. Jakarta: UIN Syarif Hidayatullah Jakarta
- Lee, F. A. (1983). Basic Food Chemistry. In *Basic Food Chemistry*. Springer Netherlands. <https://doi.org/10.1007/978-94-011-7376-6>
- Lee, S., Choi, Y. M., Shin, M. J., Yoon, H., Wang, X., Lee, Y., Yi, J., Jeon, Y. A., & Desta, K. T. (2023). Exploring the potentials of sorghum genotypes: a comprehensive study on nutritional qualities, functional metabolites, and antioxidant capacities. *Front. Nutr.* doi: 10.3389/fnut.2023.1238729.
- Legowo, J.G.A., Fitriyanti, A.R., Handarsari, E., & Sulistyaningrum, H. (2022). Variasi Tepung Ubi Ungu Terhadap Kandungan Kadar Gula, Serat Kasar Dan Daya Terima Pada Biskuit Mocaf. *Prosiding Seminar Nasional Unimus* Vol. 5.
- Lestari, S., & Wibisono, Y. (2023). Pengaruh Konsentrasi Tepung Sorgum dan Tepung Daun Katuk Terhadap Sifat Sifat Fisik, Kimia dan Hedonik Cookies. *JOFE : Journal of Food Engineering*, 2(4), 163–171. <https://doi.org/10.25047/jofe.v2i4.4332>
- Lewis, J. (2008). *Effect Of Bran Sorghum Grains Containing Different Classes And Levels Of Bioactive Compounds In Colon Carcinogenesis*. [Thesis]. Texas A&M University, Texas.
- Li, S., Chen, G., Zhang, C., Wu, M., Wu, S., & Liu, Q. (2014). Research Progress Of Natural Antioxidants In Foods For The Treatment Of Diseases. *Food Science And Human Wellness*, 3: 110-116.
- Li, S., & Zhang, Q.H. (2001). Advances In The Development Of Functional Foods From *Buckwheat*. *Critical Reviews In Food Science And Nutrition* 41: 451–464

- Lima, L., Pereira, A., Vaz, C., & Ferreira, O. (2022). Mixture Design: Development of a Graphical User Interface for Determining Mixture Parameters. 1-6. 10.23919/CISTI54924.2022.9820345.
- Lugasi, A. (2009). *Phytosterol-Enriched Foods: Role In Lowering Serum Cholesterol Level, Community Authorising And Conditions Of Marketing*. National Institute For Food And Nutrition Science, Budapest, Hungary ; 2009 Volume 3, Number 3 _ 381–401
- Lumingkewas, Amw, K., Yonny, A., & Sandra, I. (2015). Modifikasi Iklim Mikro Untuk Tanaman Soba (*Fagopyrum Esculentum*) Sebagai Pangan Fungsional. *Pangan*. 24. 75-82.
- Mahmudatussa'adah, A., Chen, Y. S., Yang, J. H., & Chiang, B. H. (2014). Karakteristik Warna Dan Aktivitas Antioksidan Antosianin Ubi Jalar Ungu [Color Characteristics and Antioxidant Activity of Anthocyanin Extract from Purple Sweet Potato]. *Jurnal Teknologi dan Industri Pangan*, 25(2), 176–184. <https://doi.org/10.6066/jtip.2014.25.2.176>
- Malangngi, L., Meiske, S., & Jessy, J. (2012). Penentuan Kandungan Tanin Dan Uji Aktivitas Antioksidan Ekstrak Biji Buah Alpukat (*Perseaamericanamill.*). *Jurnal Mipa Unsrat*.
- Mancebo, C.M., Picón, J., & Gómez, M. (2015). Effect of flour properties on the quality characteristics of gluten free sugar-snap cookies, *LWT - Food Science and Technology*. doi: 10.1016/j.lwt.2015.05.057.
- Manley, D. (2000). *Technology Of Biscuits, Crackers And Cookies*. Third Edition. Woodhead Publishing Limited, England
- Manuhara, G. J., Amanto, B. S., & Astuti, T. A. (2017). Effect of drying temperatures on physical characteristics of sorghum flour modified with lactic acid. *IOP Conf. Series: Materials Science and Engineering* 1234567890 193 (2017) 012024 doi:10.1088/1757-899X/193/1/012024
- Maqilaa, Q. (2020). *Pembuatan Biskuit Non-Gluten dari Tepung Komposit (Tepung Kimpul Alami dan Termodifikasi, Tepung Jagung, dengan Tepung Kedelai) serta Penambahan Kuning Telur*. Skripsi. Surabaya: UPN Veteran Jawa Timur.
- Matz, S. A. & Matz, T. D. (1978). *Cookies And Crackers Technology*. The Avi Publishing Co. Inc., Westport, Connecticut
- Matz, S.A. (1992). *Bakery Technology And Engineering*. Third Edition, The Avi Publishing Company Inc. Westport. Connecticut.
- Mazahir, M., Ahmed, Khan, A., & Riaz, S. (2023). Comparative study of physicochemical and functional properties of different *Buckwheat* varieties and their milling fractions. *International Food Research Journal*. 5. 1261-1273. 10.47836/ifrj.30.5.14.
- Mba, J. C., Paes, L. T., Viana, L. M., Ferreira, A. J. C., Queiroz, V. A. V., Martino, H. S. D., Azevedo, L., de-Carvalho, C. W. P., Felisberto, M. H. F., & de-Barros, F. A. R. (2023). Evaluation of the Physical, Chemical, Technological, and Sensorial Properties of Extrudates and Cookies from Composite Sorghum and Cowpea Flours. *Foods*, 12, 3261. <https://doi.org/10.3390/foods12173261>
- Meldida, C. (2021). *Studi Literatur Faktor Pengolahan Produk Bakery Terhadap Kadar Antioksidan*. [Skripsi]. Semarang: Program Studi Nutrisi Dan

Teknologi Kuliner, Fakultas Teknologi Pertanian, Universitas Katolik Soegijapranata

- Merdekawati, Y. (2017). *Penerapan Metode Permukaan Respon Untuk Optimalisasi Kualitas Produk (Studi Kasus : Pengembangan Produk Cake Dengan Substitusi Tepung Kacang Merah)*. [Skripsi]. Makassar: Jurusan Matematika, Fakultas Sains & Teknologi, Universitas Islam Negeri Alauddin
- Min, B. R., & Pinchak, W. E. (2008). Comparative Antimicrobial Activity Of Tannin Extract From Perennial Plants On Mastitis Pathogens. *Journal Of Scientific Research And Essay*. Vol. 3 (2). Page: 66-73.
- Moeljaningsih. (2010). *Pengaruh Penambahan Lesitin Terhadap Kualitas Permen Cokelat Selama Penyimpanan Pada Suhu Kamar*. Laporan Penelitian, Baristand Industri Surabaya
- Molyneux, P. (2003). The use of the stable radical Diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. 26.
- Montgomery, D. C. (2013). *Design and Analysis of Experiments* — Eighth edition. New York: John Wiley and Sons.
- Muchtadi, T. R. & Sugiyono. (1992). *Ilmu Pengetahuan Bahan Pangan*. Bogor: Departemen Pendidikan Dan Kebudayaan, Direktorat Jendral Pendidikan Tinggi, Pusat Antar Universitas. Institut Pertanian Bogor
- Mudjajanto, Eddy, S., Yulianti, & Lilik, N., (2004). *Membuat Aneka Roti*. Jakarta: Penebar Swadaya.
- Mudjisihono, R. & Damardjati, D. S. (1987). Prospek Kegunaan Sorgum Sebagai Sumber Pangan Dan Pakan. *J. Penelitian Dan Pengembangan Pertanian* 6(1): 1–5.
- Murtini, E. D., Sutrisno, A., dan Radite, A. G. (2011). Karakteristik Kandungan Kimia Dan Daya Cerna Tempe Sorgum Coklat (*Sorghum bicolor*) [Characteristics of Chemical Content and Digestibility of Brown Sorghum Tempeh]. *Jurnal Teknologi Dan Industri Pangan*, 22(2), 150.
- Mustika, A. (2019). Pengaruh Teknik Perendaman Pada Pembuatan Tepung Sorgum Merah (*Sorghum L*) Ditinjau Dari Kualitas Butter Cookies. *Teknoboga*, 7(1)
- Myers, J. S., Bean, S. R., Aramouni, F. M., Wu, X., & Schmidt, K. A. (2023). Textural and functional analysis of sorghum flour cookies as ice cream inclusions. *Grain and Oil Science and Technology*, 6(2), 100–111. <https://doi.org/10.1016/j.gaost.2022.12.002>
- Nandiyanto, A .B. D., Ragadhita, R., Ana, A., & Hammouti, B. (2022). Effect of Starch, Lipid, and Protein Components in Flour on the Physical and Mechanical Properties of Indonesian Biji Ketapang Cookies. *International Journal of Technology*. Volume 13(2), pp. 432-443
- Narsih, Yunianta, & Harijono. (2008). Studi lama perendaman dan lama perkecambahan sorgum (*Sorghum bicolor* L. Moench) untuk menghasilkan tepung rendah tanin dan fitat. *Jurnal Teknologi Pertanian* 9(3), 173-180
- Natacha, D. P., Rozycki, V., M., D. L. T., Melina, E., Cecilia, B., & Carlos, O. (2016). Optimization of Gluten Free Cookies from Red and White Sorghum Flours. [*Journal of Food and Nutrition Research* Vol. 4, No. 10](#), 2016, pp 671-676. doi: 10.12691/jfnr-4-10-7

- Natoli, C. (2020). An Introduction to Mixture Designs. Ohio: STAT Center of Excellence, Wright-Patterson Protein Force Base.
- Ndjang, M. M. N., Klang, J. M., Njapndounke, B., Foko, M. E. K., Dongmo, J. R., Kamdem, M. H. K., Tonga, J. L., Mmutlane, E. M., Ndinteh, D. T., Kayitesi, E., & Zambou, F. N. (2023). Optimization of the Processing Conditions for the Production of a Gluten-Free Bread from Sour Cassava Starch (*Manihot esculenta*) and Some Legumes (*Arachis hypogaea*, *Vigna unguiculata*, and *Glycine max*). *Foods* (Basel, Switzerland), 12(17), 3180. <https://doi.org/10.3390/foods12173180>
- Nepali, B., Devashish, B., & Jiban, S. (2019). Mineral Nutrientcontent Of *Buckwheat* (*Fagopyrum Esculentum* Moench) For Nutritional Security In Nepal. *Malaysian Journal Of Sustainable Agriculture*, 3(1): 01-04.
- Njapndounke, B., Ngouenam, R. J., Kouam, E. M. F., Bounjo, G. T., Klang, J. M., & Ngoufack, F. Z. (2023). Mixture design approach for the development of a cowpea and banane cochon flour-based gluten-free biscuit: Chemical, glycemic load, sensory and microbiological characteristics of the optimal biscuit. *Future Foods* 8 (2023) 100264. ISSN 2666-8335. <https://doi.org/10.1016/j.fufo.2023.100264>
- Núñez-Gómez, V., González-Barrio, R., & Periago, M. J. (2023). Interaction between Dietary Fibre and Bioactive Compounds in Plant By-Products: Impact on Bioaccessibility and Bioavailability. *Antioxidants* (Basel, Switzerland), 12(4), 976. <https://doi.org/10.3390/antiox12040976>
- Nurika, I., Nisa, F. N., Azizah, N., & Suhartini, S. (2021). Optimasi Kondisi Ekstraksi Vanillin Hasil Degradasi Lignoselulosa Bagas Tebu Menggunakan Response Surface Method (RSM). *Jurnal Bioteknologi dan Biosains Indonesia*, 8 (1): 89-104.
- Nurzihan, N., Permatasari, O., & Sholihah, I. (2022). Kandungan Proximat Dan Serat Kasar Abon Jamur Tiram Sebagai Pengembangan Produk Pangan. *Medika Respati: Jurnal Ilmiah Kesehatan*. 17. 209. 10.35842/mr.v17i3.609.
- Oke, M. O., Hussein, J. B., Ijale, R.A., & Ojo, S.E. (2022). Development and Quality Assessment of Biscuits Made from Mixture of Wheat, Soybean, and Sorghum Flour. *Acta Universitatis Cibiniensis. Series E: Food Technology*. 26. 261-270. 10.2478/aucft-2022-0021.
- Öksüz, T. & Karakaş, B. (2016). Sensory and textural evaluation of gluten-free biscuits containing *Buckwheat* flour. *Cogent Food & Agriculture*, 2(1). <https://doi.org/10.1080/23311932.2016.1178693>
- Olaleye, M., & Akinmoladun, A. (2013). Comparative Gastroprotective Effect Of Post-Treatment With Low Doses Of Rutin And Cimetidine In Rats. *Fundam Clin Pharmacol*. 2013 Apr;27(2):138-45. Doi: 10.1111/J.1472-8206.2011.00972.X. Epub 2011 Aug 3. Pmid: 21812818.
- Olaoye, O., & Idowu, A.O.O. (2018). *Quality Characteristics Of Bread Produced From Composite Flours Of Wheat, Plantain And Soybeans*.
- Oomah, B., Mazza, G. 1996. Flavonoids And Antioxidative Activities In *Buckwheat*. *J Agric Food Chem*.44:1746–50. H P://Dx.Doi.Org/10.1021/Jf9508357
- Oyeyinka, S.A., Ojuko, I.B., Oyeyinka, A.T, Akintayo, O.A., Adebisi, T.T., Adeloje, A.A. (2018). Physicochemical Properties Of Novel Non-Gluten Cookies

- From Fermented Cassava Root. *Journal Of Food Processing And Preservation*, <https://doi.org/10.1111/Jfpp.13819>
- Pansini, D. D., Nascimento, R.C., Queiroz, V. A. V., Figueiredo, J. E. F., Silva, E. M. M., & Moraes, E. A. (2022). Whole Sorghum Flour Processed As Cookies Maintained Bioactive Compounds At Storage. *Revista Brasileira de Milho e Sorgo*. 21. 10.18512/rbms2022vol21e1247.
- Paudel, S. (2021). *Effect of Incorporation of Malted Sorghum in the Quality of Biscuit*. Thesis. Department of Food Technology, Tribhuvan University
- Permadi, M. R., Oktafa, H., & Agustianto, K. (2018). Perancangan sistem uji sensoris makanan dengan pengujian preference Test (hedonik dan mutu hedonik), studi kasus roti tawar, menggunakan algoritma radial basis function network. *Mikrotik : Jurnal Manajemen Informatika*. 8(1) : 29-42
- Permana, R. A. & Putri, W. D. R. (2015). Pengaruh Proporsi Jagung dan Kacang Merah serta Substitusi Bekatul Terhadap Karakteristik Fisik Kimia Flakes. *Jurnal Pangan dan Agroindustri* Vol. 3 No 2 p.734-742.
- Prasetyowati, A. T., Pranata, F. S., & Swasti, Y. R. (2023). Kualitas Cookies Substitusi Tepung Sorgum (*Sorghum bicolor*) dan Tepung Kacang Polong (*Pisum sativum*). *Jurnal Teknologi Pangan Dan Gizi (Journal of Food Technology and Nutrition)*, 22(1), 33–43. <https://doi.org/10.33508/JTPG.V2211.4261>
- Pratama, R.I., Rostini, I., & Liviawaty, E. (2014). Karakteristik Biskuit dengan Penambahan Tepung Tulang Ikan Jangilus (*Istiophorus SP.*). *Jurnal Akuatika Indonesia*, vol. 5, no. 1, 2014.
- Pruska-Kedzior, A., Kedzior, Z., Goracy, M., Pietrowska, K., Przybylska, A., & Spychalska, K. (2008). Comparison Of Rheological, Fermentative And Baking Properties Of Gluten-Free Dough Formulations. *European Food Research And Technology*, 227, 1523e1536.
- Pujiastuti. (2017). <http://www.analisispangan.com/2017/08/biskuit-serta-syarat-mutu-bikuit> di akses pada 8 Oktober 2022
- Qin, P., Wang, Q., Shan, F., Hou, Z., & Ren, G. (2010). Nutritional composition and flavonoids content of flour from different *Buckwheat* cultivars. *International Journal of Food Science and Technology*. 45. 951-958. 10.1111/j.1365-2621.2010.02231.x.
- Rahayu, R., Mubarak, A., & Istianah, N. (2021). Karakteristik Fisikokimia Cookies Dengan Variasi Tepung Sorgum Dan Pati Jagung Serta Variasi Margarin Dan Whey. *Jurnal Pangan dan Agroindustri*. 9 89-99. 10.21776/ub.jp.a.2021.009.02.3.
- Ramadhani, R., Riyadi, D., Triwibowo, B., & Kusumaningtyas, R. (2017). Review Pemanfaatan Design Expert untuk Optimasi Komposisi Campuran Minyak Nabati sebagai Bahan Baku Sintesis Biodiesel. *Jurnal Teknik Kimia dan Lingkungan*. 1. 11. 10.33795/jtkl.v1i11.5.
- Rantika, N., & Rusdiana, T. (2018). Penggunaan Dan Pengembangan Dietary Fiber: Review Jurnal. *Farmaka* Vol (16), No (2)
- Ratnawati, L., Desnilasari, D., Indrianti, N., & Ekafitri, R. (2023). Study of Mocaf Biscuits Made from a Combination of Bean Flour and Banana Puree Types. *BIO Web of Conferences*. 69. 03013. 10.1051/bioconf/20236903013.

- Raymond, W., Mproteinesse, J., Mohnen, P., & Palm, F. (2013). *Dynamic Models Of R&D, Innovation And Productivity Panel Data Evidence For Dutch And French Manufacturing*, Cambridge, Mass, Cambridge, Mass. National Bureau Of Economic Research.
- Reddy, B. V. S., Ramesh, S., Borikar, S. T., & Sahib, H. (2007). Icrisat-Indian Nars Partnership Sorghum Improvement Research: Strategies And Impacts. *Curr. Sci.* 92 (7): 909–915
- Robertson, G. L. (1993). *Food Packaging Principles And Practices*. Marcell Dekker Inc. New York
- Rosniar, M. (2016). *Perbedaan Tingkat Kekerasan Dan Daya Terima Biskuit Dari Tepung Sorgum Yang Disosoh Dan Tidak Disosoh*. Skripsi. Program Studi Ilmu Gizi, Universitas Muhammadiyah Surakarta
- Rufeng, N., Liu, E., Cheng, C., & Zhang, J. (1995). A Study of the Production of Healthy Biscuit Made with Tartary *Buckwheat* Grown in North China. *Current Advances in Buckwheat Research* 861 – 865
- Rukmana, R. (2004). *Budidaya Bunga Matahari*. Aneka Ilmu, Semarang.
- Şahin, B. Y., Demirtas, E., & Burnak, N. (2015). Mixture Design: Review of Recent Applications in the Food Industry. *PAJES*. 10.5505/pajes.2015.98598
- Santoso, H.B. (1993). *Pembuatan Gula Kelapa*. Kanisius. Yogyakarta.
- Saparinto, C., & Hidayati, D. (2006). *Bahan Tambahan Pangan*. Yogyakarta: Kanisius
- Saura-Calixto, F. (2011). Dietary fiber as a carrier of dietary antioxidants: an essential physiological function. *Journal of agricultural and food chemistry*, 59(1), 43–49. <https://doi.org/10.1021/jf1036596>
- Scalbert, A., Andres-Lacueva, C., Arita, M., Kroon, P., Manach, C., Uрпи-Sarda, M. & Wishart, D. (2011). Databases On Food Phytochemicals And Their Health-Promoting Effects. *Journal Of Agricultural And Food Chemistry*, 59: 4331-4348.
- Schober, T.J., Brien, C.M., McCarthy, D., Bannedde, A. & Arendt, E.K. (2003). Influence of gluten free flour mixes and fat powders in the quality of gluten free biscuits. *European Food Research Technology* 5: 369-376.
- Sakac, M., Sedej, I., Mandic, A., Mišan, A., Pestoric, M., dan Simurina, O. (2011). Quality Assessment Of Gluten-Free Crackers Based On *Buckwheat* Flour. *Lwt-Food Science And Technology* 44: 694–699.
- Sedej, I., Sakač, M., Mišan, A., & Mandić, A. (2010). Antioxidant activity of wheat and *Buckwheat* flours. *Zbornik Matice Srpske za Prirodne Nauke*. 118. 10.2298/ZMSPN1018059S.
- Setiarto, Raden & Widhyastuti, Nunuk. (2016). Reduction of Tannin and Phytic Acid on Sorghum Flour by using Fermentation of *Rhizopus oligosporus*, *Lactobacillus plantarum* and *Saccharomyces cerevisiae*. *Berita Biologi*. 15. 149-157.
- Setyorini, Dwi, Antarlina, & Sri. (2022). Secondary Metabolites In Sorghum And Its Characteristics. *Food Science And Technology*. 42. 10.1590/Fst.49822.
- Seveline, Divia, I.P., & Taufik, M. (2021). Pengaruh substitusi tepung sorgum fermentasi terhadap karakteristik fisik, kimia dan organoleptik kukis. *AGROINTEK* Vol 15(1):115-125. doi: 10.21107/

- Sharma, P., & Gujral, H. S. (2014). Cookie making behavior of wheat-barley flour blends and effects on antioxidant properties. *LWT - Food Science and Technology*, 55(1), 301–307. <https://doi.org/10.1016/j.lwt.2013.08.019>
- Shen, S., Huang, R., Li, C., Wu, W., Chen, H., Shi, J., Chen, S., & Ye, X. (2018). Phenolic Compositions and Antioxidant Activities Differ Significantly among Sorghum Grains with Different Applications. *Molecules (Basel, Switzerland)*, 23(5), 1203. <https://doi.org/10.3390/molecules23051203>
- Silav-Tuzlu, G., & Tacer-Caba, Z. (2021). Influence Of Chia Seed, *Buckwheat* And Chestnut Flour Addition On The Overall Quality And Shelf Life Of The Gluten-Free Biscuits. *Food Technology And Biotechnology*, 59(4), 463–474. <https://doi.org/10.17113/Ftb.59.04.21.7204>
- Silva, E. O., & Bracarense, A. P. (2016). Phytic Acid: From Antinutritional to Multiple Protection Factor of Organic Systems. *Journal of food science*, 81(6), R1357–R1362. <https://doi.org/10.1111/1750-3841.13320>
- Silvia, D., & Agness, S. (2016). Pengumpulan Data Base Sumber Antioksidan Alami Alternatif Berbasis Pangan Lokal Di Indonesia. *Surya Octagon Interdisciplinary Journal Of Technology*.
- Sindhuja, A., Sudha, M., & Rahim, M. (2005). Effect Of Incorporation Of Amaranth Flour On The Quality Of Cookies. *Eur Food Res Technol* 221: 597–601.
- Singh, A., Sharma, S., Singh, B., & Kaur, G. (2019). In vitro nutrient digestibility and antioxidative properties of flour prepared from sorghum germinated at different conditions. *J Food Sci Technol* 56(6):3077–3089. <https://doi.org/10.1007/s13197-019-03804-8>
- Singh, P., Singh, R., Jha, A., Rasane, P., & Gautam. (2013). Optimization of a process for high fibre and high protein biscuit. *Journal of Food Science and Technology* 52. 10.1007/s13197-013-1139-z.
- Skrabanja, V., Kreft, I., Golob, T., Modic, M., Ikeda, S., & Ikeda, K. (2004). Nutrient Content In *Buckwheat* Milling Fractions. *Cereal Chemistry*, 81, 172e176.
- Soerjodibroto. (2004). *Asupan Serat Makan Remaja Di Jakarta. Majalah Kedokteran Indonesia*. Jakarta Volumen 54 Nomor 10. 2004:397- 401
- Sofi, S. A., Ahmed, N., Farooq, A., Rafiq, S., Zargar, S. M., Kamran, F., Dar, T. A., Mir, S. A., Dar, B. N., & Mousavi Khaneghah, A. (2022). Nutritional and bioactive characteristics of *Buckwheat*, and its potential for developing gluten-free products: An updated overview. *Food science & nutrition*, 11(5), 2256–2276. <https://doi.org/10.1002/fsn3.3166>
- Starowicz, M., Koutsidis, G., & Zieliński, H. (2019). Determination of Antioxidant Capacity, Phenolics and Volatile *Maillard* Reaction Products in Rye-*Buckwheat* Biscuits Supplemented with 3β-d-Rutinoside. *Molecules*, 24, 982. <https://doi.org/10.3390/molecules24050982>
- Steadman, K. J., Burgoon, M. S., Lewis, B. A., Edwardson, S. E., & Obendorf, R. L. (2001). Minerals, Phytic Acid, Tannin And Rutin In *Buckwheat* Seed Milling Fractions. *Journal Of The Science Of Food And Agriculture*, 81, 1094e1100
- Suarni & Subagio, H. (2013). Prospek Pengembangan Jagung Dan Sorgum Sebagai Sumber Pangan Fungsional. *Jurnal Penelitian Dan Pengembangan Pertanian*. 32 (3):47-55.

- Suarni. (2004). Evaluasi Sifat Fisik Dan Kandungan Kimia Biji Sorgum Setelah Penyosohan. *Jurnal Stigma Xii*(1): 88-91.
- Suarni. (2012). Potensi Sorgum Sebagai Bahan Pangan Fungsional. *Iptek Tanaman Pangan*, Vol. 7. No. 1, Hal. 58-66
- Suarni. (2016). Peranan Sifat Fisikokimia Sorgum Dalam Diversifikasi Pangan Dan Industri Serta Prospek Pengembangannya. *Jurnal Litbang Pertanian*, Vol. 35 No. 3, Hal. 99- 110.
- Sucipto. (2016) DBS: Indonesia Pangsa Pasar Terbesar Makanan Kemasan. <https://www.wartaekonomi.co.id/read108038/dbs-indonesia-pangsa-pasar-terbesar-makanan-kemasan.html>.
- Sudarmadji. (2010). *Analisa Bahan Makanan dan Pertanian*. Yogyakarta: Penerbit Liberty.
- Sukardjo. 2001. *Kimia Fisika*. Jakarta: Rineka Cipta
- Susila, B. A. (2012). Prosiding Seminar Nasional Teknoigi Inovatif Pascaponen untuk Pengembangan Indusri Berbasis Pertanian.
- Susman, I.E., Multescu, M., Stamatie, G., Culetu, A., & Popa, M. E. (2022). *Buckwheat Vs. Sorghum Flour In Gluten-Free Rice Cookies Enhanced With Pea Protein Powder*. *Scientific Bulletin. Series F. Biotechnologies*, Vol. XXVI, No. 1, 2022
- Sutrisno, Eri, Ratna, N., & Elvira, I.S. (2022). *Menjadikan Sorgum Sebagai Alternatif Gandum*. [Indonesia.Go.Id - Menjadikan Sorgum Sebagai Alternatif Gandum](https://www.indonesia.go.id/alternatif-gandum)
- Syafitri, S., Priawantiputri, W., Surmita, Dewi, M., & Aisyah, W. N. (2019). Produk Biskuit Berbasis Bayam dan Tepung Sorgum Sebagai Makanan Tambahan Ibu Hamil. *JURNAL RISET KESEHATAN POLTEKKES DEPKES BANDUNG*, 11(2), 13-21. <https://doi.org/10.34011/juriskesbdg.v11i2.676>
- Szuhaj, B. F. (2005). *Lecithins*. In F. Shahili (Ed.), *Bailey's Industrial Oil And Fat* (6 Ed., Pp. 361): John Willey And Son, Inc.
- Takahama, U., Tanaka, M., & Hirota, S. (2011). Buckwheat Flour and Bread. 10.1016/B978-0-12-380886-8.10013-3.
- Tanjung, Y. L. R. & Kusnadi, J. (2015). Biskuit Bebas Gluten Dan Bebas Kasein Bagi Penderita Autis. *Jurnal Pangan Dan Agroindustri* Vol 3 No 1 busia, S.,
- Tarancon, P., Salvador, A., & Sanz, T. (2012). Sunflower Oil–Water–Cellulose Ether Emulsions as Trans-Fatty Acid-Free Fat Replacers in Biscuits: Texture and Acceptability Study. *Food and Bioprocess Technology*, Vol.6. DOI 10.1007/s11947-012-0878-6.
- Tidore, Yeffy, Mamujaja, M., Christine, F.M., & Teldje, K. (2017). *Pemanfaatan Tepung Kimpul (Xanthosoma Sagittifolium) Dan Tepung Tapioka Pada Pembuatan Biskuit*. [Http://Ejournal.Unsrat.Ac.Id/Index.Php/Cocos/Article/View/15799](http://ejournal.unsrat.ac.id/index.php/cocos/article/view/15799)
- Trowell, H. (1976). Definition of dietary fiber and hypotheses that it is a protective factor in certain diseases. *The American journal of clinical nutrition*, 29(4), 417–427. <https://doi.org/10.1093/ajcn/29.4.417>
- Van-Soest, P. J. (1978). Dietary fibers: their definition and nutritional properties. *The American Journal of Clinical Nutrition*, 31(10), S12–S20. doi:10.1093/ajcn/31.10.s12

- Venktesh, A. & Prakash, V. (1993). Functional Properties Of The Total Proteins Of Sunflower (*Helianthus Annus L.*) Seed. Effect Of Physical And Chemical Treatments, *Journal Of Agricultural And Food Chemistry*, Vol.41, Pp.18-23.
- Vojtiskova, P., Kmentova, K., Kuban, V., & Kracmar, S. (2012). *Chemical Composition Of Buckwheat Plant*
- Vujić, L., Čepo, D. V., & Dragojević, I. V. (2014). Impact of dietetic tea biscuit formulation on starch digestibility and selected nutritional and sensory characteristics. *LWT - Food Science and Technology*. 62. 10.1016/j.lwt.2014.06.003.
- Wahyuningsih, K., Rismayani, L., Purwani, E. Y., & Suparto, I. H. (2019). The Effect Of Milling Method On Protein Profile In Sorghum (*Sorghum bicolor L.*) Kd-4 Variety. *Agrointek* Vol 13 No 2 2019:109-120
- Waniska, R. D. (2000). Structure, Phenolic Compounds, And Antifungal Protein Of Sorghum Caryopsis In a Technical And Institutional Options For Sorghum Grain Mold Management, 18-19, 502 324, *International Crops Research Institute For The Semi Arid Tropics*. Pp 72-106.
- Wardani, N. K. (2021). *Optimasi Proporsi Tepung Kelapa dan Waktu Proofing Terhadap Karakteristik Fisik Roti Tawar Menggunakan Metode RSM (Response Surface Methodology)*. Skripsi. Universitas Brawijaya, Malang.
- Wei, Y. M., Hu, X. Z., Zhang, G. Q., & Ouyang, S. H. (2003). Studies on the amino acid and mineral content of buckwheat protein fractions. *Die Nahrung*, 47(2), 114–116. <https://doi.org/10.1002/food.200390020>
- Wibowo, E. N. (2016). *Kualitas Biskuit Dengan Kombinasi Tepung Sorgum (Sorghum Bicolor (L.) Moench) dan Tepung Tempe*. [Skripsi]. Yogyakarta: Universitas Atma Jaya Yogyakarta.
- Wibowo, P. N., Saputra, J. A., Ayucitra, A., & Setiawan, L. E. (2017). Isolasi Pati dari Pisang Kepok dengan Menggunakan Metode Alkaline Steeping. *Widya Teknik*, Vol 7, No 2.
- Widowati, S., Nurjanah, R., & Amrinola, W. (2011). Proses Pembuatan Dan Karakterisasi Nasi, Sorgum Instan. *Prosiding Seminar Nasional Pekan Serealia Nasional Pusat Penelitian Dan Pengembangan Tanaman Pangan*. P. 17-23.
- Winarno, F.G. 1997. *Kimia Pangan Dan Gizi*. Gramedia Pustaka Utama. Jakarta.
- Winarno, F.G. 2002. *Kimia Pangan Dan Gizi*. Gramedia. Jakarta.
- Winarno, F.G. 2004. *Kimia Pangan Dan Gizi*. Gramedia Pustaka Utama. Jakarta
- Winarsi, H. 2007. *Antioksidan Alami Dan Radikal Bebas Potensi Dan Aplikasinya Dalam Kesehatan*. Yogyakarta. Kanisius.
- Winarti, S. & Wicaksono, L. A. (2020). Pemanfaatan Biji Bunga Matahari Sebagai Bahan Baku Fermentasi Tempe. *Agrointek Volume 14 No 1 2020*: 112-121. <https://doi.org/10.21107/Agrointek.V14i1.6315>
- Woo, K., Ko, J., & Jeong, H. (2014). Effect of milling time on antioxidant compounds and activities of methanol extracts of sorghum [*Sorghum bicolor (L.) Moench*]. *Food Science and Biotechnology*. 23. 10.1007/s10068-014-0238-6
- Wu, G, Johnson, S. K., Bornman, J. F., Bennett, S. J., Singh, V., & Simic, A. (2016). Effects of Genotype and Growth Temperature on the Contents of Tannin,

- Phytate and In Vitro Iron Availability of Sorghum Grains. *PLoS ONE* 11(2): e0148712. doi:10.1371/journal.pone.0148712
- Wu, G., Johnson, S. K., Bornman, J. F., Bennett, S. J., & Fang, Z. (2017). Changes In Whole Grain Polyphenols And Antioxidant Activity Of Six Sorghum Genotypes Under Different Irrigation Treatments. *Food Chemistry*. 214, 199207. Doi: 10.1016/J.Foodchem.2016.07.089
- Wulandari, E., Sukarminah, E., Lanti, I., & Sufmawati, F. (2017). Organoleptic Characteristics of Cookies from Sorghum Composites Flour. *KnE Life Sciences*, Vol.2, 506–517. DOI 10.18502/kls.v2i6.1071
- Wulandari, M. & Handarsari, E. (2010). Pengaruh Penambahan Bekatul Terhadap Kadar Protein Dan Sifat Organoleptik Biskuit (the Influence of Addition of Rice Bran to Protein Concentration and Organoleptic Characteristic). *Jurnal Pangan dan Gizi*, vol. 1, no. 2.
- Yamsaengsung, R., Berghofer, E., & Schoenlechner, R. (2012). Physical properties and sensory acceptability of cookies made from chickpea addition to white wheat or whole wheat flour compared to gluten-free amaranth or *Buckwheat* flour. *International Journal of Food Science & Technology*. 47. 10.1111/j.1365-2621.2012.03092.x.
- Yılmaz, H.O., Ayhan, N.Y., & Meriç, C.S. (2020). *Buckwheat*: A Useful Food And Its Effects On Human Health. *Current Nutrition & Food Science*. 16. 29-34. 10.2174/1573401314666180910140021.
- Yilmaz, Y., & Toledo, R. (2005). Antioxidant activity of water-soluble *Maillard* reaction products. *Food Chemistry*, 93(2), 273–278. <https://doi.org/10.1016/j.foodchem.2004.09.043>
- Youssef, H. & Mousa, R. (2012). *Nutritional Assessment Of Wheat Biscuits And Fortified Wheat Biscuits With Citrus Peels Powders*.
- Yu, D., Chen, J., Ma, J., Sun, H., Yuan, Y., Ju, Q., Teng, Y., Yang, M., Li, W., Fujita, K., Tatsumi, E., & Luan, G. (2018). Effects of different milling methods on physicochemical properties of common *Buckwheat* flour. *LWT* Vol 92, 220-226, 0023-6438, <https://doi.org/10.1016/j.lwt.2018.02.033>.
- Zhu, F. (2015). *Buckwheat* starch: Structures, properties, and applications. *Trends in Food Science & Technology*. 49. 10.1016/j.tifs.2015.12.002.
- Zielinska, D., Szawara-Nowak, D., & Zieliński, H. (2010). Determination of the antioxidant activity of rutin and its contribution to the antioxidant capacity of diversified *Buckwheat* origin material by updated analytical strategies. *Polish Journal of Food and Nutrition Sciences*, 60, 315-321.