

## DAFTAR PUSTAKA

- Adjaloo, MK. Pollination Ecology of Upper Amazon Cocoa and Breeding Substrates of Cocoa Pollinators in the Ejisu-Juabeng District of the Ashanti Region, Ghana. Doctoral thesis, Kwame Nkrumah University of Science and Technology; 2012.
- Adjaloo, M., Banful, B. K. B., & Oduro, W. (2013). Evaluation of Breeding Substrates for Cocoa Pollinator, *Forcipomyia spp.* and Subsequent Implications for Yield in a Tropical Cocoa Production System. *American Journal of Plant Sciences*, 04(02), 204–211. <https://doi.org/10.4236/ajps.2013.42027>
- Alexandre, R.S., Chagas, K., Marques, H.I.P., Costa, P.R and Filho, J.C. (2015). Caracterizac,āo de frutos de clones de cacaueiros na regiāo litorânea de Sāo Mateus, ES. *Revista Brasileira de Engenharia Agrícola e Ambiental*. 19 (8), 785-790.
- Andersson, G. K. S., Ekroos, J., Stjernman, M., Rundlöf, M., & Smith, H. G. (2014). Effects of farming intensity, crop rotation and landscape heterogeneity on field bean pollination. *Agriculture, Ecosystems and Environment*, 184, 145–148. <https://doi.org/10.1016/j.agee.2013.12.002>
- Anita-Sari, I., & Susilo, A. W. (2015). Phenology of Flowering and Pod Maturity on Some Cocoa (*Theobroma cacao L.*) Clones. In *Edition Pelita Perkebunan* (Vol. 31, Issue 2).
- Arnold, S. E. J., Forbes, S. J., Hall, D. R., Farman, D. I., Bridgemohan, P., Spinelli, G. R., Bray, D. P., Perry, G. B., Grey, L., Belmain, S. R., & Stevenson, P. C. (2019). Floral Odors and the Interaction between Pollinating Ceratopogonid Midges and Cacao. *Journal of Chemical Ecology*, 45(10), 869–878. <https://doi.org/10.1007/s10886-019-01118-9>
- Atmowidi T, Buchori D, Manuworoto S, Suryobroto B, Hidayat P. 2007. Diversity of pollinator insects in relation to seed set of mustard (*Brassica rapa L.*: Cruciferae). *HAYATI J Biosci* 14:155-161.
- Ayegboiyin, K. O., & Akinrinde, E. A. (2016). Effect of Water Deficit Imposed during the Early Developmental Phase on Photosynthesis of Cocoa (&lt;i&gt;Theobroma cacao&lt;/i&gt; L.). *Agricultural Sciences*, 07(01), 11–19. <https://doi.org/10.4236/as.2016.71002>
- Basnett, S., Krpan, J., & Espíndola, A. (2024). Floral traits and their connection with pollinators and climate. *Annals of Botany*. 20, 1-15. <https://doi.org/10.1093/aob/mcae046>
- Basu, P., Parui, A. K., Chatterjee, S., Dutta, A., Chakraborty, P., Roberts, S., & Smith, B. (2016). Scale dependent drivers of wild bee diversity in tropical heterogeneous agricultural landscapes. *Ecology and Evolution*, 6(19), 6983–6992. <https://doi.org/10.1002/ece3.2360>
- Bernabé-Ruiz, P. M., Jiménez-Nieva, F. J., & Pérez-Quintero, J. C. (2024). Temporal Variation in and Influence of Environmental Variables on a Lepidopteran Community in a Mediterranean Mid-Mountain Area. *Diversity*, 16(7). <https://doi.org/10.3390/d16070408>
- Bhattacharjee, R. y Lava Kumar, P. (2007). Cacao. En: Kole, C. (Eds.). *Genome Mapping and Molecular Breeding in plants*. The Pennsylvania State University, USA. Pp. 127-142.
- Blaser, W. J., Oppong, J., Yeboah, E., & Six, J. (2017). Shade trees have limited benefits for soil fertility in cocoa agroforests. *Agriculture, Ecosystems and Environment*, 243, 83–91. <https://doi.org/10.1016/j.agee.2017.04.007>
- Blitzer, E.J., Gibbs, J., Park, M.G., et al., 2016. Pollination services for apple are dependent on diverse wild bee communities. *Agric. Ecosyst. Environ.* 221, 1-7.

- Blüthgen, N., & Klein, A. M. (2011). Functional complementarity and specialisation: The role of biodiversity in plant-pollinator interactions. *Basic and Applied Ecology*, 12(4), 282-291.
- Boakye, R. G., Combey, R., White, B., & Stanley, D. A. (2024). Relationships between flower-visiting insects and forest cover in cocoa-growing landscapes in Ghana. *Landscape Ecology*, 39(12). <https://doi.org/10.1007/s10980-024-02003-x>
- Bos, M.M., Steffan-Dewenter, I., Tscharntke, T., 2007. The contribution of cacao agroforests to the conservation of lower canopy ant and beetle diversity in Indonesia. *Biodivers. Conserv.* 16, 2429-2444.
- Brittain, C.A., Vighi, M., Bommarco, R., Settele, J., Potts, S.G., (2010). Impacts of a pesticide on pollinator species richness at different spatial scales. *Basic Appl. Ecol.* 11, 106–115.
- Campanha, M. M., Farinas, F. P., & Santos, R. M. (2018). Influence of environmental factors on midge activity in cacao agroforests. *Journal of Insect Science*, 18(4), 1-8.
- CEPLAC, 2001. Sistema de produc,aõ de cacau para a Amazônia brasileira. CEPLAC, Belém, 125p.
- Cho, Y., Lee, D., & Bae, S. Y. (2017). Effects of vegetation structure and human impact on understory honey plant richness: Implications for pollinator visitation. *Journal of Ecology and Environment*, 41(1). <https://doi.org/10.1186/s41610-016-0020-1>
- Chumacero de Schawe, C., Kessler, M., Hensen, I., & Tscharntke, T. (2018). Abundance and diversity of flower visitors on wild and cultivated cacao (*Theobroma cacao* L.) in Bolivia. *Agroforestry Systems*, 92(1), 117–125. <https://doi.org/10.1007/s10457-016-0019-8>
- Claus, G., Vanhove, W., Damme, P. Van, & Smagghe, G. (2018). Challenges in Cocoa Pollination: The Case of Côte d'Ivoire. In *Pollination in Plants*. InTech. <https://doi.org/10.5772/intechopen.75361>
- Cohen, S. P., Vase, L., & Hooten, W. M. (2021). Chronic pain: an update on burden, best practices, and new advances. In *The Lancet* (Vol. 397, Issue 10289, pp. 2082–2097). Elsevier B.V. [https://doi.org/10.1016/S0140-6736\(21\)00393-7](https://doi.org/10.1016/S0140-6736(21)00393-7)
- DaMatta, F. M., Ronchi, C. P., Maestri, M., & Barros, R. S. (2007). Ecophysiology of coffee growth and production. In *Brazilian Journal of Plant Physiology* (Vol. 19, Issue 4, pp. 485–510). <https://doi.org/10.1590/S1677-04202007000400014>
- Dani, D., & Rokhmah, D. N. (2022). A review of the role of pollination on the yield of cocoa plant. *Kultivasi*, 21(3). <https://doi.org/10.24198/kultivasi.v21i3.41513>
- de Souza, P. A., Moreira, L. F., Sarmento, D. H. A., & da Costa, F. B. (2018). Cacao—*Theobroma cacao*. In *Exotic Fruits Reference Guide* (pp. 69–76). Elsevier. <https://doi.org/10.1016/B978-0-12-803138-4.00010-1>
- El Harche, H., El Hassouni, S., Fadli, M., & Dahmani, J. (2023). Spatial, seasonal variation and impacts of anthropogenic factors on insect assemblages (Arthropoda: Insecta) in Northwest Morocco. *Biodiversitas*, 24(10), 5368–5375. <https://doi.org/10.13057/biodiv/d241019>
- Fainsinger, P. (2004). Diseño de estudios de campo para la conservación de la biodiversidad. Editorial FAN, Santa Cruz de la Sierra, Bolivia.
- Fausayana, I., Landu, I., Nalefo, L., & Nikoyan, A. (2018). Local Knowledge and the Adoption of Science Knowledge in Cocoa Cultivation Community in East Kolaka Regency. *International Journal of Environment, Agriculture and Biotechnology*, 3(5), 1612–1617. <https://doi.org/10.22161/ijeab/3.5.6>
- Favarin, S., Sommaggio, D., Fantinato, E., Masiero, M., & Buffa, G. (2024). Ecological intensification: multifunctional flower strips support beneficial arthropods in an organic apple orchard. *Plant Ecology*, 225(5), 499–509. <https://doi.org/10.1007/s11258-024-01402-z>

- Fleeger, J. W., Carman, K. R., & Nisbet, R. M. (2003). Indirect effects of contaminants in aquatic ecosystems. In *Science of the Total Environment* (Vol. 317, Issues 1–3, pp. 207–233). Elsevier. [https://doi.org/10.1016/S0048-9697\(03\)00141-4](https://doi.org/10.1016/S0048-9697(03)00141-4)
- Forbes, S. J. & Northfield, T. D. (2016). Increased pollinator habitat enhances cacao fruit set and predator conservation. *Ecological Applications*, 27(3), 887-899. <https://doi.org/10.1002/eap.1491>
- Forbes, S. J., Mustiga, G., Romero, A., Northfield, T. D., Lambert, S., & Motamayor, J. C. (2019). Supplemental and synchronized pollination may increase yield in CaCAO. *Hort. Science*, 54(10), 1718–1727. <https://doi.org/10.21273/HORTSCI12852-18>
- Fountain, M. T. (2022). Impacts of Wildflower Interventions on Beneficial Insects in Fruit Crops: A Review. *Insects*, 13(3). <https://doi.org/10.3390/insects13030304>
- Frimpong, E. A., Gemmill-Herren, B., Gordon, I., & Kwapon, P. K. (2011). Dynamics Of Insect Pollinators As Influenced By Cocoa Production Systems In Ghana. In *Journal of Pollination Ecology* (Vol. 5, Issue 10).
- Frimpong-Anin, K., Adjaloo, M. K., Kwapon, P. K., & Oduro, W. (2014). Structure and stability of cocoa flowers and their response to pollination. *Journal of Botany*, 2014. <https://doi.org/10.1155/2014/513623>
- Gan, S. R., Du, W., & Wang, X. F. (2022). Functional Differentiation of Floral Color and Scent in Gall Midge Pollination: A Study of a Schisandraceae Plant. *Plants*, 11(7). <https://doi.org/10.3390/plants11070974>
- Garg, S., Joshi, R. Kr., & Garkoti, S. C. (2020). Effect of tree canopy on species composition, diversity and biomass of herbaceous vegetation and soil characteristics in semi-arid forests of the Aravalli hills. <https://doi.org/10.21203/rs.3.rs-96664/v1>
- Garibaldi, L. A., Carvalheiro, L. G., Vaissière, B. E., Gemmill-Herren, B., Hipólito, J., Freitas, B. M., Ngo, H. T., Azzu, N., Sáez, A., Åström, J., An, J., Blochtein, B., Buchori, D., Chamorro García, F. J., Oliveira Da Silva, F., Devkota, K., De, M., Ribeiro, F., Freitas, L., ... Zhang, H. (2020). Mutually beneficial pollinator diversity and crop yield outcomes in small and large farms. 351 (6271), 388-391. <http://science.sciencemag.org/content/351/6271/388#BIBL>
- Geeraert, L., Aerts, R., Berecha, G., et al., (2020). Agriculture, ecosystems and environment effects of landscape composition on bee communities and coffee pollination in Coffea arabica production forests in southwestern Ethiopia. *Agric. Ecosyst. Environ.* 288, 106706. <https://doi.org/10.1016/j.agee.2019.106706>
- Goenaga R, Guiltinan M, Maximova S, Seguine E, Irizarry H. (2015). Yield performance and bean quality traits of cacao propagated by grafting and somatic embryo-derived cuttings. *Hortscience*. 50(3):358-362.
- Gómez-Tolosa, M., Mendoza-Cuenca, L., Rivera-Velázquez, G., Rioja-Paradela, T. M., Tejeda-Cruz, C., Pérez-Farrera, M. A & López, S. (2022). Using The Ecological Relationships Of Odonata With A Habitat Integrity Index To Test The Biodiversity Ecosystem Function Framework. *Journal of Insect Conservation*, 26 (2022), 191–203. <https://doi.org/10.1007/s10841-022-00377-4>
- Gonçalves, F., Carlos, C., Crespo, L., Zina, V., Oliveira, A., Salvação, J., Pereira, J. A., & Torres, L. (2021). Soil arthropods in the douro demarcated region vineyards: General characteristics and ecosystem services provided. In *Sustainability* (Switzerland) (Vol. 13, Issue 14). MDPI AG. <https://doi.org/10.3390/su13147837>
- González MV, Coque M, Herrero M. Papillar integrity as an indicator of stigmatic receptivity in kiwifruit (*Actinidia deliciosa*). *Journal of Experimental Botany*. 1995;46(2):263-269.
- Grimbacher, P. S., Edwards, W., Liddell, M. J., Nelson, P. N., Nichols, C., Wardhaugh, C. W., & Stork, N. E. (2018). Temporal variation in abundance of leaf litter beetles and ants in an Australian lowland tropical rainforest is driven by climate and litter

- fall. *Biodiversity and Conservation*, 27(10), 2625–2640. <https://doi.org/10.1007/s10531-018-1558-2>
- Groeneveld, J. H., Tscharntke, T., Moser, G., & Clough, Y. (2010). Experimental evidence for stronger cacao yield limitation by pollination than by plant resources. *Perspectives in Plant Ecology, Evolution and Systematics*, 12(3), 183–191. <https://doi.org/10.1016/j.ppees.2010.02.005>
- Gullan, P.J., dan Cranston, P.S. 2014. *The Insects : An Outline of Entomology. 5th Edition.* India: Laserwords Private Limited.
- Gumede, S. T., Ehlers Smith, D. A., Ngcobo, S. P., Sosibo, M., Ehlers Smith, Y. C., & Downs, C. T. (2022). The influence of forest characteristics on avian species richness and functional diversity in Southern Mistbelt Forests of South Africa. *Global Ecology and Conservation*, 34. <https://doi.org/10.1016/j.gecco.2022.e02047>
- Gutiérrez-Briceño, I., García-Llorente, M., Ortega-Marcos, J. J., Azcárate, F. M., & Hevia, V. (2023). Exploring the effect of landscape composition and agroecological practices on wild bees in horticultural farms. *Basic and Applied Ecology*, 71, 33–44. <https://doi.org/10.1016/j.baae.2023.05.003>
- Harvey, J. A., Tougeron, K., Gols, R., Heinen, R., Abarca, M., Abram, P. K., Basset, Y., Berg, M., Boggs, C., Brodeur, J., Cardoso, P., de Boer, J. G., De Snoo, G. R., Deacon, C., Dell, J. E., Desneux, N., Dillon, M. E., Duffy, G. A., Dyer, L. A., ... Chown, S. L. (2023). Scientists' warning on climate change and insects. In *Ecological Monographs* (Vol. 93, Issue 1). John Wiley and Sons Inc. <https://doi.org/10.1002/ecm.1553>
- Hasriyanti, Rosmini, Pasaru, F., Mutmainah, Alimuddin, S., & Pratiwi, M. (2023). Pesticides affecting the diversity of pollinator insects in cocoa plantations (Theobroma cacao L.). *IOP Conference Series: Earth and Environmental Science*, 1253(1). <https://doi.org/10.1088/1755-1315/1253/1/012117>
- Heriza, J. R., Heriza, S., Dewi, Y., Anwar, A., & Ikhsan, Z. (2024). Population Abundance and Frequency of Visits *Forcipomyia Spp.* (Diptera: Ceratopogonidae) On Cocoa Plantations in Lima Puluh Kota District, Indonesia. 5(1), 45-53. <https://doi.org/10.25077/jrp.5.1.45-53.2024>
- Hill, D., Fasham, M., Tucker, G., Shewry, M., & Shaw, P. (2005). *Handbook of Biodiversity Methods: Survey, Evaluation and Monitoring.* Cambridge University Press.
- Hladik, M.L., Vandever, M., Smalling, K.L. (2016). Exposure of native bees foraging in an agricultural landscape to current-use pesticides. *Sci. Total Environ.* 542, 469–477.
- Hoehn, P., Tscharntke, T., Tylianakis, J.M. & Steffan-Dewenter, I. (2008) Functional group diversity of bee pollinators increases crop yield. *Proceedings of the Royal Society B-Biological Sciences*, 275, 2283–2291.
- Horák, J., Rada, P., Lettenmaier, L., Andreas, M., Bogusch, P., & Jaworski, T. (2021). Importance of meteorological and land use parameters for insect diversity in agricultural landscapes. *Science of the Total Environment*, 791. <https://doi.org/10.1016/j.scitotenv.2021.148159>
- Ikhsan, Z., Hidrayani, Yaherwandi, dan Hamid, H. 2020. The Diversity and Abundance of Hymenoptera Insects on Tidal Swamp Rice Field in Indragiri Hilir district, Indonesia. *Biodiversitas*, 21(3): 1020-1026. <https://doi.org/10.13057/biodiv/d210323>
- Indriati, G., Susilawati, & Puspitasari, M. (2020). Insect diversity of cacao (Theobroma cacao L.) plantation under different shade trees in Pakuwon, Sukabumi. *IOP Conference Series: Earth and Environmental Science*, 418(1). <https://doi.org/10.1088/1755-1315/418/1/012017>

- Janwar Z, Ahmad A, Soma AS. 2022. Diversity species and dominance of gastropod on ecosistem mangrove ecosystem Lantebung, city of Kota Makassar. *J Biol Appl Biol* 5: 28-35. DOI: 10.21580/ah.v5i1.11947.
- Johnson, M. G., Glass, J. R., Dillon, M. E. and Harrison, J. F. (2023). Chapter One - How will climatic warming affect insect pollinators? *Advances in Insect Physiology*, 64(2023), 1-115. <https://doi.org/10.1016/bs.aiip.2023.01.001>
- Jost, L. (2007) Partitioning diversity into independent alpha and beta components. *Ecology*, 88, 2427–2439.
- Katumo, D. M., Liang, H., Ochola, A. C., Lv, M., Wang, Q. F., & Yang, C. F. (2022). Pollinator diversity benefits natural and agricultural ecosystems, environmental health, and human welfare. In *Plant Diversity* (Vol. 44, Issue 5, pp. 429–435). KeAi Publishing Communications Ltd. <https://doi.org/10.1016/j.pld.2022.01.005>
- Kaufmann, T. Studies on the ecology and biology of a cocoa pollinator, *Forcipomyia squamipennis* I. & M. (Diptera, Ceratopogonidae), in Ghana. *Bulletin of Entomological Research* 65, no. 2 (1975): 263-268.
- Kaufmann, T. 1975. Ecology and Behavior of Cocoa Pollinating Ceratoponidae in Ghana, W. Africa. *Enviromental Entomology*. 4(2): 347-351.
- Kalshoven, L.G.E. 1981. *The Pests of Crops in Indonesia*. van der Laan PA, De Jakarta: PT. Ichtiar Baru-van Hoeve.
- Klein, A. M., Classen, A., & Tscharntke, T. (2020). Functional relationships between canopy traits and insect pollinators. *Ecological Applications*, 30(6), 21-50.
- Koneri, R., Nangoy, M. J., & Wakhid. (2021). Richness and diversity of insect pollinators in various habitats around bogani nani wartabone national park, North Sulawesi, Indonesia. *Biodiversitas*, 22(1), 288–297. <https://doi.org/10.13057/biodiv/d220135>
- Kongor, J.E., Hinneh, M., Walle, D.V., Afoakwa, E.O., Boeckx and Dewettinck, K. 2016. Factors influencing quality variation in cocoa (*Theobroma cacao* L.) bean flavour profile—a review. *Food Res. Int.* 82, 4452.
- Krebs, C. J. (1989). Ecological Methodology (No. QH541. 15. S72. K74 1999.). Harper & Row.
- Kukade S.A. & J. Tidke (2013). Studies on pollination and reproductive biology of *Pongamia pinnata* L. (Fabaceae). *Indian Journal of Fundamental Applied Life Science*, 3, 149–155.
- Lane, RP, Crosskey RW. Medical Insects and Arachnids. Netherlands: Springer; 2012.
- Lecaro Dávila J. J. (2015). Entomología asociada al dosel de *Theobroma cacao*. Escuela de ciencias biológicas. Tesis de Licenciatura Pontificia Universidad Católica de Ecuador. Quito, Ecuador.
- Magurran, A. E. (2013). *Measuring biological diversity*. Wiley-Blackwell.
- Mahmood, A., Hu, Y., Tanny, J., & Asante, E. A. (2018). Effects of shading and insect-proof screens on crop microclimate and production: A review of recent advances. In *Scientia Horticulturae* (Vol. 241, pp. 241–251). Elsevier B.V. <https://doi.org/10.1016/j.scienta.2018.06.078>
- Main, A. R., Webb, E. B., Goyne, K. W., & Mengel, D. (2018). Neonicotinoid insecticides negatively affect performance measures of non-target terrestrial arthropods: a meta-analysis. *Ecological Applications*, 28(5), 1232–1244. <https://doi.org/10.1002/eap.1723>
- Mallinger, R. E., & Gratton, C. (2015). Species richness of wild bees, but not the use of managed honeybees, increases fruit set of a pollinator-dependent crop. *Journal of Applied Ecology*, 52(2), 323–330. <https://doi.org/10.1111/1365-2664.12377>
- Mhlanga, L., Kapembeza, C., Sithole, R., & Kativu, S. (2022). Variation in ground insect diversity, composition and abundance across land use types in an African savanna, Zimbabwe. *Scientific African*, 16. <https://doi.org/10.1016/j.sciaf.2022.e01204>

- Mohanaramya, M. (2013). "Studies on Floral Biology, Hybridization and Performance of Elite Clones of Cocoa (*Theobroma cacao L.*) in Different Locations of Tamil Nadu." Horticultural College & Research Institute. Coimbatore: Tamil Nadu Agricultural University.
- Mohr, H., Lawlor, G., Lawlor, D.W. and Schopfer, P. 1995. Plant Physiology. Berlin Heidelberg: Springer.
- Mullin, C.A., 2015. Effects of "inactive" ingredients on bees. *Curr. Opin. Insect Sci.* 10, 194–200.
- Nakadai, R. (2021). Individual-based multiple-unit dissimilarity: novel indices and null model for assessing temporal variability in community composition. *Oecologia*, 197(2), 353–364. <https://doi.org/10.1007/s00442-021-05025-3>
- Ndjomatchoua, F. T., Guimapi, R. A. Y., Rossini, L., Djouda, B. S., & Pedro, S. A. (2024). A generalized risk assessment index for forecasting insect population under the effect of temperature. *Journal of Thermal Biology*, 122. <https://doi.org/10.1016/j.jtherbio.2024.103886>
- Neumann, A. E., Conitz, F., Karlebowski, S., Sturm, U., Schmack, J. M., & Egerer, M. (2024). Flower richness is key to pollinator abundance: The role of garden features in cities. *Basic and Applied Ecology*, 79, 102–113. <https://doi.org/10.1016/j.baae.2024.06.004>
- Nugroho, A., Atmowidi, T., & Kahono, S. (2019). Diversitas Serangga Penyerbuk dan Pembentukan Buah Tanaman Kakao (*Theobroma cacao L.*). *Jurnal Sumberdaya Hayati*, 5(1), 11–17. <https://doi.org/10.29244/jsdh.5.1.11-17>
- Odum, E. P. (1993). Dasar-Dasar Ekologi. Edisi Ketiga. Gajah mada University Press. Jogjakarta. Hlm. 134-162.
- Olivier, R.S., Aranda, R., Godoi, M.N. and Graciolli. (2014). Effects Of Environmental Heterogeneity On The Composition Of Insect Trophic Guilds. *Applied Ecology and Environmental Research* 12(1): 209-220.  
<https://www.researchgate.net/publication/264862041>
- Omayio, D., & Mzungu, E. (2019). Modification of Shannon-Wiener Diversity Index towards Quantitative Estimation of Environmental Wellness and Biodiversity Levels under a Non-comparative Scenario. 9(9), 46-57. <https://doi.org/10.7176/JEES>
- Omolaja S, Aikpokpodion P, Oyedeleji S, Vwioko D. Rainfall and temperature effects on flowering and pollen productions in cocoa. *African Crop Science Journal*. 2009;17(1).
- Payne, R. (2022). A Guide to Regression, Nonlinear and Generalized Linear Models in Genstat (22nd Edition). VSN International Ltd, in collaboration with practising statisticians at Rothamsted and other organisations in Britain, Australia, New Zealand and The Netherlands.
- Pisa, L. W., Amaral-Rogers, V., Belzunces, L. P., Bonmatin, J. M., Downs, C. A., Goulson, D., Kreutzweiser, D. P., Krupke, C., Liess, M., Mcfield, M., Morrissey, C. A., Noome, D. A., Settele, J., Simon-Delso, N., Stark, J. D., Van Der Sluijs, J. P., Van Dyck, H., & Wiemers, M. (2014). Effects of neonicotinoids and fipronil on non-target invertebrates. *Environmental Science and Pollution Research*, 22(1), 68–102. <https://doi.org/10.1007/s11356-014-3471-x>
- Pora, M. S., Setyo Leksono, A., & Afandhi, A. (2016). Types of Insects in Organic and Semi-Organic Citrus Plantation. *J-PAL*, 7(2).
- Posnette, A. F. (1950). The pollination of cacao in the Gold Coast. *Journal of Horticultural Science* 25: 155–163.
- Prado, S. G., Collazo, J. A., Marand, M. H., & Irwin, R. E. (2021). The influence of floral resources and microclimate on pollinator visitation in an agro-ecosystem. *Agriculture, Ecosystems and Environment*, 307. <https://doi.org/10.1016/j.agee.2020.107196>

- Prawoto, A.A. & N.M. Sholeh (2006). Produksi awal dan kajian ekonomis usahatani nilam Aceh (*Pogostemon cablin* Benth.) sebagai tanaman sela kakao muda. *Pelita Perkebunan*, 22, 168–190.
- Prawoto, A.A.; R. Erwiyono & A.W. Susilo (2013). Agroforestri kakao dengan tanaman jati dan sengon: Tinjauan siklus nutrisi, kualitas lahan, dan hasil kakao muda. Prosiding Simposium Kakao. Denpasar 28–30 Oktober 2013.
- Pristed, M. J. S., Bundschuh, M. and Rasmussen, J. J. (2016). Multiple exposure routes of a pesticide exacerbate effects on a grazing mayfly. *Aquatic Toxicology*. 178(2016), 190-196. <http://dx.doi.org/10.1016/j.aquatox.2016.08.005>
- Pusat Penelitian Kopi dan Kakao. (2013). Peran Petani dalam Pengembangan Klon-Klon Lokal di Sulawesi. Warta. 25(3), 2013.
- Pusat Penelitian Kopi dan Kakao. (2017). Klon ICCRI09. Jember: PT Riset Perkebunan Nusantara. Retrieved from <https://iccri.net/product/klon-iccri-09-sk-mentan-no-47-kpts-kb-020-2-2019/>
- Pusat Penelitian Kopi dan Kakao. (2019). Klon ICCRI09. Jember: PT Riset Perkebunan Nusantara. Retrieved from <https://iccri.net/product/klon-iccri-09-sk-mentan-no-47-kpts-kb-020-2-2019/>
- Rachman, E dan A. Hani. 2017. Potensi Diversitas Jenis Vegetas I Untuk Pengembangan Ekowisata Di Cagar Alam Situ Panjalu. *Jurnal Wasian*, 4(1): 01-10.
- Raguso R. (2008). Wake Up and Smell the Roses: The Ecology and Evolution of Floral Scent. *Annu Rev Ecol Evol* S 39:549–569.
- Ramos, J. C. H., C. B. Gómez y Gómez, C. T. Cruz and G. S. Hernandez. (2023). Diversidad entomológica asociada a la flor del cacao (*Theobroma cacao* L.) en el Soconusco, Chiapas, México. Thesis. Instituto De Ciencias Biológicas Universidad De Ciencias Y Artes De Chiapas.
- Rauf, S.S.; S.S. Narkhede; A.D. Rane & R.P. Gunaga. (2011). Seed and fruit variability in *Pongamia pinnata* (L.) Pierre from Konkan Region of Maharashtra. *Journal Biodiversity*, 2, 27–30.
- Salam, M., Shahzadi, A., Zheng, H., Alam, F., Nabi, G., Dezhi, S., Ullah, W., Ammara, S., Ali, N., & Bilal, M. (2022). Effect of different environmental conditions on the growth and development of Black Soldier Fly Larvae and its utilization in solid waste management and pollution mitigation. *Environmental Technology and Innovation*, 28. <https://doi.org/10.1016/j.eti.2022.102649>
- Saleem, M. S., Akbar, M. F., Javed, M. A., & Sultan, A. (2023). Neonicotinoid pesticide applications affect pollinator abundance and visitation, leading to implications for sunflower production (*Helianthus annuus* L.). *Cogent Food and Agriculture*, 9(1). <https://doi.org/10.1080/23311932.2023.2258773>
- Sánchez-Bayo, F. (2021). Indirect effect of pesticides on insects and other arthropods. In *Toxics* (Vol. 9, Issue 8). MDPI. <https://doi.org/10.3390/toxics9080177>
- Sanzol J, Rallo P, Mar H. (2023). Asynchronous development of stigmatic receptivity in the pear (*Pyrus Communis*; Rosaceae) flower. *American Journal of Botany*. 90(1):78-84.
- Saunders, M. E., Peisley, R. K., & Rader, R. (2022). Sustainable pest management in pollinator-dependent crops. *Agricultural Systems*, 198, 103402.
- Scarpelli, M. D. A., Roe, P., Tucker, D., & Fuller, S. (2023). Soundscape phenology: The effect of environmental and climatic factors on birds and insects in a subtropical woodland. *Science of the Total Environment*, 878. <https://doi.org/10.1016/j.scitotenv.2023.163080>
- Schiestl, F. P. (2010). The Evolution of Floral Scent and Insect Chemical Communication. *Ecol Lett* 13:643–656.

- Schroth, G., Laderach, " P., Martinez-Valle, A.I., Bunn, C., Jassogne, L., 2016. Vulnerability to climate change of cocoa in West Africa: patterns, opportunities and limits to adaptation. *Sci. Total Environ.* 556, 231–241.
- Shidqie, H. (2024). Kenali Klon Anjuran Tanaman Kakao di Indonesia. Bertani Academi. Retrieved from <https://academy.bertani.co/artikel/kenali-klon-anjuran-tanaman-kakao-di-indonesia>
- Siedentopp, U. 2009. El cacao, planta medicinal y de deleite. *Revista Internacional de Acupuntura.* 3(4): 197-200.
- Šipoš, J., & Kindlmann, P. (2013). Effect of the canopy complexity of trees on the rate of predation of insects. *Journal of Applied Entomology,* 137(6), 445–451. <https://doi.org/10.1111/jen.12015>
- Slavković, F., & Bendahmane, A. (2023). Floral Phytochemistry: Impact of Volatile Organic Compounds and Nectar Secondary Metabolites on Pollinator Behavior and Health. In *Chemistry and Biodiversity* (Vol. 20, Issue 4). John Wiley and Sons Inc. <https://doi.org/10.1002/cbdv.202201139>
- Soares, T. F., & Oliveira, M. B. P. P. (2022). Cocoa By-Products: Characterization of Bioactive Compounds and Beneficial Health Effects. In *Molecules* (Vol. 27, Issue 5). MDPI. <https://doi.org/10.3390/molecules27051625>
- Song, X., Ji, L., Liu, G., Zhang, X., Hou, X., Gao, S., & Wang, N. (2023). Patterns and Drivers of Aboveground Insect Diversity along Ecological Transect in Temperate Grazed Steppes of Eastern Eurasian. *Insects,* 14(2). <https://doi.org/10.3390/insects14020191>
- Southwick EE. Photosynthate allocation to floral nectar: A neglected energy investment. *Ecology.* 1984;65(6):1775-1779.
- Sparks, T. C., & Nauen, R. (2015). IRAC: Mode of action classification and insecticide resistance management. *Pesticide Biochemistry and Physiology,* 121, 122–128. <https://doi.org/10.1016/j.pestbp.2014.11.014>
- Sponsler, D. B., Grozinger, C. M., Hitaj, C., Rundlöf, M., Botías, C., Code, A., Lonsdorf, E. V., Melathopoulos, A. P., Smith, D. J., Suryanarayanan, S., Thogmartin, W. E., Williams, N. M., Zhang, M., & Douglas, M. R. (2019). Pesticides and pollinators: A socioecological synthesis. In *Science of the Total Environment* (Vol. 662, pp. 1012–1027). Elsevier B.V. <https://doi.org/10.1016/j.scitotenv.2019.01.016>
- Sponsler, D., Iverson, A., & Steffan-Dewenter, I. (2023). Pollinator competition and the structure of floral resources. In *Ecography* (Vol. 2023, Issue 9). John Wiley and Sons Inc. <https://doi.org/10.1111/ecog.06651>
- Suárez-Capello C., Moreira-Duque M. Y Vera-Barahona, J. 1994. Manual del cultivo de cacao. 2da edición. Instituto Nacional Agrónomo de Investigaciones Agropecuarias. Quevedo, Ecuador. Pp. 143.
- Subedi, B., Poudel, A., & Aryal, S. (2023). The impact of climate change on insect pest biology and ecology: Implications for pest management strategies, crop production, and food security. *Journal of Agriculture and Food Research,* 14. <https://doi.org/10.1016/j.jafr.2023.100733>
- Tabla, P.V. & C.F. Vargas. (2004). Phenology and phenotypic natural selection on the flowering time of a deceit pollinated tropical orchid, *Myrmecophila christinae*. *Annal of Botany,* 94, 243–250.
- Tassoni, S., Becker, D., Kasten, M. K., Morinière, J., & Grass, I. (2024). Insect conservation in agricultural landscapes needs both high crop heterogeneity and semi-natural habitats. *Global Ecology and Conservation,* 55. <https://doi.org/10.1016/j.gecco.2024.e03218>
- Tham-Agyekum, E. K., Ntem, S., Sarbah, E., Anno-Baah, K., Asiedu, P., Bakang, J. E. A., & Jones, E. O. (2023). Resilience against climate variability: The application of

- nature-based solutions by cocoa farmers in Ghana. *Environmental and Sustainability Indicators*, 20. <https://doi.org/10.1016/j.indic.2023.100310>
- Tilman, D., Reich, P. B. & Knops, J. M. H. (2006). Biodiversity and ecosystem stability in a decade-long grassland experiment. *Nature* 441, 629–632.
- Toledo-Hernández, M., Tscharntke, T., Tjoa, A., Anshary, A., Cyio, B., & Wanger, T. C. (2021). Landscape and farm-level management for conservation of potential pollinators in Indonesian cocoa agroforests. *Biological Conservation*, 257. <https://doi.org/10.1016/j.biocon.2021.109106>
- Toledo-Hernandez, M., T. Tscharntke and M. Rostas. (2019). Cocoa pollination as a potential yield driver under changing management and climate. Thesis. Te Faculty of Agricultural Sciences, Georg-August-University Göttingen, Germany.
- Toledo-Hernández, M., Wanger, T. C., & Tscharntke, T. (2017). Neglected pollinators: Can enhanced pollination services improve cocoa yields? A review. In *Agriculture, Ecosystems and Environment* (Vol. 247, pp. 137–148). Elsevier B.V. <https://doi.org/10.1016/j.agee.2017.05.021>
- Traylor, C. R., Ulyshen, M. D., Wallace, D., Loudermilk, E. L., Ross, C. W., Hawley, C., Atchison, R. A., Williams, J. L., & McHugh, J. V. (2022). Compositional attributes of invaded forests drive the diversity of insect functional groups. *Global Ecology and Conservation*, 35. <https://doi.org/10.1016/j.gecco.2022.e02092>
- Tscharntke, T., Clough, Y., Bhagwat, S. A., Buchori, D., Faust, H., Hertel, D., Hölscher, D., Juhrbandt, J., Kessler, M., Perfecto, I., Scherber, C., Schroth, G., Veldkamp, E., & Wanger, T. C. (2011). Multifunctional shade-tree management in tropical agroforestry landscapes - A review. In *Journal of Applied Ecology* (Vol. 48, Issue 3, pp. 619–629). <https://doi.org/10.1111/j.1365-2664.2010.01939.x>
- Tsvetkov, N., Samson-Robert, O., Sood, K., et al., 2017. Chronic exposure to neonicotinoids reduces honey bee health near corn crops. *Science* 356, 1395–1397.
- Tscharntke, T., Ocampo-Ariza, C., & Kämper, W. (2024). Pollinator, pollen, and cultivar identity drive crop quality. In *Trends in Plant Science*. Elsevier Ltd. <https://doi.org/10.1016/j.tplants.2024.10.004>
- Triplehorn, C.A., dan Johnson, N.F. 2005. *Borror and Belongs's Introdction to the Study of Insects : 7<sup>th</sup> edition*. United States of America : Thomson Brooks/ Cole.
- Tustiyani, I., Nurjanah, D. R., Maesyaroh, S. S., & Mutakin, J. (2019). Identifikasi keanekaragaman dan dominansi gulma pada lahan pertanaman jeruk (*Citrus* sp.). *Jurnal Kultivasi*, 18(1), 779-782. <https://doi.org/10.24198/kultivasi.v18i1.18933>
- Vandromme, M., Van de Sande, E., Pinceel, T., Vanhove, W., Trekels, H., & Vanschoenwinkel, B. (2023). Resolving the identity and breeding habitats of cryptic dipteran cacao flower visitors in a neotropical cacao agroforestry system. *Basic and Applied Ecology*, 68, 35–45. <https://doi.org/10.1016/j.baae.2023.03.002>
- Vanhove, W., Yao, R. K., N'Zi, J. C., N'Guessan Toussaint, L. A., Kaminski, A., Smagghe, G., & Van Damme, P. (2020). Impact of insecticide and pollinator-enhancing substrate applications on cocoa (*Theobroma cacao*) cherelle and pod production in Côte d'Ivoire. *Agriculture, Ecosystems and Environment*, 293. <https://doi.org/10.1016/j.agee.2020.106855>
- Vansyngel, J., Ocampo-Ariza, C., Maas, B., Martin, E. A., Thomas, E., Hanf-Dressler, T., Schumacher, N. C., Ulloque-Samatelo, C., Tscharntke, T., & Steffan-Dewenter, I. (2022). Cacao flower visitation: Low pollen deposition, low fruit set and dominance of herbivores. *Ecological Solutions and Evidence*, 3(2). <https://doi.org/10.1002/2688-8319.12140>
- Vansyngel, J., Ocampo-Ariza, C., Maas, B., Martin, E. A., Thomas, E., Hanf-Dressler, T., Schumacher, N. C., Ulloque-Samatelo, C., Yovera, F. F., Tscharntke, T., & Steffan-Dewenter, I. (2022). Quantifying services and disservices provided by insects and vertebrates in cacao agroforestry landscapes. *Proceedings of the*

- Royal Society B: Biological Sciences, 289(1982).  
<https://doi.org/10.1098/rspb.2022.1309>
- Veen, G. F., Vermaat, A. T., Sitters, J., & Bakker, E. S. (2024). Vertebrate grazing can mitigate impacts of nutrient addition on plant diversity and insect abundance in a semi-natural grassland. *Oikos*, 2024(9). <https://doi.org/10.1111/oik.10422>
- Vinci, G., Ruggeri, M., Gobbi, L., & Savastano, M. (2024). Social Life Cycle Assessment of Cocoa Production: Evidence from Ivory Coast and Ghana. *Resources*, 13(10), 141. <https://doi.org/10.3390/resources13100141>
- Wagg, C., Roscher, C., Weigelt, A., Vogel, A., Ebeling, A., de Luca, E., Roeder, A., Kleinspehn, C., Temperton, V. M., Meyer, S. T., Scherer-Lorenzen, M., Buchmann, N., Fischer, M., Weisser, W. W., Eisenhauer, N., & Schmid, B. (2022). Biodiversity–stability relationships strengthen over time in a long-term grassland experiment. *Nature Communications*, 13(1). <https://doi.org/10.1038/s41467-022-35189-2>
- Wietzke, A., Westphal, C., Gras, P., et al., (2018). Insect pollination as a key factor for strawberry physiology and marketable fruit quality. *Agric. Ecosyst. Environ.* 258, 197e204. <https://doi.org/10.1016/j.agee.2018.01.036>.
- Wijayanto, M. A., Windriyanti, W., Rahmadhini, N., Agroteknologi, J., Pertanian, F., Pembangunan, U., Veteran, N. ", & Timur, J. (2022). Biodiversitas Arthropoda Permukaan Dan Dalam Tanah Pada Kawasan Agroforestri Di Kecamatan Wonosalam Jombang Jawa Timur Biodiversity Of Surface And Soil Arthropods In Agroforestric Area In Wonosalam District Jombang East Java. *Jurnal Pertanian Agros*, 24(2).
- Wilson, H., Wong, J. S., Thorp, R. W., Miles, A. F., Daane, K. M., & Altieri, M. A. (2018). Summer Flowering Cover Crops Support Wild Bees in Vineyards. *Environmental Entomology*, 47(1), 63–69. <https://doi.org/10.1093/ee/nvx197>
- Winder JA. Field observations on Ceratopogonidae and other Diptera: Nematocera associated with cocoa flowers in Brazil. *Bulletin of Entomological Research*. 1977; 67(1):57-63.
- Windriyanti, W., Rahmadhini, N., Fernando, I., & Kusuma, R. M. (2023). Arthropods discovered on refugio flowering plants in Mangifera indica plantation. *Biodiversitas*, 24(9), 4747–4754. <https://doi.org/10.13057/biodiv/d240915>
- Wolcott, K. A., Stanley, E. L., Gutierrez, O. A., Wuchty, S., & Whitlock, B. A. (2023). 3D pollination biology using micro-computed tomography and geometric morphometrics in *Theobroma cacao*. *Applications in Plant Sciences*, 11(5). <https://doi.org/10.1002/aps3.11549>
- Wood, T. J., & Goulson, D. (2017). The environmental risks of neonicotinoid pesticides: a review of the evidence post 2013. *Environmental Science and Pollution Research*, 24(21), 17285–17325. <https://doi.org/10.1007/s11356-017-9240-x>
- Wood G.A.R., Lass, R.A., 2008. Cocoa. United Kingdom: John Wiley & Sons.
- Wood, G. A. R and Lass R. 1985. Cocoa. 4th Ed. Oxford, United Kingdom: John Wiley & Sons.
- Woodcock, B. A., Garratt, M. P. D., Powney, G. D., Shaw, R. F., Osborne, J. L., Soroka, J., Lindström, S. A. M., Stanley, D., Ouvrard, P., Edwards, M. E., Jauker, F., McCracken, M. E., Zou, Y., Potts, S. G., Rundlöf, M., Noriega, J. A., Greenop, A., Smith, H. G., Bommarco, R., ... Pywell, R. F. (2019). Meta-analysis reveals that pollinator functional diversity and abundance enhance crop pollination and yield. *Nature Communications*, 10(1). <https://doi.org/10.1038/s41467-019-09393-6>
- Wratten, S. D., Gillespie, M., Decourtey, A., Mader, E., & Desneux, N. (2012). Pollinator habitat enhancement: Benefits to other ecosystem services. In *Agriculture, Ecosystems and Environment* (Vol. 159, pp. 112–122). <https://doi.org/10.1016/j.agee.2012.06.020>

- Young, A. M., Schaller, M., & Strand, M. (1984). Floral Nectaries and Trichomes in Relation to Pollination in Some Species of. In *Source: American Journal of Botany*. 71(4), 466-480. <http://www.jstor.org/stable/2443322>
- Young, A. M. (1986). Habitat Differences in Cocoa Tree Flowering, Fruit-Set, and Pollinator Availability in Costa. In *Source: Journal of Tropical Ecology*. 2(2), 163-186. <http://www.jstor.org/stable/2559254>
- Young, A. M. and Serveron, D. W. (1994). Comparative Analysis of Steam Distilled Floral Oils of Cacao Cultivars (*Theobroma Cacao L.*, Sterculiaceae) and Attraction of Flying Insects: Implications for A *Theobroma* Pollination Syndrome. In *Journal of Chemical Ecology*. 20(10). <https://doi.org/10.1007/BF02036201>
- Zakariyya, F., Sulistyowati, E., & Rahayu, D. S. (2016). Abundance of pollinator insect (Forcipomyia spp.) of cocoa under some shade trees. *Edition Pelita Perkebunan*, 32(2), 91–100. <https://doi.org/10.22302/iccri.jur.pelitaperkebunan.v32i2.230>
- Zhang, S., Lei, J., Tong, Y., Zhang, X., Lu, D., Fan, L., & Duan, Z. (2023). Temporal and spatial responses of ecological resilience to climate change and human activities in the economic belt on the northern slope of the Tianshan Mountains, China. *Journal of Arid Land*, 15(10), 1245–1268. <https://doi.org/10.1007/s40333-023-0070-z>