

DAFTAR PUSTAKA

- [1] H. Savigny, "Public Opinion, Political Communication and the Internet," *Politics*, vol. 22, no. 1, pp. 1–8, Feb. 2002, doi: 10.1111/1467-9256.00152.
- [2] Maryville University, "What Is Digital Media? All You Need to Know About This Booming Industry." [Online]. Available: <https://online.maryville.edu/blog/what-is-digital-media/>
- [3] We Are Social, "Digital 2024: 5 Billion Social Media Users." [Online]. Available: <https://wearesocial.com/id/blog/2024/01/digital-2024-5-billion-social-media-users/>
- [4] K. Arifin and S. I. Al-Idrus, "Klasifikasi Emosi Pengguna Twitter Terhadap Bakal Calon Presiden Pada Pemilu 2024 Menggunakan Algoritma Naïve Bayes," *Jurnal SAINTIKOM (Jurnal Sains Manajemen Informatika dan Komputer)*, vol. 23, no. 1, p. 37, Feb. 2024, doi: 10.53513/jis.v23i1.9558.
- [5] P. Ekman, *An argument for basic emotions*, vol. 6, no. 3–4. 1992. doi: 10.1080/02699939208411068.
- [6] M. U. Asad, N. Afroz, L. Dey, R. P. D. Nath, and M. A. Azim, "Introducing active learning on text to emotion analyzer," *2014 17th International Conference on Computer and Information Technology, ICCIT 2014*, pp. 35–40, 2014, doi: 10.1109/ICCITechn.2014.7073079.
- [7] M. Khosla, "Understanding Others Emotions," *Research Journal of Social*, vol. 22511571, no. 22511571, pp. 69–74, 2019.
- [8] Dicoding Intern, "Apa Itu Machine Learning? Beserta Pengertian Dan Cara Kerjanya," Dicoding.Com. [Online]. Available: <https://www.dicoding.com/blog/machine-learning-adalah/>
- [9] P. Zhang and Y. Fang, "Research on Text Classification Algorithm Based on Machine Learning," *J Phys Conf Ser*, vol. 1624, no. 4, 2020, doi: 10.1088/1742-6596/1624/4/042010.

- [10] M. S. A. Rifky, A. A. Arifiyanti, and R. Permatasari, “Analisis Sentimen Pengguna Youtube Mengenai Analog Switch Off Menggunakan Word Embedding Dan Metode Long Short-Term,” *Jurnal Teknik Mesin, Industri, Elektro Dan Informatika (JTMEI)*, vol. 2, no. 3, pp. 195–202, 2023, [Online]. Available: <https://doi.org/10.55606/jtmei.v2i3.2273>
- [11] J. H. Wang, T. W. Liu, X. Luo, and L. Wang, “An LSTM approach to short text sentiment classification with word embeddings,” *Proceedings of the 30th Conference on Computational Linguistics and Speech Processing, ROCLING 2018*, pp. 214–223, 2018.
- [12] D. E. Cahyani and I. Patasik, “Performance comparison of tf-idf and word2vec models for emotion text classification,” *Bulletin of Electrical Engineering and Informatics*, vol. 10, no. 5, pp. 2780–2788, 2021, doi: 10.11591/eei.v10i5.3157.
- [13] B. M. Ajose-Ismail, O. V. Abimbola, and S. A. Oluruntuba, “Performance Analysis of Different Word Embedding Models for Text Classification,” *International Journal of Scientific Research and Engineering Development-*, vol. 3, no. 6, pp. 1016–1020, 2020, doi: 10.13140/RG.2.2.25322.44482.
- [14] A. Nurdin, B. Anggo Seno Aji, A. Bustamin, and Z. Abidin, “Perbandingan Kinerja Word Embedding Word2Vec, Glove, Dan Fasttext Pada Klasifikasi Teks,” *Jurnal Tekno Kompak*, vol. 14, no. 2, p. 74, 2020, doi: 10.33365/jtk.v14i2.732.
- [15] Z. Liu, X. Lv, K. Liu, and S. Shi, “Study on SVM Compared with the other Text Classification Methods,” in *2010 Second International Workshop on Education Technology and Computer Science*, IEEE, 2010, pp. 219–222. doi: 10.1109/ETCS.2010.248.
- [16] B. Xu, X. Guo, Y. Ye, and J. Cheng, “An Improved Random Forest Classifier for Text Categorization,” *J Comput (Taipei)*, vol. 7, no. 12, Dec. 2012, doi: 10.4304/jcp.7.12.2913-2920.
- [17] Siti Khomsah, Rima Dias Ramadhani, and Sena Wijaya, “The Accuracy Comparison Between Word2Vec and FastText On

- Sentiment Analysis of Hotel Reviews,” *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 6, no. 3, pp. 352–358, Jun. 2022, doi: 10.29207/resti.v6i3.3711.
- [18] M. Bilgin and H. Köktaş, “Sentiment analysis with term weighting and word vectors,” *International Arab Journal of Information Technology*, vol. 16, no. 5, pp. 953–959, 2019.
- [19] G. Michael, “Apa Itu API (Antarmuka Pemrograman Aplikasi)?,” IBM. Accessed: Jun. 16, 2024. [Online]. Available: <https://www.ibm.com/id-id/topics/api>
- [20] Google for Developers, “API Reference,” YouTube Data API. Accessed: Jun. 16, 2024. [Online]. Available: <https://developers.google.com/youtube/v3/docs?hl=id>
- [21] A. Kao and S. R. Poteet, *Natural language processing and text mining*. Springer London, 2007. doi: 10.1007/978-1-84628-754-1/COVER.
- [22] C. C. Aggarwal, “Data Classification,” in *Data Mining*, Cham: Springer International Publishing, 2015, pp. 285–344. doi: 10.1007/978-3-319-14142-8_10.
- [23] M. Karim and R. M. Rahman, “Decision Tree and Naïve Bayes Algorithm for Classification and Generation of Actionable Knowledge for Direct Marketing,” *Journal of Software Engineering and Applications*, vol. 06, no. 04, pp. 196–206, 2013, doi: 10.4236/jsea.2013.64025.
- [24] J. A. Russell, “Core affect and the psychological construction of emotion,” *Psychol Rev*, vol. 110, no. 1, pp. 145–172, 2003, doi: 10.1037/0033-295X.110.1.145.
- [25] P. Ekman, “Basic emotions,” in *Handbook of Cognition and Emotion*, T. Dalgleish and M. Power, Eds., Wiley, 1999.
- [26] T. Dalgleish and M. Power, *Handbook of Cognition and Emotion*. Wiley, 1999.
- [27] J. Brownlee, “Deep Learning for Natural Language Processing: Develop Deep Learning Models for Natural Language in Python,” *Machine Learning Mastery*, p. 414, 2017, [Online]. Available:

- http://web.stanford.edu/class/cs224n/readings/cs224n-2019-notes06-NMT_seq2seq_attention.pdf
- [28] Z. Zhou, X. Zhang, and M. Sanderson, “Sentiment analysis on twitter through topic-based lexicon expansion,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 8506 LNCS, pp. 98–109, 2014, doi: 10.1007/978-3-319-08608-8_9.
 - [29] V. N. Patodkar and S. I.R., “Twitter as a corpus for sentiment analysis and opinion mining,” *Proceedings of the 7th International Conference on Language Resources and Evaluation, LREC 2010*, vol. 5, no. 12, pp. 1320–1326, 2016, doi: 10.17148/ijarce.2016.51274.
 - [30] T. Mikolov, I. Sutskever, K. Chen, G. Corrado, and J. Dean, “Distributed representations of words and phrases and their compositionality,” *Adv Neural Inf Process Syst*, pp. 1–9, 2013.
 - [31] X. Rong, “word2vec Parameter Learning Explained,” pp. 1–21, 2014, [Online]. Available: <http://arxiv.org/abs/1411.2738>
 - [32] D. Zhang, H. Xu, Z. Su, and Y. Xu, “Chinese comments sentiment classification based on word2vec and SVMperf,” *Expert Syst Appl*, vol. 42, no. 4, pp. 1857–1863, Mar. 2015, doi: 10.1016/j.eswa.2014.09.011.
 - [33] G. SahIn, “Turkish document classification based on Word2Vec and SVM classifier,” in *2017 25th Signal Processing and Communications Applications Conference (SIU)*, IEEE, May 2017, pp. 1–4. doi: 10.1109/SIU.2017.7960552.
 - [34] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov, “Enriching Word Vectors with Subword Information,” *Trans Assoc Comput Linguist*, vol. 5, pp. 135–146, Dec. 2017, doi: 10.1162/tacl_a_00051.
 - [35] A. Amalia, O. S. Sitompul, E. B. Nababan, and T. Mantoro, “An Efficient Text Classification Using fastText for Bahasa Indonesia Documents Classification,” in *2020 International Conference on Data Science, Artificial Intelligence, and Business Analytics (DATABIA)*,

- IEEE, Jul. 2020, pp. 69–75. doi: 10.1109/DATABIA50434.2020.9190447.
- [36] H. Shin and S. Cho, “Response modeling with support vector machines,” *Expert Syst Appl*, vol. 30, no. 4, pp. 746–760, May 2006, doi: 10.1016/j.eswa.2005.07.037.
- [37] F. Rachman and S. W. Purnami, “Perbandingan Klasifikasi Tingkat Keganasan Breast Cancer Dengan Menggunakan Regresi Logistik Ordinal Dan Support Vector Machine (SVM),” *JURNAL SAINS DAN SENI ITS*, vol. 1, 2012.
- [38] T. Evgeniou and M. Pontil, “Support Vector Machines: Theory and Applications,” in *Advanced course on artificial intelligence*, 2001, pp. 249–257. doi: 10.1007/3-540-44673-7_12.
- [39] F. Pedregosa *et al.*, “Scikit-learn: Machine Learning in Python,” *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011, Accessed: Jun. 17, 2024. [Online]. Available: <https://scikit-learn.org/>
- [40] L. Breiman, *Random Forests*. 2001. doi: 10.1007/978-3-030-62008-0_35.
- [41] R. Yoga, N. Agung, and H. Wahyu, “Klasifikasi Analisis Perbandingan Algoritma Optimasi pada Random Forest untuk Klasifikasi Data Bank Marketing,” *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 1, pp. 187–192, Feb. 2021, doi: 10.29207/resti.v5i1.2813.
- [42] K. Nugroho *et al.*, “Improving Random Forest Method to Detect Hatespeech and Offensive Word,” in *2019 International Conference on Information and Communications Technology (ICOIACT)*, IEEE, Jul. 2019, pp. 514–518. doi: 10.1109/ICOIACT46704.2019.8938451.
- [43] P.-N. Tan, M. Steinbach, and V. Kumar, *Introduction to Data Mining*. 2006. doi: 10.1016/b978-155558242-5/50003-6.
- [44] T. R. Nichols, P. M. Wisner, G. Cripe, and L. Gulabchand, “Putting the Kappa Statistic to Use,” *The Quality Assurance Journal*, vol. 13, no. 3–4, pp. 57–61, Jul. 2010, doi: 10.1002/qaj.481.

- [45] F. Andy P, *Discovering statistics using IBM SPSS*. London: SAGE Publication, 2013.
- [46] H. W. Goh, U. Tkachenko, and J. Mueller, “CROWDLAB: Supervised learning to infer consensus labels and quality scores for data with multiple annotators,” Oct. 2022.
- [47] M. Zed, “Metode Penelitian Kepustakaan - Mestika Zed - Google Buku,” *Yayasan Pustaka Obor Indonesia*, 2014.
- [48] M. Jieli, “Fine-tuned DistilRoBERTa-base for Emotion Classification,”
https://huggingface.co/michellejieli/emotion_text_classifier.
- [49] J. M. Pérez *et al.*, “pysentimiento: A Python Toolkit for Opinion Mining and Social NLP tasks,” Jun. 2021.
- [50] D. F. Vamossy and R. P. Skog, “EmTract: Extracting emotions from social media,” *International Review of Financial Analysis*, vol. 97, p. 103769, Jan. 2025, doi: 10.1016/j.irfa.2024.103769.
- [51] J. Hartman, “Emotion English DistilRoBERTa-base,”
<https://huggingface.co/j-hartmann/emotion-english-distilroberta-base>.
- [52] OpenAI, “GPT-3.5 Model Overview,” OpenAI API.