

DAFTAR PUSTAKA

- AOAC. (1999). *Official Methods of Analysis of the Association of Official Analytical Chemist*. Association of Official Analytical Chemist.
- ASTM. (1981). *Guidelines for the Selection and Training of Sensory Panel Members: 2nd Edition* (L. C. Beck dan T. Tamminen, Eds.). ASTM International. <https://doi.org/10.1520/MNL90-2ND-EB>
- Bergman, C. J. (2018). Rice end-use quality analysis. In *Rice: Chemistry and Technology* (pp. 273–337). Elsevier. <https://doi.org/10.1016/B978-0-12-811508-4.00009-5>
- Bourne, M. (2002). *Food texture and viscosity: Concept and measurement* (2nd ed). Academic Press.
- Bourne, M. C., Sandoval, M. R., Villalobos, M., dan Buckle, T. S. (1975). *TRAINING A SENSORY TEXTURE PROFILE PANEL AND DEVELOPMENT OF STANDARD RATING SCALES IN COLOMBIA*.
- Bourneow, C., dan Toontam, N. (2019). Microbiological quality and some bioactive compounds in relation to sensory profiles during germination of brown-purple pigmented rice. *International Food Research Journal*, 26(3), 1011–1021.
- Champagne, E. T. . (2004). *Rice Chemistry and technology* (3th edition). American Association of Cereal Chemist, Inc.
- Chao, S., Mitchell, J., Prakash, S., Bhandari, B., dan Fukai, S. (2022). Effects of variety, early harvest, and germination on pasting properties and cooked grain texture of brown rice. *Journal of Texture Studies*, 53(4), 503–516. <https://doi.org/10.1111/jtxs.12676>
- Chen, H. H., Chang, H. C., Chen, Y. K., Hung, C. L., Lin, S. Y., dan Chen, Y. S. (2016). An improved process for high nutrition of germinated brown rice production: Low-pressure plasma. *Food Chemistry*, 191, 120–127. <https://doi.org/10.1016/j.foodchem.2015.01.083>
- Chen, J. (2007). Surface texture of foods: perception and characterization. *CRC Crit. Rev. Food Sci. Nutr.*, 47, 583–598.
- Chen, J., dan Stokes, J. R. (2012). Rheology and tribology: Two distinctive regimes of food texture sensation. *Trends Food Sci. Tech*, 25, 4–12.
- Cho, D. H., dan Lim, S. T. (2016). Germinated brown rice and its bio-functional compounds. In *Food Chemistry* (Vol. 196, pp. 259–271). Elsevier Ltd. <https://doi.org/10.1016/j.foodchem.2015.09.025>
- Cornejo, F., dan Rosell, C. M. (2015). Influence of germination time of brown rice in relation to flour and gluten free bread quality. *Journal of Food Science and Technology*, 52(10), 6591–6598. <https://doi.org/10.1007/s13197-015-1720-8>
- Dirjen Tanaman Pangan. (2022). *MENGENAL BERAS FUNGSIONAL*. Kementerian Pertanian.
- Donkor, O. N., Stojanovska, L., Ginn, P., Ashton, J., dan Vasiljevic, T. (2012). Germinated grains - Sources of bioactive compounds. *Food Chemistry*, 135(3), 950–959. <https://doi.org/10.1016/j.foodchem.2012.05.058>

- Dwiatmini, K., dan Afza, H. (2018). Antosianin Varietas Lokal Padi Warna Sebagai SDG Pangan Fungsional. *Buletin Plasma Nutfah*, 24(2), 125–134.
- Dwitama, F. S. (2018). *Profiling Karakteristik Sensoris Kopi Hijau Dampit [Skripsi]*. Universitas Brawijaya.
- Guzmán-Ortiz, F. A., Castro-Rosas, J., Gómez-Aldapa, C. A., Mora-Escobedo, R., Rojas-León, A., Rodríguez-Marín, M. L., Falfán-Cortés, R. N., dan Román-Gutiérrez, A. D. (2019). Enzyme activity during germination of different cereals: A review. In *Food Reviews International* (Vol. 35, Issue 3, pp. 177–200). Taylor and Francis Inc. <https://doi.org/10.1080/87559129.2018.1514623>
- Haq, F., Yu, H., Wang, L., Teng, L., Haroon, M., Khan, R. U., Mehmood, S., Bilal-Ul-Amin, Ullah, R. S., Khan, A., dan Nazir, A. (2019). Advances in chemical modifications of starches and their applications. *Carbohydrate Research*, 476, 12–35. <https://doi.org/10.1016/j.carres.2019.02.007>
- Hasan, B. M. S., dan Abdulazeez, A. M. (2021). A Review of Principal Component Analysis Algorithm for Dimensionality Reduction. *Journal of Soft Computing and Data Mining*, 2(1), 20–30. <https://doi.org/10.30880/jscdm.2021.02.01.003>
- Hayakawa, F., Kazami, Y., Nishinari, K., Ioku, K., Akuzawa, S., Yamano, Y., Baba, Y., dan Kohyama, K. (2013). Classification of Japanese texture terms. *J. Texture Study*, 44, 140–159.
- Ho, J. N. , Son, M. E., Lim, W. C., Lim, S. T., dan Cho, H. Y. (2012). Anti-obesity effects of germinated brown rice extract through down-regulation of lipogenic genes in high fat diet-induced obese mice. *Biosci. Biotechnol. Biochem.*, 76(6), 1068–1074.
- Honma, I., Ito, A., Ueda, R., Hayakawa, F., dan Maruyama, K. (2019). Sensory characterization of cooked brown rice using quantitative descriptive analysis (QDA ®). *Nippon Shokuhin Kagaku Kogaku Kaishi*, 66(2), 33–40. <https://doi.org/10.3136/nskkk.66.33>
- Hough, G., Contarini, A. dan Muñoz, A.M. (1994) Training a texture profile panel and constructing standard rating scales in Argentina. *Journal of Texture Studies*, 25, 45–57.
- Ilowefah, M., Bakar, J., Ghazali, H. M., Mediani, A., dan Muhammad, K. (2015). Physicochemical and functional properties of yeast fermented brown rice flour. *Journal of Food Science and Technology*, 52(9), 5534–5545. <https://doi.org/10.1007/s13197-014-1661-7>
- Indrasari, S. D., Wibowo, P., dan Purwani. (2010). Evaluasi mutu fisik, mutu giling, dan kandungan antosianin kultivar beras merah. *Jurnal Penelitian Pertanian Tanaman Pangan*, 29(1), 56–62.
- Jiamyangyuen, S., Oraikul, B., dan Rastilantie, M.-. (2005). The physico-chemical, eating and sensorial properties of germinated brown rice WFL Publisher Science and Technology. In *Journal of Food, Agriculture dan Environment* (Vol. 6, Issue 2). www.world-food.net
- Kaeworn, K., Phanomsophon, T., Maichoon, P., Pokhrel, D. R., Pornchaloempong, P., Krusong, W., Sirisomboon, P., Tanaka, M., dan Kojima, T. (2023). Modeling Textural Properties of Cooked Germinated Brown Rice

- Using the near-Infrared Spectra of Whole Grain. *Foods*, 12(24). <https://doi.org/10.3390/foods12244516>
- Kementrian Kesehatan RI. (2018). *Tabel Komposisi Pangan Indonesia 2017*. Kementrian Kesehatan RI Direktorat Jenderal Kesehatan Masyarakat.
- Kim, T. H., Kim, E. K., Lee, M. S., Lee, H. K., Hwang, W. S., Choe, S. J., Kim, T. Y., Han, S. J., Kim, H. J., Kim, D. J., dan Lee, K. W. (2011a). Intake of brown rice lees reduces waist circumference and improves metabolic parameters in type 2 diabetes. *Nutrition Research*, 31(2), 131–138. <https://doi.org/10.1016/j.nutres.2011.01.010>
- Kim, T. H., Kim, E. K., Lee, M. S., Lee, H. K., Hwang, W. S., Choe, S. J., Kim, T. Y., Han, S. J., Kim, H. J., Kim, D. J., dan Lee, K. W. (2011b). Intake of brown rice lees reduces waist circumference and improves metabolic parameters in type 2 diabetes. *Nutrition Research*, 31(2), 131–138. <https://doi.org/10.1016/j.nutres.2011.01.010>
- Li, H., Prakash, S., Nicholson, T. M., Fitzgerald, M. A., dan Gilbert, R. G. (2016). Instrumental measurement of cooked rice texture by dynamic rheological testing and its relation to the fine structure of rice starch. *Carbohydrate Polymers*, 146, 253–263. <https://doi.org/10.1016/j.carbpol.2016.03.045>
- Lillford, P. (2018). Texture and breakdown in the mouth: An industrial research approach. In *Journal of Texture Studies* (Vol. 49, Issue 2, pp. 213–218). Blackwell Publishing Ltd. <https://doi.org/10.1111/jtxs.12279>
- Liu, J., Wang, Q., Karagić, Đ., Liu, X., Cui, J., Gui, J., Gu, M., dan Gao, W. (2016). Effects of ultrasonication on increased germination and improved seedling growth of aged grass seeds of tall fescue and Russian wildrye. *Scientific Reports*, 6(1), 22403. <https://doi.org/10.1038/srep22403>
- Liu, T., Zhou, Y., Wu, D., Chen, Q., dan Shu, X. (2022). Germinated high-resistant starch rice: A potential novel functional food. *Int. J. Food Sci. Technol.*, 57, 5439–5449.
- Ma, Z., Zhai, X., Zhang, N., dan Tan, B. (2023). Effects of Germination, Fermentation and Extrusion on the Nutritional, Cooking and Sensory Properties of Brown Rice Products: A Comparative Study. *Foods*, 12(7), 1542. <https://doi.org/10.3390/foods12071542>
- Moongngarm, A. (2010). Influence of germination conditions on starch, physicochemical properties, and microscopic structure of rice flour. *International Conference on Biology, Environment and Chemistry*, 78–82.
- Nasution, M. Z. (2019). Penerapan Principal Component Analysis (PCA) dalam Penentuan Faktor Dominan yang Mempengaruhi Prestasi Belajar Siswa (Studi Kasus: SMK Raksana 2 Medan). *Jurnal Teknologi Informasi*, 3(1), 41–48.
- Nuruningsih, S., dan Palupi, R. E. A. (2021). Peningkatan Kompetensi Guru dalam Penyusunan Rencana Pelaksanaan Pembelajaran (RPP) dengan Metode Focus Group Discussion pada Kegiatan In House Training (IHT) bagi Guru di SDN Pondok 03. *Jurnal Dimensi Pendidikan Dan Pembelajaran*, 9(1), 51–57.
- Ohtsubo, K., Suzuki, K., Yasui, Y., dan Kasumi, T. (2005). Bio-functional components in the processed pre-germinated brown rice by a twin-screw

- extruder. *Journal of Food Composition and Analysis*, 18(4), 303–316. <https://doi.org/10.1016/j.jfca.2004.10.003>
- Pająk, P., Socha, R., Gałkowska, D., Rożnowski, J., dan Fortuna, T. (2014). Phenolic profile and antioxidant activity in selected seeds and sprouts. *Food Chemistry*, 143, 300–306. <https://doi.org/10.1016/j.foodchem.2013.07.064>
- Palmiano, E. P., dan Juliano, B. O. (1972). Biochemical Changes in the Rice Grain during Germination¹. In *Plant Physiol* (Vol. 49).
- Patil, S. B., dan Khan, M. K. (2011). Germinated brown rice as a value added rice product: A review. In *Journal of Food Science and Technology* (Vol. 48, Issue 6, pp. 661–667). <https://doi.org/10.1007/s13197-011-0232-4>
- Paula, A. M., dan Conti-Silva, A. C. (2014). Texture profile and correlation between sensory and instrumental analyses on extruded snacks. *Journal of Food Engineering*, 121(1), 9–14. <https://doi.org/10.1016/j.jfoodeng.2013.08.007>
- Pinkaew, H., Wang, Y.-J., dan Naivikul, O. (2017). Impact of pre-germination on amylopectin molecular structures, crystallinity, and thermal properties of pre-germinated brown rice starches. *Journal of Cereal Science*, 73, 151–157. <https://doi.org/10.1016/j.jcs.2016.12.013>
- Schober, P., dan Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Setyaningsih, D., Apriyantono, A., dan Sari, M. P. (2010). *Analisis Sensori Untuk Industri Pangan dan Agro*. IPB Press.
- Sirisomboon, P., Kaeworn, K., Thanimkarn, S., dan Phetpan, K. (2017). Non-linear viscoelastic behavior of cooked white, brown, and germinated brown Thai jasmine rice by large deformation relaxation test. *Int. J. Food Prop*, 20, 1547–1557.
- Sun, Q., Spiegelman, R. M., van Dam, M. D., Holmes, V. S., Malik, W. C., Willett, dan Hu, F. B. (2010). White rice, brown rice, and risk of type 2 diabetes in US men and women. *Arch. Int. Med*, 170(11), 961–969.
- Susiwi, S. (2009). *Penilaian Organoleptik*. Universitas Pendidikan Indonesia.
- Szczesniak, A. S. (2002). Texture is a sensory property. *Food Qual. Prefer.*, 13, 215–225.
- Tao, K., Yu, W., Prakash, S., dan Gilbert, R. G. (2019). High-amylose rice: Starch molecular structural features controlling cooked rice texture and preference. *Carbohydrate Polymers*, 219, 251–260. <https://doi.org/10.1016/j.carbpol.2019.05.031>
- Tao, K., Yu, W., Prakash, S., dan Gilbert, R. G. (2020a). Investigating cooked rice textural properties by instrumental measurements. *Food Science and Human Wellness*, 9(2), 130–135. <https://doi.org/10.1016/j.fshw.2020.02.001>
- Tao, K., Yu, W., Prakash, S., dan Gilbert, R. G. (2020b). Investigating cooked rice textural properties by instrumental measurements. *Food Science and Human Wellness*, 9(2), 130–135. <https://doi.org/10.1016/j.fshw.2020.02.001>

- Tjiptoputri, O. M. (2017). *Evaluasi Profil Sensori Sediaan Pemanis dengan Metode Rate-All-That-Applied (RATA) [Skripsi]*. Institut Pertanian Bogor.
- Van, der B. (2002). Human oral function: a review. *Braz. J. Oral Sci*, 1(1), 7–18.
- Watanabe, M., Maeda, T., Tsukahara, K., Kayahara, H., dan Morita, N. (2004). An application of pre-germinated brown rice for bread-making. *Cereal Chem*, 81, 450–455.
- Wee, M. S. M., Goh, A. T., Stieger, M., dan Forde, C. G. (2018). Correlation of instrumental texture properties from textural profile analysis (TPA) with eating behaviours and macronutrient composition for a wide range of solid foods. *Food and Function*, 9(10), 5301–5312. <https://doi.org/10.1039/c8fo00791h>
- Wenas, D. M. (2021). Kajian Potensi Ekstrak Beras Merah dan Aplikasinya dalam Perawatan Kulit. *Saintech Farma*, 14(2).
- Widjaja, R., Craske, J. D., dan Wootton, M. (1996). Comparative studies on volatile components of non-fragrant and fragrant rices. *J Sci Food Agric*, 70(2), 151–161.
- Wu, F., Chen, H., Yang, N., Wang, J., Duan, X., Jin, Z., dan Xu, X. (2013a). Effect of germination time on physicochemical properties of brown rice flour and starch from different rice cultivars. *Journal of Cereal Science*, 58(2), 263–271. <https://doi.org/10.1016/j.jcs.2013.06.008>
- Wu, F., Chen, H., Yang, N., Wang, J., Duan, X., Jin, Z., dan Xu, X. (2013b). Effect of germination time on physicochemical properties of brown rice flour and starch from different rice cultivars. *Journal of Cereal Science*, 58(2), 263–271. <https://doi.org/10.1016/j.jcs.2013.06.008>
- Wu, F., Yang, N., Chen, H., Jin, Z., dan Xu, X. (2011a). Effect of germination on flavor volatiles of cooked brown rice. *Cereal Chemistry*, 88(5), 497–503. <https://doi.org/10.1094/CCHEM-04-11-0057>
- Wu, F., Yang, N., Chen, H., Jin, Z., dan Xu, X. (2011b). Effect of germination on flavor volatiles of cooked brown rice. *Cereal Chemistry*, 88(5), 497–503. <https://doi.org/10.1094/CCHEM-04-11-0057>
- Xu, J., Zhang, H., Guo, X., dan Qian, H. (2012). The impact of germination on the characteristics of brown rice flour and starch. *Journal of the Science of Food and Agriculture*, 92(2), 380–387. <https://doi.org/10.1002/jsfa.4588>
- Zahra, N., dan Jabeen, S. (2020). Brown Rice as Useful Nutritional Source. In *Pakistan Journal of Agricultural Research* (Vol. 33, Issue 3, pp. 445–453). ResearchersLinks Ltd. <https://doi.org/10.17582/journal.pjar/2020/33.3.445.453>