

DAFTAR PUSTAKA

- Abie, N., & Mauldy, M. E. (2018). Visualisation Study of Effect of Impeller Towards Fluid Flow in Bioethanol Fermentor.
- Alfirdaus, N. B. (2023). Analisis kinetika degradasi TSS dan kekeruhan menggunakan koagulan Carica pepaya pada pengolahan air limbah laundry.
- Amanto, B. S., Ishartani, D., & Nurulaini, A. (2016). Kinetika Degradasi L-Asam Askorbat pada Proses Pasteurisasi Puree Jambu Biji (*Psidium guajava*) Varietas Getas Merah. Program Studi Ilmu dan Teknologi Pangan, Fakultas Pertanian, Universitas Sebelas Maret.
- Andriani, F., Darundiati, Y. H., & Dangiran, H. L. (2017). Efektivitas Pac (Poly Aluminium Chloride) Dalam Menurunkan Kadar Fosfat Pada Limbah Cair Rumah Sakit Jiwa Prof. Dr. Soerojo Magelang. *Jurnal Kesehatan Masyarakat (e-Journal)*, 5(5), 659–665.
- B.-Y. Gao, Q.-Y. Yue, and Y. Wang, “Coagulation performance of polyaluminum silicate chloride (PASiC) for water and wastewater treatment,” *Separation and Purification Technology*, vol. 56, pp. 225–230, Aug. 2007, doi: 10.1016/j.seppur.2007.02.003.
- Babaei, M., Alinejad, A., & Ghaffari, H. (2020). Evaluating the Performance of Different Coagulants and Flocculants in Turbidity Removal from Wastewater. *Journal of Water Process Engineering*, 38, 101596.
- Bache, D. H., & Gregory, R. (2010). Flocculation and sedimentation in water and wastewater treatment.
- Baldi, S., & et al. (2013). Influence of impeller position on mixing efficiency. *Journal of Chemical Engineering*, 22(5), 435-445.
- Boiris Benet Sinaga, Yulianto Suteja, I Gusti Bagus Sila Dharma. (2020). Fluktuasi Total Padatan Tersuspensi (Total Suspended Solid) dan Kekeruhan di Selat Lombok. *Journal of Marine and Aquatic Sciences*, 6(2), 238-245. Program Studi Ilmu Kelautan, Fakultas Kelautan Dan Perikanan, Universitas Udayana, Badung, Bali-Indonesia.

- Brown, A., Green, D., & Wilson, J. (2023). Efficiency of Slow Mixing in Flocculation for Water Purification. *Environmental Technology & Innovation*, 29, 102145.
- C. M. Marques, F. M. Lopes, "Hydrodynamics and mixing performance of impellers for bioprocess applications," *Chemical Engineering Science*, Volume 65, Issue 13, 2010, Pages 3952-3963.
- Chen, Jiajun, et al. "Pengaruh Faktor-Faktor Operasional pada Koagulasi Flokulasi dalam Pengolahan Air Permukaan." *Journal of Environmental Engineering*, vol. 36, no. 4, 2019, hal. 456-468.
- Chen, L., & Wang, Z. (2017). Experimental methods in fluid mechanics: Tracer particle tracking. *Journal of Experimental Fluid Dynamics*, 56(1), 33-45.
- Diky Hidayat, R. Suprianto, Putri Sari Dewi. "Penentuan Kandungan Zat Padat (Total Dissolve Solid dan Total Suspended Solid) di Perairan Teluk Lampung." *Analit: Analytical and Environmental Chemistry*, vol. 1, no. 1, 2019.
- Ekoputri, S. F., Rahmatunnissa, A., Nulfaidah, F., Ratnasari, Y., Djaeni, M., & Sari, D. A. (2024). Pengolahan Air Limbah dengan Metode Koagulasi Flokulasi pada Industri Kimia. Volume IX, No.1, Januari 2024, Halaman 7781-7787. Program Studi Teknik Kimia, Universitas Singaperbangsa Karawang, Karawang – Jawa Barat; Departemen Teknik Kimia, Universitas Diponegoro, Semarang – Jawa Tengah.
- Ekoputri, Salsabila Fitria, et al. "Pengolahan air limbah dengan metode koagulasi flokulasi pada industri kimia." *Jurnal Serambi Engineering* 9.1 (2024): 7781-7787.
- Farodilah, I., Sunarti, R. N., Intan, Y. P., & Sari, R. V. (2018). Penentuan Konsentrasi Optimum Aluminium Sulfat dengan Metode Jar Test Pada Instalasi Pengolahan Air Minum (IPA) Di PDAM Tirta Musi Palembang. Seminar Nasional Sains dan Teknologi Terapan, Prodi Biologi Fakultas Sains dan Teknologi Universitas Islam Negeri Raden Fatah Palembang.
- Gregory, J., & Carlson, K. (2003). Effect of shear on floc properties. *Water Science and Technology*, 50(12), 155-161.

- Gregory, John. "Partikel pada Air: Koagulasi dan Flokulasi." *Pemrosesan dan Teknologi Partikel*, vol. 24, no. 2, 2018, hal. 123-135.
- Gupta, S., Mathur, M., & Singh, V. (2015). Visualization of flow patterns in mixing tanks using solid tracers. *Journal of Fluid Dynamics*, 47(3), 98-105.
- Hemrajani, R. R., & Tatterson, G. B. (2004). Mechanically stirred vessels. In *Handbook of Industrial Mixing*.
- Huang, Q., Ni, M., Zhang, Q., & Li, H. (2016). Influence of impeller placement on the mixing time in stirred tanks. *Industrial & Engineering Chemistry Research*, 55(14), 3878-3885.
- Husaini, H., Cahyono, S. S., Suganal, S., & Hidayat, K. N. (2018). Perbandingan Koagulan Hasil Percobaan Dengan Koagulan Komersial Menggunakan Metode Jar Test. *Jurnal Teknologi Mineral Dan Batubara*, 14(1), 31. <https://doi.org/10.30556/jtmb.vol14.no1.2018.387>
- Husunun, F., Daryono, B. S., Fitriani, A., & Supriyadi, S. (2022). Sifat Kimia dan Kinetika Degradasi Termal Antioksidan Jus Melon (Cucumis melo L.) Kultivar Gama Melon Parfum. *Jurnal Teknologi Pertanian Andalas*, 26(1), September 2022. ISSN 1410-1920, EISSN 2579-4019.
- Israelachvili, J. N. (2011). *Intermolecular and Surface Forces* (3rd ed.). Academic Press.
- Iwuozor, K.O., 2019, Prospects and Challenges of using Coagulation-Flocculation Method in the Treatment of Effluents, *Adv. J. Chem.*, 2(2), 105-127.
- Jarvis, P., Jefferson, B., Parsons, S. A. (2005). The impact of floc size and structure on water treatment performance. *Water Research*, 39(14), 3121-3133.
- Jenkins, D., Ferguson, J. F., & Menar, A. B. (2006). *Water and Wastewater Flocculation*. McGraw-Hill.
- Jiang, JQ (2001). Perkembangan teori koagulasi dan koagulan pra-polimerisasi untuk pengolahan air. *Metode Pemisahan dan Pemurnian*, 30(1), 127-141
- Jiang, X., Gao, Y., Wang, Z., Liu, J., & Li, H. (2019). Removal of Suspended Solids and Turbidity by Flocculation in a Stirred Tank Reactor. *Journal of Environmental Management*, 231, 582-589.

- Kalavathy, S., Giridhar, M. V. S. S., & Viswanadh, G. K. (2017). A Jar Test Study on the use of Alum and Ferric Chloride for Turbidity Removal. Proceedings of 4th National Conference on Water, Environment & Society (NCWES-2017), March, 339–344.
- Kumar, R., & Sharma, S. (2021). "Impact of mixer positioning on coagulation-flocculation efficiency." *Journal of Environmental Engineering*, 147(6), 05021005.
- L. M. T. Frias, M. A. N. Coelho, "Hydrodynamics of agitated vessels with paddle impellers," *Chemical Engineering Journal*, Volume 86, Issues 1–2, 2002, Pages 15-26.
- Li, Z., Hu, H., Wang, C., Xie, Z., Chen, X., Yuan, Z., & Du, P. (2024). Hydrodynamics and stability of oblique water entry in waves. *Ocean Engineering*, 292, 116506.
- Lolo, E. U., Pambudi, Y. S., Gunawan, R. I., & Widiyanto, W. (2020). Pengaruh Koagulan PAC dan Tawas Terhadap Surfaktan dan Kecepatan Pengendapan Flok Dalam Proses Koagulasi Flokulasi. *Jurnal Serambi Engineering*, 5(4), 1295-1305
- Ma T, Ouellette NT, Bollt EM, 2016. Stretching and Folding in Finite Time. *Chaos* 26: pp. 023112-1 - 023112-11
- Maćczak, P., Kaczmarek, H., & Ziegler-Borowska, M. (2020). Recent achievements in polymer biobased flocculants for water treatment. *Materials*, 13(18).
- Malik, M. S., & J. P. Shukla. 2019. GIS modeling approach for assessment of groundwater vulnerability in parts of Tawa river catchment area, Hoshangabad, Madhya Pradesh, India. *Groundwater for Sustainable Development* 9(100249) : 1-13.
- Masduqi, A. (2016). *Operasi & Proses Pengolahan Udara (Edisi Kedua)*.
- McCabe, W. L., Smith, J. C., & Harriott, P. (2005). *Unit Operations of Chemical Engineering*. McGraw-Hill.

- Montante G, Bakker A, Paglianti A, Magelli F. 2006. Effect of the Shaft Eccentricity on the Hydrodynamics of Unbaffled Stirred Tanks. *Chemical Engineering Science* 61: pp. 2807– 2814
- Mueller, T., Schmidt, P., & Breuer, M. (2018). Flow visualization techniques for turbulent mixing: Solid particle and dye methods. *Journal of Turbulence*, 19(5), 135-146
- Mununga L, Hourigan K, Thompson M. 2001. Comparative Study of Flow in a Mixing Vessel Stirred by a Solid Disk and a Four Bladed Impeller. 14th Australasian Fluid Mechanics Conference Adelaide University, Adelaide, Australia
- Myers, K. J., Reeder, M. F., & Fasano, J. B. (2002). Optimizing impeller spacing for mixing of non-Newtonian fluids. *Chemical Engineering Research and Design*, 80(8), 865-872.
- Okolo, B.I. et al. (2021) 'Coagulation kinetic study and optimization using response surface methodology for effective removal of turbidity from paint wastewater using natural coagulants', *Scientific African*.
- Oldshue, J. Y. (1983). *Fluid Mixing Technology*. McGraw-Hill.
- Paul, E. L., Atiemo-Obeng, V. A., & Kresta, S. M. (2004). *Handbook of Industrial Mixing: Science and Practice*. Wiley-Interscience.
- Puspitasari, M., & Had, W. (2014). Efektifitas $Al_2(SO_4)_3$ dan $FeCl_3$ Dalam Pengolahan Air Menggunakan Gravel Bed Flocculator Ditinjau Dari Parameter Kekeruhan dan Total Coli. *Jurnal Teknik POMITS*, 3(2). ISSN: 2337-3539 (2301-9271)
- Rahimah, Z., Heldawati, H., & Syauqiah, I. (2016). Pengolahan Limbah Deterjen dengan Metode Koagulasi-Flokulasi Menggunakan Koagulan Kapur dan PAC. *Konversi*, Volume 5(2), 52-59. e-ISSN: 2541-3481. Program Studi Teknik Kimia, Fakultas Teknik, Universitas Lambung Mangkurat, Jl. A. Yani Km. 36 Banjarbaru Kalimantan Selatan, Indonesia.
- Rao, M. A., Gupta, A., & Patel, R. (2002). *Fluid Mechanics for Engineers*. John Wiley & Sons.

- Reski, I. (2018). Penurunan Kadar Zat Padat Tersuspensi (TSS) pada Limbah Cair Pabrik Tahu dengan Memanfaatkan Biji Kelor Sebagai Koagulan Menggunakan Jar Test (Doctoral dissertation, Universitas Muhammadiyah Semarang).
- Reynolds, T. D., & Richard, P. A. (1996). *Unit Operations and Processes in Environmental Engineering* (2 ed.). PWS Publishing Company.
- Rozali, Mubarak, & Nurrachmi. (2016). Patterns of distribution total suspended solid (tss) in river estuary kampar pelalawan. Universitas Riau.
- S. K. Singh, A. S. Singh, "A review on the performance of propeller," *International Journal of Current Engineering and Technology*, Vol.3, No.5, 2013.
- Sharma, A., & Rao, M. (2018). Effect of paddle geometry on mixing in coagulation tanks. *Journal of Environmental Engineering and Science*, 35(2), 128–135.
- Sharma, P., Gupta, S., & Kumar, R. (2020). Advanced Techniques for Water and Wastewater Treatment: Current Trends and Future Perspectives. *Journal of Water Process Engineering*, 36, 101274.
- Shen, Yi, Qile Fang, and Baoliang Chen. "Environmental applications of three-dimensional graphene-based macrostructures: adsorption, transformation, and detection." *Environmental Science & Technology* 49.1 (2015): 67-84.
- Shihab, A. S., & Hamad, A. T. (2018). Effect of inclination angle, dimensions of impeller blades, and velocity gradient on the efficiency of water flocculation. *International Journal of Civil Engineering and Technology*, 9(5), 969–977.
- Sisnayati, E., Winoto, E., Yhopie, & Aprilyanti, S. (2021). Perbandingan Penggunaan Tawas dan PAC Terhadap Kekeruhan dan pH Air Baku PDAM Tirta Musi Palembang. *Jurnal Teknik Kimia Universitas Tamansiswa Palembang*, Volume 6(2), Juli – Desember 2021, halaman 238-245.
- Spicer, Patrick T., Wolfgang Keller, and Sotiris E. Pratsinis. "The effect of impeller type on floc size and structure during shear-induced flocculation." *Journal of Colloid and Interface Science* 184.1 (1996): 112-122.
- Suryadhiyanto, U., & Qiram, I. (2018). Pengaruh Jumlah dan Kemiringan Sudu Mixer Poros Vertikal (Vertical Stirred Mixer) terhadap Unjuk Kerja

- Pencampuran. ROTOR: Jurnal Ilmiah Teknik Mesin, 11(1), 25–29.
<https://doi.org/https://doi.org/10.19184/rotor.v11i1.529>
- Tatterson, G. B. (1991). Fluid Mixing and Gas Dispersion in Agitated Tanks, McGraw-Hill, New York.
- Tatterson, G. B. (1994). Scaleup and Design of Industrial Mixing Processes, McGraw-Hill, New York.
- Torres, Luis G., et al. "Coagulation-flocculation pretreatment of high-load chemical-pharmaceutical industry wastewater: mixing aspects." Water science and technology 36.2-3 (1997): 255-262.
- Wang, Chao, et al. "Influence of Impeller Structure Parameters on the Hydraulic Performance and Casting Molding of Spiral Centrifugal Pumps." Water 16.11 (2024): 1598.
- Wang, L., Sun, Y., & Zeng, G. (2017). "The impact of blade angle on mixing performance and flocculation efficiency in water treatment." Water Research, 123, 345-356.
- Wang, Y., Gao, B.Y., Xu, X. M., Xu, W. Y. & Xu, G. Y. (2009). Characterization Of Floc Size, Strength And Structure In Various Aluminium Coagulants Treatment. Journal of Colloid and Interface Science 332, 354 – 359
- Wang, Y., Zhang, L., & Chen, H. (2021). Innovations in Flocculation Processes for Wastewater Treatment: A Review. Chemical Engineering Journal, 405, 126896.
- Wardhana, W.A. 2004. Dampak Pencemaran Lingkungan, Andi Offset, Yogyakarta.
- Widyarso, WZ (2019). Kombinasi Koagulasi Flokulasi Dan Elektrokimia Untuk Menurunkan Kadar COD dan TSS Limbah Pewarnaan Batik. Universitas Pembangunan Nasional "Veteran"
- Williams, K., & Robinson, J. (2010). Tracer studies in mixing tanks: using solid particles to trace fluid flow. Chemical Engineering Journal, 162(2), 208-215.
- Xu, B. C., W. R. Penney, and J. B. Fasano (1993). Private communication, Mixing XIV, Santa Barbara, CA, June 20–25

- Y. Zhao et al., "Evaluation of a novel composite inorganic coagulant prepared by red mud for phosphate removal," *Desalination*, vol. 273, pp. 414–420, Jun. 2011, doi: 10.1016/j.desal.2011.01.065
- Yan, W., BaoYu, G., XiuMing, X., WeiYing, X. & GuiYing, X. (2012). Characterization Of Floc Size, Strength And Structure In Various Aluminum Coagulants Treatment. Key Laboratory of Colloid and Interface Chemistry Ministry of Education Shandong University, Jinan, P.R. China
- Yang, Z., Wu, Z., Zeng, G., Huang, J., Xu, H., Feng, J., Song, P., Li, M., & Wang, L. (2014). Assessing the effect of flow fields on flocculation of kaolin suspension using microbial flocculant GA1. *RSC Advances*, 4(76), 40304-40310. doi:10.1039/C4RA05560K
- Yang, Zhaohui, et al. "Assessing the effect of flow fields on flocculation of kaolin suspension using microbial flocculant GA1." *RSC advances* 4.76 (2014): 40464-40473.
- Yu, W. Z., Gegory, J., Campos, L. & Li G. (2011). The Role of Mixing Conditions on Floc Growth, Breakage and Re-growth. *Chemical Engineering Journal*. Departement of Civil, Environmental and Geomatic Engineering. London: University College London
- Yu, W., Gregory, J., & Campos, L. C. (2011). The effect of mixing on the flocculation and strength of flocs in water treatment. *Chemical Engineering Journal*, 171(2), 340-347.
- Zhang, Y., Liu, Y., & Chen, J. (2019). "Effect of impeller design on flocculation performance in a mixing tank." *Chemical Engineering Journal*, 375, 122044.
- Zheng, Qiang, dan Mei Chen. "Perbandingan Kinerja Koagulan Berbasis Aluminium dan Polielektrolit dalam Pengolahan Limbah Industri." *Jurnal Kimia Lingkungan*, vol. 42, no. 3, 2020, hal. 211-225