

DAFTAR PUSTAKA

- [1] W. Amelia, F. Alisa, L. Sastra, and L. Despitasari, “Edukasi Online Pelaksanaan Aktifitas Fisik Pada Pasien Diabetes Melitus Di Masa Pandemi Covid-19,” *Celeb. Abdimas J. Pengabdi. Kpd. Masy.*, vol. 2, no. 2, pp. 53–57, 2020, doi: 10.37541/celebesabdimas.v2i2.451.
- [2] T. Ligita, K. Wicking, K. Francis, N. Harvey, and I. Nurjannah, “How people living with diabetes in Indonesia learn about their disease: A grounded theory study,” *PLoS One*, vol. 14, no. 2, pp. 1–19, 2019, doi: 10.1371/journal.pone.0212019.
- [3] A. A. Robbani, A. M. Siregar, and D. S. Kusumaningrum, “Klasifikasi Penderita Penyakit Diabetes Menggunakan Algoritma C4.5,” *Sci. Student J. Information, Technol. Sci.*, vol. III, no. 1, pp. 76–82, 2022, [Online]. Available: <https://journal.ubpkarawang.ac.id/mahasiswa/index.php/ssj/article/view/424/338>
- [4] Z. Wang, C. Wu, K. Zheng, X. Niu, and X. Wang, “SMOTETomek-Based Resampling for Personality Recognition,” *IEEE Access*, vol. 7, pp. 129678–129689, 2019, doi: 10.1109/ACCESS.2019.2940061.
- [5] N. A. A. Khleel and K. Nehéz, *A novel approach for software defect prediction using CNN and GRU based on SMOTE Tomek method*, vol. 60, no. 3. Springer US, 2023. doi: 10.1007/s10844-023-00793-1.
- [6] P. Zhang, Y. Jia, and Y. Shang, “Research and application of XGBoost in imbalanced data,” *Int. J. Distrib. Sens. Networks*, vol. 18, no. 6, 2022, doi: 10.1177/15501329221106935.
- [7] W. Halim and P. Mudjihartono, “Kecerdasan Buatan dalam Teknologi Kedokteran: Survey Paper,” *KONSTELASI Konvergensi Teknol. dan Sist. Inf.*, vol. 2, no. 1, pp. 207–216, 2022.
- [8] N. H. Alfianty and S. Mulyati, “Penerapan Naïve Bayes untuk Klasifikasi Data Penyakit Pada Anak,” *Automata*, 2022, [Online]. Available: <https://journal.uii.ac.id/AUTOMATA/article/view/21914>
- [9] A. Indrawati, “Penerapan Teknik Kombinasi Oversampling Dan Undersampling Untuk Mengatasi Permasalahan Imbalanced Dataset,” *JIKO (Jurnal Inform. dan Komputer)*, vol. 4, no. 1, pp. 38–43, 2021, doi:

10.33387/jiko.v4i1.2561.

- [10] X. Y. Liew, N. Hameed, and J. Clos, “An investigation of XGBoost-based algorithm for breast cancer classification,” *Mach. Learn. with Appl.*, vol. 6, no. September, p. 100154, 2021, doi: 10.1016/j.mlwa.2021.100154.
- [11] W. Chandra, B. Suprihatin, and Y. Resti, “Median-KNN Regressor-SMOTE-Tomek Links for Handling Missing and Imbalanced Data in Air Quality Prediction,” *Symmetry (Basel)*, vol. 15, no. 4, 2023, doi: 10.3390/sym15040887.
- [12] H. Hairani, A. Anggrawan, and D. Priyanto, “Improvement Performance of the Random Forest Method on Unbalanced Diabetes Data Classification Using Smote-Tomek Link,” *Int. J. Informatics Vis.*, vol. 7, no. 1, pp. 258–264, 2023, doi: 10.30630/joiv.7.1.1069.
- [13] Lestari, Zulkarnain, and S. A. Sijid, “Diabetes Melitus: Review Etiologi, Patofisiologi, Gejala, Penyebab, Cara Pemeriksaan, Cara Pengobatan dan Cara Pencegahan,” *UIN Alauddin Makassar*, no. November, pp. 237–241, 2021, [Online]. Available: <http://journal.uin-alauddin.ac.id/index.php/psb>
- [14] A. M. Egan and S. F. Dinneen, “What is diabetes?,” *Med. (United Kingdom)*, vol. 47, no. 1, pp. 1–4, 2019, doi: 10.1016/j.mpmmed.2018.10.002.
- [15] B. Mahesh, “Machine Learning Algorithms - A Review,” *Int. J. Sci. Res.*, vol. 9, no. 1, pp. 381–386, 2020, doi: 10.21275/ART20203995.
- [16] A. Roihan, P. A. Sunarya, and A. S. Rafika, “Pemanfaatan Machine Learning dalam Berbagai Bidang: Review paper,” *IJCIT (Indonesian J. Comput. Inf. Technol.)*, vol. 5, no. 1, pp. 75–82, 2020, doi: 10.31294/ijcit.v5i1.7951.
- [17] P. Triya, N. Suarna, and N. Dienwati Nuris, “Penerapan Machine Learning Dalam Melakukan Prediksi Harga Saham Pt. Bank Mandiri (Persero) Tbk Dengan Algoritma Linear Regression,” *JATI (Jurnal Mhs. Tek. Inform.)*, vol. 8, no. 1, pp. 1207–1214, 2024, doi: 10.36040/jati.v8i1.8958.
- [18] A. D. Sidik and A. Ansawarman, “Prediksi Jumlah Kendaraan Bermotor Menggunakan Machine Learning,” *Formosa J. Multidiscip. Res.*, vol. 1, no. 3, pp. 559–568, 2022, doi: 10.55927/fjmr.v1i3.745.
- [19] R. Verma, V. Nagar, and S. Mahapatra, “the Commencement of Machine Learning Solicitation To Bioinformatics,” 2021.
- [20] D. Valkenborg, M. Geubbels, A. J. Rousseau, and T. Burzykowski,

- “Supervised learning,” *Am. J. Orthod. Dentofac. Orthop.*, vol. 164, no. 1, pp. 146–149, 2023, doi: 10.1016/j.ajodo.2023.04.010.
- [21] T. Jiang, J. L. Gradus, and A. J. Rosellini, “Supervised Machine Learning: A Brief Primer,” *Behav. Ther.*, vol. 51, no. 5, pp. 675–687, 2020, doi: 10.1016/j.beth.2020.05.002.
- [22] P. C. Sen, M. Hajra, and M. Ghosh, *Supervised Classification Algorithms in Machine Learning: A Survey and Review*, vol. 937. Springer Singapore, 2020. doi: 10.1007/978-981-13-7403-6_11.
- [23] H. F. Putro, R. T. Vlandari, and W. L. Y. Saptomo, “Penerapan Metode Naive Bayes Untuk Klasifikasi Pelanggan,” *J. Teknol. Inf. dan Komun.*, vol. 8, no. 2, 2020, doi: 10.30646/tikomsin.v8i2.500.
- [24] A. Tharwat, “Classification assessment methods,” *Appl. Comput. Informatics*, vol. 17, no. 1, pp. 168–192, 2018, doi: 10.1016/j.aci.2018.08.003.
- [25] M. Grandini, E. Bagli, and G. Visani, “Metrics for Multi-Class Classification: an Overview,” pp. 1–17, 2020, [Online]. Available: <http://arxiv.org/abs/2008.05756>
- [26] Ž. Vujović, “Classification Model Evaluation Metrics,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 12, no. 6, pp. 599–606, 2021, doi: 10.14569/IJACSA.2021.0120670.
- [27] J. Engel, E. Berkes, and H. R. Tinneberg, “Classification of endometriosis,” *Gynakologe*, vol. 48, no. 3, pp. 200–208, 2015, doi: 10.1007/s00129-014-3423-z.
- [28] S. E. Herni Yulianti, Oni Soesanto, and Yuana Sukmawaty, “Penerapan Metode Extreme Gradient Boosting (XGBOOST) pada Klasifikasi Nasabah Kartu Kredit,” *J. Math. Theory Appl.*, vol. 4, no. 1, pp. 21–26, 2022, doi: 10.31605/jomta.v4i1.1792.
- [29] M. Li, X. Fu, and D. Li, “Diabetes Prediction Based on XGBoost Algorithm,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 768, no. 7, 2020, doi: 10.1088/1757-899X/768/7/072093.
- [30] A. Prabha, J. Yadav, A. Rani, and V. Singh, “Design of intelligent diabetes mellitus detection system using hybrid feature selection based XGBoost classifier,” *Comput. Biol. Med.*, vol. 136, no. July, p. 104664, 2021, doi: 10.1016/j.combiomed.2021.104664.
- [31] R. D. Abdu-Aljabar and O. A. Awad, “A Comparative analysis study of

lung cancer detection and relapse prediction using XGBoost classifier,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1076, no. 1, p. 012048, 2021, doi: 10.1088/1757-899x/1076/1/012048.

[32] X. W. Liang, A. P. Jiang, T. Li, Y. Y. Xue, and G. T. Wang, “LR-SMOTE — An improved unbalanced data set oversampling based on K-means and SVM,” *Knowledge-Based Syst.*, vol. 196, 2020, doi: 10.1016/j.knosys.2020.105845.

[33] J. Brandt and E. Lanzén, “A Comparative Review of SMOTE and ADASYN in Imbalanced Data Classification,” 2021, p. 42, 2020, [Online]. Available: <https://www.diva-portal.org/smash/record.jsf?pid=diva2:1519153>

[34] S. Wang, Y. Dai, J. Shen, and J. Xuan, “Research on expansion and classification of imbalanced data based on SMOTE algorithm,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–11, 2021, doi: 10.1038/s41598-021-03430-5.

[35] R. M. Pereira, Y. M. G. Costa, and C. N. Silla, “MLTL: A multi-label approach for the Tomek Link undersampling algorithm: MLTL: The Multi-Label Tomek Link,” *Neurocomputing*, vol. 383, pp. 95–105, 2020, doi: 10.1016/j.neucom.2019.11.076.

[36] E. F. Swana, W. Doorsamy, and P. Bokoro, “Tomek Link and SMOTE Approaches for Machine Fault Classification with an Imbalanced Dataset,” *Sensors*, vol. 22, no. 9, 2022, doi: 10.3390/s22093246.

[37] L. Ai-Jun and Z. Peng, “Research on Unbalanced Data Processing Algorithm Base Tomeklinks-Smote,” *ACM Int. Conf. Proceeding Ser.*, pp. 13–17, 2020, doi: 10.1145/3430199.3430222.

[38] H. He and E. A. Garcia, “Learning from imbalanced data,” *IEEE Trans. Knowl. Data Eng.*, vol. 21, no. 9, pp. 1263–1284, 2009, doi: 10.1109/TKDE.2008.239.

[39] M. A. Talukder, S. Sharmin, M. A. Uddin, M. M. Islam, and S. Aryal, “MLSTL-WSN: machine learning-based intrusion detection using SMOTETomek in WSNs,” *Int. J. Inf. Secur.*, vol. 23, no. 3, pp. 2139–2158, 2024, doi: 10.1007/s10207-024-00833-z.

[40] I. N. Switrayana, D. Ashadi, H. Hairani, and A. Aminuddin, “Sentiment Analysis and Topic Modeling of Kitabisa Applications using Support Vector Machine (SVM) and Smote-Tomek Links Methods,” *Int. J. Eng. Comput. Sci.*

Appl., vol. 2, no. 2, pp. 81–91, 2023, doi: 10.30812/ijecsa.v2i2.3406.

[41] H. Apriyani and K. Kurniati, “Perbandingan Metode Naïve Bayes Dan Support Vector Machine Dalam Klasifikasi Penyakit Diabetes Melitus,” *J. Inf. Technol. Ampera*, vol. 1, no. 3, pp. 133–143, 2020, doi: 10.51519/journalita.volume1.issue3.year2020.page133-143.

[42] M. Heydarian, T. E. Doyle, and R. Samavi, “MLCM: Multi-Label Confusion Matrix,” *IEEE Access*, vol. 10, pp. 19083–19095, 2022, doi: 10.1109/ACCESS.2022.3151048.

[43] J. Xu, Y. Zhang, and D. Miao, “Three-way confusion matrix for classification: A measure driven view,” *Inf. Sci. (Ny)*, vol. 507, pp. 772–794, 2020, doi: 10.1016/j.ins.2019.06.064.

[44] B. P. Pratiwi and A. Silvia, “Pengukuran Kinerja Sistem Kualitas Udara Dengan Teknologi WSN Menggunakan Confusion Matrix,” vol. 6, no. 2, pp. 66–75, 2020.

Halaman ini sengaja dikosongkan