

DAFTAR PUSTAKA

- [AOAC] Association of Official Analytical Chemistry. (2012). Official Method of Analysis 923.03, Chapter 32.1.05. Gaithersburg (US): AOAC.
- [AOAC] Association of Official Analytical Chemistry. (2012). Official Method of Analysis 925.10, Chapter 32.1.03. Gaithersburg (US): AOAC.
- [BPS] Badan Pusat Statistik. (2024). Produksi Tanaman Buah-Buahan 2021-2023. <https://www.bps.go.id/id/statistics-table/2/NjljMg==/production-ofruits.html>. Diakses Tanggal 22 Maret 2024.
- [IPPA] International Pectin Producers Association. (2014). Pectin Commercial Production and Pectin in Organic Food Products. <https://pectinproducers.com/>. Diakses Tanggal 26 Maret 2024.
- Afola, S. C. M., dan Dewi, N. N. S. R. T. (2022). Minat Mahasiswa Akuntansi Untrim Sebagai Pengguna E-Wallet Dengan Mempertimbangkan Persepsi Kemanfaatan, Persepsi Kemudahan, dan Persepsi Kepercayaan. *KRISNA: Kumpulan Riset Akuntansi*, 13(2): 267 – 277. DOI: <https://doi.org/10.22225/kr.13.2.2022.267-277>.
- Afzaal, M., Saeed, F., Bibi, M., Ejaz, A., Shah, Y. A., Faisal, Z., Ateeq, H., Akram, N., Asghar, A., and Shah, M. A. (2023). Nutritional, Pharmaceutical, and Functional Aspects of Rambutan in Industrial Perspective: An Updated Review. *Food Science & Nutrition*, 11(7): 3675 – 3685. DOI: <https://doi.org/10.1002/fsn3.3379>.
- Aji, A., Bahri, S., dan Tantalia, T. (2017). Pengaruh Waktu Ekstraksi dan Konsentrasi HCl untuk Pembuatan Pektin dari Kulit Jeruk Bali (*Citrus maxima*). *Jurnal Teknologi Kimia Unimal*, 6(1): 33 – 44. ISSN: 2303-3991.
- Aklilu, E. G. (2021). Modeling and Optimization of Pectin Extraction from Banana Peel Using Artificial Neural Networks (ANNs) and Response Surface Methodology (RSM). *Journal of Food Measurement and Characterization*, 15(3): 2759 – 2773. DOI: <https://doi.org/10.1007/s11694-021-00852-7>.
- Alamineh, E. A. (2018). Extraction of Pectin from Orange Peels and Characterizing its Physical and Chemical Properties. *American Journal of Applied Chemistry*, 6(2): 51 – 56. DOI: <https://doi.org/10.11648/j.ajac.20180602.13>.
- Anam, C., Firdausi, K. S., dan Sirojudin, S. (2007). Analisis Gugus Fungsi pada Sampel Uji, Bensin dan Spiritus Menggunakan Metode Spektroskopi FTIR. *Berkala Fisika*, 10(1): 79 – 85.
- Antika, S. R., dan Kurniawati, P. (2017). Isolasi dan Karakterisasi Pektin dari Kulit Nanas. Di dalam *Prosiding Seminar Nasional Kimia FMIPA Universitas Negri Surabaya*, 7: 218 – 225.

- Anwar, K., Istiqamah, F., dan Hadi, S. (2021). Optimasi Suhu dan Waktu Ekstraksi Akar Pasak Bumi (*Eurycoma longifolia* Jack.) Menggunakan Metode RSM (response surface methodology) dengan Pelarut Etanol 70%. *Jurnal Pharmascience*, 8(1): 53 – 64.
- Araujo, N. M. P., Arruda, H. S., Marques, D. R. P., de Oliveira, W. Q., Pereira, G. A., and Pastore, G. M. (2021). Functional and Nutritional Properties of Selected Amazon Fruits: A Review. *Food Research International*, 147: 1 – 19. DOI: <https://doi.org/10.1016/j.foodres.2021.110520>.
- Arifah, E. Z. A., Jariyah, J., dan Rosida, D. F. (2023). Optimasi Formula Biskuit Tepung Buah Lindur dengan Pemanis Stevia dan Fruktosa menggunakan Response Surface Methodology. *Jurnal Pangan dan Agroindustri*, 11(2): 89 – 99. DOI: <https://doi.org/10.21776/ub.jpa.2023.011.02.5>.
- Arimpi, A. dan Pandia, S. (2019). Pembuatan Pektin dari Limbah Kulit Jeruk (*Citrus sinensis*) dengan Metode Ekstraksi Gelombang Ultrasonik Menggunakan Pelarut Asam Sulfat (H_2SO_4). *Jurnal Teknik Kimia USU*, 8(1): 18 – 24. DOI: <https://doi.org/10.32734/jtk.v8i1.1602>.
- Arshad, R. N., Abdul-Malek, Z., Munir, A., Buntat, Z., Ahmad, M. H., Jusoh, Y. M., and Aadil, R. M. (2020). Electrical Systems for Pulsed Electric Field Applications in The Food Industry: An Engineering Perspective. *Trends in Food Science & Technology*, 104: 1 – 13. DOI: <https://doi.org/10.1016/j.tifs.2020.07.008>.
- Astuti, A., Hutomo, G. S., dan Noviyanty, A. (2022). Ekstraksi dan Karakterisasi Pektin dari Buah Jeruk Lemons (*Citrus Limon L.*) dengan Menggunakan Pelarut HCl. *Agrotekbis: Jurnal Ilmu Pertanian*, 10(3): 572 – 580.
- Atfitri, D., dan Purnami, A. S. (2018). Hubungan Motivasi dan Status Sosial Ekonomi Orangtua Dengan Prestasi Belajar Matematika Siswa Kelas VIII SMP Negeri Se-Kecamatan Tepus Kabupaten Gunungkidul Tahun Ajaran 2017/2018. *Prosiding Seminar Nasional Etnomatnesia*, 20: 901 – 904.
- Ayu, F. T., HG, I. R., dan Asdi, Y. (2019). Optimasi Respon Pada Percobaan Faktorial Dengan Menggunakan Metode Permukaan Respon. *Jurnal Matematika UNAND*, 4(2): 51 – 57. DOI: <https://doi.org/10.25077/jmu.4.2.51-57.2015>.
- Aziz, T., Johan, M. E. G., dan Sri, D. (2018). Pengaruh Jenis Pelarut, Temperatur, dan Waktu Terhadap Karakterisasi Pektin Hasil Ekstraksi dari Kulit Buah Naga (*Hylocereus polyrhizus*). *Jurnal Teknik Kimia*, 1(24): 17 – 27. DOI: <https://doi.org/10.36706/jtk.v24i1.186>.
- Bachtler, S., and Bart, H. J. (2021). Increase The Yield of Bioactive Compounds from Elder Bark and Annatto Seeds Using Ultrasound and Microwave Assisted Extraction Technologies. *Food and Bioproducts Processing*, 125: 1 – 13. DOI: <https://doi.org/10.1016/j.fbp.2020.10.009>.

- Baniya, S. (2023). Plant Cell Wall: Structure, Functions, Diagram. <https://microbenotes.com/plant-cell-wall/>. Diakses Tanggal 11 Mei 2025.
- Bansal, V., Sharma, A., Ghanshyam, C., Singla, M. L., and Kim, K. H. (2015). Influence of Pulsed Electric Field and Heat Treatment on *Emblica Officinalis* Juice Inoculated With *Zygosaccharomyces bailii*. *Food and Bioproducts Processing*, 95: 146 – 154. DOI: <https://doi.org/10.1016/j.fbp.2015.05.005>.
- Barba, F. J., Zhu, Z., Koubaa, M., Sant'Ana, A. S., and Orlie, V. (2016). Green Alternative Methods for the Extraction of Antioxidant Bioactive Compounds from Winery Wastes and By-products: A Review. *Trends in Food Science and Technology*, 49: 96 – 109. DOI: <https://doi.org/10.1016/j.tifs.2016.01.006>.
- Beandrade, M. U. (2018). Formulasi dan Karakterisasi SNEDDS Ekstrak Jinten Hitam (*Nigella sativa*) Dengan Fase Minyak Ikan Hiu Cucut Botol (*Centrophorus Sp*) Serta Uji Aktivitas Immunostimulan. *Journal of Pharmaceutical Science and Clinical Research*, 1(5): 234 – 244. DOI: <https://doi.org/10.20961/jpscr.v3i1.15506>.
- Behera, S. K., Meena, H., Chakraborty, S., and Meikap, B. C. (2018). Application of Response Surface Methodology (RSM) for Optimization of Leaching Parameters for Ash Reduction from Low-grade Coal. *International Journal of Mining Science and Technology*, 28(4): 621 – 629. DOI: <https://doi.org/10.1016/j.ijmst.2018.04.014>.
- Belwal, T., Chemat, F., Venskutonis, P. R., Cravotto, G., Jaiswal, D. K., Bhatt, I. D., and Luo, Z. (2020). Recent Advances in Scaling-up of Non-conventional Extraction Techniques: Learning from Successes and Failures. *TrAC Trends in Analytical Chemistry*, 127: 115895. DOI: <https://doi.org/10.3390/molecules26061766>.
- Benassi, L., Alessandri, I., and Vassalini, I. (2021). Assessing Green Methods for Pectin Extraction from Waste Orange Peels. *Molecules*, 26(6): 1766. DOI: <https://doi.org/10.3390/molecules26061766>.
- Bocker, R., and Silva, E. K. (2022). Pulsed Electric Field Assisted Extraction of Natural Food Pigments and Colorings from Plant Matrices. *Food Chemistry: X*, 15: 1 – 14. DOI: <https://doi.org/10.1016/j.fochx.2022.100398>.
- Breig, S. J. M., and Luti, K. J. K. (2021). Response Surface Methodology: A Review on its Applications and Challenges in Microbial Cultures. *Materials Today: Proceedings*, 42: 2277 – 2284. DOI: <https://doi.org/10.1016/j.matpr.2020.12.316>.
- Burestan, N. F., Sayyah, A. H. A., and Taghinezhad, E. (2020). Mathematical Modeling for The Prediction of Some Quality Parameters of White Rice Based on The Strength Properties of Samples Using Response Surface Methodology (RSM). *Food Science and Nutrition*, 8(8): 4134 – 4144. DOI: <https://doi.org/10.1002/fsn3.1703>.

- Casas-Orozco, D., Villa, A. L., Bustamante, F., and González, L. M. (2015). Process Development and Simulation of Pectin Extraction from Orange Peels. *Food and Bioproducts Processing*, 96: 86 – 98. DOI: <https://doi.org/10.1016/j.fbp.2015.06.006>.
- Castillo-Israel, K. A. T., Baguio, S. F., Diasanta, M. D. B., Lizardo, R. C. M., Dizon, E. I., and Mejico, M. I. F. (2015). Extraction and Characterization of Pectin from Saba Banana [Musa 'saba'(Musa acuminata x Musa balbisiana)] Peel Wastes: A Preliminary Study. *International Food Research Journal*, 22(1): 202 – 207. ISSN: 1985-4668.
- Chaharbaghi, E., Khodaiyan, F., and Hosseini, S. S. (2017). Optimization of Pectin Extraction from Pistachio Green Hull As A New Source. *Carbohydrate Polymers*, 173: 107 – 113. DOI: <https://doi.org/10.1016/j.carbpol.2017.05.047>.
- Chai, K. F., Mohd Adzahan, N., Karim, R., Rukayadi, Y., and Ghazali, H. M. (2018). Characteristics of Fat, and Saponin and Tannin Contents of 11 Varieties of Rambutan (*Nephelium lappaceum* L.) Seed. *International Journal of Food Properties*, 21(1): 1091 – 1106. DOI: <https://doi.org/10.1080/10942912.2018.1479857>.
- Chaichanawongsaroj, N., and Pattiyathane, P. (2014). Effect of Thai Fruit Mesocarp Extracts on Growth of *Helicobacter pylori* and Their Anti-adhesion Activities to HEP-2 Cells. *Journal of Chemical and Pharmaceutical Research*, 6(7): 2435 – 2440.
- Chan, S. Y., and Choo, W. S. (2013). Effect of Extraction Conditions on The Yield and Chemical Properties of Pectin from Cocoa Husks. *Food Chemistry*, 141(4): 3752 – 3758. DOI: <https://doi.org/10.1016/j.foodchem.2013.06.097>.
- Chandel, V., Biswas, D., Roy, S., Vaidya, D., Verma, A., and Gupta, A. (2022). Current Advancements in Pectin: Extraction, Properties and Multifunctional Applications. *Foods*, 11(17): 1 – 30. DOI: <https://doi.org/10.3390/foods11172683>.
- Chandra, A., dan Witono, J. R. (2018). Pengaruh Berbagai Proses Dehidrasi Pada Pengeringan Daun Stevia Rebaudiana. Prosiding Seminar Nasional Teknik Kimia "Kejuangan". Yogyakarta, 12 April.
- Chea, S., Yu, D. J., Park, J., Oh, H. D., Chung, S. W., and Lee, H. J. (2019). Fruit Softening Correlates with Enzymatic and Compositional Changes in Fruit Cell Wall During Ripening in 'Bluecrop' Highbush Blueberries. *Scientia Horticulturae*, 245: 163 – 170. DOI: <https://doi.org/10.1016/j.scienta.2018.10.019>.
- Chemat, F., Vian, M. A., dan Cravotto, G. (2012). Green Extraction of Natural Products: Concept and Principles. *International Journal of Molecular Sciences*, 13(7): 8615 – 8627. DOI: <https://doi.org/10.3390/ijms13078615>.

- Cho, E. H., Jung, H. T., Lee, B. H., Kim, H. S., Rhee, J. K., and Yoo, S. H. (2019). Green Process Development for Apple-peel Pectin Production by Organic Acid Extraction. *Carbohydrate Polymers*, 204: 97 – 103. DOI: <https://doi.org/10.1016/j.carbpol.2018.09.086>.
- Choirina, T. D. (2024). Optimasi Ekstraksi Pektin dari Kulit Pisang Raja (*Musa paradisiaca* L.) Metode Microwave Assisted Extraction (MAE) dengan Pelarut Asam Organik. Skripsi. Jurusan Teknologi Pangan, Fakultas Teknik, Universitas Pembangunan Nasional “Veteran” Jawa Timur. Surabaya.
- Ciriminna, R., Fidalgo, A., Delisi, R., Tamburino, A., Carnaroglio, D., Cravotto, G., Ilharco, L. M., and Pagliaro, M. (2017). Controlling the Degree of Esterification of Citrus Pectin for Demanding Applications by Selection of the Source. *ACS Omega*, 2(11): 7991 – 7995. DOI: <https://doi.org/10.1021/acsomega.7b01109>.
- Ciurzyńska, A., Szerszeń, J., and Lenart, A. (2016). Pectin - a Functional Component of Diet. *International Journal of Research. Studies in Science, Engineering, and Technology*, 3(9): 20 – 27. ISSN: 2349-4751.
- Daryono, E. D. (2012). Ekstraksi pektin dari labu siam. *Jurnal teknik kimia*, 7(1): 22 – 25.
- Das, I., and Arora, A. (2021). Kinetics and Mechanistic Models of Solid-liquid Extraction of Pectin Using Advance Green Techniques-A Review. *Food Hydrocolloids*, 120: 1 – 15. DOI: <https://doi.org/10.1016/j.foodhyd.2021.106931>.
- de Oliveira, C. F., Giordani, D., Gurak, P. D., Cladera-Olivera, F., and Marczak, L. D. F. (2015). Extraction of Pectin from Passion Fruit Peel Using Moderate Electric Field and Conventional Heating Extraction Methods. *Innovative Food Science & Emerging Technologies*, 29: 201 – 208. DOI: <https://doi.org/10.1016/j.ifset.2015.02.005>.
- Delazar, A., Nahar, L., Hamedeyazdan, S., and Sarker, S. D. (2012). Microwave-Assisted Extraction in Natural Products Isolation. *Natural Products Isolation*, 864: 89 – 115. DOI: https://doi.org/10.1007/978-1-61779-624-1_5.
- Deleazar, A., L. Nahar., S. Hamedeyaz., and Satyajit. 2012. Microwave-Assisted Extraction in Natural Products Isolation, Method in Molecular Biology. *Journal of Springer Science New York* 8(6): 215 – 218. DOI: https://doi.org/10.1007/978-1-61779-624-1_5.
- Devi, W. E., Kumar, R. S. K. B. A., and Mishra, A. A. (2014). Extraction of Pectin from Citrus Fruit Peel and its Utilization in Preparation of Jelly. *International Journal of Engineering Research*, 3(5): 1925 – 1932.
- Devianti, V. A., Sa'diyah, L., dan Amalia, A. R. (2020). Penentuan Mutu Pektin dari Limbah Kulit Pisang dengan Variasi Volume Pelarut Asam Sitrat. *Jurnal*

Kimia, 14(2): 169 – 174. DOI: <https://doi.org/10.24843/JCHEM.2020.v14.i02.p10>.

- Dominiak, M., Søndergaard, K. M., Wichmann, J., Vidal-Melgosa, S., Willats, W. G., Meyer, A. S., and Mikkelsen, J. D. (2014). Application of Enzymes for Efficient Extraction, Modification, and Development of Functional Properties of Lime Pectin. *Food Hydrocolloids*, 40: 273 – 282. DOI: <https://doi.org/10.1016/j.foodhyd.2014.03.009>.
- Dranca, F., and Oroian, M. (2018). Extraction, Purification, and Characterization of Pectin from Alternative Sources with Potential Technological Applications. *Food Research International*, 113: 327 – 350. DOI: <https://doi.org/10.1016/j.foodres.2018.06.065>.
- Du, Y., Zhang, S., Waterhouse, G. I., Zhou, T., Xu, F., Wang, R., and Wu, P. (2024). High-intensity Pulsed Electric Field-assisted Acidic Extraction of Pectin from Citrus Peel: Physicochemical Characteristics and Emulsifying Properties. *Food Hydrocolloids*, 146: 1 – 13. DOI: <https://doi.org/10.1016/j.foodhyd.2023.109291>.
- Duwee, Y. S., Kiew, P. L., and Yeoh, W. M. (2022). Multi-objective Optimization of Pectin Extraction from Orange Peel Via Response Surface Methodology: Yield and Degree of Esterification. *Journal of Food Measurement and Characterization*, 16(2): 1710 – 1724. DOI: <https://doi.org/10.1007/s11694-022-01305-5>.
- Efthymiopoulos, I., Hellier, P., Ladommatos, N., Russo-Profil, A., Eveleigh, A., Aliev, A., Kay, A., and Mills-Lamprey, B. (2018). Influence of Solvent Selection and Extraction Temperature on Yield and Composition of Lipids Extracted from Spent Coffee Grounds. *Industrial Crops and Products*: 119, 49 – 56. DOI: <https://doi.org/10.1016/j.indcrop.2018.04.008>.
- Eliaz, I., and Raz, A. (2019). Pleiotropic Effects of Modified Citrus Pectin. *Nutrients*, 11(11):1 – 18. DOI: <https://doi.org/10.3390/nu11112619>.
- Emaga, T. H., Andrianaivo, R. H., Wathélet, B., Tchango, J. T., and Paquot, M. (2007). Effects of the Stage of Maturation and Varieties on The Chemical Composition of Banana and Plantain Peels. *Food Chemistry*, 103(2): 590–600. DOI: <https://doi.org/10.1016/j.foodchem.2006.09.006>.
- Engelen, A. (2015). Optimasi Proses dan Formula pada Karakteristik Kelengkapan Mi Sagu. *Jurnal Technopreneur (JTech)*, 3(1): 40 – 47. DOI: <https://doi.org/10.30869/jtech.v3i1.29>.
- Espitia, P. J. P., Du, W. X., de Jesús Avena-Bustillos, R., Soares, N. D. F. F., and McHugh, T. H. (2014). Edible Films from Pectin: Physical-mechanical and Antimicrobial Properties-A review. *Food hydrocolloids*, 35: 287 – 296. DOI: <https://doi.org/10.1016/j.foodhyd.2013.06.005>.
- Estiasih, T., Ahmadi, K., Ginting, E., dan Kurniawati, D. (2013). Yield Optimization of Lecithin Extraction of Anjasmoro Variety Soybean Oil by Water

- Degumming. *Jurnal Teknologi Dan Industri Pangan*, 24(1): 97 – 104. DOI: <https://doi.org/10.6066/jtip.2013.24.1.97>.
- Fan, R., Wang, L., Fan, J., Sun, W., and Dong, H. (2022). The Pulsed Electric Field Assisted-Extraction Enhanced the Yield and The Physicochemical Properties of Soluble Dietary Fiber from Orange Peel. *Frontiers in Nutrition*, 9: 1 – 16. DOI: <https://doi.org/10.3389/fnut.2022.925642>.
- Febriansah, R. E., dan Meiliza, D. R. (2020). Buku Ajar Mata Kuliah Teori Pengambilan Keputusan. In Umsida Press Sidoarjo.
- Febriyanti, Y., Razak, A. R., dan Sumarni, N. K. (2018). Ekstraksi dan Karakterisasi Pektin dari Kulit Buah Kluwih (*Artocarpus camansi Blanco*). *KOVALEN: Jurnal Riset Kimia*, 4(1), 60 – 73. DOI: <https://doi.org/10.22487/kovalen.2018.v4.i1.10185>.
- Fila, W. A., Itam, E. H., Johnson, J. T., Odey, M. O., Effiong, E. E., Dasofunjo, K., and Ambo, E. E. (2013). Comparative Proximate Compositions of Watermelon *Citrullus lanatus*, Squash *Cucurbita pepo* 'l, and Rambutan *Nephelium lappaceum*. *International Journal of Science and Technology*, 2(1): 81 – 88. ISSN: 2049 – 7318.
- Fitria, V. (2013). Karakterisasi Pektin Hasil Ekstraksi dari Limbah Kulit Pisang Kepok (*Musa balbisiana* ABB). Skripsi. Jurusan Farmasi, Fakultas Kedokteran dan Ilmu Kesehatan, Universitas Islam Negeri Syarif Hidayatullah. Jakarta.
- Freitas, C. M. P., Coimbra, J. S. R., Souza, V. G. L., and Sousa, R. C. S. (2021). Structure and Applications of Pectin in Food, Biomedical, and Pharmaceutical Industry: A review. *Coatings*, 11(8): 1 – 22. DOI: <https://doi.org/10.3390/coatings11080922>.
- Gavahian, M., Chu, Y. H., and Sastry, S. (2018). Extraction from Food and Natural Products by Moderate Electric Field: Mechanisms, Benefits, and Potential Industrial Applications. *Comprehensive Reviews in Food Science and Food Safety*, 17(4): 1040 – 1052. DOI: <https://doi.org/10.1111/1541-4337.12362>.
- Gazala, K., Masoodi, F. A., Masarat, H. D., Rayees, B., and Shoib, M. W. (2017). Extraction and Characterisation of Pectin from Two Apple Juice Concentrate Processing Plants. *International Food Research Journal*, 24(2): 594 – 599. ISSN: 2231 7546.
- Gerschenson, L. N., Fissore, E. N., Rojas, A. M., Encalada, A. M. I., Zukowski, E. F., and Coelho, R. A. H. (2021). Pectins Obtained by Ultrasound from Agroindustrial By-products. *Food Hydrocolloids*, 118: 1 – 18. DOI: <https://doi.org/10.1016/j.foodhyd.2021.106799>.
- Giacometti, J., Bursać Kovačević, D., Putnik, P., Gabrić, D., Bilušić, T., Krešić, G., Stulić, V., Barba, F. J., Chemat, F., Barbosa-Cánovas, G., and Režek Jambrak, A. (2018). Extraction of Bioactive Compounds and Essential Oils

- from Mediterranean Herbs by Conventional and Green Innovative Techniques: A Review. *Food Research International*, 113: 245 – 262. DOI: <https://doi.org/10.1016/j.foodres.2018.06.036>.
- Girma, E., and Worku, T. (2016). Extraction and Characterization of Pectin from Selected Fruit Peel Waste. *International Journal of Scientific and Research Publications*, 6(2): 447 – 454. ISSN: 2250-3153.
- Gita, R. S. D., dan Danuji, S. (2018). Studi Pembuatan Biskuit Fungsional dengan Substitusi Tepung Ikan Gabus dan Tepung Daun Kelor. *BIOEDUSAINS: Jurnal Pendidikan Biologi dan Sains*, 1(2): 155 – 162. DOI: <https://doi.org/10.31539/bioedusains.v1i2.323>.
- Grassino, A. N., Brnčić, M., Vikić-Topić, D., Roca, S., Dent, M., and Brnčić, S. R. (2016). Ultrasound Assisted Extraction and Characterization of Pectin from Tomato Waste. *Food Chemistry*, 198: 93 – 100. DOI: <https://doi.org/10.1016/j.foodchem.2015.11.095>.
- Guerrero-Beltrán, J. Á., and Welti-Chanes, J. (2016). Pulsed Electric Fields. *Encyclopedia of Food and Health*: 561 – 565. DOI: <https://doi.org/10.1016/B978-0-12-384947-2.00579-1>.
- Häckl, K., and Kunz, W. (2018). Some Aspects of Green Solvents. *Comptes Rendus Chimie*, 21(6): 572 – 580. DOI: <https://doi.org/10.1016/j.crci.2018.03.010>.
- Hano, T., Matsumoto, M., Ohtake, T., Sasaki, K., Hori, F., and Kawano, Y. (1990). Extraction Equilibria of Organic Acids with Tri-n-octylphosphineoxide. *Journal of chemical engineering of Japan*, 23(6): 734 – 738. DOI: <https://doi.org/10.1252/jcej.23.734>.
- Hanum, F., Kaban, I. M. D., dan Tarigan, M. A. (2012). Ekstraksi Pektin dari Kulit Buah Pisang Raja (*Musa sapientum*). *Jurnal Teknik Kimia USU*, 1(2): 21-26. DOI: <https://doi.org/10.32734/jtk.v1i2.1413>.
- Hayati, Z., dan Afriansyah, H. (2019). Teori-Teori Pengambilan Keputusan. *July* 17. DOI: <https://doi.org/10.31227/osf.io/w9kue>.
- He, C., Sampers, I., and Raes, K. (2021). Isolation of Pectin from Clementine Peel: A New Approach Based on Green Extracting Agents of Citric Acid/Sodium Citrate Solutions. *ACS Sustainable Chemistry & Engineering*, 9(2): 833 - 843. DOI: <https://pubs.acs.org/doi/10.1021/acssuschemeng.0c07422?goto=supporting-info>.
- Herlinawati, L., Ningrumsari, I., dan Anggraeni, T. (2022). Kajian Konsentrasi Gula dan Asam Sitrat terhadap Sifat Kimia dan Organoleptik Selai Pisang Nangka (*Musa Paradisiaca Formatypica*). *AGRITEKH (Jurnal Agribisnis dan Teknologi Pangan)*, 2(2): 72 – 89. DOI: <https://doi.org/10.32627/agritekh.v2i2.397>.

- Hernández, C., Aguilar, C. N., Rodríguez-Herrera, R., Flores-Gallegos, A. C., Morlett-Chávez, J., Govea-Salas, M., and Ascacio-Valdés, J. A. (2019). Rambutan (*Nephelium lappaceum* L.): Nutritional and Functional Properties. *Trends in Food Science & Technology*, 85: 201 – 210. DOI: <https://doi.org/10.1016/j.tifs.2019.01.018>.
- Hernández, C., Ascacio-Valdés, J., De la Garza, H., Wong-Paz, J., Aguilar, C. N., Martínez-Avila, G. C., and Aguilera-Carbó, A. (2017). Polyphenolic Content, In Vitro Antioxidant Activity and Chemical Composition of Extract from *Nephelium lappaceum* L. (Mexican Rambutan) Husk. *Asian Pacific Journal of Tropical Medicine*, 10(12): 1201 – 1205. DOI: <https://doi.org/10.1016/j.apjtm.2017.10.030>.
- Hidayah, N., Kasmiyatun, M., dan Purwaningtyas, E. F. (2020). Pengambilan Pektin Dari Kulit Bagian Dalam (*Albedo*) Semangka Dengan Proses Ekstraksi. *CHEMTAG Journal of Chemical Engineering*, 1(2): 57 – 62. DOI: <https://dx.doi.org/10.56444/cjce.v1i2.1771>.
- Hidayat, I. R., Zuhrotun, A., dan Sopyan, I. (2021). Design-expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1): 99 – 120. DOI: <https://doi.org/10.24198/mfarmasetika.v6i1.27842>.
- Hunaefi D., Shafira, N. A., Purnomo I., Nurtama, B., dan Indriani, S. (2020). Rancangan Percobaan Untuk Teknologi Pangan. Tangerang: Universitas Terbuka.
- Hutagalung, J. M., Murdikaningrum, G., Yulianti, M., dan Nurcahyani, S. (2023). Potensi Limbah Kulit dan Biji Rambutan (*Nephelium lappaceum* L) sebagai Bioetanol. *Composite: Jurnal Ilmu Pertanian*, 5(2): 76 – 85. DOI: <https://doi.org/10.37577/composite.v5i2.578>.
- Ishwarya, P. S., and Nisha, P. (2021). Headway in Supercritical Extraction of Fragrances and Colors. *Reference Module in Food Science*. 620 – 639. DOI: <https://doi.org/10.1016/B978-0-08-100596-5.22677-2>.
- Jahurul, M. H. A., Azzatul, F. S., Sharifudin, M. S., Norliza, M. J., Hasmadi, M., Lee, J. S., and Zaidul, I. S. M. (2020). Functional and Nutritional Properties of Rambutan (*Nephelium lappaceum* L.) Seed and Its Industrial Application: A Review. *Trends in Food Science & Technology*, 99: 367 – 374. DOI: <https://doi.org/10.1016/j.tifs.2020.03.016>.
- Jiang, Y., and Du, J. (2017). Properties of High-methoxyl Pectin Extracted from “Fuji” Apple Pomace in China. *Journal of Food Process Engineering*, 40(3): 1 – 11. DOI: <https://doi.org/10.1111/jfpe.12497>.
- Jin, Y., and Yang, N. (2020). Array-induced Voltages Assisted Extraction of Pectin from Grapefruit (*Citrus paradisi* Macf.) Peel and its Characterization. *International Journal of Biological Macromolecules*, 152: 1205 – 1212 DOI: <https://doi.org/10.1016/j.ijbiomac.2019.10.215>.

- Jones, C. G. (2012). Scanning Electron Microscopy: Preparation and Imaging for SEM. *Forensic Microscopy for Skeletal Tissues: Methods and Protocols*, 915: 1 – 20. DOI: https://doi.org/10.1007/978-1-61779-977-8_1.
- Käferböck, A., Smetana, S., de Vos, R., Schwarz, C., Toepfl, S., and Parniakov, O. (2020). Sustainable Extraction of Valuable Components from Spirulina Assisted by Pulsed Electric Fields Technology. *Algal Research*, 48: 1 – 7. DOI: <https://doi.org/10.1016/j.algal.2020.101914>.
- Karbuzy, P., and Tugrul, N. (2021). Microwave and Ultrasound Assisted Extraction of Pectin from Various Fruits Peel. *Journal of Food Science and Technology*, 58(2): 641 – 650. DOI: <https://doi.org/10.1007/s13197-020-04578-0>.
- Kartika, I. A., Fataya, I., Yunus, M., dan Yuliana, N. D. (2022). Optimasi Proses Ekstraksi Minyak dan Resin Nyampung Dengan Pelarut Biner menggunakan Response Surface Method. *Jurnal Teknologi Industri Pertanian*, 32(1): 21 – 31. DOI: <https://doi.org/10.24961/j.tek.ind.pert.2022.32.1.21>.
- Kazemi, M., Khodaiyan, F., Labbafi, M., Hosseini, S.S. and Hojjati, M. (2018). Pistachio Green Hull Pectin: Optimization of Microwave-Assisted Extraction and Evaluation of its Physicochemical, Structural and Functional Properties. *Journal Food Chemistry*, 271: 663 – 672. DOI: <https://doi.org/10.1016/j.foodchem.2018.07.212>.
- Kesuma, N. K. Y., Widarta, I. W. R., dan Permana, I. D. G. M. (2018). Pengaruh Jenis Asam dan pH Pelarut terhadap Karakteristik Pektin dari Kulit Lemon (*Citrus limon*). *Jurnal Ilmu dan Teknologi Pangan*, 7(4): 192 – 203. ISSN: 2527-8010.
- Khumaida, A., Mulyawati, D., Irawati, I., Prawati, N., dan Amrillah, F. (2017). Formulasi Tablet *Effervescent* Berbahan Baku Ekstrak Kulit Buah Rambutan (*Nephelium lappaceum*) sebagai Antioksidan. *Indonesian Journal of Pharmaceutical Science and Technology*, 6(1): 27 – 36. DOI: <http://dx.doi.org/10.58327/jstfi.v6i1.61>.
- Koh, P. C., Leong, C. M., and Noranizan, M. A. (2014). Microwave-assisted Extraction of Pectin from Jackfruit Rinds Using Different Power Levels. *International Food Research Journal*, 21(5): 2091 – 2097. ISSN: 2231-7546.
- Kovačić, Đ., Rupčić, S., Kralik, D., Jovičić, D., Spajić, R., and Tišma, M. (2021). Pulsed Electric Field: An Emerging Pretreatment Technology in A Biogas Production. *Waste Management*, 120: 467 – 483. DOI: <https://doi.org/10.1016/j.wasman.2020.10.009>.
- Kozioł, A., Środa-Pomianek, K., Górniak, A., Wikiera, A., Cyprych, K., and Malik, M. (2022). Structural Determination Of Pectins by Spectroscopy Methods. *Coatings*, 12(4): 546 – 559. DOI: <https://doi.org/10.3390/coatings12040546>.

- Kraber, S. (2022). Improving Your DOE - Analysis with Response Transformations. *Journal of Plastic Film and Sheeting*, 38(1): 15 – 20. DOI: <https://doi.org/10.1177/87560879211069688>.
- Kuncahyo, I., dan Pudiastuti. (2017). Pengembangan Dan Optimasi Formula Self Mikroemulsi Drug Delivery System (SMEDDS) Kurkumin Untuk Meningkatkan Bioavailabilitas. *Jurnal Farmasi Indonesia*, 14(2): 99 – 109. DOI: <https://doi.org/10.31001/jfi.v14i2.294>.
- Kurniasari, N. I., dan Wibisono, Y. (2023). Penambahan Tepung Ampas Tahu dan Tepung Kulit Buah Naga Terhadap Tepung Premiks Pancake. *JOFE: Journal of Food Engineering*, 2(2): 73 – 77. DOI: <https://doi.org/10.25047/jofe.v2i2.3456>.
- Kurniawan, M. F., dan Adenia, Z. (2022). Ekstraksi Pektin Kulit Buah Naga Merah (*Hylocereus polyrhizus*) dengan Pelarut Asam Sitrat dan Aplikasinya sebagai Polimer Plastik Biodegradable. *al Kimiya: Jurnal Ilmu Kimia dan Terapan*, 9(1): 10 – 18. DOI: <https://doi.org/10.15575/ak.v9i1.17425>.
- Kurniawan, M. F., dan Adenia, Z. (2022). Ekstraksi Pektin Kulit Buah Naga Merah (*Hylocereus polyrhizus*) dengan Pelarut Asam Sitrat dan Aplikasinya sebagai Polimer Plastik Biodegradable. *Jurnal Ilmu Kimia dan Terapan*, 9(1): 10 – 18 . DOI: <https://doi.org/10.15575/ak.v9i1.17425>.
- Kurniawan, M. F., Hapsari, D. R., Nurlaela, R. S., dan Citra, N. (2023). Pectin Extraction from Ambon Banana (*Musa Paradisiaca* Var. *Sapientum*) Peel and its Application for Gummy Jelly. *Indonesian Journal of Applied Research (IJAR)*, 4(1): 75 – 83 . DOI: <https://doi.org/10.30997/ijar.v4i1.243>.
- Kurniawan, M. R. A., dan Sunardi. (2020). Pengaruh Lamanya Merokok Terhadap Tingkat Kelelahan Fisik dan Mental Orang Usia Kerja Menggunakan Response Surface Methodology. *JUMINTEN*, 1(5): 133 – 144. DOI: <https://doi.org/10.33005/juminten.v1i5.153>.
- Kusuma, H. A. W., Kumalaningsih, S., dan Pranowo, D. (2019). Optimasi Suhu dan Konsentrasi Maltodekstrin pada Proses Pembuatan Serbuk Lobak dengan Metode Foam Mat Drying. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 8(3): 171 – 182. DOI: <https://doi.org/10.21776/ub.industria.2019.008.03.2>.
- Kuswandi, K., Sobir, S., dan Suwarno, W. B. (2014). Keragaman Genetik Plasma Nutfah Rambutan di Indonesia Berdasarkan Karakter Morfologi. *Jurnal Hortikultura*, 24(4): 289 – 298. DOI: <https://dx.doi.org/10.21082/jhort.v24n4.2014.p289-298>.
- Laiya, Y., Lasindrang, M., dan Antuli, Z. (2021). Karakteristik Fisikokimia Pektin Dari Limbah Kulit Rambutan (*Nephelium lappaceum* Linn). *Jambura J. Food Technol*, 3: 1 – 9. DOI: <https://doi.org/10.37905/jjft.v3i1.7243>.
- Lara-González, L. Á., Guillermo-Rodríguez, W., Pineda-Triana, Y., Peña Rodríguez, G., and Salazar, H. F. (2020). Optimization of the Tensile

Properties of Polymeric Matrix Composites Reinforced with Magnetite Particles by Experimental Design. *TecnoLógicas*, 23(48): 83 – 98. DOI: <https://doi.org/10.22430/22565337.1499>.

- Latupeirissa, J., Eirene G., Fransina. Matheis F. J. D. P. Tanasale., dan Chudeya Y.B. (2019). Ekstraksi dan Karakterisasi Pektin Kulit Jeruk Manis Kisar (*Citrus Sp.*). *Indonesian Journal Chemical Res*, 7(1): 61 – 68. DOI: <https://doi.org/10.30598/ijcr.2019.7-egf>.
- Lestari, A. P. (2023). Karakterisasi Pektin Hasil Ekstraksi dari Kulit Ari Kedelai (*Glycine max. L*) Menggunakan Metode *Microwave Assisted Extraction* (Kajian Daya Listrik dan Waktu Ekstraksi). Skripsi. Jurusan Teknologi Pangan, Fakultas Teknik, Universitas Pembangunan Nasional “Veteran” Jawa Timur. Surabaya.
- Lestari, S. R., Djati, M. S., Rudijanto, A., dan Fatchiyah, F. (2014). Production and Potency of Local Rambutan at East Java as a Candidate Phytopharmaca. *AGRIVITA Journal of Agricultural Science*, 35(3): 270 – 276.
- Lestari, P. S., Martha, S., dan Debataraja, N. N. (2022). Penerapan Metode Regresi Ridge Pada Kasus Angka Kematian Bayi Di Provinsi Jawa Timur. *Bimaster: Buletin Ilmiah Matematika, Statistika dan Terapannya*, 11(4): 603 – 610. DOI: <https://doi.org/10.26418/bbimst.v11i4.57012>.
- Li, M., Lin, J. I. E., Chen, J., and Fang, T. (2016). Pulsed Electric Field-assisted Enzymatic Extraction of Protein from Abalone (*Haliotis discus hannai Ino*) Viscera. *Journal of Food Process Engineering*, 39(6): 702 – 710. DOI: <https://doi.org/10.1111/jfpe.12262>.
- Liang, R., Chen, J., Liu, W., Liu, C., Yu, W., Yuan, M., and Zhou, X. (2012). Extraction, Characterization and Spontaneous Gel-forming Property of Pectin from Creeping Fig (*Ficus pumila* Linn.) Seeds. *Carbohydrate Polymers*, 87(1): 76 – 83. DOI: <https://doi.org/10.1016/j.carbpol.2011.07.013>.
- Lin, S., Wang, L., Jones, G., Trang, H., Yin, Y., and Liu, J. (2012). Optimized Extraction of Calcium Malate from Eggshell Treated by PEF and an Absorption Assessment in Vitro. *International Journal of Biological Macromolecules*, 50(5): 1327 – 1333. DOI: <https://doi.org/10.1016/j.ijbiomac.2012.03.013>.
- Lindriati, T., Belgis, M., Fauzi, M., Juwita, Q. E., dan Sakinah, S. (2023). Ultrasound Assisted Extraction and Characterization of Pectin from Red Dragon Fruit (*Hylocereus polyrhizus*) Peels. *Journal of Applied Agricultural Science and Technology*, 7(2): 91 – 99. DOI: <https://doi.org/10.55043/jaast.v7i2.76>.
- Lončarić, A., Celeiro, M., Jozinović, A., Jelinić, J., Kovač, T., Jokić, S., Babić, J., Moslavac, T., Zavadlav, S. and Lores, M., (2020). Green Extraction

- Methods for Extraction of Polyphenolic Compounds from Blueberry Pomace. *Foods*, 9(11): 1 – 22. DOI: <https://doi.org/10.3390/foods9111521>.
- Madjaga, B. H., Nurhaeni, N., dan Ruslan, R. (2017). Optimalisasi Ekstraksi Pektin dari Kulit Buah Sukun (*Artocarpus altilis*). *KOVALEN: Jurnal Riset Kimia*, 3(2): 158 – 165.
- Mahmood, K., Kamilah, H., Alias, A. K., and Ariffin, F. (2018). Nutritional and Therapeutic Potentials of Rambutan Fruit (*Nephelium lappaceum* L.) and The By-products: A review. *Journal of Food Measurement and Characterization*, 12(3): 1556 – 1571. DOI: <https://doi.org/10.1007/s11694-018-9771-y>.
- Manao, A. (2020). Pengaruh Pelayanan terhadap Loyalitas Pelanggan pada Salon Lideo. *Jurnal Education and Development*, 8(2): 301 – 303.
- Maran, J. P., Swathi, K., Jeevitha, P., Jayalakshmi, J., and Ashvini, G. (2015). Microwave-Assisted Extraction of Pectic Polysaccharide from Waste Mango Peel. *Carbohydrate Polymers*, 123: 67 – 71. DOI: <https://doi.org/10.1016/j.carbpol.2014.11.072>.
- Marić, M., Grassino, A. N., Zhu, Z., Barba, F. J., Brnčić, M., and Brnčić, S. R. (2018). An Overview of The Traditional and Innovative Approaches for Pectin Extraction from Plant Food Wastes and By-products: Ultrasound-, Microwaves-, and Enzyme-assisted Extraction. *Trends in Food Science & Technology*, 76: 28 – 37. DOI: <https://doi.org/10.1016/j.tifs.2018.03.022>.
- Martínez, J. M., Delso, C., Álvarez, I., and Raso, J. (2020). Pulsed Electric Field-Assisted Extraction of Valuable Compounds from Microorganisms. *Comprehensive Reviews in Food Science and Food Safety*, 19(2): 530 – 552. DOI: <https://doi.org/10.1111/1541-4337.12512>.
- Martínez, J. M., Delso, C., Álvarez, I., and Raso, J. (2020). Pulsed Electric Field-Assisted Extraction of Valuable Compounds from Microorganisms. *Comprehensive Reviews in Food Science and Food Safety*, 19(2): 530 – 552. DOI: <https://doi.org/10.1111/1541-4337.12512>.
- McAtee, P. A., Hallett, I. C., Johnston, J. W., and Schaffer, R. J. (2009). A Rapid Method of Fruit Cell Isolation for Cell Size And Shape Measurements. *Plant Methods*, 5(5): 1 – 7. DOI: <https://doi.org/10.1186/1746-4811-5-5>.
- Megías M, Molist P, and Pombal MA (2025). Atlas of Plant and Animal Histology. <http://mmegias.webs.uvigo.es/index.html>. Diakses Tanggal 11 Mei 2025
- Minh, N. P., Vo, T. T., Trung, Q. V., Van Bay, N., and Loc, H. T. (2019). Application of CMC, Xanthan Gum as Biodegradable Coating on Storage of Rambutan (*Nephelium lappaceum*) Fruit. *Journal of Pharmaceutical Sciences and Research*, 11(3): 1063 – 1067. ISSN: 0975-1459.
- Monrroy, M., Arauz, O., and García, J. R. (2020). Active Compound Identification In Extracts of *N. lappaceum* Peel and Evaluation of Antioxidant

- Capacity. *Journal of Chemistry*, 2020: 1 – 14. DOI: <https://doi.org/10.1155/2020/4301891>.
- Moorthy, I. G., Maran, J. P., Ilakya, S., Anitha, S. L., Sabarima, S. P., and Priya, B. (2017). Ultrasound Assisted Extraction of Pectin from Waste *Artocarpus heterophyllus* Fruit Peel. *Ultrasonics Sonochemistry*, 34: 525 – 530. DOI: <https://doi.org/10.1016/j.ultsonch.2016.06.015>.
- Moorthy, M., Khoo, J. J., and Palanisamy, U. D. (2019). Acute Oral Toxicity of The Ellagitannin Geraniin and A Geraniin-enriched Extract from *Nephelium lappaceum* L Rind in Sprague Dawley Rats. *Heliyon*, 5(8): 1 – 5. DOI: <https://doi.org/10.1016/j.heliyon.2019.e02333>.
- Moreira, S. A., Alexandre, E. M., Pintado, M., and Saraiva, J. A. (2019). Effect of Emergent Non-thermal Extraction Technologies on Bioactive Individual Compounds Profile from Different Plant Materials. *Food Research International*, 115: 177 – 190.
- Myres, R. H., Montgomery, D. C., and Anderson-Cook, C. M. (2016). Response Surface Methodology: Process Product Optimization Using Design Experiments. Edisi ke-4. Kanada: John Wiley & Sons, Inc. ISBN: 978-1-118-91601-8.
- Nadar, C. G., Arora, A., and Shastri, Y. (2022). Sustainability Challenges and Opportunities in Pectin Extraction from Fruit Waste. *ACS Engineering Au*, 2(2): 61 – 74. DOI: <https://doi.org/10.1021/acsengineeringau.1c00025>.
- Naliyadhara, N., Kumar, A., Girisa, S., Daimary, U. D., Hegde, M., and Kunnumakkara, A. B. (2022). Pulsed Electric Field (PEF): Avant-garde Extraction Escalation Technology in Food Industry. *Trends in Food Science & Technology*, 122: 238 – 255. DOI: <https://doi.org/10.1016/j.tifs.2022.02.019>.
- Nashira, D. P., Wisanti, W., dan Putri, E. K. (2022). Penanda Karakter Varitas Rambutan (*Nephelium lappaceum* L.) Berdasarkan Karakter Morfologi. *LenteraBio: Berkala Ilmiah Biologi*, 11(2): 247 – 254. DOI: <https://doi.org/10.26740/lenterabio.v11n2.p247-254>.
- Nguyen, N. M. P., Le, T. T., Vissenaekens, H., Gonzales, G. B., Van Camp, J., Smagghe, G., and Raes, K. (2019). In Vitro Antioxidant Activity and Phenolic Profiles of Tropical Fruit By-products. *International Journal of Food Science & Technology*, 54(4): 1169 – 1178. DOI: <https://doi.org/10.1111/ijfs.14093>.
- Nieminen, P. (2022). Application of Standardized Regression Coefficient in Meta Analysis. *BioMedInformatics*, 2(3): 434 – 458. DOI: <https://doi.org/10.3390/biomedinformatics2030028>.
- Normah, O., dan Hasnah, K. K. (2000). Pectin Content of Selected Local Fruit By-products. *Journal of Tropical Agriculture and Food Science*, 28: 195 – 202.

- Ntourtoglou, G., Tsapou, E. A., Drosou, F., Bozinou, E., Lalas, S., Tataridis, P., and Dourtoglou, V. (2020). Pulsed Electric Field Extraction of α and β -acids from Pellets of *Humulus lupulus* (Hop). *Frontiers in Bioengineering and Biotechnology*, 8: 1 – 12. DOI: <https://doi.org/10.3389/fbioe.2020.00297>.
- Ntourtoglou, G., Tsapou, E. A., Drosou, F., Bozinou, E., Lalas, S., Tataridis, P., and Dourtoglou, V. (2020). Pulsed Electric Field Extraction of α and β -acids from Pellets of *Humulus lupulus* (Hop). *Frontiers in Bioengineering and Biotechnology*, 8: 297 – 309. DOI: <https://doi.org/10.3389/fbioe.2020.00297>.
- Nugraheni, S. D., Harijono, H., dan Wardani, A. K. (2023). Optimasi Konsentrasi Senyawa Anti Pencokelatan pada Penyimpanan Jamur Kancing (*Agaricus bisporus*) Segar. *Agrointek: Jurnal Teknologi Industri Pertanian*, 17(3): 632 – 643. DOI: <https://doi.org/10.21107/agrointek.v17i3.14839>.
- Nurhaeni, N., Atjiang, N. A., Hardi, J., Diharnaini, D., dan Khairunnisa, K. (2018). Ekstraksi dan Karakterisasi Pektin dari Kulit dan Dami Buah Cempedak (*Artocarpus chempeden*). *KOVALEN: Jurnal Riset Kimia*, 4(3): 304 – 315. ISSN: 2477-5398.
- Nurhidayati, N., dan Yuliantari, K. (2018). Analisis Pengaruh Kepuasan Pelanggan Terhadap Loyalitas Pelanggan pada Fish Streat Cabang Tebet. *Widya Cipta: Jurnal Sekretari dan Manajemen*, 2(1): 69 – 75. DOI: <https://doi.org/10.31294/widyacipta.v2i1.2918>.
- Nurika, I., Nisa, F. N., Azizah, N., dan Suhartini, S. Optimasi Kondisi Ekstraksi Vanillin Hasil Degradasi Lignoselulosa Bagas Tebu Menggunakan Response Surface Method (RSM). (2021). *Jurnal Bioteknologi dan Biosains Indonesia*, 8(1): 89 – 104. DOI: <https://dx.doi.org/10.20527/jps.v8i1.9085>.
- Nurlaila, R., Muarif, A., Meriatna, M., Masrullita, M., dan Ishak, I. (2023). Pengaruh Suhu dan Waktu Ekstraksi dalam Proses Pembuatan Pektin dari Kulit Buah Sukun dengan Pelarut Asam Sitrat. *Journal of Science and Applicative Technology*, 7(2): 65 – 70. DOI: <https://doi.org/10.35472/jsat.v7i2.1105>.
- Oliveira, E. I., Santosb, J. B., Gonçalvesa, A. P. B., Mattedia, S., and Jos  a, N. M. (2016). Characterization of The Rambutan Peel Fiber (*Nephelium lappaceum*) as a Lignocellulosic Material for Technological Applications. *Chemical Engineering*, 50: 391 – 396. DOI: <https://doi.org/10.3303/CET1650066>.
- Palanisamy, U., Cheng, H. M., Masilamani, T., Subramaniam, T., Ling, L. T., and Radhakrishnan, A. K. (2008). Rind of The Rambutan, *Nephelium lappaceum*, a Potential Source of Natural Antioxidants. *Food Chemistry*, 109(1): 54 – 63. DOI: <https://doi.org/10.1016/j.foodchem.2007.12.018>.
- Pamungkas, D. (2022). Pengaruh Variasi Suhu, Waktu, dan Konsentrasi Pelarut Terhadap Proses Ekstraksi Kulit Buah Naga (*Hylocereus polyrhizus*).

Skripsi. Jurusan Teknik Kimia, Fakultas Teknik, Universitas Muhammadiyah Semarang. Semarang.

- Panja, P. (2018). Green Extraction Methods of Food Polyphenols from Vegetable Materials. *Current Opinion in Food Science*, 23: 173 – 182. DOI: <https://doi.org/10.1016/j.cofs.2017.11.012>.
- Panjaitan, R. A. M., Putra, H. S. D., dan Setiawati, A. (2024). Isolasi dan Karakterisasi Pektin Kulit Nanas Madu (*Ananas comosus* L): Tinjauan Tingkat Kematangan Buah. Di dalam *Prosiding Seminar Nasional Sains dan Teknologi" SainTek"*, 1(2): 825 – 832.
- Panwar, D., Panesar, P. S., and Chopra, H. K. (2022). Green Extraction of Pectin from *Citrus limetta* Peels Using Organic Acid and Its Characterization. *Biomass Conversion and Biorefinery*, 14: 1 – 13. DOI: <https://doi.org/10.1007/s13399-021-02127-z>.
- Parniakov, O., Roselló-Soto, E., Barba, F. J., Grimi, N., Lebovka, N., and Vorobiev, E. (2015). New Approaches for The Effective Valorization of Papaya Seeds: Extraction of Proteins, Phenolic Compounds, Carbohydrates, and Isothiocyanates Assisted by Pulsed Electric Energy. *Food Research International*, 77: 711 – 717. DOI: <https://doi.org/10.1016/j.foodres.2015.03.031>.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., and Vyvyan, J. R. (2009). Introduction To Spectroscopy, Fourth Edition. In Department of Chemistry Western Washington University, Bellingham, Washington.
- Perina, I., Soetaredjo, F. E., and Hindarso, H. (2007). Ekstraksi Pektin dari Berbagai Macam Kulit Jeruk. *Widya Teknik*, 6(1): 1 – 10. DOI: <https://doi.org/10.33508/wt.v6i1.1227>.
- Phuong, N. N. M., Le, T. T., Van Camp, J., and Raes, K. (2020). Evaluation of Antimicrobial Activity of Rambutan (*Nephelium lappaceum* L.) Peel Extracts. *International Journal of Food Microbiology*, 321: 1 – 9. DOI: <https://doi.org/10.1016/j.ijfoodmicro.2020.108539>.
- Picart-Palmade, L., Cunault, C., Chevalier-Lucia, D., Belleville, M. P., and Marchesseau, S. (2019). Potentialities and Limits of Some Non-thermal Technologies to Improve Sustainability of Food Processing. *Frontiers in Nutrition*, 5: 1 – 18. DOI: <https://doi.org/10.3389/fnut.2018.00130>.
- Picauly, P., and Tetelepta, G. (2021). Characterization of Pectin from Tongka Langit Banana Peels With Various Extraction Temperature. In *IOP Conference Series: Earth and Environmental Science*, 883(1): 1 – 7. DOI: <https://doi.org/10.1088/1755-1315/883/1/012060>.
- Picot-Allain, M. C. N., Ramasawmy, B., and Emmambux, M. N. (2022). Extraction, Characterisation, and Application of Pectin from Tropical and Sub-tropical Fruits: A Review. *Food Reviews International*, 38(3): 282 – 312. DOI: <https://doi.org/10.1080/87559129.2020.1733008>.

- Prabowo, S., Prayitno, Y. A., dan Yuliani. (2020). Chemical Profile and Observing Honey Adulteration Using Fourier Transform Infrared (FTIR) Spectroscopy and Multivariate Calibration. *Journal of Food and Pharmaceutical Sciences*, 8 (1): 215 – 225.
- Prabudi, M., Nurtama, B., dan Purnomo, E. H. (2018). Application of Response Surface Methodology (RSM) Using Historical Data on Optimization Burger Production Process. *Jurnal Mutu Pangan*, 5(2): 109 – 115. ISSN: 2355-5017.
- Pramudya, P. A., Fahmi, A. S., dan Rianingsih, L. (2022). Optimasi Suhu dan Waktu Pengeringan Nori Berbahan Baku *Ulva lactuca* dan *Gelidium* sp. Dengan Penambahan Perisa Bubuk Kepala Udang Menggunakan Response Surface Methodology. *Jurnal Ilmu Dan Teknologi Perikanan*, 4(2): 100 – 109. DOI: <https://doi.org/10.14710/jitpi.2022.13708>.
- Pranayasa, W. A., Putra, G. G., dan Suhendra, L. Pengaruh Daya Gelombang Mikro dan Rasio Bahan-Pelarut pada Rendemen dan Sifat Fisikokimia Pektin dari Kulit Buah Kakao. *Jurnal Rekayasa dan Manajemen Agroindustri*, 10(2): 184 – 193. DOI: <https://doi.org/10.24843/JRMA.2022.v10.i02.p06>.
- Prasetyo, A., Nadir, M., Sari, W. E., dan Rahmaniar, Z. Z. (2023). Ekstraksi Pektin Kulit Kakao (*Theobroma cacao* L.) menggunakan Metode *Microwave Assisted Extraction* dengan Asam Klorida. *Jurnal Teknik Kimia Vokasional (JIMSI)*, 3(2): 44 – 54. DOI: <https://doi.org/10.46964/jimsi.v3i2.546>.
- Priscilla, T., Irwan, M., dan Arifin, Z. (2024). Sintesis Biodiesel Dari Minyak Jelantah Dalam Reaktor Ultrasonik. *Jurnal Energi Baru dan Terbarukan*, 5(1): 44 – 56. DOI: <https://doi.org/10.14710/jebt.2024.21938>.
- Rahaman, A., Siddeeg, A., Manzoor, M. F., Zeng, X. A., Ali, S., Baloch, Z., and Wen, Q. H. (2019). Impact of Pulsed Electric Field Treatment on Drying Kinetics, Mass Transfer, Colour Parameters and Microstructure of Plum. *Journal of Food Science and Technology*, 56: 2670 – 2678. DOI: <https://doi.org/10.1007/s13197-019-03755-0>.
- Rahman, A., Fansuri, H., Probowati, B. D., dan Sa'diyah, A. M. M. (2023). Efek Perlakuan Awal dengan *Pulsed Electric Field* (PEF) terhadap Kualitas Ekstrak Cabe Jamu (*Piper retrofractum* Vahl.). *Agrointek J. Teknol. Ind. Pertanian*, 17(4): 934 – 943. DOI: <https://doi.org/10.21107/agrointek.v17i4.19163>.
- Rahmanda A. F. K. W., Sukardi, S., dan Warkoyo, W. (2021). Karakterisasi Sifat Fisikokimia Pektin Kulit Jeruk Keprok Batu 55 (*Citrus reticulata* B), Jeruk Siam (*Citrus nobilis* var. *microcarpa*), Jeruk Manis Pacitan (*Citrus sinensis* L, Jeruk Nipis (*Citrus aurantifolia* swingle), dan Jeruk Lemon (*Citrus limon* L) yang Tumbuh di Kota Batu. *Food Technology and Halal Science Journal*, 4(2): 124 – 141. DOI: <https://doi.org/0.22219/fths.v4i2.15643>.

- Rahmati, S., Abdullah, A., and Kang, O. L. (2019). Effects of Different Microwave Intensity on the Extraction Yield and Physicochemical Properties of Pectin from Dragon Fruit (*Hylocereus polyrhizus*) Peels. *Bioactive Carbohydrates and Dietary Fibre*, 18: 1 – 8. DOI: <https://doi.org/10.1016/j.bcdf.2019.100186>.
- Rahmawati, R., Nurjanah, S., dan Mardawati, E. (2022). Optimisasi Tekanan dan Nisbah Refluks pada Pemurnian Δ -Guaiana Minyak Nilam (*Pogostemon cablin*) secara Distilasi Fraksional. *Jurnal Ilmu Pertanian Indonesia*, 27(4): 614 – 619. <https://doi.org/10.18343/jipi.27.4.614>.
- Raji, Z., Khodaiyan, F., Rezaei, K., Kiani, H., and Hosseini, S. S. (2017). Extraction Optimization and Physicochemical Properties of Pectin from Melon Peel. *International Journal of Biological Macromolecules*, 98: 709 – 716. DOI: <https://doi.org/10.1016/j.ijbiomac.2017.01.146>.
- Rakariyatham, K., Zhou, D., Rakariyatham, N., and Shahidi, F. (2020). Sapindaceae (*Dimocarpus longan* and *Nephelium lappaceum*) Seed and Peel By-products: Potential Sources for Phenolic Compounds and Use as Functional Ingredients in Food and Health Applications. *Journal of Functional Foods*, 67: 1 – 21. DOI: <https://doi.org/10.1016/j.jff.2020.103846>.
- Ranjha, M. M. A. N., Kanwal, R., Shafique, B., Arshad, R. N., Irfan, S., Kieliszek, M., Kowalczewski, P. Ł., Irfan, M., Khalid, M. Z., Roobab, U., and Aadil, R. M. (2021). A Critical Review on Pulsed Electric Field: A Novel Technology for the Extraction of Phytoconstituents. *Molecules*, 26(16): 1 – 23. DOI: <https://doi.org/10.3390/molecules26164893>.
- Raso, J., Frey, W., Ferrari, G., Pataro, G., Knorr, D., Teissie, J., and Miklavčič, D. (2016). Recommendations Guidelines on The Key Information to be Reported in Studies of Application of PEF Technology in Food and Biotechnological Processes. *Innovative Food Science & Emerging Technologies*, 37: 312 – 321. DOI: <https://doi.org/10.1016/j.ifset.2016.08.003>.
- Redondo, D., Venturini, M. E., Luengo, E., Raso, J., and Arias, E. (2018). Pulsed Electric Fields as A Green Technology for The Extraction of Bioactive Compounds from Thinned Peach By-products. *Innovative Food Science & Emerging Technologies*, 45: 335 – 343. DOI: <https://doi.org/10.1016/j.ifset.2017.12.004>.
- Rencoret, J., Kim, H., Evaristo, A. B., Gutiérrez, A., Ralph, J., and Del Río, J. C. (2018). Variability in Lignin Composition and Structure in Cell Walls of Different Parts of Macaúba (*Acrocomia aculeata*) Palm Fruit. *Journal of Agricultural and Food Chemistry*, 66(1): 138 – 153. DOI: <https://doi.org/10.1021/acs.jafc.7b04638>.
- Ristiningsih, Y., Lestari, I., dan Nandari W. W. (2021). Pengaruh Jenis Asam dan Temperatur Ekstraksi Terhadap Yield dan Karakteristik Pektin dari Kulit Pisang. *Eksergi*, 18(2): 37 – 42.

- Roikah, S., Rengga, W. D. P., Latifah, L., dan Kusumastuti, E. (2016). Ekstraksi dan Karakterisasi Pektin dari Belimbing Wuluh (*Averrhoa Bilimbi*, L). *Jurnal Bahan Alam Terbarukan*, 5(1): 29 – 36 . DOI: <https://doi.org/10.15294/jbat.v5i1.5432>.
- Rombaut, N., Tixier, A.-S., Bily, A., and Chemat, F. (2014). Green Extraction Processes of Natural Products as Tools for Biorefinery. *Biofuels, Bioproducts and Biorefining*, 8(4): 530 – 544. DOI: <https://doi.org/10.1002/bbb.1486>.
- Rosalina, Y., Susanti, L., dan Karo, S. B. (2017). Kajian Ekstraksi Pektin Dari Limbah Jeruk Rimau Gerga Lebong (Jeruk Rgl) dan Jeruk Kalamansi. *Jurnal Agrotek*, 11(2): 68 – 74. DOI: <https://doi.org/10.21107/agrotek.v11i2.3174>.
- Rosalina, Y., Susanti, L., Silsia, D., dan Setiawan, R. (2018). Karakteristik Tepung Pisang dari Bahan Baku Pisang Lokal Bengkulu. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 7(3): 153 – 160. DOI: <https://doi.org/10.21776/ub.industria.2018.007.03.3>.
- Roselló-Soto, E., Koubaa, M., Moubarik, A., Lopes, R. P., Saraiva, J. A., Boussetta, N., Grimi, N., and Barba, F. J. (2015). Emerging Opportunities for The Effective Valorization of Wastes and By-products Generated During Olive Oil Production Process: Non-Conventional Methods for The Recovery of High-added Value Compounds. *Trends in Food Science and Technology*, 45(2): 296 – 310. DOI: <https://doi.org/10.1016/j.tifs.2015.07.003>.
- Roy, S., Priyadarshi, R., Łopusiewicz, Ł., Biswas, D., Chandel, V., and Rhim, J. W. (2023). Recent Progress in Pectin Extraction, Characterization, and Pectin-based Films for Active Food Packaging Applications: A review. *International Journal of Biological Macromolecules*, 239: 124248. DOI: <https://doi.org/10.1016/j.ijbiomac.2023.124248>.
- Rusman, N. H. (2019). Potensi Limbah Kulit Buah sebagai Bahan Baku dalam Pembuatan Edible Film. *Jurnal Penelitian Dan Pengembangan Agrokompleks*, 2(1): 97 – 98.
- Saha, S. P., and Mazumdar, D. (2019). Optimization of Process Parameter for Alpha-amylase Produced by *Bacillus cereus amy3* Using One Factor at a Time (OFAT) and Central Composite Rotatable (CCRD) Design Based Responses Methodology (RSM). *Biocatalysis and Agricultural Biotechnology*, 19: 1 – 11. DOI: <https://doi.org/10.1016/j.bcab.2019.101168>
- Said, K. A. M., Amin, M., dan Afizal, M. (2016). Overview on the Response Surface Methodology (RSM) in Extraction Processes. *Journal of Applied Science and Process Engineering*, 2(1): 8 – 17. DOI: <https://doi.org/10.33736/jaspe.161.2015>.
- Saini, A., Panesar, P. S., and Bera, M. B. (2019). Valorization of Fruits and Vegetables Waste Through Green Extraction of Bioactive Compounds and Their Nanoemulsions-based Delivery System. *Bioresources and*

- Bioprocessing*, 6(1): 1 – 12. DOI: <https://doi.org/10.1186/s40643-019-0261-9>.
- Sakooei-Vayghan, R., Peighambardoust, S. H., Hesari, J., and Peressini, D. (2020). Effects of Osmotic Dehydration (With and Without Sonication) and Pectin-based Coating Pretreatments on Functional Properties and Color of Hot-air Dried Apricot Cubes. *Food Chemistry*, 311: 1 – 40. DOI: <https://doi.org/10.1016/j.foodchem.2019.125978>.
- Sánchez-Vega, R., Elez-Martínez, P., and Martín-Belloso, O. (2015). Influence of High-intensity Pulsed Electric Field Processing Parameters on Antioxidant Compounds of Broccoli Juice. *Innovative Food Science and Emerging Technologies*, 29, 70 – 77. DOI: <https://doi.org/10.1016/j.ifset.2014.12.002>.
- Sangheetha, S., Illeperuma, D. C. K., Navaratne, A. N., and Jayasinghe, C. (2019). Effect of pH, Temperature and Time Combinations on Yield and Degree of Esterification of Mango Peel Pectin: A Box-behnken Design Based Statistical Modelling. *Trop. Agric. Res*, 30(2): 1 – 12. DOI: <https://doi.org/10.4038/tar.v30i2.8304>.
- Saputra, A. D. E. (2022). Pengaruh Penambahan Kulit Rambutan (*Nephelium Lappaceum*) Pada Briket Tongkol Jagung (*Zea Mays L*) Menggunakan Perikat Daun Jati (*Tectona Grandis*). Skripsi. Jurusan Teknik Energi Terbarukan, Fakultas Teknik, Politeknik Negeri Jember. Jember
- Saputri, M. A., Pratiwi, G., Shiyan, S., Arina, Y., dan Trisakti, I. (2023). Profil Spektra FTIR (*Fourier Transform Infrared Spechtrophotometry*) Sari Ikan Gabus (*Channa striata*) dengan Varaiasi Metode Ekstraksi. *Babul Ilmi Jurnal Ilmiah Multi Science Kesehatan*, 15(2): 59 – 75. DOI: <https://doi.org/10.36729/bi.v15i2.1155>.
- Sayah, M. Y., Chabir, R., Benyahia, H., Kandri, Y. R., Chahdi, F. O., Touzani, H., and Errachidi, F. (2016). Yield, Esterification Degree and Molecular Weight Evaluation of Pectins Isolated from Orange and Grapefruit Peels Under Different Conditions. *PLoS ONE*, 11(9): 1 – 16. DOI: <https://doi.org/10.1371/journal.pone.016175>.
- Setyowati, E., dan Mashuri, M. (2020). Analisis Pengaruh Luas Penggunaan Lahan dan Tinggi Tempat Terhadap Produksi Padi di Kabupaten Semarang Tahun 2018. In *PRISMA, Prosiding Seminar Nasional Matematika*, 3: 199 – 210.
- Shaha, R. K., Punichelvana, Y. N. A. P., and Afandi, A. (2013). Optimized Extraction Condition and Characterization of Pectin from Kaffir Lime (*Citrus hystrix*). *Research Journal of Agriculture and Forestry Sciences*, 1(2): 1–11. ISSN: 2320-6063.
- Shodikin, M. B., Susiana, E., dan Khailani, E. R. (2024). Anaisis *Food Dehydrator* dalam Mengurangi Kadar Air pada Daun Salam. *Prosiding SAINTEK*, 6(1): 77 – 82. DOI: <https://doi.org/10.29303/saintek.v6i1.921>.

- Siddiqui, A., Chand, K., and Shahi, N. C. (2021). Effect of Process Parameters on Extraction of Pectin from Sweet Lime Peels. *Journal of The Institution of Engineers (India): Series A*, 102(2): 469 – 478. DOI: <https://doi.org/10.1007/s40030-021-00514-3>.
- Silsia, D., Susanti, L., dan Febreini, M. (2021). Rendemen dan Karakteristik Pektin Kulit Buah Naga Merah (*Hylocereus costaricensis*) dengan Perbedaan Metode dan Waktu Ekstraksi. *Jurnal Agroindustri*, 11(2): 120 – 132.
- Sitepu K. M. (2022). Enkapsulasi Ekstrak Kulit Rambutan (*Nephelium lappaceum*) Sebagai Pengawet Alami Produk Pangan. Skripsi. Jurusan Ilmu dan Teknologi Pangan, Fakultas Pertanian, Universitas Hasanuddin. Makassar.
- Sitohang, R. G., Turnip, N. J. R., dan Aditia, A. (2022). Optimasi Proses Adsorpsi Zat Warna Indigosol di Air Limbah Artifisial menggunakan Response Surface Methodology dengan Pendekatan Desirability Function. *Jurnal Rekayasa Proses*, 16(2): 135 – 140. DOI: <https://doi.org/10.22146/jrekpros.72318>.
- Sofiyanti, N., Isda, M. N., Agesti, A. R. A., Sari, M., dan Pranata, S. (2022). Phytochemical Test of 3 Wild Rambutan (*Nephellium Lappaceum L.-Sapindaceae*) Fruits from Riau Province. *Jurnal Biologi Tropis*, 22(3): 902 – 906. DOI: <http://dx.doi.org/10.29303/jbt.v22i3.3574>.
- Statista. (2017). Percentage of Wasted Food by Category Global. <https://www.statista.com/statistics/519611/percentage-of-wasted-food-by-category-global/>. Diakses Tanggal 23 Maret 2024.
- Subagio, B. B., Nursyahid, A., Mara, M. N., dan Rochmatika, R. A. (2023). Pengolahan Limbah Kulit Buah dan Sayuran Menjadi Obat Luka. *Jurnal Pengabdian Masyarakat Indonesia*, 3(5): 667 – 672. DOI: <https://doi.org/10.52436/1.jpmp.1644>.
- Sufy, Q. (2015). Pengaruh Variasi Perlakuan Bahan Baku dan Konsentrasi Asam Terhadap Ekstraksi dan Karakteristik Pektin dari Limbah Kulit Pisang Kepok Kuning (*Musa balbisiana* BBB). Skripsi. Jurusan Farmasi, Fakultas Kedokteran dan Ilmu Kesehatan, Universitas Islam Negeri Syarif Hidayatullah. Jakarta.
- Sulihono, A., Tarihoran, B., dan Agustina, T. E. (2012). Pengaruh Waktu, Temperatur, dan Jenis Pelarut terhadap Ekstraksi Pektin dari Kulit Jeruk Bali (*Citrus maxima*). *Jurnal Teknik Kimia*, 18(4): 1 – 8.
- Surhaini., Indriyani, dan Mursalin. (2016). Kajian Mutu Pektin dari Kulit Durian Selat dan Aplikasi pada Pengolahan Jeli Nenas Tangkit. Prosiding Seminar Nasional Forum Komunikasi Pendidikan Tinggi Teknologi Pertanian Indonesia. Jambi, 31 Oktober.
- Susilowati, Munandar, S., Edhawati, L., Harsini, T. (2013). Ekstraksi Pektin dari Kulit Buah Coklat dengan Pelarut Asam Sitrat. *Eksergi*, 11(1): 27 – 30.

- Syahrul, S., Syarief, R., Hermanianto, J., dan Nurtama, B. (2017). The Optimization of Frying Process of Tumpi-tumpi from Milkfish used Response Surface Methodology. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(3): 432 – 445.
- Talekar, S., Patti, A. F., Vijayraghavan, R., and Arora, A. (2018). An Integrated Green Biorefinery Approach Towards Simultaneous Recovery of Pectin and Polyphenols Coupled with Bioethanol Production from Waste Pomegranate Peels. *Bioresource Technology*, 266: 322 – 334. DOI: <https://doi.org/10.1016/j.biortech.2018.06.072>.
- Thinkratok, A., Suwannaprapha, P., & Srisawat, R. (2014). Safety Assessment of Hydroethanolic Rambutan Rind Extract: Acute and Sub-chronic Toxicity Studies. *Indian Journal of Experimental Biology*, 52(10): 989 – 995. ISSN: 0975-1009.
- Tingting, Z., Xiuli, Z., Kun, W., Liping, S., and Yongliang, Z. (2022). A Review: Extraction, Phytochemicals, and Biological Activities of Rambutan (*Nephelium lappaceum* L) Peel Extract. *Heliyon*, 8(11): 1 – 16. DOI: <https://doi.org/10.1016/j.heliyon.2022.e11314>.
- Tuhuloula, A., Budiarti, L., dan Fitriana, E. N. (2013). Karakterisasi Pektin dengan Memanfaatkan Limbah Kulit Pisang Menggunakan Metode Ekstraksi. *Konversi*, 2(1): 21 – 27. DOI: <https://dx.doi.org/10.20527/k.v2i1.123>.
- Tylewicz, U. (2020). How Does Pulsed Electric Field Work In *Pulsed Electric Fields to Obtain Healthier and Sustainable Food for Tomorrow* (pp. 3-21). Academic Press. DOI: <https://doi.org/10.1016/B978-0-12-816402-0.00001-X>.
- Variyana, Y., Muchammad, R. S. C., dan Mahfud, M. (2019). Box-behnken Design for The Optimization Using Solvent-free Microwave Gravity Extraction of Garlic Oil from *Allium sativum* L. *IOP Conference Series: Materials Science and Engineering*, 673(1): 1 – 13. DOI: <https://doi.org/10.1088/1757-899X/673/1/012005>.
- Verhoff, F. H., and Bauweleers, H. (2014). Citric Acid. *Ullmann's Encyclopedia of Industrial Chemistry*, 57: 1 – 11. DOI: https://doi.org/10.1002/14356007.a07_103.pub3.
- Vinatoru, M., Mason, T. J., and Calinescu, I. (2017). Ultrasonically Assisted Extraction (UAE) and Microwave Assisted Extraction (MAE) of Functional Compounds from Plant Materials. *TrAC Trends in Analytical Chemistry*, 97: 159 – 178. DOI: <https://doi.org/10.1016/j.trac.2017.09.002>.
- Wang, M. S., Wang, L. H., Bekhit, A. E. D. A., Yang, J., Hou, Z. P., Wang, Y. Z., and Zeng, X. A. (2018). A Review of Sublethal Effects of Pulsed Electric Field on Cells in Food Processing. *Journal of Food Engineering*, 223: 32 – 41. DOI: <https://doi.org/10.1016/j.jfoodeng.2017.11.035>.

- Wang, W., Ma, X., Xu, Y., Cao, Y., Jiang, Z., Ding, T., Ye, X., dan Liu, D. (2015). Ultrasound-assisted Heating Extraction of Pectin from Grapefruit Peel: Optimization and Comparison With The Conventional Method. *Food Chemistry*, 178: 106 – 114. DOI: <https://doi.org/10.1016/j.foodchem.2015.01.080>.
- Wen, B., Li, R., Zhao, X., Ren, S., Chang, Y., Zhang, K., Wang, S., Guo, G., and Zhu, X. (2021). A Quadratic Regression Model to Quantify Plantation Soil Factors That Affect Tea Quality. *Agriculture (Switzerland)*, 11(12): 1 – 12. DOI: <https://doi.org/10.3390/agriculture11121225>.
- Wicaksono, L. A., Basuki, E. K., Jariyah, J., dan Ayuninggar, R. M. (2020). Optimasi Ekstraksi Pektin Buah Pedada (*Sonneratia Caseolaris*) Menggunakan Pelarut Na₂HPO₄ (Disodium Phosphate) Dengan Metode Kurva Respon Permukaan. *Jurnal Teknologi Pangan dan Gizi (Journal of Food Technology and Nutrition)*, 19(2): 63 – 73. DOI: <https://doi.org/10.33508/jtpg.v19i2.2752>.
- Widhiantari, I. A., Sandra, S., dan Djoyowasito, G. (2019). Perubahan Sifat Fisik Buah Tomat Setelah Proses Transportasi. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 7(2): 139 – 147. DOI: <https://doi.org/10.29303/jrpb.v7i2.69>.
- Windiarso, C. (2015). Optimasi Pektin dari Kulit Buah Nangka (*Artocarpus heterophyllus*) Dengan Microwave Assisted Extraction (MAE) (Kajian Waktu Ekstraksi dan Konsentrasi Pelarut). *Jurnal Bioproses Komoditas Tropis*, 3(1): 39 – 49.
- Wulaningrum, R. A., Sunarto, W., dan Alauddin, M. (2013). Pengaruh Asam Organik dalam Ekstraksi Zat Warna Kulit Buah Manggis (*Garcinia mangostana*). *Indonesian Journal of Chemical Science*, 2(2): 119 – 124. <http://journal.unnes.ac.id/sju/index.php/edaj>.
- Xu, S. (2017). Predicted Residual Error Sum of Squares of Mixed Models: An Application for Genomic Prediction. *G3: Genes, Genomes, Genetics*, 7(3): 895 – 909. DOI: <https://doi.org/10.1534/g3.116.038059>.
- Xu, S. Y., Liu, J. P., Huang, X., Du, L. P., Shi, F. L., Dong, R., and Cheong, K. L. (2018). Ultrasonic-microwave Assisted Extraction, Characterization and Biological Activity of Pectin from Jackfruit Peel. *LWT*, 90: 577 – 582. DOI: <https://doi.org/10.1016/j.lwt.2018.01.007>.
- Yakubu, Y., Aliyu, Z. Q., Usman, A., dan Evans, O. (2021). Split-plot Central Composite Experimental Design Method for Optimization of Cake Height to Achieve desired Texture. *Nigerian Journal of Basic and Applied Sciences*, 28(1): 30 – 39. DOI: <https://doi.org/10.4314/njbass.v28i1.5>.
- Yustisia, G. A., Sarifah, S. M., dan Subagyo, P. (2020). Optimasi Proses Ekstraksi Pektin Dami Buah Nangka. Dalam Prosiding Seminar Nasional Teknik Kimia "Kejuangan" : 1 – 10.

- Zahara, F., Yuniarni, D., dan Arziqni, I. (2023). Optimasi Ekstraksi Flavonoid Dari Daun Pisang Kepok (*Musa Paradisiaca* L) Menggunakan Microwave-Assisted Extraction (Mae). *Jurnal Teknologi Kimia Unimal*, 12(2): 190 – 202. DOI: <https://doi.org/10.29103/jtku.v12i2.13010>.
- Zahro, N. A., Warkoyo, W., dan Wahyudi, V. A. (2023). Pengaruh Konsentrai Asam Klorida (HCl) dan Waktu Ekstraksi pada Karakterisasi Pektin Kulit Jeruk Bali (*Citrus maxima*). *Food Technology and Halal Science Journal*, 6(1): 58 – 72.
- Zhang, Z. H., Han, Z., Zeng, X. A., and Wang, M. S. (2017). The Preparation of Fe-glycine Complexes by a Novel Method (Pulsed Electric Fields). *Food Chemistry*, 219: 468 – 476. DOI: <https://doi.org/10.1016/j.foodchem.2016.09.129>.
- Zhao, W., Hao, C., Guo, Y., Shao, W., Tian, Y., dan Zhao, P. (2023). Optimization of Adsorption Conditions Using Response Surface Methodology for Tetracycline Removal by MnFe₂O₄/Multi-Wall Carbon Nanotubes. *Water*, 15(2392): 1 – 17. DOI: <https://doi.org/10.3390/w15132392>.
- Zulher, Z. (2020). Analisis Etos Kerja, Lingkungan Kerja dan Beban Kerja terhadap Kepuasan Kerja Pegawai (Survey Pada Pegawai UPTD Puskesmas Bangkinang Kota). *Jurnal Menara Ekonomi: Penelitian dan Kajian Ilmiah Bidang Ekonomi*, 6(2): 99 – 105. DOI: <https://doi.org/10.31869/me.v6i2.1826>.