

## DAFTAR PUSTAKA

- Adhiksana, A., Fitriyana, & Irwan, M. (2017). Pemanfaatan Ultrasonik dalam Proses Ekstraksi Pektin dari Kulit Buah Pisang dengan Pelarut Asam Klorida. *SNITT - Politeknik Negeri Balikpapan*, 169–173.
- Adrian, G., Mihai, M., & Vodnar, D. C. (2019). The Use of Chitosan , Alginate , and Pectin in the. *Polymers*, 11(11), 1837.
- Aini, N., Herdawan, I. S., Sustriawan, B., Setyawati, R., Kurniawan, R. E. K., Suliman, N. M., Arsyistawa, H. S., & Indarto. (2024). Characterization of melon (var Sky Rocket) peel pectin using *microwave*-assisted extraction at different powers and extraction times. *Biodiversitas*, 25(4), 1528–1535. <https://doi.org/10.13057/biodiv/d250421>
- Aji, A., Bahri, S., & Tantalia, T. (2018). Pengaruh Waktu Ekstraksi Dan Konsentrasi Hcl Untuk Pembuatan Pektin Dari Kulit Jeruk Bali (Citrus maxima). *Jurnal Teknologi Kimia Unimal*, 6(1), 33. <https://doi.org/10.29103/jtku.v6i1.467>
- Aji, N., Anwari, M. T., Azzahrah, N. R., & Azizah, Z. N. (2020). Pemanfaatan Limbah Kulit Rambutan sebagai Gel Tabir Surya dan Anti Bakteri terhadap Sthaphylococcus aureus. *Journal of Pharmacopolium*, 3(2), 85–95.
- Alba, K., & Kontogiorgos, V. (2020). Emulsification properties of pectin. *Pectin: Technological and Physiological Properties*, 83–97. [https://doi.org/10.1007/978-3-030-53421-9\\_5](https://doi.org/10.1007/978-3-030-53421-9_5)
- Amanati, L., & Annisa. (2020). Ekstraksi Pektin dari Kulit Durian (Durio Zibethinus) untuk Industri Makanan Pectin Extraction From Durian Skin(Durio Zibethinus) For Food Industry. *Teknologi Proses Dan Inovasi Industri*, 5(2), 33.
- Amrih, D. (2017). Ingredien Dan Bahan Tambahan Pangan. In *Food Chemistry* (Vol. 220, pp. 108–114). Elsevier Ltd. <https://doi.org/10.1016/j.foodchem.2016.09.197>
- Andini, A., Muhammad, F., Istiana Sari, M., & Joko Raharjo, S. (2022). Karakterisasi Pektin Ekstrak Bonggol Pisang Kepok (Musa paradisiaca L.). *Hexagon Jurnal Teknik Dan Sains*, 3(2), 40–45. <https://doi.org/10.36761/hexagon.v3i2.1626>
- Anis, M., & Nandiroh, S. (2007). Optimasi perencanaan produksi dengan metode. *Jurnal Ilmiah Teknik Industri*, 133–143.
- Araújo, E. M. R., Coelho, F. E. B., Balarini, J. C., Miranda, T. L. S., & Salum, A. (2017). Solvent Extraction of Citric Acid with Different Organic Phases. *Advances in Chemical Engineering and Science*, 07(03), 304–324. <https://doi.org/10.4236/aces.2017.73023>
- Atfitri, D., & Purnami, A. S. (2018). Hubungan Motivasi Dan Status Sosial Ekonomi

Orangtua Dengan Prestasi Belajar Matematika Siswa Kelas Viii Smp Negeri Se- Kecamatan Tepus Kabupaten Gunungkidul Tahun Ajaran 2017/2018 Dwi. *Prosiding Seminar Nasional Etnomatnesia*, 20, 901–904.

- Badaró, A. T., Garcia-Martin, J. F., López-Barrera, M. del C., Barbin, D. F., & Alvarez-Mateos, P. (2020). Determination of pectin content in orange peels by near infrared hyperspectral imaging. *Food Chemistry*, 323(December 2019), 126861. <https://doi.org/10.1016/j.foodchem.2020.126861>
- Bagade, S. B., & Patil, M. (2021). Recent Advances in *Microwave Assisted Extraction of Bioactive Compounds from Complex Herbal Samples: A Review. Critical Reviews in Analytical Chemistry*, 51(2), 138–149. <https://doi.org/10.1080/10408347.2019.1686966>
- Bagherian, H., Zokaee Ashtiani, F., Fouladitajar, A., & Mohtashamy, M. (2013). Comparisons between conventional, *microwave*- and ultrasound-assisted methods for extraction of pectin from grapefruit. *Chemical Engineering and Processing: Process Intensification*, 50(11–12), 1237–1243. <https://doi.org/10.1016/j.cep.2011.08.002>
- Barba, F. J., Zhu, Z., Koubaa, M., Sant'Ana, A. S., & Orlie, V. (2016). Green alternative methods for the extraction of antioxidant bioactive compounds from winery wastes and by-products: A review. *Trends in Food Science and Technology*, 49, 96–109. <https://doi.org/10.1016/j.tifs.2016.01.006>
- Belkheiri, A., Forouhar, A., Ursu, A. V., Dubessay, P., Pierre, G., Delattre, C., Djelveh, G., Abdelkafi, S., Hamdami, N., & Michaud, P. (2021). Extraction , Characterization , and Applications of Pectins from Plant By-Product. *Applied Sciences Journal*, 11(14), 1–25.
- Berovic, M., & Legisa, M. (2007). Citric Acid Production. *Biotechnology Annual Review*, 1–37. [http://dx.doi.org/10.1016/S1387-2656\(07\)13011-8](http://dx.doi.org/10.1016/S1387-2656(07)13011-8)
- Breig, S. J. M., & Luti, K. J. K. (2021). Response surface methodology: A review on its applications and challenges in microbial cultures. *Materials Today: Proceedings*, 42, 2277–2284. <https://doi.org/10.1016/j.matpr.2020.12.316>
- Chandel, V., Biswas, D., Roy, S., Vaidya, D., Verma, A., & Gupta, A. (2022). Current Advancements in Pectin: Extraction, Properties and Multifunctional Applications. *Foods*, 11(17). <https://doi.org/10.3390/foods11172683>
- Chemat, F., Vian, M. A., & Cravotto, G. (2012). Green extraction of natural products: Concept and principles. *International Journal of Molecular Sciences*, 13(7), 8615–8627. <https://doi.org/10.3390/ijms13078615>
- Cho, E. H., Jung, H. T., Lee, B. H., Kim, H. S., Rhee, J. K., & Yoo, S. H. (2019). Green process development for apple-peel pectin production by organic acid extraction. *Carbohydrate Polymers*, 204, 97–103. <https://doi.org/10.1016/j.carbpol.2018.09.086>

- Damanik, D. A., & Pandia, S. (2019). Ekstraksi Pektin dari Limbah Kulit Jeruk (*Citrus sinensis*) dengan Metode Ekstraksi Gelombang Ultrasonik Menggunakan Pelarut Asam Klorida (HCl) Extraction of Pectin from Orange Peel Waste (*Citrus sinensis*) by Ultrasonic Method Using Hydrochloric Acid (HCl). *Jurnal Teknik Kimia USU*, 08(2), 85–89.
- de Souza, C. G., Rodrigues, T. H. S., e Silva, L. M. A., Ribeiro, P. R. V., & de Brito, E. S. (2018). Sequential extraction of flavonoids and pectin from yellow passion fruit rind using pressurized solvent or ultrasound. *Journal of the Science of Food and Agriculture*, 98(4), 1362–1368. <https://doi.org/10.1002/jsfa.8601>
- Delazar, A., Nahar, L., Hamedeyazdan, S., & Sarker, S. D. (2012). Microwave-assisted extraction in natural products isolation. *Methods in Molecular Biology*, 864, 89–115. [https://doi.org/10.1007/978-1-61779-624-1\\_5](https://doi.org/10.1007/978-1-61779-624-1_5)
- Djenar, N. S., & Suryadi, J. (2020). *Microwave Power and pH Regulating Solution Effect on Characteristics of Pectin from Sukun Peel ( Artocarpus altilis ) using Microwave Assisted Extraction (MAE)*. 198(Issat), 124–128. <https://doi.org/10.2991/aer.k.201221.022>
- Douglas, T. E. L., Hempel, U., Żydek, J., Vladescu, A., Pietryga, K., Kaeswurm, J. A. H., Buchweitz, M., Surmenev, R. A., Surmeneva, M. A., Cotrut, C. M., Koptug, A. V., & Pamula, E. (2018). Pectin coatings on titanium alloy scaffolds produced by additive manufacturing: Promotion of human bone marrow stromal cell proliferation. *Materials Letters*, 227, 225–228. <https://doi.org/10.1016/j.matlet.2018.05.060>
- Dranca, F., & Oroian, M. (2018). Extraction, purification and characterization of pectin from alternative sources with potential technological applications. *Food Research International*, 113, 327–350. <https://doi.org/10.1016/j.foodres.2018.06.065>
- Draper, N. R., & Lin, D. K. J. (1996). 11 Response surface designs. *Handbook of Statistics*, 13(1), 343–375. [https://doi.org/10.1016/S0169-7161\(96\)13013-3](https://doi.org/10.1016/S0169-7161(96)13013-3)
- Erwinda, R., & Santoso, H. H. (2014). Pengaruh Konsentrasi Hcl Sebagai Pelarut Pada Ekstraksi Pektin Dari Labu Siam. *Konversi*, 3(2), 55–63.
- Faramayuda, F., Shara, O. El, & Ratnawati, J. (2022). Penentuan Kandungan Polifenol Total Ekstrak Metanol Kulit Buah Rambutan Rapih (*Nephelium lappaceum* L.). *Medical Sains: Jurnal Ilmiah Kefarmasian*, 7(1), 57–66. <https://doi.org/10.37874/ms.v7i1.262>
- Fatemeh, B., & Rezvantlab, S. (2015). Viscosity variation effects on heat transfer and fluid flow through two-layered porous media. *Journal of Chemical Technology and Metallurgy*, 50(1), 35–38.
- Fauzan, A., Risnandar, T. D., Anisa, V. R., & Pasonang, R. (2022). Karakteristik

Kadar Metoksil dan Kadar Asam Galakturonat pada Ekstrak Pektin dari Kulit Jeruk Manis Pacitan pada Suhu 90°C. *Prosiding Industrial Research Workshop and National Seminar*, 13(1), 825–829.

Febriyanti, Y., Razak, A. R., & Sumarni, N. K. (2018). Ekstraksi Dan Karakterisasi Pektin Dari Kulit Buah Kluwih (*Artocarpus camansi* Blanco). *KOVALEN: Jurnal Riset Kimia*, 4(1), 60–73. <https://doi.org/10.22487/kovalen.2018.v4.i1.10185>

Fila, W. A., Itam, E. H., Johnson, J. T., Odey, M. O., Effiong, E. E., Dasofunjo, K., & Ambo, E. E. (2013). Comparative proximate compositions of watermelon *Citrullus lanatus*, squash *Cucurbita pepo* l and rambutan *Nephelium lappaceum*. *International Journal of Science and Technology*, 2(1), 81–88. <https://www.researchgate.net/publication/259176714>

Fishman, M. L., Chau, H. K., Hoagland, P. D., & Hotchkiss, A. T. (2006). Microwave-assisted extraction of lime pectin. *Food Hydrocolloids*, 20(8), 1170–1177. <https://doi.org/10.1016/j.foodhyd.2006.01.002>

Fishman, M. L., Chau, H. K., Hotchkiss, A. T., White, A., Garcia, R. A., & Cooke, P. H. (2019). Effect of long term cold storage and microwave extraction time on the physical and chemical properties of citrus pectin. *Food Hydrocolloids*, 92(December 2018), 104–116. <https://doi.org/10.1016/j.foodhyd.2018.12.047>

Freitas, C. M. P., Sousa, R. C. S., Dias, M. M. S., & Coimbra, J. S. R. (2020). Extraction of Pectin from Passion Fruit Peel. *Food Engineering Reviews*, 12(4), 460–472. <https://doi.org/10.1007/s12393-020-09254-9>

Greenfield, H., & Southgate, D. A. T. (2004). Food Composition Data and Food Composition Data Bases. *Food Composition Data*, 3–14. [https://doi.org/10.1007/978-1-4615-3544-7\\_2](https://doi.org/10.1007/978-1-4615-3544-7_2)

Guo, X., Guo, X., Meng, H., Zhang, B., & Yu, S. (2017). Using the high temperature resistant pH electrode to auxiliarily study the sugar beet pectin extraction under different extraction conditions. *Food Hydrocolloids*, 70, 105–113. <https://doi.org/10.1016/j.foodhyd.2017.03.032>

Hadiyat, M. A. (2012). Response-surface dan Taguchi: Sebuah alternatif atau kompetisi dalam optimasi secara praktis. *Prosiding Seminar Nasional Industrialisasi Madura*, 134–139.

Harefa, W., & Pato, U. (2017). Evaluasi Tingkat Kematangan Buah Terhadap Mutu Tepung Pisang Kepok Yang Dihasilkan Evaluation of Level Fruit Maturity To Quality of Kepok Banana Flours That Produced. *Jom FAPERTA*, 4(2), 1–12.

Hasibuan, M. A., Atmojo, D. A., Wahyujati, H., Hakim, F. N., & Giarno, G. (2023). Analisis Korelasi Statistik Fenomena Kejadian ENSO dan MJO terhadap Kondisi Klimatologis di Provinsi Riau. *Geographia : Jurnal Pendidikan Dan Penelitian Geografi*, 4(2), 104–111. <https://doi.org/10.53682/gjppg.v4i2.7243>

- Hayati, Z., & Terry, R. (2019). *Teori-Teori Pengambilan Keputusan*. 1–2. <https://doi.org/https://doi.org/10.31227/osf.io/w9kue>
- Hernández-Hernández, C., Aguilar, C. N., Rodríguez-Herrera, R., Flores-Gallegos, A. C., Morlett-Chávez, J., Govea-Salas, M., & Ascacio-Valdés, J. A. (2019). Rambutan(*Nephelium lappaceum* L.):Nutritional and functional properties. *Trends in Food Science and Technology*, 85, 201–210. <https://doi.org/10.1016/j.tifs.2019.01.018>
- Hidayah, N., Kasmiyatun, M., & Purwaningtyas, E. F. (2020). Pengambilan Pektin Dari Kulit Bagian Dalam (Albedo) Semangka Dengan Proses Ekstraksi. *CHEMTAG Journal of Chemical Engineering*, 1(2), 57. <https://doi.org/10.56444/cjce.v1i2.1771>
- Hilali, S., Fabiano-Tixier, A. S., Ruiz, K., Hejjaj, A., Ait Nouh, F., Idlimam, A., Bily, A., Mandi, L., & Chemat, F. (2019). Green Extraction of Essential Oils, Polyphenols, and Pectins from Orange Peel Employing Solar Energy: Toward a Zero-Waste Biorefinery. *ACS Sustainable Chemistry and Engineering*, 7(13), 11815–11822. <https://doi.org/10.1021/acssuschemeng.9b02281>
- Hinkelmann, K., & Kempthorne, O. (2008). Book Reviews: Design and Analysis of Experiments, Volume 1: Introduction to Experimental Design, 2nd edition. *Biometrics*, September, 987–999.
- Hwang, H. D., Ju, H. J., Gu, C. W., & Ko, K. C. (2011). Application of the response surface methodology for optimal shape design of an arc shield in a vacuum interrupter as a compact circuit-breaker pulse generation device. *Journal of the Korean Physical Society*, 59(61), 3644–3647. <https://doi.org/10.3938/jkps.59.3644>
- Ilmiah, J., & Pendidikan, W. (2023). 3 1,2,3. 9(23), 665–680.
- Ismail, N. S. M., Ramli, N., Hani, N. M., & Meon, Z. (2012). Extraction and characterization of pectin from dragon fruit (*Hylocereus polyrhizus*) using various extraction conditions. *Sains Malaysiana*, 41(1), 41–45.
- Jafari, F., Khodaiyan, F., Kiani, H., & Hosseini, S. S. (2017). Pectin from carrot pomace: Optimization of extraction and physicochemical properties. *Carbohydrate Polymers*, 157, 1315–1322. <https://doi.org/10.1016/j.carbpol.2016.11.013>
- Jahurul, M. H. A., Azzatul, F. S., Sharifudin, M. S., Norliza, M. J., Hasmadi, M., Lee, J. S., Patricia, M., Jinap, S., Ramlah George, M. R., Firoz Khan, M., & Zaidul, I. S. M. (2020). Functional and nutritional properties of rambutan (*Nephelium lappaceum* L.) seed and its industrial application: A review. *Trends in Food Science and Technology*, 99(September 2019), 367–374. <https://doi.org/10.1016/j.tifs.2020.03.016>
- Johnson, J. T., Abam, K. I., Ujong, U. P., Odey, M. O., Inekwe, V. U., & Dasofunjo,

- K. (2013). Vitamins Composition of Pulp, Seed and Rind of Fresh and Dry Rambutan *Nephelium lappaceum* and Squash *Cucurbita pepo* L. *Internation Journal of Science and Technology*, 2(1), 71–76.
- Julianti, E., Yusraini, E., Ridwansyah, & Suhaidi, I. (2013). Pengaruh Penyimpanan dengan Atmosfer Terkendali terhadap Effect of Controlled Atmosphere Storage on the Quality of Rambutan “Binjai.” *J. Hort. Indonesia*, 4(2), 63–69.
- Kamble, B., Gawande, S., & Patil, T. (2019). Extraction of Pectin from Banana Peel. *Open Science and Technology*, 9(2), 397–404.
- Kanse, N. G., Chirag, S. R., Swapnil, S., & Vishal, S. (2017). *Extraction of Pectin from Orange Peel's and Its Applications: Review*. 19452–19457. <https://doi.org/10.15680/IJIRSET.2017.0609142>
- Karbu, P., & Tugrul, N. (2021). Microwave and ultrasound assisted extraction of pectin from various fruits peel. *Journal of Food Science and Technology*, 58(2), 641–650. <https://doi.org/10.1007/s13197-020-04578-0>
- Kiyat, W. El, Clarissa, C., Claudia, G., Putri, M. T., Handoyo, C. C., Firdayanti, S. A., & Milka, M. (2019). Review: Ekstraksi Pektin dari Limbah Kulit Kedondong (*Spondias dulcis*) dan Pemanfaatannya sebagai Edible Coating pada Buah. *IJCA (Indonesian Journal of Chemical Analysis)*, 2(01). <https://doi.org/10.20885/ijca.vol2.iss1.art1>
- Koh, P. C., Leong, C. M., & Noranizan, M. A. (2014). Microwave-assisted extraction of pectin from jackfruit rinds using different power levels. *International Food Research Journal*, 21(5), 2091–2097.
- Krupavathi, M., & Mangala, D. S. (2015). Production of citric acid - a short review. *International Journal of Development Research*, 5(4), 4002–4006.
- Kuswandi, Sobir, & Suwarno, W. (2014). Keragaman genetik plasma nutfah rambutan di Indonesia berdasarkan karakter morfologi (genetic variation of rambutan germplasm in Indonesia based on morphological characters ). *J. Hort*, 24(4), 289–298.
- Kute, A. B., Mohapatra, D., Kotwaliwale, N., Giri, S. K., & Sawant, B. P. (2020). Characterization of Pectin Extracted from Orange Peel Powder using Microwave-Assisted and Acid Extraction Methods. *Agricultural Research*, 9(2), 241–248. <https://doi.org/10.1007/s40003-019-00419-5>
- Laiya, Y., Lasindrang, M., & Antuli, Z. (2021). Karakteristik Fisikokimia Pektin Dari Limbah Kulit Rambutan (*Nephelium lappaceum* Linn). *Jambura Journal of Food Technology*, 3(1), 1–9. <https://doi.org/10.37905/jjft.v3i1.7243>
- Lara-Espinoza, C., Carvajal-Millán, E., Balandrán-Quintana, R., López-Franco, Y., & Rascón-Chu, A. (2018). Pectin and pectin-based composite materials: Beyond food texture. *Molecules*, 23(4).

<https://doi.org/10.3390/molecules23040942>

- Lefsih, K., Giacomazza, D., Dahmoune, F., Mangione, M. R., Bulone, D., San Biagio, P. L., Passantino, R., Costa, M. A., Guarrasi, V., & Madani, K. (2017). Pectin from *Opuntia ficus indica*: Optimization of *microwave*-assisted extraction and preliminary characterization. *Food Chemistry*, 221, 91–99. <https://doi.org/10.1016/j.foodchem.2016.10.073>
- Lestari, S. R., Djati, M. S., Rudijanto, A., & Fatchiyah. (2013). Production and potency of local rambutan at East Java as a candidate phytopharmaca. *Agrivita*, 35(3), 270–276. <https://doi.org/10.17503/Agrivita-2013-35-3-p270-276>
- Liew, S. Q., Chin, N. L., Yusof, Y. A., & Sowndhararajan, K. (2016). Comparison of Acidic and Enzymatic Pectin Extraction from Passion Fruit Peels and Its Gel Properties. *Journal of Food Process Engineering*, 39(5), 501–511. <https://doi.org/10.1111/jfpe.12243>
- Lin, S., Guo, Y., Liu, J., You, Q., Yin, Y., & Cheng, S. (2011). Optimized enzymatic hydrolysis and pulsed electric field treatment for production of antioxidant peptides from egg white protein. *African Journal of Biotechnology*, 10(55), 11648–11657. <https://doi.org/10.5897/AJB11.1008>
- Llompart, M., Garcia-Jares, C., Celeiro, M., dan Dagnac, T. (2019). Extraction | Microwave-Assisted Extraction. In *Encyclopedia of Analytical Science* (3rd ed., Issue June). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-409547-2.14442-7>
- Ma, X., Chen, W., Yan, T., Wang, D., Hou, F., Miao, S., & Liu, D. (2020). Comparison of citrus pectin and apple pectin in conjugation with soy protein isolate (SPI) under controlled dry-heating conditions. *Food Chemistry*, 309, 125501. <https://doi.org/10.1016/j.foodchem.2019.125501>
- Mahmood, K., Fazilah, A., Yang, T. A., Sulaiman, S., & Kamilah, H. (2018). Valorization of rambutan (*Nephelium lappaceum*) by-products: Food and non-food perspectives. *International Food Research Journal*, 25(3), 890–902.
- Mahmud, M. M., Belal, M., Ahmed, S., Hoque, M. M., & Zzaman, W. (2021). *Microwave*-assisted extraction and characterization of pectin from citrus fruit wastes for commercial application. *Food Research*, 5(5), 80–88. [https://doi.org/10.26656/fr.2017.5\(5\).592](https://doi.org/10.26656/fr.2017.5(5).592)
- Mao, G., Wu, D., Wei, C., Tao, W., Ye, X., Linhardt, R. J., Orfila, C., & Chen, S. (2019). Reconsidering conventional and innovative methods for pectin extraction from fruit and vegetable waste: Targeting rhamnogalacturonan I. *Trends in Food Science and Technology*, 94, 65–78. <https://doi.org/10.1016/j.tifs.2019.11.001>
- Maran, J. P., Priya, B., Al-Dhabi, N. A., Ponmurugan, K., Moorthy, I. G., &

- Sivarajasekar, N. (2017). Ultrasound assisted citric acid mediated pectin extraction from industrial waste of *Musa balbisiana*. *Ultrasonics Sonochemistry*, 35, 204–209. <https://doi.org/10.1016/j.ultsonch.2016.09.019>
- Maria, C., Freitas, P., Jane, S., Gomes, V., Souza, L., & Rita, C. (2021). Structure and Applications of Pectin in Food, Biomedical, and Pharmaceutical Industry: A Review. *Coatings*, 11(922), 1–22.
- Marić, M., Grassino, A. N., Zhu, Z., Barba, F. J., Brnčić, M., & Rimac Brnčić, S. (2018). An overview of the traditional and innovative approaches for pectin extraction from plant food wastes and by-products: Ultrasound-, microwaves-, and enzyme-assisted extraction. *Trends in Food Science and Technology*, 76, 28–37. <https://doi.org/10.1016/j.tifs.2018.03.022>
- Marichamy, S., Stalin, B., Ravichandran, M., & Sudha, G. T. (2020). Optimization of machining parameters of EDM for  $\alpha$ - $\beta$  Brass using response surface methodology. *Materials Today: Proceedings*, 24, 1400–1409. <https://doi.org/10.1016/j.matpr.2020.04.458>
- Mathew, N. S., & Negi, P. S. (2017). Traditional uses, phytochemistry and pharmacology of wild banana (*Musa acuminata* Colla): A review. *Journal of Ethnopharmacology*, 196, 124–140. <https://doi.org/10.1016/j.jep.2016.12.009>
- Megawati, M., & Machsunah, E. L. (2016). Ekstraksi Pektin Dari Kulit Pisang Kepok (*Musa Paradisiaca*) Menggunakan Pelarut Hcl Sebagai Edible Film. *Jurnal Bahan Alam Terbarukan*, 5(1), 14–21. <https://doi.org/10.15294/jbat.v5i1.4177>
- Megawati, & Ulinuha, A. Y. (2015). Ekstraksi Pektin Kulit Buah Naga (Dragon Fruit) dan Aplikasinya Sebagai Edible Film. *Jurnal Bahan Alam Terbarukan*, 4(1), 16–23. <https://doi.org/10.15294/jbat.v3i1.3097>
- Minjares-Fuentes, R., Femenia, A., Garau, M. C., Meza-Velázquez, J. A., Simal, S., & Rosselló, C. (2014). Ultrasound-assisted extraction of pectins from grape pomace using citric acid: A response surface methodology approach. *Carbohydrate Polymers*, 106(1), 179–189. <https://doi.org/10.1016/j.carbpol.2014.02.013>
- Montgomery, D. C. (2013). Design and Analysis of Experiments 8th Edition. In *John Wiley & Sons, Inc.* (Vol. 3, Issue June). <https://doi.org/10.1002/9781118147634>
- Mosayebi, V., & Tabatabaei Yazdi, F. (2018). Optimization of microwave assisted extraction (MAE) of pectin from black mulberry (*Morus nigra* L.) pomace. *Journal of Food and Bioprocess Engineering*, 1(1), 57–66. <https://jfab.eut.ac.ir>
- Muhamed, S., Kurien, S., Iyer, K.S., Remzeena, A., Thomas, S., 2019. Natural diversity of rambutan (*Nephelium lappaceum* L.) in Kerala, India. *Genet. Resour. Crop Evol.* 66 (5), 1073–1090.



- Mukhriani. 2014. Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan* 7(2)
- Nadir, M., Latifah, F., & Meylinda, P. (2019). Rendeman dan karakteristik pektin dari kulit nenas dan kulit buah naga dengan *microwave* assisted extraction (MAE). *Prosiding Seminar Nasional Penelitian & Pengabdian Kepada Masyarakat*, 2019, 124–128.
- Nandhu Lal, A. M., Prince, M. V., & Sreeja, R. (2020). Studies on Characterisation of Combined Pulsed Electric Field and *Microwave* Extracted Pectin from Jack Fruit Rind and Core. *International Journal of Current Microbiology and Applied Sciences*, 9(3), 2371–2380. <https://doi.org/10.20546/ijcmas.2020.903.270>
- Naqash, F., Masoodi, F. A., Rather, S. A., Wani, S. M., & Gani, A. (2017). Emerging concepts in the nutraceutical and functional properties of pectin—A Review. *Carbohydrate Polymers*, 168, 227–239. <https://doi.org/10.1016/j.carbpol.2017.03.058>
- Nazaruddin Ramli. (2011). Effect of ammonium oxalate and acetic acid at several extraction time and pH on some physicochemical properties of pectin from cocoa husks (*Theobroma cacao*). *African Journal of Food Science*, 5(5), 790–798. <https://doi.org/10.5897/ajfs11.107>
- Neckebroeck, B., Verkempinck, S. H. E., Van Audenhove, J., Bernaerts, T., de Wilde d'Estmael, H., Hendrickx, M. E., & Van Loey, A. M. (2021). Structural and emulsion stabilizing properties of pectin rich extracts obtained from different botanical sources. *Food Research International*, 141(December 2020), 110087. <https://doi.org/10.1016/j.foodres.2020.110087>
- Ngouémazong, E. D., Christiaens, S., Shpigelman, A., Van Loey, A., & Hendrickx, M. (2015). The Emulsifying and Emulsion-Stabilizing Properties of Pectin: A Review. *Comprehensive Reviews in Food Science and Food Safety*, 14(6), 705–718. <https://doi.org/10.1111/1541-4337.12160>
- Nieminen, J. H. (2024). Assessment for Inclusion: rethinking inclusive assessment in higher education. *Teaching in Higher Education*, 29(4), 841–859. <https://doi.org/10.1080/13562517.2021.2021395>
- Noreen, A., Nazli, Z. i. H., Akram, J., Rasul, I., Mansha, A., Yaqoob, N., Iqbal, R., Tabasum, S., Zuber, M., & Zia, K. M. (2017). Pectins functionalized biomaterials; a new viable approach for biomedical applications: A review. *International Journal of Biological Macromolecules*, 101, 254–272. <https://doi.org/10.1016/j.ijbiomac.2017.03.029>
- Nurhadiansyah, P. (2020). Review Artikel : Karakteristik Ekstrak Pektin Kulit Buah Naga Merah ( *Hylocereus Polyrhizus* ). *Prosiding Farmasi*, 6(2), 1135. <http://karyailmiah.unisba.ac.id/index.php/farmasi/article/download/24479/pdf>
- Nurlaila, R., Muarif, A., Meriatna, M., Masrullita, M., & Ishak, I. (2023). Pengaruh

- Suhu dan Waktu Ekstraksi dalam Proses Pembuatan Pektin dari Kulit Buah Sukun dengan Pelarut Asam Sitrat. *Journal of Science and Applicative Technology*, 7(2), 65. <https://doi.org/10.35472/jsat.v7i2.1105>
- Nuryanti, & Salimy, D. H. (2008). Metode Permukaan Respon Dan Aplikasinya Pada Optimasi Eksperimen Kimia. *Risalah Lokakarya Komputasi Dalam Sains Dan Teknologi Nuklir*, 373–391.
- Panwar, D., Panesar, P. S., dan Chopra, H. K. (2022). Green extraction of pectin from Citrus limetta peels using organic acid and its characterization. *Biomass Conversion and Biorefinery*, 0123456789. <https://doi.org/10.1007/s13399-021-02127-z>
- Paramitha, T., & Tika Paramitha. (2021). The The Effect of Concentration of Citric Acid Solution on Extraction of Pectin from Watermelon Albedo. *KOVALEN: Jurnal Riset Kimia*, 7(3), 194–201. <https://doi.org/10.22487/kovalen.2021.v7.i3.15609>
- Perina, I., Satiruiani, Soetaredjo, F. E., & Hindarso, H. (2007). Ekstraksi Pektin dari Berbagai Macam Kulit Jeruk. *Widya Teknik*, 6(1), 1–10.
- Phaiphan, A., Churat, S., Doungta, T., Wichalin, P., Khanchai, W., & Penjumras, P. (2020). Effects of *microwave* and ultrasound on the extraction of pectin and its chemical characterisation of banana (*Musa sapientum* L.) peels. *Food Research*, 4(6), 2030–2036. [https://doi.org/10.26656/fr.2017.4\(6\).248](https://doi.org/10.26656/fr.2017.4(6).248)
- Picauly, P., & Tetelepta, G. (2020). Karakteristik Pektin Kulit Pisang Tongka Langit (*Musa troglodytarum*) Berdasarkan Variasi Waktu Ekstraksi. *AGRITEKNO: Jurnal Teknologi Pertanian*, 9(1), 28–34. <https://doi.org/10.30598/jagritekno.2020.9.1.28>
- Prabudi, M., Nurtama, B., Purnomo, H., Studi, P., Profesional, M., Pangan, T., Pascasarjana, S., Bogor, P., Ilmu, D., & Pertanian, T. (2018). Aplikasi Response Surface Methodology (RSM) dengan Historical Data pada Optimasi Proses Produksi Burger Application of Response Surface Methodology (RSM) Using Historical Data on Optimation Burger Production Process. *Jurnal Mutu Pangan*, 5(2), 109–115.
- Prakash Maran, J., Sivakumar, V., Thirugnanasambandham, K., & Sridhar, R. (2014). *Microwave* assisted extraction of pectin from waste Citrullus lanatus fruit rinds. *Carbohydrate Polymers*, 101(1), 786–791. <https://doi.org/10.1016/j.carbpol.2013.09.062>
- Prasetyo, A., Nadir, M., Sari, W. E., & Rahmانيar, Z. Z. (2023). Ekstraksi Pektin Kulit Kakao (*Theobroma Cacao* L.) Menggunakan Metode *Microwave* Assisted Extraction Dengan Asam Klorida. *Jurnal Teknik Kimia Vokasional (Jimsi)*, 3(2), 44–54. <https://doi.org/10.46964/jimsi.v3i2.546>
- Puteri, F., Jalaluddin, J., Kurniawan, E., Muhammad, M., & Kamar, I. (2024).

Pengaruh Temperatur dan Waktu Terhadap Karakteristik Pektin dari Campuran Kulit Pisang Kepok dan Kulit Rambutan Menggunakan Pelarut Asam Asetat. *Chemical Engineering Journal Storage (CEJS)*, 4(3), 338. <https://doi.org/10.29103/cejs.v4i3.15162>

Rahardjo, J., & Iman, R. (2002). Optimasi produksi dengan metode. *Jurnal Teknik Industri*, 4(1), 36–44.

Rahmani, Z., Khodaiyan, F., Kazemi, M., & Sharifan, A. (2020). Optimization of *microwave*-assisted extraction and structural characterization of pectin from sweet lemon peel. *International Journal of Biological Macromolecules*, 147(xxxx), 1107–1115. <https://doi.org/10.1016/j.ijbiomac.2019.10.079>

Rahmati, S., Abdullah, A., & Kang, O. L. (2019). Effects of different *microwave* intensity on the extraction yield and physicochemical properties of pectin from dragon fruit (*Hylocereus polyrhizus*) peels. *Bioactive Carbohydrates and Dietary Fibre*, 18, 100186. <https://doi.org/10.1016/j.bcdf.2019.100186>

Rahmawati, R., Hunaefi, D., Basriman, I., Saputra, D., Apriliani, A. A., & Jenie, B. S. L. (2020). Optimization of temperature and drying time of indigenous cocktail yeast mold culture using response surface methodology (RSM). *Food Research*, 4(2), 389–395. [https://doi.org/10.26656/fr.2017.4\(2\).247](https://doi.org/10.26656/fr.2017.4(2).247)

Raji, Z., Khodaiyan, F., Rezaei, K., Kiani, H., & Hosseini, S. S. (2017). Extraction optimization and physicochemical properties of pectin from melon peel. *International Journal of Biological Macromolecules*, 98, 709–716. <https://doi.org/10.1016/j.ijbiomac.2017.01.146>

Ranjha, M. M. A. N., Kanwal, R., Shafique, B., Arshad, R. N., Irfan, S., Kieliszek, M., Kowalczewski, P. Ł., Irfan, M., Khalid, M. Z., Roobab, U., & Aadil, R. M. (2021). A critical review on pulsed electric field: A novel technology for the extraction of phytoconstituents. *Molecules*, 26(16), 1–23. <https://doi.org/10.3390/molecules26164893>

Raven, P.H.; Evert, R.F.; Eichhorn, S.E. *Plant Biology*, 8th ed.; Freeman and Co.: New York, NY, USA, 2014; ISBN 9788527723831.

Ristianingsih, Y., Lestari, I., & Wulanandari, W. (2021). Pektin Biosorben. In *Buku Ajar Pektin Biosorben*. Lembaga Penelitian dan Pengabdian kepada Masyarakat UPN Veteran Yogyakarta.

Rivadeneira, J. P., Wu, T., & Castillo-Israel, K. A. T. (2022). Ultrasound-Assisted Extraction of Pectin from “Saba” Banana Peel Waste: Optimization and Rheology Study. *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, 98(2), 106–117. <https://doi.org/10.37934/arfmts.98.1.106117>

Rizkyana, F. W., Jati, K. W., Agustina, L., Fajarini, I., & Wahyuningrum, S. (2023). Diversifikasi Dan Branding Produk Olahan Rambutan. *Communnity*

*Development Journal*, 4(5), 11062–11070.

- Rodsamran, P., & Sothornvit, R. (2019). Microwave heating extraction of pectin from lime peel: Characterization and properties compared with the conventional heating method. *Food Chemistry*, 278, 364–372. <https://doi.org/10.1016/j.foodchem.2018.11.067>
- Roikah, S., Rengga, W. D. P., Latifah, L., & Kusumastuti, E. (2016). Ekstraksi dan karakterisasi pektin dari belimbing wuluh (*Averrhoa bilimbi*, L). *Jurnal Bahan Alam Terbarukan*, 5(1), <https://doi.org/10.15294/jbat.v5i1.5432>
- Rombaut, N., Tixier, A.-S., Billy, A., & Chemat, F. (2014). Green extraction processes of natural products as tools for biorefinery. *Biofuels, Bioproducts and Biorefining*, 8(6), 743. <https://doi.org/10.1002/BBB>
- Ropartz, D., & Ralet, M. C. (2020). Pectin structure. *Pectin: Technological and Physiological Properties*, 17–36. [https://doi.org/10.1007/978-3-030-53421-9\\_2](https://doi.org/10.1007/978-3-030-53421-9_2)
- Rosalina, Y., Susanti, L., Silsia, D., & Setiawan, R. (2018). Characteristics of Banana Flour from Bengkulu Local Banana Varieties. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 7(3), 153–160. <https://doi.org/10.21776/ub.industria.2018.007.03.3>
- Routray, W., & Orsat, V. (2012). Microwave-Assisted Extraction of Flavonoids: A Review. *Food and Bioprocess Technology*, 5(2), 409–424. <https://doi.org/10.1007/s11947-011-0573-z>
- Roy, S., Priyadarshi, R., Łopusiewicz, L., Biswas, D., Chandel, V., dan Rhim, J. W. (2023). Recent progress in pectin extraction, characterization, and pectin based films for active food packaging applications: A review. *International Journal of Biological Macromolecules*, 239(March), <https://doi.org/10.1016/j.ijbiomac.2023.124248>
- Sahu, N. K., & Andhare, A. B. (2019). Prediction of residual stress using RSM during turning of Ti–6Al–4V with the 3D FEM assist and experiments. *SN Applied Sciences*, 1(8), 1–14. <https://doi.org/10.1007/s42452-019-0809-5>
- Salve, R. R., & Ray, S. (2020). Comprehensive study of different extraction methods of extracting bioactive compounds from pineapple waste-A review. ~ 327 ~ *The Pharma Innovation Journal*, 9(6), 327–340. <http://www.thepharmajournal.com>
- Sangpimpa, W., Srichan, P., Banpacha, N., Janpeng, H., & Setthaya, P. (2024). *Enhancing waste utilization : efficient pectin extraction from mustard seed by-products*. 60(December 2024).
- Sanjaya, B., Ginting, R., & Effendi, I. (2019). Identifikasi Potensi Pengembangan Dan Kelayakan Usaha Komoditi Buah-Buahan Unggulan Agribisnis Di Kota

- Binjai. *AGRISAINS: Jurnal Ilmiah Magister Agribisnis*, 1(2), 109–118. <https://doi.org/10.31289/agrisains.v1i2.240>
- Sarah, M., Hanum, F., Rizky, M., & Hisham, M. F. (2018). Microwave-assisted extraction of pectin from cocoa peel. *IOP Conference Series: Earth and Environmental Science*, 122(1). <https://doi.org/10.1088/1755-1315/122/1/012079>
- Sari, N. N., Anggi Arumsari, & Bertha Rusdi. (2021). Studi Literatur Metode Ekstraksi Pektin dari Beberapa Sumber Limbah Kulit Buah. *Jurnal Riset Farmasi*, 1(1), 55–63. <https://doi.org/10.29313/jrf.v1i1.186>
- Sayah, M. Y., Chabir, R., Benyahia, H., Kandri, Y. R., Chahdi, F. O., Touzani, H., & Errachidi, F. (2016). Yield, esterification degree and molecular weight evaluation of pectins isolated from orange and grapefruit peels under different conditions. *PLoS ONE*, 11(9), 1–16. <https://doi.org/10.1371/journal.pone.0161751>
- Sengkhampan, N., Lasunon, P., & Tettawong, P. (2019). Effect of Ultrasound Assisted Extraction and acid type extractant on pectin from industrial tomato waste. *Chiang Mai University Journal of Natural Sciences*, 18(2), 214–225. <https://doi.org/10.12982/CMUJNS.2019.0016>
- Shivamathi, C. S., Moorthy, I. G., Kumar, R. V., Soosai, M. R., Maran, J. P., Kumar, R. S., & Varalakshmi, P. (2019). Optimization of ultrasound assisted extraction of pectin from custard apple peel: Potential and new source. *Carbohydrate Polymers*, 225, 115240. <https://doi.org/10.1016/j.carbpol.2019.115240>
- Silsia, D., Febreini, M., & Susanti, L. (2021). Rendemen And Characteristics Of Pektins Red Dragon Fruit Leather (*Hylocereus Costaricensis*) With The Difference In Extraction Method And Time. *Jurnal Agroindustri*, 11(2), 120–132. <https://doi.org/10.31186/j.agroindustri.11.2.120-132>
- Singh, G., Ahuja, N., Sharma, P., & Capalash, N. (2019). Response surface methodology for the optimized production of an alkalophilic laccase from *γ*-proteobacterium JB. *BioResources*, 4(2), 544–553. <https://doi.org/10.15376/biores.4.2.544-553>
- Sofiyanti, N., Fitmawati, Isda, M. N., Agesti, A. R. A., Sari, M., & Pranata, S. (2022). Phytochemical test of 3 wild rambutan (*Nephellium Lappaceum* L. - Sapindaceae) fruits from Riau Province. *Jurnal Biologi Tropis*, 22(3), 902–906. <https://doi.org/10.29303/jbt.v22i3.3574>
- Spinei, M., & Oroian, M. (2022). Microwave-assisted extraction of pectin from grape pomace. *Scientific Reports*, 12(1), 1–17. <https://doi.org/10.1038/s41598-022-16858-0>
- Sukmaya, G. S., Nurdiani, U., Saptana, Hidayati, R., & Harmaidid, D. (2022). Export

- Performance and Comparative Advantage of Indonesian Tropical Fruits. *E3S Web of Conferences*, 361. <https://doi.org/10.1051/e3sconf/202236102005>
- Sulihono, A., Tarihoran, B., & Agustina, T. E. (2012). Jenis Pelarut Terhadap Ekstraksi Pektin Dari Kulit Jeruk Bali ( Citrus Maxima ). *Jurnal Teknik Kimia*, 18(4), 1–8.
- Sun, D., Chen, X., & Zhu, C. (2020). Physicochemical properties and antioxidant activity of pectin from hawthorn wine pomace: A comparison of different extraction methods. *International Journal of Biological Macromolecules*, 158, 1239–1247. <https://doi.org/10.1016/j.ijbiomac.2020.05.052>
- Tripathi, P. (2021). Rambutan (Nephelium lappaceum var. lappaceum). *Indian Institute of Horticultural Research*, August, 542–575.
- Tuhuloula, A., Budiarti, L., & Fitriana, E. N. (2013). Karakterisasi Pektin Dengan Memanfaatkan Limbah Kulit Pisang Menggunakan Metode Ekstraksi. *Konversi*, 2(1), 21. <https://doi.org/10.20527/k.v2i1.123>
- Usmiati, S., Mangunwidjaja, D., Noor, E., Richana, N., & Prangdimurti, E. (2018). Produksi Pektin Bermetoksil Rendah Dari Kulit Jeruk Nipis (Citrus Aurantifolia Swingle) Secara Spontan Menggunakan Pelarut Amonium Oksalat Dan Asam. *Jurnal Penelitian Pascapanen Pertanian*, 13(3), 125. <https://doi.org/10.21082/jpasca.v13n3.2016.125-135>
- Veggi, P., Martinez, J., & Meireless, A. (2013). Microwave assisted - Extraction for Bioactive Compound: Fundamentals of Microwave Extraction. In *Green Chemistry Research Trends* (pp. 15–52).
- Verhoff, F. H. (2014). Citric Acid. *FAO JEFCA Monograph 16 Monograph 16*, 21, 8.
- Wahyurindi, Limonu, M., & Kasim, R. (2023). Analisis Pengaruh Konsentrasi Pektin Kulit Buah Rambutan (Nephelium Lappaceum) Sebagai Bahan Edible Coating Terhadap Karakteristik Buah Jambu Kristal (Psidium Guajava) Selama Penyimpanan. *Journal of Agritech Science*, 7(2), 149–160. <https://doi.org/10.48175/ijarsct-13062>
- Wai, W. W., Alkarkhi, A. F. M., & Easa, A. M. (2010). Effect of extraction conditions on yield and degree of esterification of durian rind pectin: An experimental design. *Food and Bioproducts Processing*, 88(2–3), 209–214. <https://doi.org/10.1016/j.fbp.2010.01.010>
- Wang, D., Yeats, T. H., Uluisik, S., Rose, J. K. C., & Seymour, G. B. (2018). Fruit Softening: Revisiting the Role of Pectin. *Trends in Plant Science*, 23(4), 302–310. <https://doi.org/10.1016/j.tplants.2018.01.006>
- Wang, M., Huang, B., Fan, C., Zhao, K., Hu, H., Xu, X., Pan, S., & Liu, F. (2016). Characterization and functional properties of mango peel pectin extracted by ultrasound assisted citric acid. *International Journal of Biological*

*Macromolecules*, 91, 794–803.  
<https://doi.org/10.1016/j.ijbiomac.2016.06.011>

- Wang, W., Chen, W., Zou, M., Lv, R., Wang, D., Hou, F., Feng, H., Ma, X., Zhong, J., Ding, T., Ye, X., & Liu, D. (2018). Applications of power ultrasound in oriented modification and degradation of pectin: A review. *Journal of Food Engineering*, 234, 98–107. <https://doi.org/10.1016/j.jfoodeng.2018.04.016>
- Whitten, K., Davis, R., Peck M. dan Stanley, G. (2008). General CHemistry (8<sup>ava</sup>. ed). CENGAGE: Mexico.
- Wicker, L., Kim, Y., Kim, M. J., Thirkield, B., Lin, Z., & Jung, J. (2014). Pectin as a bioactive polysaccharide - Extracting tailored function from less. *Food Hydrocolloids*, 42(P2), 251–259. <https://doi.org/10.1016/j.foodhyd.2014.01.002>
- Widhiyoga, G., Wijayati, H., & Alma'unah, R. (2023). Export Performance Of Indonesia's Leading Tropical Fruit Commodities To Main Destination Countries. *IQTISHADUNA: Jurnal Ilmiah Ekonomi Kita*, 12(1), 128–148. <https://doi.org/10.46367/iqtishaduna.v12i1.1126>
- Xu, S., Liu, J., Huang, X., Du, L., Shi, F., Dong, R., Huang, T., Zheng, K., Yang, L., & Cheong, K. (2018). Ultrasonic-microwave assisted extraction, characterization and biological activity of pectin from jackfruit peel. *LWT - Food Science and Technology*. <https://doi.org/10.1016/j.lwt.2018.01.007>.This
- Yang, J. S., Mu, T. H., & Ma, M. M. (2018). Extraction, structure, and emulsifying properties of pectin from potato pulp. *Food Chemistry*, 244(October), 197–205. <https://doi.org/10.1016/j.foodchem.2017.10.059>
- Yapo, B. M., Robert, C., Etienne, I., Wathelet, B., & Paquot, M. (2017). Effect of extraction conditions on the yield, purity and surface properties of sugar beet pulp pectin extracts. *Food Chemistry*, 100(4), 1356–1364. <https://doi.org/10.1016/j.foodchem.2005.12.012>
- Yavuz-Düzgün, M., Zeeb, B., Dreher, J., Özçelik, B., & Weiss, J. (2020). The Impact of Esterification Degree and Source of Pectins on Complex Coacervation as a Tool to Mask the Bitterness of Potato Protein Isolates. *Food Biophysics*, 15(3), 376–385. <https://doi.org/10.1007/s11483-020-09631-1>
- Yolmeh, M., & Jafari, S. M. (2019). Applications of Response Surface Methodology in the Food Industry Processes Applications of Response Surface Methodology in the Food Industry Processes. *Food and Bioprocess Technology*, March. <https://doi.org/10.1007/s11947-016-1855-2>
- Zakaria, N. A., Rahman, R. A., Zaidel, D. N. A., Dailin, D. J., & Jusoh, M. (2021). Microwave-assisted extraction of pectin from pineapple peel. *Malaysian Journal of Fundamental and Applied Sciences*, 17(1), 33–38.

<https://doi.org/10.11113/MJFAS.V17N1.2164>

Zdunek, A., Pieczywek, P. M., & Cybulska, J. (2021). The primary, secondary, and structures of higher levels of pectin polysaccharides. *Comprehensive Reviews in Food Science and Food Safety*, 20(1), 1101–1117. <https://doi.org/10.1111/1541-4337.12689>

Zhang, W., Xu, P., & Zhang, H. (2015). Pectin in cancer therapy: A review. *Trends in Food Science and Technology*, 44(2), 258–271. <https://doi.org/10.1016/j.tifs.2015.04.001>