

## DAFTAR PUSTAKA

- Abdudeen, A. *et al.* (2023) ‘Jatropha’s Rapid Developments and Future Opportunities as a Renewable Source of Biofuel—A Review’, *Energies*, 16(2), pp. 1–28. doi:10.3390/en16020828.
- Abed, K.A. *et al.* (2019) ‘Effect of biodiesel fuels on diesel engine emissions’, *Egyptian Journal of Petroleum*, 28(2), pp. 183–188. doi:10.1016/j.ejpe.2019.03.001.
- Abu-Hamdeh, N.H. *et al.* (2020) ‘The effect of injection pressure on the thermal performance and emission characteristics of an oil burner operating on B20 palm oil biodiesel-diesel blend fuel’, *Fuel*, 278(May). doi:10.1016/j.fuel.2020.118174.
- Andreou-Martínez, P. *et al.* (2022) ‘Waste animal fats as feedstock for biodiesel production using non-catalytic supercritical alcohol transesterification: A perspective by the PRISMA methodology’, *Energy for Sustainable Development*, 69, pp. 150–163. doi:10.1016/j.esd.2022.06.004.
- Babu, D., Thangarasu, V. and Ramanathan, A. (2020) ‘Artificial neural network approach on forecasting diesel engine characteristics fuelled with waste frying oil biodiesel’, *Applied Energy*, 263(February). doi:10.1016/j.apenergy.2020.114612.
- Bawane, R.K. *et al.* (2022) ‘Impact analysis of emulsified Calophyllum oil biodiesel B100-WIC and B50-WIC on performance and emission characteristic of a diesel engine under variation in compression ratio’, *International Journal of Ambient Energy*, 43(1), pp. 3771–3780. doi:10.1080/01430750.2020.1852110.
- Bazooyar, B., Jomekian, A. and Shariati, A. (2017) ‘Analysis of the Formation and Interaction of Nitrogen Oxides in a Rapeseed Methyl Ester Nonpremixed Turbulent Flame’, *Energy and Fuels*, 31(8), pp. 8708–8721. doi:10.1021/acs.energyfuels.7b01278.
- Bello, U. *et al.* (2022) ‘Biodiesel, In a Quest For Sustainable Renewable Energy: A Review on Its Potentials and Production Strategies’, *Journal of Chemical Reviews*, 4(3), pp. 272–287. doi:10.22034/jcr.2022.343497.1175.
- Birhanu, T.T. and Zeleke, D.S. (2024) ‘Evaluating the effect of diethyl ether and moringa oleifera antioxidant additives on the performance and emission characteristics of jatropha biodiesel-diesel blended fuel on CI engine – An experimental investigation’, *Heliyon*, 10(10). doi:10.1016/j.heliyon.2024.e31436.
- Briones, A., Puri, I.K. and Aggarwal, S.K. (2005) ‘Effect of pressure on counterflow H<sub>2</sub>-air partially premixed flames’, *Combustion and Flame*, 140(1–2), pp. 46–59. doi:10.1016/j.combustflame.2004.10.003.

- British Petroleum (2023) ‘bp Energy Outlook 2023 edition 2023 explores the key trends and uncertainties’, *Statistical Review of World Energy*, (July), pp. 1–53.
- Chłopek, Z. et al. (2023) ‘Operational Issues of Using Replacement Fuels to Power Internal Combustion Engines’, *Energies*, 16(6). doi:10.3390/en16062643.
- Chong, C.T. (2022) ‘Dynamics and emission of nearly flameless combustion of waste cooking oil biodiesel in an ultra-low emission non-MILD swirl burner’, 319(January). doi:10.1016/j.fuel.2022.123743.
- Costa do Nascimento, D. et al. (2020) ‘Flash point prediction with UNIFAC type models of ethylic biodiesel and binary/ternary mixtures of FAEEs’, *Fuel*, 281(April). doi:10.1016/j.fuel.2020.118717.
- D, C.S. and Devarajan, Y. (2025) ‘Results in Engineering Performance and emission analysis of sterculia foetida biodiesel enhanced with butanol : Combustion efficiency and emission mitigation’, *Results in Engineering*, 25(November 2024), p. 104586. doi:10.1016/j.rineng.2025.104586.
- Devarajan, Y. et al. (2020) ‘An experimental study on the influence of an oxygenated additive in diesel engine fuelled with neat papaya seed biodiesel/diesel blends’, *Fuel*, 268(December 2019), p. 117254. doi:10.1016/j.fuel.2020.117254.
- Dimawarnita, F. et al. (2021) ‘Optimization of Vegetable Oil-Based Biodiesel Production By Using Aspen hysys’, *Jurnal Teknologi Industri Pertanian*, 31(1), pp. 98–109.
- Doan, B.Q. et al. (2022) ‘Performance and emission characteristics of diesel engine using ether additives: A review’, *International Journal of Renewable Energy Development*, 11(1), pp. 255–274. doi:10.14710/ijred.2022.42522.
- Drabo, M.L. et al. (2019) ‘On the Role of Electrodes in Introducing Airflow Distortion in Residential Oil Burners’, pp. 260–271. doi:10.4236/eng.2019.115019.
- El-Mahallawy, F. and Habik, S.E.-D. (2002) ‘Chapter 3 - Turbulent Premixed and Diffusion Flames’, in El-Mahallawy, F. and Habik, S.E.-D.B.T.-F. and T. of C. (eds). Oxford: Elsevier, pp. 259–375. doi:<https://doi.org/10.1016/B978-008044106-1/50005-X>.
- Elkelawy, M. et al. (2019) ‘Experimental studies on the biodiesel production parameters optimization of sun flower and soybean oil mixture and DI engine combustion , performance , and emission analysis fueled with diesel / biodiesel blends’, *Fuel*, 255(July), p. 115791. doi:10.1016/j.fuel.2019.115791.
- Ennetta, R. et al. (2022) ‘Current Technologies and Future Trends for Biodiesel Production: A Review’, *Arabian Journal for Science and Engineering*, 47(12), pp. 15133–15151. doi:10.1007/s13369-022-07121-9.

- ESDM (2023) *Statistik Minyak dan Gas Bumi*.
- ESDM, K. (2023) ‘Pedoman Implementasi Pencampuran Bahan Bakar Nabati Jenis Biodiesel ke Dalam Bahan Bakar Minyak Jenis Minyak Solar Sebesar 35% (B35)’, pp. 1–8.
- Estevez, R. et al. (2022) ‘Biodiesel Is Dead: Long Life to Advanced Biofuels—A Comprehensive Critical Review’, *Energies*, 15(9). doi:10.3390/en15093173.
- Fallah, S. (2014) *Electric and Hybrid Vehicles - Technologies, Modeling and Control: A Mechatronic Approach*.
- Gad, M.S., Mahfouz, A. and Emara, A. (2021) ‘Spray and combustion characteristics for light diesel / waste cooking oils blended with fuel additives inside an industrial boiler’, *Fuel*, 286(P1), p. 119247. doi:10.1016/j.fuel.2020.119247.
- Gavhane, R.S. and Kate, A.M. (2022) ‘The effect of Sr-doped zinc oxide nanoadditives on the performance and emission parameters of a VCR engine powered by soybean biodiesel’, *Heat Transfer*, 51(6), pp. 5481–5496. doi:<https://doi.org/10.1002/htj.22556>.
- Gizaw, B.M. (2020) ‘Improvement of performance , combustion and emission characteristics of diesel engine using different methods ( approaches ) – a review study’, (August), pp. 1–10.
- Glassman, I. and Yetter, R.A. (2008) *Combustion*. Elsevier Science (Chemical, Petrochemical & Process).
- Gomati, R. and Boopathy, U. (2023) ‘Journal of Advanced Zoology’, *Journal of Advance Zoology*, 44, pp. 1770–1780.
- Ismael, M.A. et al. (2024) ‘Gas to liquid (GTL) role in diesel engine: Fuel characteristics and emission: A review’, *Cleaner Engineering and Technology*, 18(November 2023). doi:10.1016/j.clet.2023.100706.
- Issafira, R.D. et al. (2022) ‘The Effect of Swirl Vanes Blade’s Angle towards the Visualization and Temperature Distribution of Co-flow Diffusion Flame’, 2022, pp. 239–246. doi:10.11594/nstp.2022.2735.
- Jaat, N. et al. (2021) ‘Investigation of Performance Characteristics of Plastic Pyrolysis Oil and Crude Palm Oil Fuel on Diesel Engine’, *International Journal of Engineering Trends and Technology*, 69(12), pp. 312–318. doi:10.14445/22315381/IJETT-V69I12P238.
- Jit Sarma, C. et al. (2023) ‘Improving the combustion and emission performance of a diesel engine powered with mahua biodiesel and TiO<sub>2</sub> nanoparticles additive’, *Alexandria Engineering Journal*, 72(April), pp. 387–398. doi:10.1016/j.aej.2023.03.070.

- Kathumbi, L.K. *et al.* (2023) 'Performance and emission characteristics of a diesel engine fuelled by biodiesel from black soldier fly larvae: Effects of synthesizing catalysts with citric acid', *Heliyon*, 9(11), p. e21354. doi:10.1016/j.heliyon.2023.e21354.
- Ke, X. *et al.* (2022) 'Development of biomass-fired circulating fluidized bed boiler with high steam parameters based on theoretical analysis and industrial practices', *Journal of the Energy Institute*, 105(August), pp. 415–423. doi:10.1016/j.joei.2022.10.011.
- Khamhuatoey, S. *et al.* (2023) 'Upgrading Pyrolysis Bio-Oil through Esterification Process and Assessing the Performance and Emissions of Diesel-Biodiesel-Esterified Pyrolysis Bio-Oil Blends in Direct Injection Diesel Engines', *ACS Omega*, 8(47), pp. 44586–44600. doi:10.1021/acsomega.3c05007.
- Khiraiya, K. *et al.* (2021) 'Diesel-fired boiler performance and emissions measurements using a combination of diesel and palm biodiesel', *Case Studies in Thermal Engineering*, 27(July), p. 101324. doi:10.1016/j.csite.2021.101324.
- Kumar, S. and Singh, P.K. (2019) 'Phytochemical investigation and antioxidant characterization of essential oil from roots of Rumex nepalensis Spreng high altitude of North India', *Materials Today: Proceedings*, 26(XXXX), pp. 3442–3448. doi:10.1016/j.matpr.2019.12.227.
- Kuo, K.K. (1986) *Principles of combustion*. United States: Elsevier Science Pub. Co. Inc., New York, NY.
- Lawrence, H. (2023) 'The Design and Operation of Underfeed Stokers', *Transactions of the American Society of Mechanical Engineers*, 44, pp. 797–814. doi:10.1115/1.4058205.
- Leykun, M.G. and Mekonen, M.W. (2022) 'Investigation of the Performance and Emission Characteristics of Diesel Engine Fueled with Biogas-Diesel Dual Fuel', *Fuels*, 3(1), pp. 15–30. doi:10.3390/fuels3010002.
- Liu, Y. *et al.* (2021) 'Effects of CO<sub>2</sub> and N<sub>2</sub> Dilution on the Combustion Characteristics of H<sub>2</sub>/CO Mixture in a Turbulent, Partially Premixed Burner', *ACS Omega*, 6(24), pp. 15651–15662. doi:10.1021/acsomega.1c00534.
- Mahfouz, A. *et al.* (2018) 'Comparative study of combustion characteristics and exhaust emissions of waste cooking-diesel oil blends', *Ain Shams Engineering Journal*, 9(4), pp. 3123–3134. doi:10.1016/j.asej.2018.03.004.
- Makepa, D.C., Chihobo, C.H. and Musademba, D. (2023) 'Techno-economic analysis and environmental impact assessment of biodiesel production from bio-oil derived from microwave-assisted pyrolysis of pine sawdust', *Heliyon*, 9(11). doi:10.1016/j.heliyon.2023.e22261.
- Manivannan, A., Prabu, R. and Kumar, K.M. (2021) 'Investigation on influence of

- blending Jatropha biofuel with diesel to improve fuel quality', *Australian Journal of Mechanical Engineering*, 19(1), pp. 49–56. doi:10.1080/14484846.2019.1567029.
- Mishra, S. and Mishra, K.B. (2024) 'Effect of swirl number on structural and emission characteristics of moderate size burner flames', 189(June), pp. 1151–1160.
- Modi, V. *et al.* (2024a) 'Nanoparticle-enhanced biodiesel blends: A comprehensive review on improving engine performance and emissions', *Materials Science for Energy Technologies*, 7(November 2023), pp. 257–273. doi:10.1016/j.mset.2024.02.001.
- Modi, V. *et al.* (2024b) 'Nanoparticle-enhanced biodiesel blends: A comprehensive review on improving engine performance and emissions', *Materials Science for Energy Technologies*, 7(February), pp. 257–273. doi:10.1016/j.mset.2024.02.001.
- Mujtaba, M.A. *et al.* (2020) 'Ultrasound-assisted process optimization and tribological characteristics of biodiesel from palm-sesame oil via response surface methodology and extreme learning machine - Cuckoo search', *Renewable Energy*, 158, pp. 202–214. doi:10.1016/j.renene.2020.05.158.
- Munson, B.R., Young, D.F. and Okiishi, T.H. (2005) *Fundamentals of Fluid Mechanics*. Wiley. Available at: [https://books.google.co.id/books?id=\\_cGzQgAACAAJ](https://books.google.co.id/books?id=_cGzQgAACAAJ).
- Nautiyal, P. *et al.* (2020) 'Experimental assessment of performance, combustion and emissions of a compression ignition engine fuelled with Spirulina platensis biodiesel', *Energy*, 193, p. 116861. doi:10.1016/j.energy.2019.116861.
- Nikzat, H. *et al.* (2004) 'Characteristics of Pulverized Coal Burner Using a High-Oxygen Partial Pressure', *Chemical Engineering Research & Design - CHEMENG RES DES*, 82, pp. 99–104. doi:10.1205/026387604772803106.
- Paminto, A.K., Karuniasa, M. and Frimawaty, E. (2022) 'Potential environmental impact of biodiesel production from palm oil using LCA (Life Cycle Assessment) in Indonesia', *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan*, 12(1), pp. 64–71. doi:10.29244/jpsl.12.1.64-71.
- Peters, N. (2000) *Turbulent Combustion*, Cambridge Monographs on Mechanics. Cambridge: Cambridge University Press. doi:DOI: 10.1017/CBO9780511612701.
- Pourhoseini, S.H. *et al.* (2021) 'A comparative exploration of thermal, radiative and pollutant emission characteristics of oil burner flame using palm oil biodiesel-diesel blend fuel and diesel fuel', *Energy*, 217, p. 119338. doi:10.1016/j.energy.2020.119338.
- Putra, M. and Sudarmanta, B. (2015) 'STUDI EKSPERIMENTAL UNJUK KERJA

BURNER TYPE PARTIALLY PREMIXED DENGAN BAHAN BAHAN BAKAR SYNGAS BIOMASSA SERBUK KAYU DENGAN VARIASI DIMENSI MIXED CHAMBER’, *JURNAL TEKNIK POMITS Vol. 1, No. 1, (2015) ISSN: 2301-9271 1, 1*, pp. 1–6.

- Quang, H. *et al.* (2025) ‘Particle emission and thermal efficiency analysis of a diesel vehicle using biodiesel and a platinum metallic partial-flow particulate filter’, *Alexandria Engineering Journal*, 112(November 2024), pp. 538–550. doi:10.1016/j.aej.2024.10.091.
- Rajkumari, K. and Rokhum, L. (2020) ‘A sustainable protocol for production of biodiesel by transesterification of soybean oil using banana trunk ash as a heterogeneous catalyst’, *Biomass Conversion and Biorefinery*, 10(4), pp. 839–848. doi:10.1007/s13399-020-00647-8.
- Ramalingam, S. and Mahalakshmi, N. V. (2020) ‘Influence of Moringa oleifera biodiesel-diesel-hexanol and biodiesel-diesel-ethanol blends on compression ignition engine performance, combustion and emission characteristics’, *RSC Advances*, 10(8), pp. 4274–4285. doi:10.1039/c9ra09582a.
- Raman, L.A. *et al.* (2019) ‘Experimental investigation on performance, combustion and emission analysis of a direct injection diesel engine fuelled with rapeseed oil biodiesel’, *Fuel*, 246(January), pp. 69–74. doi:10.1016/j.fuel.2019.02.106.
- Razzaq, L. *et al.* (2020) ‘Maximising yield and engine efficiency using Optimised waste cooking oil biodiesel’, *Energies*, 13(22), pp. 1–16. doi:10.3390/en13225941.
- Russo, D., Portarapillo, M. and Di Benedetto, A. (2023) ‘Flash point of biodiesel/glycerol/alcohol mixtures for safe processing and storage’, *Journal of Loss Prevention in the Process Industries*, 83(March). doi:10.1016/j.jlp.2023.105077.
- San José, J. *et al.* (2021) ‘Analysis of vegetable oil mixture combustion in a conventional 50 KW thermal energy installation’, *Renewable Energy*, 164, pp. 1133–1142. doi:10.1016/j.renene.2020.10.025.
- Santos, T.K. *et al.* (2023) ‘Performance and Emission Characteristics of Sesame Biodiesel Blends in Diesel Engine’, *Engenharia Agricola*, 43(5), pp. 0–1. doi:10.1590/1809-4430-Eng.Agric.v43n5e20220229/2023.
- Sanyogita Shahi, Tripti Sahu and Shirish Kumar Singh (2023) ‘A Review on Biodiesel and Effect of Oxygenize’, *Journal of Advanced Zoology*, 44(S3), pp. 1684–1689. doi:10.17762/jaz.v44is3.2386.
- Saputro, D.T. and Kurniawan, R. (2013) ‘Prarancangan Pabrik n-Butanol Menggunakan Proses Hidrogenasi n-Butiraldehid dengan Katalis Copper Zinc Oxide Kapasitas Produksi 5000 ton/tahun.’, *Jurnal Tugas Akhir Teknik*

- Kimia*, 2(1), pp. 1–7.
- Savchina, E. et al. (2024) ‘Structuring vegetable oils through enzymatic glycerolysis for water-in-oil emulsions’, *Food Chemistry*, 443(January), p. 138596. doi:10.1016/j.foodchem.2024.138596.
- Saxena, M.R., Maurya, R.K. and Mishra, P. (2021) ‘Assessment of performance, combustion and emissions characteristics of methanol-diesel dual-fuel compression ignition engine: A review’, *Journal of Traffic and Transportation Engineering (English Edition)*, 8(5), pp. 638–680. doi:10.1016/j.jtte.2021.02.003.
- Sharma, S.P. and Mohan, C. (1984) *Fuels and Combustion*. Tata McGraw-Hill.
- Soetadi, R.R.V.S.S. and Kawano, D.S. (2012) ‘Studi Eksperimen Distribusi Temperatur Nyala Api Kompor Bioetanol Tipe Side Burner Dengan Variasi Diameter Firewall’, *Jurnal Teknik ITS*, 1(1). doi:10.12962/j23373539.v1i1.415.
- Sohrab Hossain, M. et al. (2021) ‘A comparative review of some physicochemical properties of biodiesels synthesized from different generations of vegetative oils’, *Journal of Physics: Conference Series*, 1900(1). doi:10.1088/1742-6596/1900/1/012009.
- Sukri et al. (2021) ‘Pengaruh Campuran Bahan Bakar Biodiesel WCO - Diesel terhadap Karakteristik Api Hasil Pembakaran Spray Difusi pada Concentric Jet Burner’, *Jurnal Rekayasa Mesin*, 12(2 SE-Articles), pp. 459–466. doi:10.21776/ub.jrm.2021.012.02.22.
- Tamoradi, T. et al. (2022) ‘RSM process optimization of biodiesel production from rapeseed oil and waste corn oil in the presence of green and novel catalyst’, *Scientific Reports*, 12(1), pp. 1–15. doi:10.1038/s41598-022-20538-4.
- Tamrat, S. et al. (2023) ‘Study on the effect of dimethyl ether and diesel-castor biodiesel blends on emission and combustion characteristics’, *Fuel Communications*, 17(November), p. 100098. doi:10.1016/j.fueco.2023.100098.
- Temizer, İ., Cihan, Ö. and Eskici, B. (2020) ‘Numerical and experimental investigation of the effect of biodiesel/diesel fuel on combustion characteristics in CI engine’, *Fuel*, 270(February). doi:10.1016/j.fuel.2020.117523.
- Tipanluisa, L. et al. (2022) ‘Investigation of diesel/n-butanol blends as drop-in fuel for heavy-duty diesel engines: Combustion, performance, and emissions’, *Energy Conversion and Management*, 255. doi:10.1016/j.enconman.2022.115334.
- Tiwari, C. et al. (2023) ‘Energy-Exergy Analysis of Diesel Engine Fueled with Microalgae Biodiesel-Diesel Blend’, *Applied Sciences (Switzerland)*, 13(3). doi:10.3390/app13031857.

- Tosun, Z. and Aydin, H. (2022) ‘Combustion, performance and emission analysis of propanol addition on safflower oil biodiesel in a diesel engine’, *Cleaner Chemical Engineering*, 3(April), p. 100041. doi:10.1016/j.clce.2022.100041.
- Tse, T.J., Wiens, D.J. and Reaney, M.J.T. (2021) ‘Production of bioethanol—a review of factors affecting ethanol yield’, *Fermentation*, 7(4), pp. 1–18. doi:10.3390/fermentation7040268.
- Turns, S.R. (2000) *An Introduction to Combustion: Concepts and Applications*. McGraw-Hill (McGraw-Hill series in mechanical engineering).
- Virginie, G. et al. (2022) ‘Biofuel Potentiality of Pineapple Peelings in the Presence of the Yeasts *Saccharomyces cerevisiae* and *Saccharomyces carlsbergensis* Phenolic Compounds View project Phenolic Compounds View project Biofuel Potentiality of Pineapple Peelings in the Presence o’, *Article in Russian Journal of Physical Chemistry*, 10(4), pp. 102–109. doi:10.11648/j.ajpc.20221104.13.
- Wang, Baohua et al. (2023) ‘Enabling Catalysts for Biodiesel Production via Transesterification’, *Catalysts*, 13(4). doi:10.3390/catal13040740.
- Wardana, I.N.G. (2008) ‘Bahan bakar dan teknologi pembakaran’, *PT. Danar Wijaya Brawijaya University Press, Malang* [Preprint].
- Winangun, K. et al. (2023) ‘Investigation on properties biodiesel-hydrogen mixture on the combustion characteristics of diesel engine’, *Case Studies in Chemical and Environmental Engineering*, 8(August), p. 100445. doi:10.1016/j.cscee.2023.100445.
- Wirawan, S.S. et al. (2024) ‘Biodiesel implementation in Indonesia: Experiences and future perspectives’, *Renewable and Sustainable Energy Reviews*, 189(September 2023). doi:10.1016/j.rser.2023.113911.
- Xiaowei, H. et al. (2023) ‘Fabrication and characterization of colorimetric indicator for Salmon freshness monitoring using agar/polyvinyl alcohol gel and anthocyanin from different plant sources’, *International Journal of Biological Macromolecules*, 239(January), p. 124198. doi:10.1016/j.ijbiomac.2023.124198.
- Xu, H. et al. (2022) ‘Life Cycle Greenhouse Gas Emissions of Biodiesel and Renewable Diesel Production in the United States’, *Environmental Science and Technology*, 56(12), pp. 7512–7521. doi:10.1021/acs.est.2c00289.
- Yaqoob, H. et al. (2024) ‘Sustainable energy generation from plastic waste: An in-depth review of diesel engine application’, *Environmental Technology and Innovation*, 34. doi:10.1016/j.eti.2023.103467.
- Yoon, S.K. (2023) ‘Application Characteristics of Bioethanol as an Oxygenated Fuel Additive in Diesel Engines’, *Applied Sciences (Switzerland)*, 13(3). doi:10.3390/app13031813.

- Yusuf, A.A. *et al.* (2024) ‘A quantitative comparison of economic viability, volatile organic compounds, and particle-bound carbon emissions from a diesel engine fueled with biodiesel blends’, *Measurement: Energy*, 3(August), p. 100017. doi:10.1016/j.meaene.2024.100017.
- Zheng, F. and Cho, H.M. (2024) ‘The Effect of Different Mixing Proportions and Different Operating Conditions of Biodiesel Blended Fuel on Emissions and Performance of Compression Ignition Engines’, *Energies*, 17(2). doi:10.3390/en17020344.
- Zimmer, A.R. *et al.* (2011) ‘Monitoring of efficacy of biocides during storage simulation of diesel (B0), biodiesel (B100) and blends (B7 and B10)’, *12th International Conference on Stability, Handling and Use of Liquid Fuels 2011*, 2, pp. 1642–1681.