

DAFTAR PUSTAKA

- [1] A. Mvoulana, R. Kachouri, and M. Akil, “Fully automated method for glaucoma screening using robust optic nerve head detection and unsupervised segmentation based cup-to-disc ratio computation in retinal fundus images,” *Comput. Med. Imaging Graph.*, vol. 77, pp. 1–39, 2019, doi: 10.1016/j.compmedimag.2019.101643.
- [2] A. N. Almustofa, A. Handayani, and T. L. R. Mengko, “Optic Disc and Optic Cup Segmentation on Retinal Image Based on Multimap Localization and U-Net Convolutional Neural Network,” *J. Image Graph. Kingdom*, vol. 10, no. 3, pp. 109–115, 2022, doi: 10.18178/joig.10.3.109-115.
- [3] Y. C. Tham, X. Li, T. Y. Wong, H. A. Quigley, T. Aung, and C. Y. Cheng, “Global prevalence of glaucoma and projections of glaucoma burden through 2040: A systematic review and meta-analysis,” *Ophthalmology*, vol. 121, no. 11, pp. 2081–2090, 2014, doi: 10.1016/j.ophtha.2014.05.013.
- [4] R. Shinde, “Glaucoma detection in retinal fundus images using U-Net and supervised machine learning algorithms,” *Intell. Med.*, vol. 5, p. 100038, 2021, doi: 10.1016/j.ibmed.2021.100038.
- [5] S. Virbukaite, J. Bernataviciene, and D. Imbrasiene, “Glaucoma Identification Using Convolutional Neural Networks Ensemble for Optic Disc and Cup Segmentation,” *IEEE Access*, vol. 12, no. April, pp. 82720–82729, 2024, doi: 10.1109/ACCESS.2024.3412185.
- [6] N. E. A. Khalid, N. M. Noor, and N. M. Ariff, “Fuzzy c-Means (FCM) for optic cup and disc segmentation with morphological operation,” *Procedia Comput. Sci.*, vol. 42, no. C, pp. 255–262, 2014, doi: 10.1016/j.procs.2014.11.060.
- [7] S. Qamar, H. Jin, R. Zheng, P. Ahmad, and M. Usama, “A variant form of 3D-UNet for infant brain segmentation,” *Futur. Gener. Comput. Syst.*, vol. 108, pp. 613–623, 2020, doi: 10.1016/j.future.2019.11.021.
- [8] T. Shyamalee and D. Meedeniya, “Glaucoma Detection with Retinal Fundus Images Using Segmentation and Classification,” *Mach. Intell. Res.*, vol. 19,

- no. 6, pp. 563–580, 2022, doi: 10.1007/s11633-022-1354-z.
- [9] N. Sharma *et al.*, “UMobileNetV2 model for semantic segmentation of gastrointestinal tract in MRI scans,” *PLoS One*, vol. 19, no. 5 May, pp. 1–30, 2024, doi: 10.1371/journal.pone.0302880.
 - [10] E. Manos, C. Witharana, R. Udawalpola, A. Hasan, and A. K. Liljedahl, “Convolutional Neural Networks for Automated Built Infrastructure Detection in the Arctic Using Sub-Meter Spatial Resolution Satellite Imagery,” *Remote Sens.*, vol. 14, no. 11, 2022, doi: 10.3390/rs14112719.
 - [11] N. A. Alkhaldi and R. E. Alabdulathim, “Optimizing Glaucoma Diagnosis with Deep Learning-Based Segmentation and Classification of Retinal Images,” *Appl. Sci.*, vol. 14, no. 17, 2024, doi: 10.3390/app14177795.
 - [12] H. Fu *et al.*, “Disc-Aware Ensemble Network for Glaucoma Screening from Fundus Image,” *IEEE Trans. Med. Imaging*, vol. 37, no. 11, pp. 2493–2501, 2018, doi: 10.1109/TMI.2018.2837012.
 - [13] F. D. Heraldi, “Segmentasi Semantik Optic Disk dan Optic Cup pada Citra Fotografi Fundus Retina dengan Transformer,” no. 13520139, 2024.
 - [14] S. Mélik Parsadaniantz, A. Réaux-le Goazigo, A. Sapienza, C. Habas, and C. Baudouin, “Glaucoma: A Degenerative Optic Neuropathy Related to Neuroinflammation?,” *Cells*, vol. 9, no. 3, pp. 1–14, 2020, doi: 10.3390/cells9030535.
 - [15] I. Yeuseyenka, I. Melnikau, and I. Yemelyanov, “Detection and Selection of Moving Objects in Video Images Based on Impulse and Recurrent Neural Networks,” *J. Data Anal. Inf. Process.*, vol. 10, no. 02, pp. 127–141, 2022, doi: 10.4236/jdaip.2022.102008.
 - [16] A. A. Fitri, “Perbandingan Arsitektur Vgg-16 Dan Resnet-50 Dengan Optimasi Adam Dan Rmsprop Pada Klasifikasi Citra Penyakit Daun Padi,” 2022, [Online]. Available: <http://repository.upnjatim.ac.id/id/eprint/7386>
 - [17] N. Z. Munantri, H. Sofyan, and M. Y. Florestiyanto, “Aplikasi Pengolahan Citra Digital Untuk Identifikasi Umur Pohon,” *Telematika*, vol. 16, no. 2, p. 97, 2020, doi: 10.31315/telematika.v16i2.3183.
 - [18] P. Rianto and A. Harjoko, “Penentuan Kematangan Buah Salak Pondoh Di

- Pohon Berbasis Pengolahan Citra Digital,” *IJCCS (Indonesian J. Comput. Cybern. Syst.*, vol. 11, no. 2, p. 143, 2017, doi: 10.22146/ijccs.17416.
- [19] Z. Feng, H. Qingming, and G. Wen, “Image matching by normalized cross-correlation,” *ICASSP, IEEE Int. Conf. Acoust. Speech Signal Process. - Proc.*, vol. 2, no. January, 2006, doi: 10.1109/icassp.2006.1660446.
- [20] V. Sharma, “Image-Template matching using Cross-Correlation,” Medium. [Online]. Available: <https://vipin-sharma.medium.com/image-template-matching-using-cross-correlation-2f2b8e59f254>
- [21] S. Das, M. Mishra, and S. Majumder, “Identification of Glaucoma from Retinal Fundus Images using Deep Learning Model, MobileNet,” *ECTI Trans. Comput. Inf. Technol.*, vol. 18, no. 3, pp. 371–380, 2024, doi: 10.37936/ecti-cit.2024183.256182.
- [22] J. M. Czum, “Dive Into Deep Learning,” *J. Am. Coll. Radiol.*, vol. 17, no. 5, pp. 637–638, 2020, doi: 10.1016/j.jacr.2020.02.005.
- [23] W. H. Chen, J. Peng, and X. T. Bi, “A state-of-the-art review of biomass torrefaction, densification and applications,” *Renew. Sustain. Energy Rev.*, vol. 44, pp. 847–866, 2015, doi: 10.1016/j.rser.2014.12.039.
- [24] A. S. M. A. Uddin, “The Era of AI: Upholding Ethical Leadership,” *Open J. Leadersh.*, vol. 12, no. 04, pp. 400–417, 2023, doi: 10.4236/ojl.2023.124019.
- [25] O. AitElMekki, “Is Socially Responsible Investment Outperforming Conventional Investment or Not? A Meta—Analysis,” *Am. J. Ind. Bus. Manag.*, vol. 10, no. 11, pp. 1760–1784, 2020, doi: 10.4236/ajibm.2020.1011110.
- [26] H. A. Pratiwi, M. Cahyanti, and M. Lamsani, “Implementasi Deep Learning Flower Scanner Menggunakan Metode Convolutional Neural Network,” *Sebatik*, vol. 25, no. 1, pp. 124–130, 2021, doi: 10.46984/sebatik.v25i1.1297.
- [27] M. Hussain, J. J. Bird, and D. R. Faria, “A study on CNN transfer learning for image classification,” *Adv. Intell. Syst. Comput.*, vol. 840, no. June, pp. 191–202, 2019, doi: 10.1007/978-3-319-97982-3_16.
- [28] F. Ramadhani, A. Satria, and S. Salamah, “Implementasi Algoritma Convolutional Neural Network dalam Mengidentifikasi Dini Penyakit pada

- Mata Katarak,” *sudo J. Tek. Inform.*, vol. 2, no. 4, pp. 167–175, 2023, doi: 10.56211/sudo.v2i4.408.
- [29] F. Mashuri, “Implementasi Transfer Learning Dalam Mendeteksi Penyakit Pada Daun Gandum,” *Nuansa Inform.*, vol. 16, no. 1, pp. 66–77, 2022, doi: 10.25134/nuansa.v16i1.4702.
- [30] L. Minfei, G. Yidong, C. Ze, W. Zhi, S. Erik, and Š. Branko, “Microstructure-informed deep convolutional neural network for predicting short-term creep modulus of cement paste,” *Cem. Concr. Res.*, vol. 152, no. August 2021, 2022, doi: 10.1016/j.cemconres.2021.106681.
- [31] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L. C. Chen, “MobileNetV2: Inverted Residuals and Linear Bottlenecks,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 4510–4520, 2018, doi: 10.1109/CVPR.2018.00474.
- [32] D. R. R. Putra and R. A. Saputra, “Implementasi Convolutional Neural Network (Cnn) Untuk Mendeteksi Penggunaan Masker Pada Gambar,” *J. Inform. dan Tek. Elektro Terap.*, vol. 11, no. 3, pp. 710–714, 2023, doi: 10.23960/jitet.v11i3.3286.
- [33] I. Salehin and D. K. Kang, “A Review on Dropout Regularization Approaches for Deep Neural Networks within the Scholarly Domain,” *Electron.*, vol. 12, no. 14, 2023, doi: 10.3390/electronics12143106.
- [34] J. Zhu and J. Song, “An intelligent classification model for surface defects on cement concrete bridges,” *Appl. Sci.*, vol. 10, no. 3, 2020, doi: 10.3390/app10030972.
- [35] M. R. S. Mansur, “Restorasi Wajah Pada Kamera Cctv Dengan Pendekatan Metode Gan Untuk Memperbaiki Piksel Pada Wajah,” pp. 5–61, 2023, [Online]. Available: <https://elibrary.unikom.ac.id/>
- [36] M. Bentoumi, M. Daoud, M. Benaouali, and A. Taleb Ahmed, *Improvement of emotion recognition from facial images using deep learning and early stopping cross validation*, vol. 81, no. 21. Multimedia Tools and Applications, 2022. doi: 10.1007/s11042-022-12058-0.
- [37] A. Karim, “Isolated Bangla Handwritten Character Classification using

- Transfer Learning Isolated Bangla Handwritten Character Classification using Transfer Learning,” no. March, 2022, doi: 10.1145/3542954.3542957.
- [38] N. Jahan and A. Nesa, “Parkinson ’ s Disease Detection Using ResNet50 with Transfer Learning,” no. August, 2021.
- [39] Q. Ji, J. Huang, W. He, and Y. Sun, “Optimized Deep Convolutional Neural Networks for Identification of Macular Diseases from Optical Coherence Tomography Images,” no. Figure 1, pp. 1–12, 2019, doi: 10.3390/a12030051.
- [40] C. Luo, X. He, J. Zhan, L. Wang, W. Gao, and J. Dai, “Comparison and Benchmarking of AI Models and Frameworks on Mobile Devices”.
- [41] A. Tragoudaras *et al.*, “Design Space Exploration of a Sparse MobileNetV2 Using High-Level Synthesis and Sparse Matrix Techniques on FPGAs,” pp. 1–16, 2022.
- [42] M. Sandler, A. Howard, M. Zhu, and A. Zhmoginov, “MobileNetV2 : Inverted Residuals and Linear Bottlenecks,” pp. 4510–4520.
- [43] S. Kato and K. Hotta, “Adaptive t-vMF dice loss: An effective expansion of dice loss for medical image segmentation,” *Comput. Biol. Med.*, vol. 168, no. November 2022, 2024, doi: 10.1016/j.compbiomed.2023.107695.
- [44] R. Gamal, H. Barka, and M. Hadhoud, “GAU U-Net for multiple sclerosis segmentation,” *Alexandria Eng. J.*, vol. 73, pp. 625–634, 2023, doi: 10.1016/j.aej.2023.04.069.

Halaman ini sengaja dikosongkan