

DAFTAR PUSTAKA

- Abdullah, B. (2017). Peningkatan kadar antosianin beras merah dan beras hitam melalui biofortifikasi. *Jurnal Penelitian dan Pengembangan Pertanian*, 36(2), 91-98.
- Abubakar, B., Yakasai H.M., Zawawi N., Ismail M. (2017). Compositional Analyses Of White, Brown And Germinated Forms Of Popular Malaysian Rice To Offer Insight Into The Growing Diet-Related Diseases. *Journal of Food and Drug Analysis*, 30, 1–10.
- Ali, F., Jighly, A., Joukhadar, R., Niazi, N. K., & Al-Misned, F. (2023). Current status and future prospects of head rice yield. *Agriculture*, 13(3), 705.
- Anis, S. F., Hashaikh, R., & Hilal, N. (2019). Microfiltration membrane processes: A review of research trends over the past decade. *Journal of Water Process Engineering*, 32, 100941.
- Anitha, S., Givens, D. I., Botha, R., Kane-Potaka, J., Sulaiman, N. L. B., Tsusaka, T. W., ... & Bhandari, R. K. (2021). Calcium from finger millet—a systematic review and meta-analysis on calcium retention, bone resorption, and in vitro bioavailability. *Sustainability*, 13(16), 8677.
- Apak, R., Gorinstein, S., Böhm, V., Schaich, K. M., Özyürek, M., & Güçlü, K. (2013). Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC Technical Report). *Pure and Applied Chemistry*, 85(5), 957-998.
- Arifin, A. S. (2019). Antioxidant activity of pigmented rice and impact on health. *Jurnal Pangan*, 28(1), 11-22.
- Badan Pengawas Obat dan Makanan. (2013). Peraturan Kepala Badan Pengawas Obat dan Makanan Republik No. 24 Tahun 2013 tentang Penggunaan Bahan Tambahan. Jakarta: BPOM.
- Bai, Q., Chai, M., Gu, Z., Cao, X., Li, Y., & Liu, K. (2009). Effects of components in culture medium on glutamate decarboxylase activity and γ -aminobutyric acid accumulation in foxtail millet (*Setaria italica* L.) during germination. *Food Chemistry*, 116(1), 152-157.
- Benincasa, P., Falcinelli, B., Lutts, S., Stagnari, F., & Galieni, A. (2019). Sprouted grains: A comprehensive review. *Nutrients*, 11(2), 421. <https://doi.org/10.3390/nu11020421>
- Bewley, J.D. 1997. Seed Germination and Dormancy. *Plant Cell*. Vol. 9. Jul.: 1055–1066.
- Berliyanti, A. R., Supriyadi, A., & Kusdiyantini, E. (2020). Deteksi Gamma-Aminobutyric Acid (GABA) pada bakteri asam laktat hasil isolasi produk fermentasi petis ikan dari Rembang. *NICHE Journal of Tropical Biology*, 3(2), 59-67.

- Brighente, I. M. C., Dias, M., Verdi, L. G., & Pizzolatti, M. G. (2007). Antioxidant activity and total phenolic content of some Brazilian species. *Pharmaceutical biology*, 45(2), 156-161.
- Cáceres, P. J., Peñas, E., Martínez-Villaluenga, C., Amigo, L., & Frias, J. (2017). Enhancement of biologically active compounds in germinated brown rice and the effect of sun-drying. *Journal of Cereal Science*, 73, 1-9.
- Caesarina, I., & Estiasih, T. (2016). Beras Analog Dari Garut (*Maranta arundinaceae*): A Review. *Jurnal Pangan dan Agroindustri*, 4(2), 498-504.
- Chaiyasut, C., Sivamaruthi, B. S., Pengkumsri, N., Saelee, M., Kesika, P., Sirilun, S., ... & Peerajan, S. (2017). Optimization of conditions to achieve high content of gamma amino butyric acid in germinated black rice, and changes in bioactivities. *Food Science and Technology*, 37(1), 83-93.
- Chahar, S., & Sharma, J. (2017). Phytochemical screening, total flavonoid and phenolic content assays and antioxidant activity of *Momordica charantia* L. leaves. *Asian Journal of Pharmaceutical Education and Research*, 6(3), 60-69.
- Chen, H. H., Chang, H. C., Chen, Y. K., Hung, C. L., Lin, S. Y., & Chen, Y. S. (2016). An improved process for high nutrition of germinated brown rice production: Low-pressure plasma. *Food chemistry*, 191, 120-127.
- Cho, D. H., & Lim, S. T. (2016). Germinated brown rice and its bio-functional compounds. *Food Chemistry*, 196, 259-271.
- Cho, D. H., & Lim, S. T. (2018). Changes in phenolic acid composition and associated enzyme activity in shoot and kernel fractions of brown rice during germination. *Food Chemistry*, 256, 163-170.
- Choe, H., Sung, J., Lee, J., & Kim, Y. (2021). Effects of calcium chloride treatment on bioactive compound accumulation and antioxidant capacity in germinated brown rice. *Journal of Cereal Science*, 101, 103294.
- Davies, N. T., & Reid, H. (1979). An evaluation of the phytate, zinc, copper, iron and manganese contents of, and Zn availability from, soya-based textured-vegetable-protein meat-substitutes or meat-extendors. *British journal of nutrition*, 41(3), 579-589.
- Dhankhar, P., & Hissar, T. (2014). Rice milling. *IOSR J. Eng*, 4(5), 34-42.
- Dong, K., Zhen, S., Cheng, Z., Cao, H., Ge, P., & Yan, Y. (2015). Proteomic analysis reveals key proteins and phosphoproteins upon seed germination of wheat (*Triticum aestivum* L.). *Frontiers in plant science*, 6, 1017.
- Duka, F. S., & Rahman, A. N. F. (2023). Germinated rice: an overview of gaba, phenolic components and antioxidant activity. In *IOP Conference Series: Earth and Environmental Science*. 1230(1).

- Dykes, L., & Rooney, L. W. (2007). Phenolic compounds in cereal grains and their health benefits. *Cereal foods world*, 52(3), 105-111.
- Ekowati, N. Y., & Purwestri, Y. A. (2016). Analisis kandungan gamma aminobutyric acid (GABA), fenol total dan aktivitas antioksidan “beras kecambah” kultivar lokal (*Oryza sativa* L.) di Yogyakarta. *Agicola*, 6(2), 117-27.
- Esa, N.M., Kadir K.A., Amom Z., Azlan A. 2013. Antioxidant activity of white rice , brown rice and germinated brown rice (in vivo and in vitro) and the effects on lipid peroxidation and liver enzymes in hyperlipidaemic rabbits. *Food Chemistry*. Vol. 141: 1306–1312.
- Faes, P., Niogret, M. F., Montes, E., Le Caherec, F., Bouchereau, A., & Deleu, C. (2015). Transcriptional profiling of genes encoding GABA-transaminases in *Brassica napus* reveals their regulation by water deficit. *Environmental and Experimental Botany*, 116, 20-31.
- Garg, B., Yashveer, S., Singh, M., & Duhan, J. (2023). Brown Rice Sprouts: A Leading Functional Food Product. In *Advances in Plant Sprouts: Phytochemistry and Biofunctionalities* (pp. 99-125). Cham: Springer International Publishing.
- Ghasemzadeh, A., Karbalaii, M. T., Jaafar, H. Z., & Rahmat, A. (2018). Phytochemical constituents, antioxidant activity, and antiproliferative properties of black, red, and brown rice bran. *Chemistry Central Journal*, 12, 1-13.
- Golzarand, M., Toolabi, K., Eskandari Delfan, S., & Mirmiran, P. (2022). The effect of brown rice compared to white rice on adiposity indices, lipid profile, and glycemic markers: a systematic review and meta-analysis of randomized controlled trials. *Critical Reviews in Food Science and Nutrition*, 62(27), 7395-7412.
- Gong, E. S., Luo, S. J., Li, T., Liu, C. M., Zhang, G. W., Chen, J., & Liu, R. H. (2017). Phytochemical profiles and antioxidant activity of brown rice varieties. *Food chemistry*, 227, 432-443.
- Guo, W., Beta T. 2013. Phenolic acid composition and antioxidant potential of insoluble and soluble dietary fibre extracts derived from select whole grain cereals. *Food Research International*. Vol. 51(2) : 518–525.
- Halil, W., Yuliarsih, E. T., Yusmasari, Y., & Idaryani, I. (2021). Respon Petani pada Penerapan Teknologi Usahatani Vub Padi Inpari 24 di Kabupaten Pangkep. *Jurnal Agrisistem: Seri Sosek dan Penyuluhan*, 17(2), 119-126.
- Hazra, A., & Das, S. (2024). The molecular and metabolic events behind different germination stages of rice seeds: A metabolomics perspective. *JSFA Reports*, 4(3), 118-134.

- Hettiarachchy, N. S., Gnanasambandam, R., & Lee, M. H. (1996). Calcium fortification of rice: distribution and retention. *Journal of food science*, 61(1), 195-197.
- Hou, D., Tang, J., Feng, Q., Niu, Z., Shen, Q., Wang, L., & Zhou, S. (2024). Gamma-aminobutyric acid (GABA): A comprehensive review of dietary sources, enrichment technologies, processing effects, health benefits, and its applications. *Critical reviews in food science and nutrition*, 64(24), 8852-8874.
- Hu, X., Xu, Z., Xu, W., Li, J., Zhao, N., & Zhou, Y. (2015). Application of γ -aminobutyric acid demonstrates a protective role of polyamine and GABA metabolism in muskmelon seedlings under $\text{Ca}(\text{NO}_3)_2$ stress. *Plant Physiology and Biochemistry*, 92, 1-10.
- Hussain, S. Z., Jabeen, R., Naseer, B., & Shikari, A. B. (2020). Effect of soaking and germination conditions on γ -aminobutyric acid and gene expression in germinated brown rice. *Food biotechnology*, 34(2), 132-150.
- Indriarsih, S., Astuti, M., & Kanoni, S. (2017). Fatty acid composition and physiochemical properties in germinated black rice. *Indonesian Food and Nutrition Progress*, 14(1), 29-36.
- Islam, M. Z., Shim, M. J., Jeong, S. Y., & Lee, Y. T. (2022). Effects of soaking and sprouting on bioactive compounds of black and red pigmented rice cultivars. *International Journal of Food Science and Technology*, 57(1), 201-209.
- Jan, R., Asaf, S., Lubna, Farooq, M., Asif, S., Khan, Z., & Kim, K. M. (2024). Augmenting Rice Defenses: Exogenous Calcium Elevates GABA Levels Against WBPH Infestation. *Antioxidants*, 13(11), 1321.
- Janve, M., & Singhal, R. S. (2018). Fortification of puffed rice extrudates and rice noodles with different calcium salts: Physicochemical properties and calcium bioaccessibility. *LWT*, 97, 67-75.
- Jayadeep, A., & Malleshi, N. G. (2011). Nutrients, composition of tocotrienols, tocopherols, and γ -oryzanol, and antioxidant activity in brown rice before and after biotransformation Nutrientes, composición de tocotrienoles, tocoferoles y γ -oryzanol, y actividad antioxidante del arroz integral antes y después de la biotransformación. *CyTA-Journal of Food*, 9(1), 82-87.
- Kamjijam, B., Bednarz, H., Suwannaporn, P., Jom, K. N., & Niehaus, K. (2020). Localization of amino acids in germinated rice grain: Gamma-aminobutyric acid and essential amino acids production approach. *Journal of Cereal Science*, 93, 102958.
- Kang, S. J., Jeong, S. Y., Islam, M. Z., Shin, B. K., Park, Y. J., Kim, J. K., ... & Lee, J. H. (2022). Bioactive Compounds and Quality Evaluation of Red-Pigmented Rice Processed by Germination and Roasting. *Foods*, 11(18), 2735.

- Kamijjam, B., Bednarz, H., Suwannaporn, P., Jom, K. N., & Niehaus, K. (2020). Localization of amino acids in germinated rice grain: Gamma-aminobutyric acid and essential amino acids production approach. *Journal of Cereal Science*, 93, 102958.
- Khwanchai, P., Chinprahast, N., Pichyangkura, R., & Chaiwanichsiri, S. (2014). Gamma-aminobutyric acid and glutamic acid contents, and the GAD activity in germinated brown rice (*Oryza sativa* L.): Effect of rice cultivars. *Food Science and Biotechnology*, 23, 373-379.
- Kaur, M., Asthir, B., & Mahajan, G. (2017). Variation in antioxidants, bioactive compounds and antioxidant capacity in germinated and ungerminated grains of ten rice cultivars. *Rice Science*, 24(6), 349-359.
- Khwanchai, P., Chinprahast, N., Pichyangkura, R., & Chaiwanichsiri, S. (2014). Gamma-aminobutyric acid and glutamic acid contents, and the GAD activity in germinated brown rice (*Oryza sativa* L.): Effect of rice cultivars. *Food Science and Biotechnology*, 23, 373-379.
- Liu, L. L., Zhai, H. Q., & Wan, J. M. (2005). Accumulation of γ -aminobutyric acid in giant-embryo rice grain in relation to glutamate decarboxylase activity and its gene expression during water soaking. *Cereal Chemistry*, 82(2), 191-196.
- Gan, R. Y., Lui, W. Y., Wu, K., Chan, C. L., Dai, S. H., Sui, Z. Q., & Corke, H. (2017). Bioactive compounds and bioactivities of germinated edible seeds and sprouts: An updated review. *Trends in Food Science & Technology*, 59, 1-14.
- Handoko, D. D., Mardiah, Z., Septianingrum, E., & Indrasari, S. D. (2021, July). Physicochemical Properties of Some Improved Indonesian Red Rice Flour Varieties. In *IOP Conference Series: Earth and Environmental Science* (Vol. 828, No. 1, p. 012023). IOP Publishing.
- Hao, C. L., Lin, H. L., Ke, L. Y., Yen, H. W., & Shen, K. P. (2019). Pre-germinated brown rice extract ameliorates high-fat diet-induced metabolic syndrome. *Journal of food biochemistry*, 43(3), e12769.
- He, D., & Yang, P. (2013). Proteomics of rice seed germination. *Frontiers in plant science*, 4, 246.
- Hendrawan, Y., Ahmad, A. M., Djoyowasito, G., & Marantika, M. E. (2016). Pengkajian beras pecah kulit (*brown rice*) dalam kemasan vakum (vacuum packaging) berdasarkan ketebalan plastik kemasan jenis nylon. *Journal of Tropical Agricultural Engineering and Biosystems-Jurnal Keteknik Pertanian Tropis dan Biosistem*, 4(3), 250-261.
- Hou, D., Tang, J., Feng, Q., Niu, Z., Shen, Q., Wang, L., & Zhou, S. (2023). Gamma-aminobutyric acid (GABA): A comprehensive review of dietary sources, enrichment technologies, processing effects, health benefits, and

- its applications. *Critical reviews in food science and nutrition*, 64(24), 8852-8874.
- Hui, Q., Wang, M., Wang, P., Ma, Y., Gu, Z., & Yang, R. (2018). Gibberellic acid promoting phytic acid degradation in germinating soybean under calcium lactate treatment. *Journal of the Science of Food and Agriculture*, 98(2), 644-651.
- Hui, Q., Yang, R., Shen, C., Zhou, Y., & Gu, Z. (2016). Mechanism of calcium lactate facilitating phytic acid degradation in soybean during germination. *Journal of agricultural and food chemistry*, 64(27), 5564-5573.
- Hussain, S. Z., Jabeen, R., Naseer, B., & Shikari, A. B. (2020). Effect of soaking and germination conditions on γ -aminobutyric acid and gene expression in germinated brown rice. *Food biotechnology*, 34(2), 132-150.
- Ishak, Z., Hassan, H., & Zaidun, S. A. M. (2014). Kesan Percambahan dan Rawatan Haba terhadap Gamma Amino Butyric Acid (GABA) dan Asid Amino dalam Beras Perang Cambah Varieti MR 219. *Jurnal Teknologi*, 70(6).
- Jabnabillah, F., & Margina, N. (2022). Analisis korelasi pearson dalam menentukan hubungan antara motivasi belajar dengan kemandirian belajar pada pembelajaran daring. *Jurnal Sintak*, 1(1), 14-18.
- Jeong, E., Abdellaoui, N., Lim, J. Y., & Seo, J. A. (2024). The presence of a significant endophytic fungus in mycobiome of rice seed compartments. *Scientific Reports*, 14(1), 23367.
- Lee, M. H., Hettiarachchy, N. S., McNew, R. W., & Gnanasambandam, R. (1995). Physicochemical properties of calcium-fortified rice. *Cereal Chemistry*, 72(4), 352-355.
- Le, P. H., Verscheure, L., Le, T. T., Verheust, Y., & Raes, K. (2020). Implementation of HPLC analysis for γ -aminobutyric acid (GABA) in fermented food matrices. *Food Analytical Methods*, 13, 1190-1201.
- Liang, J., Han, B. Z., Nout, M. R., & Hamer, R. J. (2008). Effects of soaking, germination and fermentation on phytic acid, total and in vitro soluble zinc in brown rice. *Food chemistry*, 110(4), 821-828.
- Li, L., Shu, S., Xu, Q., An, Y. H., Sun, J., & Guo, S. R. (2017). NO accumulation alleviates H₂O₂-dependent oxidative damage induced by Ca (NO₃)₂ stress in the leaves of pumpkin-grafted cucumber seedlings. *Physiologia plantarum*, 160(1), 33-45.
- Lone, A. A., Ahmed, Q. N., Ganai, S. A., Wani, I. A., Ahanger, R. A., Bhat, H. A., & Bhat, T. A. (2013). Effect of calcium fortification and steaming on chemical, physical and cooking properties of milled rice. *Children*, 500, 800-1300.

- Luo X, Wang Y, Li Q, Wang D, Xing C, Zhang L, Xu T, Fang F, Wang F. (2018). Accumulating mechanism of γ -aminobutyric acid in soybean (*Glycine max* L.) during germination. *Int J Food Sci Technol*. 53(1):106–111.
- Nasi Merah Instan Akibat Pengaruh Varietas Beras Merah (*Oryza Nivara*. L) dan Teknik Pemasakan Menggunakan Metode Pengeringan Beku (Freeze Drying). *Pasundan Food Technology Journal (PFTJ)*, 7(3), 107-115.
- Ma, Y., Zhang, S., Rong, L., Wu, Z., & Sun, W. (2022). Polyphenol composition and antioxidant activity of japonica rice cultivars and intake status. *Foods*, 11(23), 3788.
- Margaret, S., & Ruskandar, A. (2020). Keragaan padi varietas inpari 24 dan varietas mantap pada budidaya berbasis organik. *Jurnal Agrikultura*, 31(3), 193-201.
- Mridula, D., Sahay, D., Gupta, R. K., & Goswami, D. (2015). Development of biopolymer coated calcium fortified rice using spraying and soaking methods. *LWT-Food Science and Technology*, 61(1), 209-215.
- Muktisari, R. D., & Hartati, F. K. (2018). Analisis aktivitas antioksidan pada beras hitam dan tepung beras hitam (*Oryza sativa* L. indica). *Food Science and Technology Journal (Foodscitech)*, 1(1).
- Müller, C. P., Hoffmann, J. F., Ferreira, C. D., Diehl, G. W., Rossi, R. C., & Ziegler, V. (2021). Effect of germination on nutritional and bioactive properties of red rice grains and its application in cupcake production. *International Journal of Gastronomy and Food Science*, 25, 100379.
- Munarko, H., Sitanggang, A. B., Kusnandar, F., & Budijanto, S. (2019). Kecambah Beras Pecah Kulit: Proses Produksi Dan Karakteristiknya. *JURNAL PANGAN*, 28(3), 239-252.
- Munarko, H., Sitanggang, A. B., Kusnandar, F., & Budijanto, S. (2021). Effect of different soaking and germination methods on bioactive compounds of germinated brown rice. *International Journal of Food Science & Technology*, 56(9), 4540-4548.
- Munarko, H., Sitanggang, A. B., Kusnandar, F., & Budijanto, S. (2022). Germination of five Indonesian brown rice: evaluation of antioxidant, bioactive compounds, fatty acids and pasting properties. *Food Science and Technology*, 42, e19721.
- Nashita, N. Y., Sumardianto, S., & Fahmi, A. S. (2022). Pengaruh Penambahan Kalsium Klorida (CaCl_2) terhadap Karakteristik dan Tingkat Rehidrasi Pempek Kering. *JFMR (Journal of Fisheries and Marine Research)*, 6(1), 1-9.
- Nawaz, A., & Farooq, M. (2017). Rice physiology. *Rice production worldwide*, 455-485.

- Okarter, N., Liu C.S., Sorrells M.E., Liu R.H. 2010. Phytochemical content and antioxidant activity of six diverse varieties of whole wheat. *Food Chemistry*. Vol. 119(1):249–257
- Oketch-Rabah, H. A., Madden, E. F., Roe, A. L., & Betz, J. M. (2021). United States Pharmacopeia (USP) safety review of gamma-aminobutyric acid (GABA). *Nutrients*, 13(8), 2742.
- Oliveira, M. E. A. S., Coimbra, P. P. S., Galdeano, M. C., Carvalho, C. W. P., & Takeiti, C. Y. (2022). How does germinated rice impact starch structure, products and nutritional evidences?—A review. *Trends in Food Science & Technology*, 122, 13-23.
- Ou, B., Huang, D., Hampsch-Woodill, M., Flanagan, J. A., & Deemer, E. K. (2002). Analysis of antioxidant activities of common vegetables employing oxygen radical absorbance capacity (ORAC) and ferric reducing antioxidant power (FRAP) assays: a comparative study. *Journal of agricultural and food chemistry*, 50(11), 3122-3128.
- Pan, J., Zhang, J., Liu, C., Long, S., & Zhao, L. (2025). Effects of exogenous calcium on seed germination and physiological traits of alfalfa (*Medicago sativa*) seedlings. *BMC Plant Biology*, 25(1), 313.
- Pangerang, F. (2021). Kandungan gizi dan aktivitas antioksidan beras merah dan beras hitam padi ladang lokal dari Kabupaten Bulungan, Provinsi Kalimantan Utara. *Journal of Tropical AgriFood*, 3(2), 93-100.
- Perera, I., Seneweera, S., & Hirotsu, N. (2018). Manipulating the phytic acid content of rice grain toward improving micronutrient bioavailability. *Rice*, 11, 1-13.
- Pękal, A., & Pyrzynska, K. (2014). Evaluation of aluminium complexation reaction for flavonoid content assay. *Food Analytical Methods*, 7, 1776-1782.
- Pengkumsri, N., Chaiyasut, C., Saenjum, C., Sirilun, S., Peerajan, S., Suwannalert, P., ... & Sivamaruthi, B. S. (2015). Physicochemical and antioxidative properties of black, brown and red rice varieties of northern Thailand. *Food Science and Technology*, 35, 331-338.
- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of agricultural and food chemistry*, 53(10), 4290-4302.
- Putra, Y., Rusbana, T. B., & Anggraeni, W. (2015). Pengaruh Kuat Medan Magnet dan Lama Perendaman terhadap Perkecambahan Padi (*Oryza sativa* L.) Kadalua Varietas Ciherang. *Jurnal Agroekoteknologi*, 6(2).
- Rababah, T. M., Al-Omoush, M., Brewer, S., Alhamad, M., Yang, W., Alrababah, M., ... & Almajwal, A. (2014). Total phenol, antioxidant activity, flavonoids, anthocyanins and color of honey as affected by floral origin found in the

- arid and semiarid Mediterranean areas. *Journal of food processing and preservation*, 38(3), 1119-1128.
- Rafi, M., Febriany, S., Wulandari, P., Suparto, I. H., Ridwan, T., Rahayu, S., & Siswoyo, D. M. (2018). Total phenolics, flavonoids, and anthocyanin contents of six Vireya Rhododendron from Indonesia and evaluation of their antioxidant activities. *Journal of Applied Pharmaceutical Science*, 8(9), 049-054.
- Rahman, F., Asfar, M., & Suwandi, N. (2020). Pengaruh Perkecambahan Gabah Terhadap Rendemen. *Jurnal Penelitian Pascapanen Pertanian* [Volume, 17(3), 177-183.
- Rahmawati, A. S., & Erina, R. (2020). Rancangan acak lengkap (RAL) dengan uji anova dua jalur. *OPTIKA: Jurnal Pendidikan Fisika*, 4(1), 54-62.
- Ratnasari, L., Ristiarini, S., & Widoeri, T. E. (2012). Pengaruh Jenis Garam Kalsium dan Lama Penyimpanan Terhadap Karakteristik Sukade Lapisan Endodermis Kulit Buah Melon (*Cucumis melo* L). *Jurnal Teknologi Pangan dan Gizi (Journal of Food Technology and Nutrition)*, 11(2), 9-17.
- Ravichanthiran, K., Ma, Z. F., Zhang, H., Cao, Y., Wang, C. W., Muhammad, S., & Pan, B. (2018). Phytochemical profile of brown rice and its nutrigenomic implications. *Antioxidants*, 7(6), 71.
- Reddy, C. K., Kimi, L., Haripriya, S., & Kang, N. (2017). Effects of polishing on proximate composition, physico-chemical characteristics, mineral composition and antioxidant properties of pigmented rice. *Rice Science*, 24(5), 241-252.
- Ruttanaruangboworn, A., Chanprasert, W., Tobunluepop, P., & Onwimol, D. (2017). Effect of seed priming with different concentrations of potassium nitrate on the pattern of seed imbibition and germination of rice (*Oryza sativa* L.). *Journal of Integrative Agriculture*, 16(3), 605-613.
- Sari, A. K., & Ayuchecaria, N. (2017). Penetapan kadar fenolik total dan flavonoid total ekstrak beras hitam (*Oryza sativa* L) dari Kalimantan Selatan. *Jurnal Ilmiah Ibnu Sina*, 2(2), 327-335.
- Sembiring, E. R., Giriwono, P. E., Nugroho, S., & Suhartono, M. T. (2021). Analisis Komparatif Mineral Mikro dan Anti Nutrisi Pada Beras Antara Padi Rekayasa Genetik dan Tetuanya. *Jurnal Bioteknologi & Biosains Indonesia (JBBi)*, 8(2), 220-229.
- Shelp, B. J., Bown, A. W., & McLean, M. D. (1999). Metabolism and functions of gamma-aminobutyric acid. *Trends in plant science*, 4(11), 446-452.
- Shelp, B. J., Bozzo, G. G., Trobacher, C. P., Zarei, A., Deyman, K. L., & Briki, C. J. (2012). Hypothesis/review: contribution of putrescine to 4-aminobutyrate (GABA) production in response to abiotic stress. *Plant Science*, 193, 130-135.

- Shkembi, B., & Huppertz, T. (2021). Calcium absorption from food products: Food matrix effects. *Nutrients*, 14(1), 180.
- Sinaga, D. M. (2023). Pengambilan Keputusan Dalam Organisasi Pendidikan. *Jurnal Pendidikan dan Konseling (JPDK)*, 5(1), 2899-2907.
- Sinaga, P., Meiriani, M., Hasanah, Y., & Hasanah, Y. (2014). Respons Pertumbuhan dan Produksi Kailan (*Brassica Oleraceae* L.) pada Pemberian Berbagai Dosis Pupuk Organik Cair Paitan (*Tithonia Diversifolia* (Hemsl.) Gray). *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 2(4), 102069.
- Sintia, N. A., & Astuti, N. (2018). Pengaruh substitusi tepung beras merah dan proporsi lemak (margarin dan mentega) terhadap mutu organoleptik rich biscuit. *Jurnal Tata Boga*, 7(2), 1-12.
- Sirisoontaralak, P., Limboon, P., Jatuwong, S., & Chavanalikit, A. (2016). Effects of soaking and acidification on physicochemical properties of calcium-fortified rice. *Journal of the Science of Food and Agriculture*, 96(8), 2796-2804.
- Sirisoontaralak, P., Nakornpanom, N. N., Koakietdumrongkul, K., & Panumaswiwath, C. (2015). Development of quick cooking germinated brown rice with convenient preparation and containing health benefits. *LWT-Food Science and Technology*, 61(1), 138-144.
- Sitanggang, A. B., Joshua, M., Munarko, H., Kusnandar, F., & Budijanto, S. (2021). Increased γ -aminobutyric acid content of germinated brown rice produced in membrane reactor. *Food Technology and Biotechnology*, 59(3), 295-305.
- Suarti, B., Setiavani, G., Nusa, M. I., Fuadi, M., & Apriyanti, I. (2023). Perbedaan sifat fisik dan amilosa beras pecah kulit dan beras sosoh. *Warta Dharmawangsa*, 17(3), 1274-1282.
- Sumartini, S. (2018). Kajian peningkatan kualitas beras merah (*Oryza nivara*) instan dengan cara fisik. *Pasundan Food Technology Journal (PFTJ)*, 5(1), 84-90.
- Sutharut, J., & Sudarat, J. (2012). Total anthocyanin content and antioxidant activity of germinated colored rice. *International Food Research Journal*, 19(1).
- Thao, N. T. T., & Niwat, C. (2018). Effect of germinated colored rice on bioactive compounds and quality of fresh germinated colored rice noodle. *Applied Science and Engineering Progress*, 11(1), 27-37.
- Tian, X., He, M., Wang, Z., Zhang, J., Song, Y., He, Z., & Dong, Y. (2015). Application of nitric oxide and calcium nitrate enhances tolerance of wheat seedlings to salt stress. *Plant Growth Regulation*, 77, 343-356.

- Tisarum, R., Theerawitaya, C., Samphumphuang, T., & Cha-um, S. (2018). Regulation of anthocyanin accumulation in rice (*Oryza sativa* L. subsp. *indica*) using MgSO₄ spraying and low temperature. *Archives of Agronomy and Soil Science*, 64(12), 1663-1677.
- Tsou, S. F., Hsu, H. Y., & Chen, S. D. (2024). Effects of different pretreatments on the GABA content of germinated brown rice. *Applied Sciences*, 14(13), 5771.
- Wang, K. M., Wu, J. G., Li, G., Zhang, D. P., Yang, Z. W., & Shi, C. H. (2011). Distribution of phytic acid and mineral elements in three indica rice (*Oryza sativa* L.) cultivars. *Journal of Cereal Science*, 54(1), 116-121. <https://doi.org/10.1016/j.jcs.2011.03.002>
- Wang, K., Xu, F., Cao, S., Wang, H., Wei, Y., Shao, X., & Zheng, Y. (2019). Effects of exogenous calcium chloride (CaCl₂) and ascorbic acid (AsA) on the γ -aminobutyric acid (GABA) metabolism in shredded carrots. *Postharvest Biology and Technology*, 152, 111-117.
- Wariyah, C., Anwar, C., & Astuti, M. (2021). Calcium fixation on fortified rice made with various rice varieties. *Food Research (Malaysia)*.
- Wariyah, C., Astuti, M., Supriyadi, S., & Anwar, C. (2008). Calcium absorption kinetic on Indonesian rice. *Indonesian Journal of Chemistry*, 8(2), 252-257.
- Wichamanee, Y., & Teerarat, I. (2012). Production of germinated Red Jasmine brown rice and its physicochemical properties. *International Food Research Journal*, 19(4).
- Widiastuti, M. L., & Wahyuni, S. (2020). Penerapan teknik invigorasi dalam meningkatkan vigor benih padi. *Jurnal Penelitian dan Pengembangan Pertanian*, 39(2), 96-104.
- Widjayanti, T., Kusuma, R. R., Aini, L. Q., Fitriani, C. D. A., Sektiono, A. W., Hadi, M. S., & Setiawan, Y. (2023). Screening of phyllospheric and endophytic bacteria as biocontrol agents of *Xanthomonas oryzae* pv. *oryzae*. *Biodiversitas Journal of Biological Diversity*, 24(4).
- Widyawati, P. S., Suteja, A. M., Suseno, T. I. P., Monica, P., Saputrajaya, W., & Liguori, C. (2014). Pengaruh perbedaan warna pigmen beras organik terhadap aktivitas antioksidan. *Agritech*, 34(4), 399-406.
- Wijaya, C. 2017. *Perilaku Organisasi*. Sumatera Utara: UIN Sumatera Utara.
- Wu, N. N., Li, R., Li, Z. J., & Tan, B. (2022). Effect of germination in the form of paddy rice and brown rice on their phytic acid, GABA, γ -oryzanol, phenolics, flavonoids and antioxidant capacity. *Food Research International*, 159, 111603.

- Xie, W., Ashraf, U., Zhong, D., Lin, R., Xian, P., Zhao, T., & Mo, Z. (2019). Application of γ -aminobutyric acid (GABA) and nitrogen regulates aroma biochemistry in fragrant rice. *Food Science & Nutrition*, 7(11), 3784-3796.
- Xu, E., Wu, Z., Chen, J., Tian, J., Cheng, H., Li, D., & Jin, Z. (2020). Calcium—lactate-induced enzymatic hydrolysis of extruded broken rice starch to improve Chinese rice wine fermentation and antioxidant capacity. *Lwt*, 118, 108803. <https://doi.org/10.1016/j.lwt.2019.108803>
- Xu, N., Wei, L., & Liu, J. (2017). Biotechnological advances and perspectives of gamma-aminobutyric acid production. *World Journal of Microbiology and Biotechnology*, 33, 1-11.
- Yogeswara, I. B. A., Maneerat, S., & Haltrich, D. (2020). Glutamate decarboxylase from lactic acid bacteria—A key enzyme in GABA synthesis. *Microorganisms*, 8(12).
- Yuan, D., Wu, X., Gong, B., Huo, R., Zhao, L., Li, J., & Gao, H. (2023). GABA metabolism, transport and their roles and mechanisms in the regulation of abiotic stress (hypoxia, salt, drought) resistance in plants. *Metabolites*, 13(3), 347.
- Yu, Y., Li, M., Li, C., Niu, M., Dong, H., Zhao, S., & Xu, Y. (2023). Accelerated accumulation of γ -aminobutyric acid and modifications on its metabolic pathways in black rice grains by germination under cold stress. *Foods*, 12(6), 1290.
- Zhang, Q., Liu, N., Wang, S., Liu, Y., & Lan, H. (2019). Effects of cyclic cellulase conditioning and germination treatment on the γ -aminobutyric acid content and the cooking and taste qualities of germinated brown rice. *Food chemistry*, 289, 232-239.
- Zhang, Q., Xiang, J., Zhang, L., Zhu, X., Evers, J., van der Werf, W., & Duan, L. (2014). Optimizing soaking and germination conditions to improve gamma-aminobutyric acid content in japonica and indica germinated brown rice. *Journal of functional foods*, 10, 283-291.
- Zhang, Q., Zhu, L., Li, H., Chen, Q., Li, N., Li, J., & Kong, J. (2024). Insights and progress on the biosynthesis, metabolism, and physiological functions of gamma-aminobutyric acid (GABA): a review. *PeerJ*, 12, e18712.
- Zhao, G. C., Xie, M. X., Wang, Y. C., & Li, J. Y. (2017). Molecular mechanisms underlying γ -aminobutyric acid (GABA) accumulation in giant embryo rice seeds. *Journal of Agricultural and Food Chemistry*, 65(24), 4883-4889.
- Zhao, Y. W., Wang, C. K., Huang, X. Y., & Hu, D. G. (2021). Anthocyanin stability and degradation in plants. *Plant signaling & behavior*, 16(12), 1987767.