

DAFTAR PUSTAKA

- [1] M. A. Fritz and L. Speroff, *Clinical Gynecologic Endocrinology and Infertility*, 8th ed. Lippincott Williams & Wilkins, 2011.
- [2] X. W. Cao, K. Lin, C. Y. Li, and C. W. Yuan, “[A review of WHO Laboratory Manual for the Examination and Processing of Human Semen (5th edition)].,” *Zhonghua Nan Ke Xue*, vol. 17, no. 12, pp. 1059–1063, 2011.
- [3] A. P. Ferraretti *et al.*, “Assisted reproductive technology in Europe, 2008: Results generated from European registers by ESHRE,” *Hum. Reprod.*, vol. 27, no. 9, pp. 2571–2584, 2012, doi: 10.1093/humrep/des255.
- [4] R. Menkveld *et al.*, “Semen parameters, including WHO and strict criteria morphology, in a fertile and subfertile population: An effort towards standardization of in-vivo thresholds,” *Hum. Reprod.*, vol. 16, no. 6, pp. 1165–1171, 2001, doi: 10.1093/humrep/16.6.1165.
- [5] J. Zinaman, G. Fisher, and L. Uhler, “Evaluation of Computer-Assisted Semen Analysis (CASA) With IDENT Stain to Determine Sperm Concentration,” pp. 288–292, 1996.
- [6] S. T. Mortimer, G. Van Der Horst, and D. Mortimer, “The future of computer-aided sperm analysis,” *Asian J. Androl.*, vol. 17, no. 4, pp. 545–553, 2015, doi: 10.4103/1008-682X.154312.
- [7] H. Wang and P. Gao, “Survey Of Small Object Detection Methods Based On Deep Learning,” *Int. Conf. Intell. Informatics Biomed. Sci. ICIIBMS*, no. 2024, pp. 221–224, 2024, doi: 10.1109/ICIIBMS62405.2024.10792837.
- [8] W. Jiao, Y. Li, and L. Lv, “Study on Sperm Morphology Analysis Using Deep Learning,” *ACM Int. Conf. Proceeding Ser.*, pp. 58–66, Oct. 2024, doi: 10.1145/3686490.3686499;JOURNAL:JOURNAL:ACMOTHERCONFERENCE;CTYPE:STRING:BOOK.
- [9] S. Izadi, D. Sutton, and G. Hamarneh, “Image denoising in the deep learning era,” *Artif. Intell. Rev.*, vol. 56, no. 7, pp. 5929–5974, 2023, doi: 10.1007/s10462-022-10305-2.
- [10] J. Schmidhuber, “Deep Learning in neural networks: An overview,” *Neural Networks*, vol. 61, pp. 85–117, 2015, doi: 10.1016/j.neunet.2014.09.003.
- [11] M. Oquab, L. Bottou, I. Laptev, and J. Sivic, “Learning and transferring mid-level image representations using convolutional neural networks,” *Proc. IEEE*

- Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 1717–1724, 2014, doi: 10.1109/CVPR.2014.222.
- [12] A. Lukežič, T. Vojříř, L. Čehovin Zajc, J. Matas, and M. Kristan, “Discriminative Correlation Filter Tracker with Channel and Spatial Reliability,” *Int. J. Comput. Vis.*, vol. 126, no. 7, pp. 671–688, 2018, doi: 10.1007/s11263-017-1061-3.
- [13] Z. Zou, K. Chen, Z. Shi, Y. Guo, and J. Ye, “Object Detection in 20 Years: A Survey,” *Proc. IEEE*, vol. 111, no. 3, pp. 257–276, Mar. 2023, doi: 10.1109/JPROC.2023.3238524.
- [14] M. Sornalakshmi, M. Sakthimohan, G. Elizabeth Rani, V. Aravindhan, B. K. Surya, and M. Devadharshni, “Real Time Object Detection Using Deep Learning,” *ViTECoN 2023 - 2nd IEEE Int. Conf. Vis. Towar. Emerg. Trends Commun. Netw. Technol. Proc.*, vol. 8, no. 5, pp. 1638–1643, 2023, doi: 10.1109/ViTECoN58111.2023.10157311.
- [15] Y. An, J. Tang, and Y. Li, “A MobileNet SSDLite Model with Improved FPN for Forest Fire Detection,” *Commun. Comput. Inf. Sci.*, vol. 1611 CCIS, pp. 267–276, 2022, doi: 10.1007/978-981-19-5096-4_20.
- [16] M. Elgendy, “Deep Learning for Vision Systems,” *Manning Publ. Co.*, p. 480, 2020, Accessed: Jul. 28, 2025. [Online]. Available: <https://www.manning.com/books/deep-learning-for-vision-systems>.
- [17] S. Javadi and S. A. Mirroshandel, “A novel deep learning method for automatic assessment of human sperm images,” *Comput. Biol. Med.*, vol. 109, no. December 2018, pp. 182–194, 2019, doi: 10.1016/j.compbio.2019.04.030.
- [18] I. G. S. Masdiyasa, I. K. E. Purnama, and M. H. Purnomo, “Teratozoospermia classification based on the shape of sperm head using OTSU threshold and decision tree,” *MATEC Web Conf.*, vol. 58, 2016, doi: 10.1051/mateconf/20165803012.
- [19] E. Chung *et al.*, *The new 6th edition of the WHO Laboratory Manual for the Examination and Processing of Human Semen*, vol. 24, no. 2. 2022.
- [20] J. Auger, P. Jouannet, and F. Eustache, “Another look at human sperm morphology,” *Hum. Reprod.*, vol. 31, no. 1, pp. 10–23, 2016, doi: 10.1093/humrep/dev251.
- [21] K. D. Esmerlyan, I. Rangelov, and T. A. Chaushev, “Oxidative Stress and

- Acrosomal Status of Human Spermatozoa Subjected to Hydrophobic Carbon Soot Treatments,” *Nanomaterials*, vol. 14, no. 5, pp. 1–10, 2024, doi: 10.3390/nano14050395.
- [22] J. B. You, C. McCallum, Y. Wang, J. Riordon, R. Nosrati, and D. Sinton, “Machine learning for sperm selection,” *Nat. Rev. Urol.*, vol. 18, no. 7, pp. 387–403, 2021, doi: 10.1038/s41585-021-00465-1.
- [23] P. Hidayatullah *et al.*, “DeepSperm: A robust and real-time bull sperm-cell detection in densely populated semen videos,” *Comput. Methods Programs Biomed.*, vol. 209, p. 106302, 2021, doi: 10.1016/j.cmpb.2021.106302.
- [24] A. Zhang, Z. C. Lipton, M. Li, and A. J. Smola, “Dive into Deep Learning,” *J. Am. Coll. Radiol.*, vol. 17, no. 5, pp. 637–638, Jun. 2021, doi: 10.1016/j.jacr.2020.02.005.
- [25] “Deep Learning.” <https://www.deeplearningbook.org/> (accessed Jul. 28, 2025).
- [26] S. Y. Chin *et al.*, “Bacterial image analysis using multi-task deep learning approaches for clinical microscopy,” *PeerJ Comput. Sci.*, vol. 10, pp. 1–43, 2024, doi: 10.7717/PEERJ-CS.2180.
- [27] S. Bouraya and A. Belangour, “Object Detectors’ Convolutional Neural Networks backbones : a review and a comparative study,” *Int. J. Emerg. Trends Eng. Res.*, vol. 9, no. 11, pp. 1379–1386, 2021, doi: 10.30534/ijeter/2021/039112021.
- [28] S. Bouraya and A. Belangour, “Deep Learning based Neck Models for Object Detection: A Review and a Benchmarking Study,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 12, no. 11, pp. 161–167, 2021, doi: 10.14569/IJACSA.2021.0121119.
- [29] F. A. Kateb, M. M. Monowar, M. A. Hamid, A. Q. Ohi, and M. F. Mridha, “FruitDet: Attentive feature aggregation for real-time fruit detection in orchards,” *Agronomy*, vol. 11, no. 12, pp. 1–21, 2021, doi: 10.3390/agronomy11122440.
- [30] X. Zhang, N. Han, and J. Zhang, “Comparative analysis of VGG, ResNet, and GoogLeNet architectures evaluating performance, computational efficiency, and convergence rates,” *Appl. Comput. Eng.*, vol. 44, no. 1, pp. 172–181, 2024, doi: 10.54254/2755-2721/44/20230676.
- [31] N. Isong, “Building Efficient Lightweight CNN Models,” pp. 1–25, 2025,

- [Online]. Available: <http://arxiv.org/abs/2501.15547>.
- [32] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L. C. Chen, "MobileNetV2: Inverted Residuals and Linear Bottlenecks," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 4510–4520, 2018, doi: 10.1109/CVPR.2018.00474.
 - [33] F. Daghero, A. Burrello, M. Poncino, E. Macii, and D. Jahier Pagliari, "Accelerating Depthwise Separable Convolutions on Ultra-Low-Power Devices," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 15226 LNCS, pp. 46–58, 2025, doi: 10.1007/978-3-031-78377-7_4.
 - [34] Y. Zhao, R. Han, and Y. Rao, "A new feature pyramid network for object detection," *Proc. - 2019 Int. Conf. Virtual Real. Intell. Syst. ICVRIS 2019*, pp. 428–431, 2019, doi: 10.1109/ICVRIS.2019.00110.
 - [35] R. Szeliski, "Computer Vision," 2022, doi: 10.1007/978-3-030-34372-9.
 - [36] "Glossary - Binary Images." <https://homepages.inf.ed.ac.uk/rbf/HIPR2/binimage.htm> (accessed Jul. 28, 2025).
 - [37] M. Liyanthy, "Perancangan Data Pipeline Computer Vision untuk Mendukung Pelatihan Agen Otonom dalam Mengenali Rambu Lalu Lintas," *J. Comput. Inf. Syst. Ampera*, vol. 5, no. 1, pp. 2775–2496, 2024, [Online]. Available: <https://journal-computing.org/index.php/journal-cisa/index>.
 - [38] M. A. Hameed and Z. A. Khalaf, "A survey study in Object Detection: A Comprehensive Analysis of Traditional and State-of-the-Art Approaches," *Basrah Res. Sci.*, vol. 50, no. 1, p. 16, 2024, doi: 10.56714/bjrs.50.1.5.
 - [39] A. S. Geetha, "YOLOv4: A Breakthrough in Real-Time Object Detection," pp. 1–12, 2025, [Online]. Available: <http://arxiv.org/abs/2502.04161>.
 - [40] Z. Y. Deng, H. H. Chiang, L. W. Kang, and H. C. Li, "A lightweight deep learning model for real-time face recognition," *IET Image Process.*, vol. 17, no. 13, pp. 3869–3883, 2023, doi: 10.1049/ipr2.12903.
 - [41] R. Marín and V. Chang, "Impact of transfer learning for human sperm segmentation using deep learning," *Comput. Biol. Med.*, vol. 136, no. April, p. 104687, 2021, doi: 10.1016/j.combiomed.2021.104687.
 - [42] "machine learning - Does fine-tuning of transferred layers perform better than

- frozen transferred layers? - Data Science Stack Exchange.” <https://datascience.stackexchange.com/questions/41231/does-fine-tuning-of-transferred-layers-perform-better-than-frozen-transferred-la> (accessed Jul. 28, 2025).
- [43] H. Nur, “Research on Tensor Flow with a system for large-scale machine learning Research on Tensor Flow with a system for large-scale machine learning,” no. September, pp. 0–20, 2022.
- [44] T. Kluyver *et al.*, “Jupyter Notebooks—a publishing format for reproducible computational workflows,” *Position. Power Acad. Publ. Play. Agents Agendas - Proc. 20th Int. Conf. Electron. Publ. ELPUB 2016*, pp. 87–90, 2016, doi: 10.3233/978-1-61499-649-1-87.
- [45] “Welcome To Colab - Colab.” <https://colab.research.google.com/> (accessed Jul. 28, 2025).