

DAFTAR PUSTAKA

- Akankshya, Dash, R. R., & Mohanty, S. (2021). Removal of organic matters and nutrients by using bio-balls and corn cobs as bio-film carrier in MBBR technology. In *Water Security and Sustainability: Proceedings of Down To Earth 2019* (pp. 227-237). Singapore: Springer Singapore.
- Al Kholif, M. (2020). Pengelolaan air limbah domestik. Surabaya: Scopindo Media Pustaka.
- Aldris, B., & Farhoud, N. (2020). Wastewater treatment efficiency of an experimental MBBR system under different influent concentrations. *Dynosa Applied Science.*, 1(1), 20-28.
- Alitaleshi, F., Daghbandan, A., & Pendashteh, A. (2024). Performance of rice husk biocarrier on ammonia nitrogen removal in the MBBR treating aquaculture wastewater using biological attached growth process: Performance and kinetic study. *Journal of Environmental Chemical Engineering*, 12(1), 111446.
- Arabgol, R. (2021). MBBR Produced Solids: Particle Characteristics, Settling Behaviour and Investigation of Influencing Factors. *Doctoral Dissertation*. University of Ottawa.
- Arokiasamy, P., Abdullah, M. M. A. B., Abd Rahim, S. Z., Zainol, M. R. R. M. A., Salleh, M. A. A. M., Kheimi, M., ... & Jamil, N. H. (2022). Metakaolin/sludge based geopolymer adsorbent on high removal efficiency of Cu²⁺. *Case Studies in Construction Materials*, 17, 01428.
- Brahmi, A., Ziani, S., AitAli, S., Benkhaoula, B. N., Yu, Y., Ahouari, H., ... & Luukkonen, T. (2024). Porous metakaolin geopolymer as a reactive binder for hydroxyapatite adsorbent granules in dye removal. *Hybrid Advances*, 5, 100134.
- Budirman, B. (2024). Effectiveness Of Using Biofilter Technology Moving Bed Biofilm Reaktor (MBBR) Combination Of Activated Carbon And Chlorine In Puskemas Wastewater Treatment In Makassar City. *Doctoral Dissertation*. Universitas Hasanuddin

- Davidovits, J. (1994). Properties of Geopolymer Cement. *In First International Conference on Alkaline Cements and Concretes, Scientific Research Institute on Binders and Materials* (pp 131-49). Ukraine: VIPOL Stock Company.
- Dawen, G., & Nabi, M. (2024). *Novel Approaches Towards Wastewater Treatment*. Springer Nature Switzerland.
- Dong, X., Zhu, L., Jiang, P., Wang, X., Liu, K., Li, C., & Li, D. (2021). Seasonal biofilm formation on floating microplastics in coastal waters of intensified mariculture area. *Marine pollution bulletin*, 171, 112914.
- Fathi, A., Boutaleb, N., Bahlaouan, B., Bennani, M., Lazar, S., & El Antri, S. (2021). Filamentous fungi and natural supports as a carrier in moving bed biofilm reactors for ecological treatment of halieutic industrial effluent. *Desalination and water treatment*, 237, 37-44.
- Fitriani, E., & Purbasari, A. (2021, February). Application of low-cost mesoporous geopolymer for dye waste removal. *In IOP Conference Series: Materials Science and Engineering* (Vol. 1053, No. 1, p. 012002). IOP Publishing.
- Gunduz, L., & Kalkan, S. O. (2019). Use of rice husk ash as strength-enhancing additive in lightweight cementitious composite mortars. *In IOP Conference Series: Materials Science and Engineering* (Vol. 471, No. 3, p. 032046). IOP Publishing.
- Hakika, D.C., Sarto, S., Mindaryani, A., & Hidayat, M. (2019). Decreasing COD in sugarcane vinasse using the fenton reaction: The effect of processing parameters. *Catalysts*, 9, 12.
- Homagai, Puspa Lal, Rachana Poudel, Sujana Poudel, and Ajaya Bhattarai. (2022). "Adsorption and removal of crystal violet dye from aqueous solution by modified rice husk." *Heliyon*, 8, 4
- Kawan, J. A., Suja', F., Pramanik, S. K., Yusof, A., Abdul Rahman, R., & Abu Hasan, H. (2022). Effect of hydraulic retention time on the performance of a compact moving bed biofilm reactor for effluent polishing of treated sewage. *Water*, 14(1), 81.
- Khudhair, D. N., Zwain, H. M., Siadatmousavi, S. M., & Hosseinzadeh, M. (2025). Sensitivity analysis of operational parameters on excess sludge reduction in

- moving bed biofilm reactor (MBBR) system upgraded to integrated fixed film activated sludge (IFAS) process based on GPS-X environment. *Water Environment Research*, 97(6), e70084.
- Krupińska, I. (2024). Application of Fenton's Reaction for Removal of Organic Matter from Groundwater. *Molecules*, 29(21), 5150.
- Lestari, I., Prasetyo, E., & Gusti, D. R. (2021). Penggunaan karbon aktif magnetit-Fe₃O₄ sebagai penyerap zat warna remazol yellow. *Jurnal Bio-Geo Material Dan Energi*, 1(1), 29-37.
- Li, C. J., Zhang, Y. J., Chen, H., He, P. Y., & Meng, Q. (2022). Development of porous and reusable geopolymer adsorbents for dye wastewater treatment. *Journal of cleaner production*, 348, 131278.
- Liu, X., Tang, P., Liu, Y., Xie, W., Chen, C., Li, T., & Liu, B. (2022). Efficient removal of organic compounds from shale gas wastewater by coupled ozonation and moving-bed-biofilm submerged membrane bioreactor. *Bioresource Technology*, 344, 126191.
- Majid, A., & Mahna, M. (2019). Application of lab-scale MBBR to Treat industrial wastewater using K3 carriers: Effects of HRT, High cod influent, and temperature. *Int. J. Environ. Sci. Nat. Resour*, 20(2), 35-42.
- Martínez-Pachón, D., Echeverry-Gallego, R. A., Serna-Galvis, E. A., Villarreal, J. M., Botero-Coy, A. M., Hernández, F., ... & Moncayo-Lasso, A. (2021). Treatment of wastewater effluents from Bogotá-Colombia by the photo-electro-Fenton process: elimination of bacteria and pharmaceutical. *Science of The Total Environment*, 772, 144890.
- Meddah, S., Djeghader, I., Samar, M. E. H., & Ismail, F. (2021). Optimization of the operating parameters and their effects on the degradation of Naphthol Blue Black by the Fenton process. *Journal of Applied Research in Water and Wastewater*, 8(2), 133-139.
- Muliyadi, M., Purwanto, P., Sumiyati, S., Budiyo, B., Sudarno, S., & Warsito, B. (2025). Domestic wastewater treatment system using waste plastic bottle caps as biofilter media. *International Journal of Advances in Applied Sciences*, 14(1), 235-246.

- Naghsh, M., & Shams, K., 2017. Synthesis of a kaolin-based geopolymer using a novel fusion method and its application in effective water softening. *Applied Clay Science*, 146, 238-245.
- Prakoso, R. D., Hayati, R. N., & Rahendaputri, C. S. (2023). Pemanfaatan Kayu Gaharu (*Aquilaria malaccensis*) Sebagai Adsorben Dalam Menurunkan Parameter Warna dan pH di dalam Limbah Cair Tekstil Sintetis. *Envirotek: Jurnal Ilmiah Teknik Lingkungan*, 15(2), 181-185
- Prasetya, Fandi A *et al.*, 2018. Sintesis dan Karakterisasi Beton Geopolimer Berbasis Abu Layang sebagai Media Tanam. *Jurnal Teknologia*, 1(1), 21-26.
- Pratama, A., & Hendrasarie, N. (2021). Efektivitas Penambahan Green Adsorbent Di Sequencing Batch Reactor Untuk Menurunkan Parameter Bod, Tss, Dan Warna Pada Limbah Industri Batik. *EnviroUS*, 2(1), 9-17.
- Pratap, V., Kumar, R., Kumar, S., & Yadav, B. R. (2024). Optimization of moving bed biofilm reactors for the treatment of municipal wastewater. *Environmental Research*, 241, 117560.
- Ribeiro M.C.M., Starling M.C.V.M., Leão M.M.D., Costa de Amorim C. (2017). Textile wastewater reuse after additional treatment by Fenton ' s reagent, *Environmental Science and Pollution Research*, 24, 6165–6175.
- Rinilam, A., Fatimura, M., Masriatini, R., & Fitriyanti, R. (2025). Pengolahan Air Limbah Laundry Untuk Menurunkan Parameter Pencemar Menggunakan Metode Foto-Fenton. *Jurnal Integrasi Proses*, 14(1), 99-105.
- Rofiqoh, A. N., & Titah, H. S. (2024). Penurunan Kandungan BOD, COD, TSS, dan Warna pada Limbah Cair Industri Batik Menggunakan Cyperus papyrus dan Eleocharis dulcis dengan Sistem Reed Bed. *Jurnal Teknik ITS*, 13(2), F77-F82.
- Safitri, D. I., Tuslinah, L., & Zustika, D. S. (2019). Pemanfaatan Sekam Padi Sebagai Adsorben Pada Air Laut dan Zat Warna. *Pharmacoscript*, 2(1), 45-54.
- Said, N. I. (2017). Teknologi Pengolahan Air Limbah, Teori dan Aplikasi. Penerbit: Erlangga.
- Sandya, Y., & Musalamah, S. (2019). penggunaan Abu Sekam Padi Sebagai Pengganti Semen Pada Beton Geopolimer. *Educ. Build. J. Pendidik. Tek. Bangunan dan Sipil*, 5(2), 59-63.

- Sanova, A., Bakar, A., Afrida, A., & Indryani, I. (2020). Integrasi STEM Melalui Konsep Eco-Batik Berbasis Local Wisdom Bagi Kelompok Belajar Masyarakat Kota Jambi. *Jurnal Pengabdian Masyarakat Pinang Masak*, 1(1), 24-30.
- Saratale, R. G., Saratale, G. D., Chang, J. S., & Govindwar, S. P. (2011). Bacterial decolorization and degradation of azo dyes: a review. *Journal of the Taiwan institute of Chemical Engineers*, 42(1), 138-157.
- Sholeh, M., & Setyorini, I. (2014). Tinjauan Penggunaan Advanced Oxidation Processes (AOPs) Untuk Pengolahan Air Limbah Industri Penyamakan Kulit. In *Prosiding Seminar Nasional Kulit, Karet, dan Plastik ke-3 Yogyakarta*.
- Sila, N., & Fajrin, M. N. (2025). Biofilter Effectiveness Moving Bed Biofilm Reactor Activated Carbon Combination in Domestic Wastewater Treatment on Barrang Island Lompo Makassar City. *Environmental and Public Health Maritime Journal*, 1(1), 1.
- Solís, M., Solís, A., Pérez, H. I., Manjarrez, N., & Flores, M. (2012). Microbial decolouration of azo dyes: a review. *Process Biochemistry*, 47(12), 1723-1748.
- Suhanda, D. (2020). Dehidrogenasi hidrazin hidrat menggunakan katalis bimetal NiCo berpenyangga ZA, Z-NaY, ZHY, Al₂O₃, dan TiO₂ (Bachelor's thesis, Fakultas Sains dan Teknologi Universitas Islam Negeri Syarif Hidayatullah Jakarta).
- Suryawan, I. W. K., Septiariva, I. Y., Helmy, Q., Notodarmojo, S., Wulandari, M., Sari, N. K., ... & Lim, J. (2021). Comparison of ozone pre-treatment and post-treatment hybrid with moving bed biofilm reactor in removal of Remazol Black 5. *International Journal of Technology*, 12(2), 727-738.
- Suwannahong, K., Wongcharee, S., Rioyo, J., Sirilamduan, C., & Kreetachart, T. (2022). Insight into molecular weight cut off characteristics and reduction of melanoidin using microporous and mesoporous adsorbent. *Engineering and Applied Science Research*, 49(1), 47-57.
- Tsani, M. K., Janah, Q. I., Arifin, A. A., Agustina, A., Rahayu, B. B., & Sudirman, S. (2024). Sintesis Zeolit Berbasis Silika dari Limbah Biomassa Sabut Kelapa (Cocos nucifera L.). *Jurnal Ilmu Kimia dan Pembelajaran*, 1(1), 18-25.

- Ullberg, M., Lavonen, E., Köhler, S. J., Golovko, O., & Wiberg, K. (2021). Pilot-scale removal of organic micropollutants and natural organic matter from drinking water using ozonation followed by granular activated carbon. *Environmental Science: Water Research & Technology*, 7(3), 535-548.
- Van Hung, N., Tam, L.H., Khoa, V.N.D. and Nhan, H.T.C., (2018). Synthesis of nanosilica from rice husk and optimization of the removal of crystal violet dye from aqueous solution. *Vietnam Journal of Science and Technology*, 56(1A), pp.189-196.
- Verma M., and Haritash A.K. (2019). Degradation of amoxicillin by Fenton and Fenton-integrated hybridoxidation processes, *Journal of Environmental Chemical Engineering*, 7, 1-5.
- Vieira, M. M., Dornelas, A. S. P., Carlos, T. D., Pallini, A., Gravato, C., Pereira, D. H., ... & Cavallini, G. S. (2021). When treatment increases the contaminant's ecotoxicity: A study of the Fenton process in the degradation of methylene blue. *Chemosphere*, 283, 131117.
- Wahyu, E., & Hendrasarie, N. (2022). Penurunan kandungan zat pencemar organik pada air limbah rumah potong ayam dengan biofilter aerob menggunakan media kulit kerang. *Jurnal Envirous Teknik Lingkungan*, 3(1), 19-25.
- Waziz, W., Fitriani, F., & Aulia, R. R. (2024). Analisis Ukuran Partikel Nanosilica Pada Proses Alkali Fusion Silica Scaling Geothermal Dieng Menggunakan KOH. *Journal of Mechanical Engineering*, 1(1), 23-32.
- Wijayanti, Imas Eva, Eka Anisa Kurniawati, and Solfarina Solfarina. (2019). "Studi kinetika adsorpsi isoterm persamaan langmuir dan freundlich pada abu gosok sebagai adsorben. *EduChemia: Jurnal Kimia dan Pendidikan*, 4(2), 175-184.
- Yılmaz, A., Degirmenci, F. N., & Aygörmec, Y. (2024). Effect of initial curing conditions on the durability performance of low-calcium fly ash-based geopolymer mortars. *Boletín de la Sociedad Española de Cerámica y Vidrio*, 63(4), 238-254.
- Yingying L., Yan F., Xue L., Ning S., Hao C., Zhongwei W., (2019). Removal of diclofenac by three-dimensional electro-Fenton-persulfate (3D electro-Fenton-PS), *Chemosphere*, 219, 1024-1031.

- Zhang, D., Zhang, K., Hu, X., He, Q., Yan, J., & Xue, Y. (2021). Cadmium removal by MgCl₂ modified biochar derived from crayfish shell waste: Batch adsorption, response surface analysis and fixed bed filtration. *Journal of Hazardous Materials*, 408, 124860.
- Zhang, F., Chen, Y., Shi, X., Lu, M., Qin, K., Qin, F., ... & Feng, Q. (2023). Characterization of the microbial community and prediction of metabolic functions in an anaerobic/oxic system with magnetic micropolystyrene as a biocarrier. *Environmental Science and Pollution Research*, 30(49), 108023-108034.
- Zheng, Y., Zimmerman, A. R., & Gao, B. (2020). Comparative investigation of characteristics and phosphate removal by engineered biochars with different loadings of magnesium, aluminum, or iron. *Science of the Total Environment*, 747, 141277.
- Zulkifli, Maryam, Hassimi Abu Hasan, Siti Rozaimah Sheikh Abdullah, and Mohd Hafizuddin Muhamad. (2022). A review of ammonia removal using a biofilm-based reactor and its challenges., *Journal of Environmental Management*, 315, 115162.