

DAFTAR PUSTAKA

- A. Ait-Hmane, L. Mandi, N. Ouazzani, H. A. H. (2021). Combined treatment of olive mill wastewater by multi-soil-layering ecotechnology and adsorption on activated carbon/lime. *Desalination and Water Treatment*, 233, 253–260. <https://doi.org/10.5004/dwt.2021.27595>
- Abd Mujahid Hamdan, Teuku Muhammad Ashari, Zurriyati Iklima, D. (2023). Penggunaan Metode Multi Soil Layering (MSL) untuk Penyisihan Pencemar pada Limbah Cair Industri Pembekuan Ikan. *Jurnal Riset Sains Dan Teknologi*, Volume 7 N, 103–108.
- Adinda, T., Elystia, S., dan H. (2017). Metoda Multi Soil Layering Dalam Pengolahan Air Gambut Dengan Variasi Hydraulic Loading Rate Dan Material Organik Pada Lapisan Anaerob. *FTeknik*, 2(1), 1–7.
- Amalia, V., Layyinah, F., Zahara, F., & Hadisantoso, E. P. (2017). Potensi Pemanfaatan Arang Tulang Ayam sebagai Adsorben Logam Berat Cu dan Cd. *Al-Kimiya*, 4(1), 31–37. <https://doi.org/10.15575/ak.v4i1.5081>
- Arbabi, Mohsen; Akbarzadeh, Abbas; Khodabakhshi, A. (2012). Optimization of SBR system for enhanced biological phosphorus and nitrogen removal. *International Journal of Environmental Health Engineering*, 1(1), 49. 10.4103/2277-9183.105348
- Arifudin, Setiyono, Eko, F. et. a. (2019). Evaluasi Instalasi Pengolahan Air Limbah Industri Pengolahan Makanan. *Jurnal Air Indonesia*, Vol. 11, N, 32 – 37.
- Asmadi, I., & S. (2012). *Pengolahan Air Limbah dengan Proses Biologis*. Graha Ilmu.
- Azeez, J.O., Bankole, G.O., Aghorunse, A. C. et al. (2024). Evaluating the environmental and agronomic implications of bone char and biochar applications to loamy sand based on sorption data. *Environmental Systems Research*, 49. <https://doi.org/10.1186/s40068-024-00379-y>
- Baker, N. S., Hezam, A. A., et. al. (2023). Pretreated palm oil clinker as an attached growth media for organic matter removal from synthetic domestic wastewater in a sequencing batch reactor. *Materials Today: Proceedings*, 72, 2786–2791.

- <https://doi.org/10.1016/j.matpr.2022.09.563>. Elsevier, 100294.
<https://doi.org/10.1016/j.cscee.2022.100294>
- Chun, C., Hao, P. (2015). Efficiency of a Multi Soil Layering System on Wastewater Treatment Using Environment Friendly Filter Materials. *International Journal of Environmental Research and Public Health*, 12(3), 3362–3380. <https://doi.org/10.3390/ijerph120303362>
- Crittenden, J. C., Trussell, R. R., Hand, D. W., Howe, K. J., & Tchobanoglous, G. (2012). *MWH's Water Treatment: Principles and Design (3rd ed.)*. John Wiley & Sons.
- Elmidaoui, S. K. H. A. J. T. A. Z. S. B. M. T. A. (2021). A comparative examination of MBR and SBR performance for municipal wastewater treatment. *Water Practice and Technology*, 16(2), 582–591. <https://doi.org/10.2166/wpt.2021.016>
- Ferriansyah, R. M., & Hadianoro, S. (2021). Penggunaan Serbuk Tulang Ayam sebagai Adsorben dengan Aktivator HCl dan NaOH untuk Mengurangi Ion Logam Kromium. *Distilat: Jurnal Teknologi Separasi*, 7(2), 494–499.
- Fransiska Febriana & Novirina Hendrasarie. (2022). *Efektivitas Penambahan Serabut Kelapa dan Kulit Buah Siwalan Sebagai Adsorben dan Media Lekat Biofilm Pada Pengolahan Limbah Domestik Menggunakan Sequencing Batch Reactor Penelitian Unit MSL*. UPNVJT.
- Guo J, Zhou Y, Jiang S, C. C. (2019). Feasibility investigation of a multi soil layering bioreactor for domestic wastewater treatment. *Environ Technol. Epub*, 40(17), 2317–2324. doi: 10.1080/09593330.2018.1441331
- Haribowo, R., Megah, S., dan Rosita, W. (2019). Efisiensi Sistem Multi Soil Layering pada Pengolahan Air Limbah Domestik Pada Daerah Perkotaan Padat Penduduk. *Jurnal Teknik Pengairan*, 10(1), 11–27.
- Hata M, Amano Y, Thiravetyan P, M. M. (2016). Preparation of Bamboo Chars and Bamboo Activated Carbons to Remove Color and COD from Ink Wastewater. *Water Environ Res*, 88(1), 87–96. doi: 10.2175/106143015X14362865227751. PMID: 26803031
- Hendrasarie, N. (2021). Mengolah Limbah Cair Domestik di Lahan Sempit. In CV.

Putra Media Nusasntara (Vol. 5, Issue 3).

- Hidayah, N. (2020). *Penyisihan BOD dan COD dari Limabah Cair Penyamakan Kulit dengan Metode Multi Soil Layering (MSL)*. Universitas Andalas.
- Hidayat, S., & Supriyono, E. (2021). Karakteristik dan Pengelolaan Limbah Cair Industri Pengolahan Pangan. *Jurnal Teknologi Pangan*, 16(4), 78–92.
- Hwang, S., Ma, Y., & Chen, F. (2000). Nutrient removal and sludge age in a sequencing batch reactor. *Bioprocess and Biosystems Engineering*, 23(1), 41–45.
- Ioannidou, O., & Zabaniotou, A. (2007). Agricultural residues as precursors for activated carbon production—A review. *Renewable and Sustainable Energy Reviews*, 11(9), 1966–2005. <https://doi.org/10.1016/j.rser.2006.03.013>
- Iranna, A. (2017). Study on Slaughterhouse Waste Water Treatment by SBR. *International Journal of Engineering Research (IJER)*, 6, 70–72.
- Ivontianti, Sitanggang, dan R. (2022). Pengolahan Limbah Cair Lindi Menggunakan Multi Soil Layering (MSL) Bebas Lumpur PDAM. *Jurnal Rekayasa Hijau*, 5(3), 228–237.
- Jia, Y; Gao, C; Zhang, L; Jiang, G. (2012). Effects of Pre-fermentation and Influent Temperature on the Removal Efficiency of COD, NH₄⁺-N and PO₄³⁻-P in Slaughterhouse Wastewater by Using SBR. *Energy Procedia*, 16, 1964–1971. [10.1016/j.egypro.2012.01.300](https://doi.org/10.1016/j.egypro.2012.01.300)
- Jonas Löwenberg, Armin Zenker, M. B. (2014). Comparison of two PAC/UF processes for the removal of micropollutants from wastewater treatment plant effluent: process performance and removal efficiency. *Water Research*, 56, 26–36.
- Kholif, M. A. (2015). Characterization and treatment of wastewater from poultry processing industry. *International Journal of Poultry Science*, 14(8), 432–440.
- Kumar, A., & Singh, R. (2017). Wastewater Management in Food Processing Industries. *Springer Science*.
- Kuok, k., Chan, P., Rezaur, M. R. (2024). Sustainable bamboo and coconut shell activated carbon for purifying river water on Borneo Island. *Waste Management Bulletin*, 2(1), 39–48.

- <https://doi.org/10.1016/j.wmb.2023.12.008>.
- Li, W., Yang, K., Peng, J., Zhang, L, E. al. (2020). Effects of carbonization parameters on porous structure development of activated carbon produced from bamboo. *Bioresource Technology*, 296, 12232.
- Ma, T.-F., Wu, J., Feng, L., & He, J. (2024). Progress in Multi Soil Layering Systems for Wastewater Treatment. *Sustainability*, 16(8), 3330. <https://doi.org/10.3390/su16083330>
- Margritje, Sofi dan Meilany, R. (2022). *Industri Pengolahan Daging*. CV Patra Media Grafindo, Bandung.
- Maysarahman, A. (2022). *Efektivitas Metode Multi Soil Layering (MSL) dalam Pengolahan Limbah Cair Rumah Potong Hewan (RPH)*. Universitas Islam Negeri Ar-Raniry Banda Aceh.
- Metcalf & Eddy. (2003). *Wastewater Engineering: Treatment and Reuse (4th ed.)*. McGraw-Hill.
- Metcalf & Eddy, I. (2014). *Wastewater Engineering: Treatment and Resource Recovery*. McGraw-Hill Education.
- Meutia, Y. R., & Hasanah, F. (2019). Standardisasi industri pengolahan daging: Kaitan antara harmonisasi standar, regulasi, dan kondisi industri pengolahan daging di Indonesia. *Pertemuan Dan Presentasi Ilmiah Standardisasi*, 1–12.
- Mizuta K, Matsumoto T, Hatate Y, Nishihara K, N. T. (2004). Removal of nitrate-nitrogen from drinking water using bamboo powder charcoal. *Bioresour Technol*, 95(3), 225. doi: 10.1016/j.biortech.2004.02.015
- Mofijur, M., et al. (2021). Pengelolaan Limbah Cair Industri Pengolahan Daging: Tantangan dan Solusi. *Jurnal Pengelolaan Limbah*, 22(3), 215–228.
- Mohd Radhuwan SN, Abdulhameed AS, J. A. (2023). Production of activated carbon from food wastes (chicken bones and rice waste) by microwave assisted ZnCl₂ activation: an optimized process for crystal violet dye removal. *Epubmed Int J Phytoremediation*, 26(5), 699–709. doi: 10.1080/15226514.2023.2260004
- Najar, U. S. & I. A. (2019). Study on the efficiency of sequential batch reactor (SBR)-based sewage treatment plant. *Applied Water Science*, 9(2).

<https://doi.org/10.1007/s13201-018-0882-8>

- Nascimento, L., Pedroso, S., Fatima, A. (2018). Preparation of carbonaceous materials from pyrolysis of chicken bones and its application for fuchisine adsorption. *Environmental Science and Pollution Research*, 26(28), 28574–28583. doi:10.1007/s11356-018-3679-2
- Nur Anisah, N. H. (2022). *Penerapan HRT Singkat pada Granular Activated Carbon Sequencing Batch Reactor untuk Mengolah Limbah Cair Rumah Makan*.
- Oehmen, A., Lemos, P. C., Carvalho, G., Yuan, Z. (2007). Advances in enhanced biological phosphorus removal: From micro to macro scale. *Water Research*, 41(11), 2271–2300. <https://doi.org/10.1016/j.watres.2007.02.030>.
- Onize, M., Aturagaba, G., Ntale, M., William, G. (2022). A review of adsorption techniques for removal of phosphates from wastewater. *Water Science & Technology*, 86(12), 3113–3132.
- Patiung, H. B., Pasae, Y., & Gazali, A. (2020). Pemanfaatan Arang Aktif dari Bambu untuk Pengolahan Limbah Cair. *Jurnal Saintis*, 1(2).
- Poltak, R. F. (2005). *Sequencing Batch Reactor Design and Operational Considerations Manual*. New England Interstate Water Pollution Control Commission.
- Primandari, S. R. P., Mulianti, Sushanti, G., Gabbasa, M., & Ba-Abbad, M. M. (2023). The effectiveness of the multi-soil-layering system in reducing pollutant parameters of crumb rubber industrial wastewater. *Teknomekanik*, 6(2), 122–135. <https://doi.org/10.24036/teknomekanik.v6i2.27672>
- Putri, V. K. M. (2022). *Tanah Andosol: Pengertian dan Ciri-cirinya*. Kompas.Com. https://www.kompas.com/skola/read/2022/07/01/073000069/tanah-andosol--pengertian-dan-ciri-cirinya?utm_source=chatgpt.com
- R. Pattnaik, R. S. Yost, G. Porter, T. Masunaga, T. A. (2008). Removing the N and P in Dairy Effluent using Multi-Soil-Layer (MSL) Systems. *American Society of Agricultural and Biological Engineers*, 24(4), 431–437.
- Rachmawati, Nugroho, & S. (2022). The effectiveness of activated carbon from bone waste for wastewater treatment. *Environmental Technology &*

Innovation, 27, 102487.

- Regalado, C. A., Aranda, A. M., & Agüera, A. (2015). Influence of powdered activated carbon addition on water quality, sludge properties, and microbial characteristics in the biological treatment of commingled industrial wastewater. *Water Research*, 72, 85–94.
- Romadon, Syahrul & Hendrasarie, N. (2023). *Efektivitas Kombinasi Mikroorganisme Pendegradasi Minyak Lemak dan Sequencing Batch Reactor pada Limbah Cair Rumah Makan*. UPNVJT.
- Said, N. I. (2017). *Teknologi Pengolahan Air Limbah Teori dan Aplikasi*. Penerbit Erlangga. Jakarta.
- Saragih, N. N. S. (2020). *Optimasi Sistem Multi Soil Layering (Msl) Dalam Pengolahan Limbah Cair Domestik Mck Terpadu Kelurahan Tlogomas Malang*. Universitas Brawijaya.
- Savira, S. A., & Zamrudy, W. (2023). Analisis TSS, BOD, COD, dan Minyak Lemak Limbah Cair pada Industri Susu. *Distilat: Jurnal Teknologi Separasi*, 9(3), 266–278.
- Sbahi, S., Mandi, L., Masunaga, T. (2022). Multi-Soil-Layering, the Emerging Technology for Wastewater Treatment: Review, Bibliometric Analysis, and Future Directions. *Water*, 14(22), 3653. <https://doi.org/10.3390/w14223653>
- Sekarani, Fatiha & Hendrasarie, N. (2022). *Pengaruh Waktu Retensi Hidrolik (HRT) dan Laju Aerasi terhadap Penurunan COD, N Total dan TSS menggunakan Powdered Activated Carbon Sequencing Batch Reactor (PAC-SBR)*. UPNVJT.
- Shahin, Md., Mahin, A., Mahmuda, M. (2018). Preparation of Activated Cow Bone Charcoal for Abatement of Water Pollution caused by Tannery Effluents. *International Journal of Current Research*, 10(5), 68929–68933.
- Shakira, A. (2023). *Efektivitas Metode Multi Soil Layering (MSL) dalam Penurunan Total Koliform Limbah Cair Domestik*. UIN Ar-Raniry Darussalam Banda Aceh.
- Sindim, S., Taunaumang, H., & Rampengan, A. M. (2023). Pembuatan Karbon Aktif Bambu dengan Metode Termolisis dan Karakterisasinya. *Jurnal FisTa :*

- Fisika Dan Terapannya*, 4(2), 46–52. <https://doi.org/10.53682/fista.v4i2.285>
- Sitorus, Y. R., & Mardina, V. (2020). Karakteristik Kimia dari Pengolahan Limbah Cair PTPN Y, Sumatera Utara. *Jurnal EnviScience (Environment Science)*, 4(2), 58–66.
- Song, P., Huang, G., Hong, Y., Xin, X., dan Z. (2020). A Biophysiological Perspective on Enhanced Nitrate Removal from Decentralized Domestic Sewage using Gravitational-Flow Multi-Soil-Layering Systems. *Chemosphere*, 240, 12486.
- Song, P. (2018). Treatment of Rural Domestic Wastewater using Multi Soil Layering Systems: Performance Evaluation, Factorial analysis and Numerical Modeling. *Science of the Total Environment*, 644, 536–546. <https://doi.org/10.1016/j.scitotenv.2018.06.331>
- Temitope, M. B. (2022). Characterization of Slaughterhouse Wastewater and Development of Treatment Techniques: A Review. *Environmental Technology & Innovation*, 29, 102984.
- Tumimomor, Maddu, & P. (2016). Pemanfaatan karbon aktif dari bambu sebagai elektroda superkapasitor. *Jurnal Ilmu Sains*, 16(2), 98–104.
- Usman, M., Jamal, S., Aaamir, S., Sheikh, Z. (2021). Performance evaluation of integrated anaerobic and aerobic reactors for treatment of real textile wastewater. *International Journal of Environmental Science and Technology*, 0123456789. <https://doi.org/10.1007/s13762-021-03830-0>
- Wirakusuma, K. Y., Supraba, I., & Budhijanto, W. (2023). Perbandingan Kinerja Sequencing Batch Reactor dengan dan Tanpa Media Bioball untuk Mengolah Limbah Batik. *Jurnal Sains & Teknologi Lingkungan*, 15(2).
- Wu, Q., Zhou, L., Zhou, Y., & Wu, J. (2004). Prediction of the adsorption equilibrium of mixtures composed of supercritical gases. *Journal of Colloid and Interface Science*, 276(2), 277–283. <https://doi.org/10.1016/j.jcis.2004.03.072>
- Xinmin Zhan, Mark G Healy, J. L. (2009). Nitrogen removal from slaughterhouse wastewater in a sequencing batch reactor under controlled low DO conditions. *Bioprocess Biosyst Eng*, 32(5), 607–614. doi: 10.1007/s00449-008-0283-8

- Zein, Rahmiana, dan A. (2020). Pengolahan Limbah Cair Industri Tahu Dengan Lapisan Multimedia Yang Telah Didiamkan 2 Tahun. *Jurnal Katalisator*, 5(2), 126–136.
- Zulaiha, S., Ritonga, P. S., & Maulana, A. N. (2019). The Utilization of Chicken Bone Activated Carbon as an Adsorbent and Its Implementation in Chemistry Learning. *Chempublish Journal*, 4(1), 9–18.
- Zulhilmi, Z. (2024). *Pengolahan Limbah Cair Tahu Menggunakan Metode Multi Soil Layering dengan Variasi Soil Mixture Block*.