

DAFTAR PUSTAKA

- [1] O. Dieng, B. Diop, O. Thiare, and C. Pham, “A study on IoT solutions for preventing cattle rustling in african context,” in *Proceedings of the Second International Conference on Internet of things, Data and Cloud Computing*, Cambridge United Kingdom: ACM, Mar. 2017, pp. 1–11. doi: 10.1145/3018896.3036396.
- [2] A. Augustin, J. Yi, T. Clausen, and W. Townsley, “A Study of LoRa: Long Range & Low Power Networks for the Internet of Things,” *Sensors*, vol. 16, no. 9, p. 1466, Sept. 2016, doi: 10.3390/s16091466.
- [3] U. Raza, P. Kulkarni, and M. Sooriyabandara, “Low Power Wide Area Networks: An Overview,” *IEEE Commun. Surv. Tutor.*, vol. 19, no. 2, pp. 855–873, 2017, doi: 10.1109/COMST.2017.2652320.
- [4] J. Petajajarvi, K. Mikhaylov, A. Roivainen, T. Hanninen, and M. Pettissalo, “On the coverage of LPWANs: range evaluation and channel attenuation model for LoRa technology,” in *2015 14th International Conference on ITS Telecommunications (ITST)*, Copenhagen, Denmark: IEEE, Dec. 2015, pp. 55–59. doi: 10.1109/ITST.2015.7377400.
- [5] O. Khadir, “A simple coding-decoding algorithm for the Hamming code,” Jan. 06, 2022, *arXiv*: arXiv:2201.02066. doi: 10.48550/arXiv.2201.02066.
- [6] I. S. Reed and G. Solomon, “Polynomial Codes Over Certain Finite Fields,” *J. Soc. Ind. Appl. Math.*, vol. 8, no. 2, pp. 300–304, June 1960, doi: 10.1137/0108018.
- [7] “SIMULASI KODE HAMMING,.”
- [8] A. Wahbi, A. E. H. E. I. El Idrissi, A. Roukhe, B. Bensassi, and L. Hlou, “Design, optimization and Real Time implementation of a new Embedded Chien Search Block for Reed-Solomon (RS) and Bose-Chaudhuri-Hocquenghem (BCH) codes on FPGA Board,” *Int. J. Commun. Netw. Inf. Secur. IJCNIS*, vol. 13, no. 1, Apr. 2022, doi: 10.17762/ijcnis.v13i1.4889.

- [9] N. K. Almazmomi, "Enhanced Reed–Solomon Error Correction Framework for Reliable Data Transmission in Noisy Communication Systems," *Internet Technol. Lett.*, p. e634, Jan. 2025, doi: 10.1002/itl2.634.
- [10] M. Masri, H. Alam, M. Masri, Z. Lubis, and M. I. Pohan, "SIMULASI BYTE ERROR CORRECTION DENGAN MENGGUNAKAN HAMMING CODE".
- [11] P. Memar, "Resilience of Forward Error Corrections in Harsh Electromagnetic Environments".
- [12] "Analisis Parameter LoRa pada Lingkungan Outdoor."
- [13] A. Goldsmith, *Wireless Communications*, 1st ed. Cambridge University Press, 2005. doi: 10.1017/CBO9780511841224.
- [14] "Peraturan Menteri Komunikasi Dan Informatika Republik Indonesia Nomor 2 Tahun 2023 Tentang Penggunaan Spektrum Frekuensi Radio Berdasarkan Izin Kelas."
- [15] J. B. Anderson and S. Mohan, "Error Control Coding," in *Source and Channel Coding*, Boston, MA: Springer US, 1991, pp. 77–197. doi: 10.1007/978-1-4615-3998-8_3.
- [16] "Error detecting and error correcting codes,in The Bell System Technical Journal."
- [17] "The viterbi algorithm."
- [18] T. K. Moon, *Error Correction Coding: Mathematical Methods and Algorithms*, 1st ed. Wiley, 2005. doi: 10.1002/0471739219.
- [19] "Semtech, 'SX1262 Datasheet,' 2023." Accessed: Mar. 17, 2025. [Online]. Available: <https://www.semtech.com/products/wireless-rf/lora-transceivers/sx1262>
- [20] "Espressif Systems, "ESP32-S3 Technical Reference Manual." Accessed: Mar. 17, 2025. [Online]. Available: <https://www.espressif.com/en/products/socs/esp32-s3/documentation>
- [21] J. Haxhibeqiri, F. Van Den Abeele, I. Moerman, and J. Hoebeke, "LoRa Scalability: A Simulation Model Based on Interference Measurements," *Sensors*, vol. 17, no. 6, p. 1193, May 2017, doi: 10.3390/s17061193.
- [22] "UC6580." Accessed: Mar. 17, 2025. [Online]. Available: <https://en.unicore.com/products/dual-band-gps-chip-uc6580/>

- [23] C. A. Balanis, *Antenna theory: analysis and design*, Fourth edition. Hoboken, New Jersey: Wiley, 2016.
- [24] S. Kavetha, A. S. Ja'afar, M. Z. A. Aziz, A. A. M. Isa, M. S. Johal, and N. M. Z. Hashim, "DEVELOPMENT OF LOCATION ESTIMATION ALGORITHM UTILIZING RSSI FOR LORA POSITIONING SYSTEM," *J. Teknol.*, vol. 84, no. 1, pp. 97–105, Nov. 2021, doi: 10.11113/jurnalteknologi.v84.17153.
- [25] F. N. Gustiyana, M. A. Amanaf, and D. Kurnianto, "Quality of Service Comparison of LOS and NLOS Propagation in a LoRaWAN-Based Remote Monitoring System," *J. Nas. Tek. ELEKTRO*, vol. 10, no. 2, July 2021, doi: 10.25077/jnte.v10n2.781.2021.
- [26] E. Wiyadi, R. N. Setiadi, and L. Umar, "Effect of Vegetation Profile and Air Data Rate on Packet Loss Performance of LoRa E32-30dBm 433 MHz as a Wireless Data Transmission," *J. Phys. Conf. Ser.*, vol. 1655, no. 1, p. 012015, Oct. 2020, doi: 10.1088/1742-6596/1655/1/012015.
- [27] H. Zhong, L. Ning, J. Wang, S. Suo, and L. Chen, "Optimization of LoRa SF Allocation Based on Deep Reinforcement Learning," *Wirel. Commun. Mob. Comput.*, vol. 2022, pp. 1–14, Oct. 2022, doi: 10.1155/2022/1690667.
- [28] C. Ferreira Dias, E. Rodrigues De Lima, and G. Fraidenraich, "Bit Error Rate Closed-Form Expressions for LoRa Systems under Nakagami and Rice Fading Channels," *Sensors*, vol. 19, no. 20, p. 4412, Oct. 2019, doi: 10.3390/s19204412.
- [29] T. Mizuochi, "Forward Error Correction," in *High Spectral Density Optical Communication Technologies*, M. Nakazawa, K. Kikuchi, and T. Miyazaki, Eds., Berlin, Heidelberg: Springer Berlin Heidelberg, 2010, pp. 303–333. doi: 10.1007/978-3-642-10419-0_17.
- [30] J. Haxhibeqiri, I. Moerman, and J. Hoebeke, "Low Overhead Scheduling of LoRa Transmissions for Improved Scalability," *IEEE Internet Things J.*, vol. 6, no. 2, pp. 3097–3109, Apr. 2019, doi: 10.1109/JIOT.2018.2878942.
- [31] E. Sallum, N. Pereira, M. Alves, and M. Santos, "Improving Quality-Of-Service in LoRa Low-Power Wide-Area Networks through Optimized Radio Resource Management," *J. Sens. Actuator Netw.*, vol. 9, no. 1, p. 10, Feb. 2020, doi: 10.3390/jsan9010010.
- [32] F. M. Chache, S. Maxon, R. M. Narayanan, and R. Bharadwaj, "Effects on Age of Information From Forward Error Correction in LoRa Transmissions," *IEEE*

- Sens. J.*, vol. 24, no. 19, pp. 30853–30862, Oct. 2024, doi: 10.1109/JSEN.2024.3442917.
- [33] N. Yazdani, N. Kouvelas, D. E. Lucani, and R. V. Prasad, “Divide and Code: Efficient and Real-time Data Recovery from Corrupted LoRa Frames,” in *2022 19th Annual IEEE International Conference on Sensing, Communication, and Networking (SECON)*, Stockholm, Sweden: IEEE, Sept. 2022, pp. 235–243. doi: 10.1109/SECON55815.2022.9918571.
- [34] K. S. Radhakrishna, Y. S. Lee, K. Y. You, K. M. Thiruvarasu, and S. T. Ng, “Study of Obstacles Effect on Mobile Network and WLAN Signal Strength,” *Int. J. Electron. Telecommun.*, pp. 155–161, Dec. 2022, doi: 10.24425/ijet.2023.144345.
- [35] F. Hamdani, M. Susanto, and T. Sigwele, “SNR Gain Evaluation in Narrowband IoT Uplink Data Transmission with Repetition Increment: A Simulation Approach,” *J. Eng. Sci. Res.*, vol. 5, no. 1, pp. 33–40, June 2023, doi: 10.23960/jesr.v5i1.160.