

DAFTAR PUSTAKA

- Alabiad, I., Ali, U. F. M., Zakarya, I. A., Ibrahim, N., Radzi, R. W., Zulkurnai, N. Z., & Azmi, N. H. (2017). Ammonia removal via microbial fuel cell (MFC) dynamic reactor. *IOP Conference Series: Materials Science and Engineering*, 206(1). <https://doi.org/10.1088/1757-899X/206/1/012079>
- Amalludin, F. I., Yuniarto, A., & Arliyani, I. (2025). Kajian Constructed Wetland-Microbial Fuel Cell (CW MFC) Pengaruh Aerasi pada Air Limbah Domestik. *Al-Ard: Jurnal Teknik Lingkungan*, 10(2), 117–130. <https://doi.org/https://doi.org/10.29080/alard.v10i2.2274>
- An, R., Guan, J., Li, G., Li, Z., Sheng, L., Bian, H., & Lu, N. (2024). The electrode strategy and its coordination mechanism in constructed wetland-microbial fuel cell (CW-MFC): a review. *Carbon Research*, 3(1). <https://doi.org/10.1007/s44246-023-00092-y>
- Antoniadis, V., Levizou, E., Shaheen, S. M., Ok, Y. S., Sebastian, A., Baum, C., Prasad, M. N. V., Wenzel, W. W., & Rinklebe, J. (2017). Trace elements in the soil-plant interface: Phytoavailability, translocation, and phytoremediation—A review. *Earth-Science Reviews*, 171, 621–645. <https://doi.org/10.1016/J.EARSCIREV.2017.06.005>
- Arliyani, I., Noori, M. T., Ammarullah, M. I., Tangahu, B. V., Mangkoedihardjo, S., & Min, B. (2024). Constructed wetlands combined with microbial fuel cells (CW-MFCs) as a sustainable technology for leachate treatment and power generation. *RSC Advances*, 14(44), 32073–32100. <https://doi.org/10.1039/D4RA04658G>
- Băbău, A. M. C., Micle, V., Damian, G. E., & Sur, I. M. (2021). Sustainable ecological restoration of sterile dumps using robinia pseudoacacia. *Sustainability (Switzerland)*, 13(24). <https://doi.org/10.3390/SU132414021>
- Bonanno, G., & Cirelli, G. L. (2017). Comparative analysis of element concentrations and translocation in three wetland congener plants: *Typha domingensis*, *Typha latifolia* and *Typha angustifolia*. *Ecotoxicology and*

- Environmental Safety*, 143, 92–101.
<https://doi.org/10.1016/j.ecoenv.2017.05.021>
- Cahyani, D., Haryanto, A., Marpaung, D. S., & Fil'aini, R. (2020). Sel Bahan Bakar Berbasis Mikroba-Tanaman (P-MFC) Sebagai Sumber Energi Listrik; Prinsip Kerja, Variasi Desain, Potensi dan Tantangan. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 9(2), 112.
<https://doi.org/10.23960/jtep-l.v9i2.112-121>
- Coker, H. R., Lin, H. A., Shackelford, C. E. B., Tfaily, M. M., Smith, A. P., & Howe, J. A. (2024). Drought stimulates root exudation of organic nitrogen in cotton (*Gossypium hirsutum*). *Frontiers in Plant Science*, 15.
<https://doi.org/10.3389/fpls.2024.1431004>
- Costa, A. M., de Souza Marotta Alfaia, R. G., & Campos, J. C. (2019). Landfill leachate treatment in Brazil – An overview. *Journal of Environmental Management*, 232, 110–116.
<https://doi.org/https://doi.org/10.1016/j.jenvman.2018.11.006>
- Dabaghian, Z., Peyravi, M., Jahanshahi, M., & Rad, A. S. (2018). Potential of Advanced Nano-structured Membranes for Landfill Leachate Treatment: A Review. *ChemBioEng Reviews*, 5(2), 119–138.
<https://doi.org/https://doi.org/10.1002/cben.201600020>
- Dani, F. R. (2023). *Analisis Kadmium Dan Nitrogen Total Air Lindi Menggunakan Tanaman Kangkung Air (Ipomea Aquatic Forsk) Dengan Metode Contructed Wetland Sistem Sirkulasi (Studi Kasus: Tpa Controlled Landfill Non Aktif)*. Universitas Batanghari.
- Darnas, Y., Aristia Anas, A., Akbar Ardiansyah Hasibuan, M., Syekh Abdur Rauf Kopelma Darussalam, J., & Aceh, B. (2020). Pengendalian Air Lindi Pada Proses Penutupan TPA Gampong Jawa Terhadap Kualitas Air Sumur. *Serambi Engineering*, V(3).
- Dodgen, L. K., Ueda, A., Wu, X., Parker, D. R., & Gan, J. (2015). Effect of transpiration on plant accumulation and translocation of PPCP/EDCs. *Environmental Pollution*, 198, 144–153.
<https://doi.org/10.1016/j.envpol.2015.01.002>

- Doherty, L., & Zhao, Y. (2015). Operating a two-stage microbial fuel cell-constructed wetland for fuller wastewater treatment and more efficient electricity generation. *Water Science and Technology*, 72(3), 421–428. <https://doi.org/10.2166/wst.2015.212>
- Doherty, L., Zhao, Y., Zhao, X., Hu, Y., Hao, X., Xu, L., & Liu, R. (2015). A review of a recently emerged technology: Constructed wetland - Microbial fuel cells. *Water Research*, 85, 38–45. <https://doi.org/10.1016/j.watres.2015.08.016>
- Erabee, I. K., & Ethaib, S. (2018). Treatment of contaminated landfill leachate using aged refuse biofilter medium. *Oriental Journal of Chemistry*, 34(3), 1441–1450. <https://doi.org/10.13005/ojc/340334>
- Eze, M. O., & Amuji, C. F. (2024). Elucidating the significant roles of root exudates in organic pollutant biotransformation within the rhizosphere. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-53027-x>
- Fadhila, Di., & Purwanti, I. Fi. (2022). Kajian Fikoremediasi pada Air Tanah Tercemar Timbal dan Kadmium di Sekitar TPA Wukirsari, Gunungkidul. *JURNAL TEKNIK ITS*, 11(2).
- Fang, Z., Song, H. L., Cang, N., & Li, X. N. (2015). Electricity production from Azo dye wastewater using a microbial fuel cell coupled constructed wetland operating under different operating conditions. *Biosensors and Bioelectronics*, 68, 135–141. <https://doi.org/10.1016/J.BIOS.2014.12.047>
- Hakim, L., Rahayu, A., & Jamilatun, S. (2024). Potensi Teknologi Fitoremediasi Sebagai Polishing Treatment Palm Oil Mill Effluent : A Review. *PROSIDING SEMNASTEK 2024*.
- Harnadek, C. M. W., Guilford, N. G. H., & Edwards, E. A. (2015). Chemical Oxygen Demand Analysis of Anaerobic Digester Contents. *STEM Fellowship Journal*, 1(2), 2–5. <https://doi.org/10.17975/sfj-2015-008>
- Hasan, A., & Kadarusman, H. (2022). Pengaruh Aerasi Terhadap Pengolahan Limbah Cair Rumah Sakit Dengan Metode Constructed Wetland. *Ruwa Jurai: Jurnal Kesehatan Lingkungan*, 16(1), 41. <https://doi.org/10.26630/rj.v16i1.3157>

- Hidayah, E. N., Djalalembah, A., Asmar, G. A., & Cahyonugroho, O. H. (2018). Pengaruh Aerasi Dalam Constructed Wetland Pada Pengolahan Air Limbah Domestik. *Jurnal Ilmu Lingkungan*, 16(2), 155. <https://doi.org/10.14710/jil.16.2.155-161>
- Ibrahim, B., Suptijah, P., & Agung, B. S. (2017). Pengaruh Jarak Elektroda Microbial Fuel Cell Pada Limbah Cair Pemindangan Ikan Terhadap Elektrisitas Dan Beban Pencemaran. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(3), 559–567.
- Ikhlasul Amalludin, F., Yuniarto, A., & Arliyani, I. (2025). Kajian Constructed Wetland-Microbial Fuel Cell (CW-MFC) Pengaruh Aerasi pada Air Limbah Domestik. *Al-Ard: Jurnal Teknik Lingkungan*, 10(2), 117–130. <http://jurnalsaintek.uinsa.ac.id/index.php/alard/index>
- Jiang, W., Zhang, J., Yang, Q., & Yang, P. (2024). The Effect of Electricity Generation on the Performance of Microbial Fuel Cells for Anammox. *Sustainability (Switzerland)*, 16(7). <https://doi.org/10.3390/su16072705>
- Jusepa, N. R., & Herumurti, W. (2016). Pengolahan Lindi Menggunakan Moving Bed Biofilm Reactor dengan Proses Anaerobik Aerobik-Anoksik. *JURNAL TEKNIK ITS*, 5(2).
- Kadhafi, M. (2020). *Studi Potensi Energi Listrik Dari Plant Microbial Fuel Cell (P-,Fc) Dengan Variasi Jenis Elektroda*. Universitas Islam Negeri Alauddin Makassar.
- Karungamye, P. N. (2022). Potential of *Canna indica* in Constructed Wetlands for Wastewater Treatment: A Review. *Conservation*, 2(3), 499–513. <https://doi.org/10.3390/conservation2030034>
- Khilyas, I. V., Sorokin, A. A., Kiseleva, L., Simpson, D. J. W., Fedorovich, V., Sharipova, M. R., Kainuma, M., Cohen, M. F., & Goryanin, I. (2017). Comparative metagenomic analysis of electrogenic microbial communities in differentially inoculated swine wastewater-fed microbial fuel cells. *Scientifica*, 2017. <https://doi.org/10.1155/2017/7616359>
- Kong, Y., Tao, M., Lu, X., Cheng, C., & Jing, Z. (2024). Study on the performance of accessory microbial fuel cell (MFC) integrated to the constructed wetlands

- (CWs) for deep wastewater treatment. *Desalination and Water Treatment*, 318. <https://doi.org/10.1016/j.dwt.2024.100358>
- Liang, P., Huang, X., Fan, M. Z., Cao, X. X., & Wang, C. (2015). Composition and distribution of internal resistance in three types of microbial fuel cells. *Applied Microbiology and Biotechnology*, 77(3), 551–558. <https://doi.org/10.1007/s00253-007-1193-4>
- Liu, F., Sun, L., Wan, J., Tang, A., Deng, M., & Wu, R. (2019). Organic matter and ammonia removal by a novel integrated process of constructed wetland and microbial fuel cells. *RSC Advances*, 9(10), 5384–5393. <https://doi.org/10.1039/c8ra10625h>
- Murtaja, R. (2024). *Efektivitas Pengolahan Air Lindi Tpa Bilang Bintang Menggunakan Tanaman Paku Air (Azolla microphylla)*. Universitas Islam Negeri Ar-Ranry.
- Narayan, M., Solanki, P., Srivastava, R. K., Mittal, A., Singh, N., Akhter, F., & Siddiqui, S. (2025). Optimizing COD removal, lignin degradation and electricity generation from pulp and paper industry wastewater by CW-MFC using box-behnken design. *Frontiers in Energy Research*, 13. <https://doi.org/10.3389/fenrg.2025.1549247>
- Pandey, V. C., Bajpai, O., & Singh, N. (2016). Energy crops in sustainable phytoremediation. *Renewable and Sustainable Energy Reviews*, 54, 58–73. <https://doi.org/10.1016/J.RSER.2015.09.078>
- Prasetyo, R. A. (2021). Review Jurnal Teknologi Fitoremediasi Untuk Pemulihan Lahan Tercemar Minyak. *PETRO : Jurnal Ilmiah Teknik Perminyakan*, 10(2), 53–59. <https://doi.org/10.25105/PETRO.V10I2.9249>
- Rahmayani, A. Z. (2022). *Potensi Restorasi Lahan Gambut Menggunakan Aplikasi Bakteri Endofit Dengan Tanaman Typha Latifolia Dalam Sistem Wetland*. Universitas Islam Indonesia.
- Rizky Maulina, A., Hendriany, S., & Dwi Putri, U. (2024). Potensi Microbial Fuel Cell (MFC) pada Mikroba Tanah Sawah Lumpur Dataran Tinggi. *Prosiding SEMNASBIO 2024*.

- Said, N. I., & Hartaja, Di. R. K. (2015). Pengolahan Air Lindi Dengan Proses Biofilter Anaerob-Aerob Dan Denitrifikasi Leachate Treatment Using Anaerobic-Aerobic Biofilter and Denitrification Process. *Jurnal Air Indonesia*, 8(1).
- Santoro, C., Arbizzani, C., Erable, B., & Ieropoulos, I. (2017). Microbial fuel cells: From fundamentals to applications. A review. *Journal of Power Sources*, 356, 225–244. <https://doi.org/10.1016/j.jpowsour.2017.03.109>
- Sari, R. N., & Afdal. (2017). Karakteristik Air Lindi (Leachate) di Tempat Pembuangan Akhir Sampah Air Dingin Kota Padang. *Jurnal Fisika Unand*, 6(1). <https://doi.org/https://doi.org/10.25077/jfu.6.1.93-99.2017>
- Saz, Ç., Türe, C., Türker, O. C., & Yakar, A. (2018). Effect of vegetation type on treatment performance and bioelectric production of constructed wetland modules combined with microbial fuel cell (CW-MFC) treating synthetic wastewater. *Environmental Science and Pollution Research*, 25(9), 8777–8792. <https://doi.org/10.1007/s11356-018-1208-y>
- Setiawan, D., Prasetya Aji, M., Astuti, B., & Elektroda Berbahan Air Cucian Beras, P. (2020). Pembuatan Elektroda Berbahan Air Cucian Beras. In D. Setiawan, M. P. Aji, & B. Astuti (Eds.), *SEMINAR NASIONAL PASCASARJANA 2020*.
- Sivakumar, D. (2021). Wastewater treatment and bioelectricity production in microbial fuel cell: salt bridge configurations. *International Journal of Environmental Science and Technology*, 18(6), 1379–1394. <https://doi.org/10.1007/s13762-020-02864-0>
- Srivastava, P., Yadav, A. K., Garaniya, V., & Abbassi, R. (2018). Constructed wetland coupled microbial fuel cell technology: Development and potential applications. In *Biomass, Biofuels, Biochemicals: Microbial Electrochemical Technology: Sustainable Platform for Fuels, Chemicals and Remediation* (pp. 1021–1036). Elsevier. <https://doi.org/10.1016/B978-0-444-64052-9.00042-X>
- Sukono, G. A. B., Hikmawan, F. R., Evitasari, & Satriawan, D. (2020). Mekanisme Fitoremediasi: Review Phytoremediation Mechanisms: A Review. *Jurnal Pengendalian Pencemaran Lingkungan (JPPL)*, 2(02). <https://doi.org/10.35970/jppl.v2i2.360>

- Tama, M. A. D., Purnomo, Y. S., & Nisa, S. Q. Z. (2024). Pengaruh Jenis Anoda Microbial Fuel Cells Terhadap Power Density Dan Penyisihan Kandungan Organik Limbah Cair Industri Tahu. *Jurnal Serambi Engineering*, IX(4).
- Teng, C., Zhou, K., Peng, C., & Chen, W. (2021). Characterization and treatment of landfill leachate: A review. *Water Research*, 203. <https://doi.org/10.1016/j.watres.2021.117525>
- Thorvat, A. R., Shaha, S. S., & Varur, S. S. (2017). An Experimental Study of Effect of Recirculation on Leachate Characteristics Through Landfill Biofilter. *International Journal of Engineering Research and Technology*, 10(1). <http://www.irphouse.com>
- Timmers, R. A., Strik, D. P. B. T. B., Hamelers, H. V. M., & Buisman, C. J. N. (2015). Electricity generation by a novel design tubular plant microbial fuel cell. *Biomass and Bioenergy*, 51, 60–67. <https://doi.org/https://doi.org/10.1016/j.biombioe.2013.01.002>
- Ulfia, N., Samudro, G., & Sumiyati, S. (2015). *Pengaruh Konsentrasi Chemical Oxygen Demand (Cod) Dan Larutan Garam Dalam Jembatan Garam Terhadap Kinerja Dual Chamber Microbial Fuel Cells (DCMFCs)* [Doctoral dissertation]. Universitas Diponegoro.
- Wang, X., Tian, Y., Liu, H., Zhao, X., & Wu, Q. (2019). Effects of influent COD/TN ratio on nitrogen removal in integrated constructed wetland–microbial fuel cell systems. *Bioresource Technology*, 271, 492–495. <https://doi.org/10.1016/j.biortech.2018.09.039>
- Wetser, K. (2016). *Electricity from wetlands Technology assessment of the tubular Plant Microbial Fuel Cell with an integrated biocathode*. Wageningen University.

- Xinxin, Y., Yucui, S., Shaohong, Y., & Gang, T. (2024). Treatment of nitrogenous wastewater by constructed wetland coupled microbial fuel cell system: a review. In *Water Reuse* (Vol. 14, Issue 2, pp. 208–225). IWA Publishing. <https://doi.org/10.2166/wrd.2024.008>
- Yates, M. D., Kiely, P. D., Call, D. F., Rismani-Yazdi, H., Bibby, K., Peccia, J., Regan, J. M., & Logan, B. E. (2015). Convergent development of anodic bacterial communities in microbial fuel cells. *ISME Journal*, 6(11), 2002–2013. <https://doi.org/10.1038/ismej.2015.42>