



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

DAFTAR PUSTAKA

- Abd Mutualib, M., Rahman, M.A., Othman, M.H.D., Ismail, A.F. and Jaafar, J. (2017) *Scanning Electron Microscopy (SEM) and Energy-Dispersive X-Ray (EDX) Spectroscopy, Membrane Characterization*. Elsevier B.V. Available at: <https://doi.org/10.1016/B978-0-444-63776-5.00009-7>.
- Al-Ashwal, R.H. (2023) ‘Synthesis and Characterization of Viscosity-adjusted Optical Fiber for pH Sensing Application’, 6(1), pp. 443–449. Available at: https://doi.org/10.4103/bbrj.bbrj_95_23.
- Ali, H. and Riahi, A. (2022) ‘The Comparative Study of Separation Process of CO₂ and CH₄ Mixture through Membrane and Adsorption Processes: A Short Review’, *Applied Research Frontiers*, 1(1), pp. 11–14. Available at: <https://doi.org/10.36686/ariviyal.arf.2022.01.01.003>.
- Apel, P.Y. dkk. (2019) ‘Prospects of Membrane Science Development’, *Membranes and Membrane Technologies*, 1(2), pp. 45–63. Available at: <https://doi.org/10.1134/S2517751619020021>.
- Bolto, B., Zhang, J., Wu, X. and Xie, Z. (2020) ‘A review on current development of membranes for oil removal from wastewaters’, *Membranes*, 10(4), pp. 1–18. Available at: <https://doi.org/10.3390/membranes10040065>.
- Chuanwen, S., Haiqiao, W., Qi, Y., Shiqiang, C., Xun, L. and Hanyang, W. (2020) ‘Experimental study of the flux Law of flat ceramic membranes under different pressures’, *Water Practice and Technology*, 15(2), pp. 416–425. Available at: <https://doi.org/10.2166/wpt.2020.028>.
- Dhume, S.S., Mahajan-Tatpate, P. and Chendake, Y.J. (2020) ‘Optimization of PSF Membrane Transport Properties with the Use of Porogenic Additive’, *Journal of Applied Membrane Science & Technology*, 24(3), pp. 57–74. Available at: <https://doi.org/10.11113/amst.v24n3.193>.
- Falqi, F.H., Bin-Dahman, O.A., Hussain, M. and Al-Harthi, M.A. (2018) ‘Preparation of miscible PVA/PEG blends and effect of graphene concentration on thermal, crystallization, morphological, and mechanical properties of PVA/PEG (10wt%) blend’, *International Journal of Polymer*



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

- Science*, 2018. Available at: <https://doi.org/10.1155/2018/8527693>.
- Fathanah, U. dkk. (2021) ‘Sintesis, Karakterisasi dan Kinerja Membran Hidrofobik Menggunakan Polyvinyl Pyrrolidone (PVP) sebagai Aditif’, *ALCHEMY Jurnal Penelitian Kimia*, 17(2), p. 140. Available at: <https://doi.org/10.20961/alchemy.17.2.48435.140-150>.
- Fathanah, U. and Meilina, H. (2021) ‘Karakterisasi dan Kinerja Membran Polyethersulfone Termodifikasi Aditif Anorganik secara Blending Polimer’, *Jurnal Serambi Engineering*, 6(4), pp. 2407–2414. Available at: <https://doi.org/10.32672/jse.v6i4.3515>.
- Fionah, A., Oluk, I., Brady, L., Byrne, D.M. and Escobar, I.C. (2024) ‘Performance and Environmental Assessment of Biochar-Based Membranes Synthesized from Traditional and Eco-Friendly Solvents’, *Membranes*, 14(7). Available at: <https://doi.org/10.3390/membranes14070153>.
- Forster, L. dkk. (2021) ‘Tailoring pore structure and surface chemistry of microporous Alumina-Carbon Molecular Sieve Membranes (Al-CMSMs) by altering carbonization temperature for optimal gas separation performance: An investigation using low-field NMR relaxation measurements’, *Chemical Engineering Journal*, 424(February), p. 129313. Available at: <https://doi.org/10.1016/j.cej.2021.129313>.
- Haider, A., Jameel, Z. and Taha, S. (2015) ‘Synthesis and Characterization of TiO₂ Nanoparticles via Sol-Gel Method by Pulse Laser Ablation’, *Engineering and Technology Journal*, 33(5B), pp. 761–771. Available at: <https://doi.org/10.30684/etj.33.5b.1>.
- Haque, S.R., Chowdhury, M.A., Rana, M.M. and Hossain, N. (2023) ‘Fabrication of PVA/graphene nanofibrous membrane infused with neem extraction for packaging and biomedical applications’, *SN Applied Sciences*, 5(7). Available at: <https://doi.org/10.1007/s42452-023-05393-w>.
- Hartini, H., Hidayat, Y. and Mudijono, M. (2015) ‘STUDY PORE CHARACTERIZATION OF γ -ALUMINA – ACTIVATED CARBON COMPOSITE MADE OF CASSAVA PEELS (*Manihot esculenta Crantz*)’, *ALCHEMY Jurnal Penelitian Kimia*, 11(1), p. 47. Available at:



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

<https://doi.org/10.20961/alchemy.v11i1.106>.

Hilal, N. and Wright, C.J. (2018) ‘Exploring the current state of play for cost-effective water treatment by membranes’, *npj Clean Water*, 1(1), pp. 8–11. Available at: <https://doi.org/10.1038/s41545-018-0008-8>.

Irwanto, D., Wiratni, W., Rochmadi, R. and Syamsiah, S. (2017) ‘Pre-treatment dan Fermentasi Hidrolisat Kulit Buah Kakao menjadi Asam Laktat menggunakan Lactobacillus Plantarum’, *Reaktor*, 16(3), p. 123. Available at: <https://doi.org/10.14710/reaktor.16.3.123-127>.

Jomekian, A., Bazooyar, B. and Mansoori, S.A.A. (2023) ‘Utilization and Comparison of Different Food Wastes for the Synthesis of Two-Stage Activated Carbon-Based Mixed Matrix Membranes for Gas Separation Applications’, *Waste and Biomass Valorization*, 14(11), pp. 3827–3840. Available at: <https://doi.org/10.1007/s12649-023-02096-6>.

Khosrowshahi, M.S. dkk. (2023) ‘Natural Products Derived Porous Carbons for CO₂ Capture’, *Advanced Science*, 10(36). Available at: <https://doi.org/10.1002/advs.202304289>.

Kiamehr, Z., Shafiee, M. and Shokri, B. (2024) ‘Improving physico-chemical properties and antifouling of nanofiltration membranes using coating DLC nanostructures’, pp. 1–17.

Komara, I. dkk. (2023) ‘The Effect of Gamma-Ray Irradiation on the Physical, Mechanical, and Morphological Characteristics of PVA-Collagen-Chitosan as a Guided Tissue Regeneration (GTR) Membrane Material’, *European Journal of Dentistry*, 17(2), pp. 530–538. Available at: <https://doi.org/10.1055/s-0042-1753451>.

Lakshmi, D.S., Radha, K.S., Castro-Muñoz, R. and Tańczyk, M. (2022) ‘Emerging Trends in Porogens toward Material Fabrication: Recent Progresses and Challenges’, *Polymers*, 14(23). Available at: <https://doi.org/10.3390/polym14235209>.

Lestari, K. rezki (2020) *Teori Dasar Membran (Membrane Basic Theory)*. Jakarta Selatan: LP UNAS.

Lin, Y.C., Tseng, H.H. and Wang, D.K. (2021) ‘Uncovering the effects of PEG



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

- porogen molecular weight and concentration on ultrafiltration membrane properties and protein purification performance', *Journal of Membrane Science*, 618(September 2020), p. 118729. Available at: <https://doi.org/10.1016/j.memsci.2020.118729>.
- Lusiana, R.A. and Prasetya, N.B.A. (2020) 'Indonesian Journal of Chemical Science Pengaruh Penambahan Aditif terhadap Karakterisasi Fisikokimia Membran Polisulfon', *Indonesian Journal of Chemical Science*, 9(3), p. 197. Available at: <http://journal.unnes.ac.id/sju/index.php/ijcs>.
- Ma'ruf, A., Agus Salim Al Fathoni, M., Mulyadi Purnawanto, A. and Chulqi, L. (2020) 'The Effect of Polyethylene Glycol (PEG) on the Performance of Natural Zeolite-PVA Hybrid Ceramic Membrane for Desalination', *American Journal of Chemical Engineering*, 8(1), p. 1. Available at: <https://doi.org/10.11648/j.ajche.20200801.11>.
- Ma'ruf, A., Al Fathoni, M.A.S. and Purnawanto, A.M. (2019) *Pembuatan Membran Keramik Dari Zeolit Alam Dan Tanah Liat Dan Aplikasinya*. Available at: http://digital.library.ump.ac.id/880/2/Pembuatan_Membran_Keramik_dari_Zeolit_Alam_dan_Tanah_Liat_dan_Aplikasinya.pdf.
- Maguire, N.A.P. dkk. (2021) 'Influence of ceramic membrane surface characteristics on the flux behavior of a complex fermentation broth', *Membranes*, 11(6). Available at: <https://doi.org/10.3390/membranes11060402>.
- Mahdavi, H.R., Azizi, N. and Mohammadi, T. (2017) 'Performance evaluation of a synthesized and characterized Pebax1657/PEG1000/ γ -Al₂O₃ membrane for CO₂/CH₄ separation using response surface methodology', *Journal of Polymer Research*, 24(5). Available at: <https://doi.org/10.1007/s10965-017-1228-1>.
- Mohamed, H.F.M. dkk. (2022) 'Effect of Al₂O₃ on Nanostructure and Ion Transport Properties of PVA/PEG/SSA Polymer Electrolyte Membrane', *Polymers*, 14(19). Available at: <https://doi.org/10.3390/polym14194029>.
- Mukaromah, A.H., Ariyadi, T., Azizah, I.H. and Mifbakhuddin, M. (2020) 'Karakterisasi Membran ZSM-5 yang Disintensis dengan Variasi Jenis dan



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

- Ukuran Kasa Penyangga’, *ALCHEMY Jurnal Penelitian Kimia*, 16(1), p. 1. Available at: <https://doi.org/10.20961/alchemy.16.1.25406.1-9>.
- Mulato, S. (2020) ‘*IONIC NANO COPPER’ ANTIMIKROBA SABUN CUCI TANGAN CAIR BERBASIS SENYAWA KALIUM KULIT BUAH KAKAO*’. Available at: <https://www.cctcid.com/2020/05/01/inonic-nano-cooper-antimikroba-sabun-cuci-tangan-cair-berbasis-senyawa-kalium-kulit-buah-kakao/>.
- Muttaqin, R. (2023) ‘Pengembangan Buku Panduan Teknik Karakterisasi Material : X-ray Diffractometer (XRD) Panalytical Xpert3 Powder’, *Indonesian Journal of Laboratory*, 1(1), p. 9. Available at: <https://doi.org/10.22146/ijl.v1i1.78970>.
- Nahar, Sariadi, Nanang R.W., Novi Q.R. and Diana, S. (2022) ‘Sintesis Membran Keramik Berbasis Nano Partikel Zeolit, Kaolin, dan Karbon Aktif Tempurung Kelapa Sawit dengan Metode Sintering’, *Proceeding Seminar Nasional Politeknik Negeri Lhokseumawe*, 6(1), pp. A187–A190.
- Nunes, S.P. dkk. (2020) ‘Thinking the future of membranes: Perspectives for advanced and new membrane materials and manufacturing processes’, *Journal of Membrane Science*, 598(October 2019), p. 117761. Available at: <https://doi.org/10.1016/j.memsci.2019.117761>.
- Offner, A. and Ramon, G.Z. (2021) ‘The interaction of a particle and a polymer brush coating a permeable surface’, *Journal of Fluid Mechanics*, 913, pp. 1–11. Available at: <https://doi.org/10.1017/jfm.2021.23>.
- Pan, Y., He, L., Ren, Y., Wang, W. and Wang, T. (2022) ‘Analysis of Influencing Factors on the Gas Separation Performance of Carbon Molecular Sieve Membrane Using Machine Learning Technique’, *Membranes*, 12(1). Available at: <https://doi.org/10.3390/membranes12010100>.
- Pratiwi, K., Bohari and Gunawan, R. (2018) ‘Pembuatan Membran Silika dari Fly Ash Batubara untuk Penurunan Intensitas Warna Dari Limbah Cair Industri Sarung Samarinda’, *Jurnal Atomik*, 3(1), pp. 31–38.
- Rahayu, I. (2017) ‘Pembuatan Dan Karakterisasi Membran Keramik Dengan Variasi Tepung Beras Sebagai Aditif Untuk Proses Mikrofiltrasi’, *Jurnal*
-



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

- Sains dan Terapan Kimia, 11(2), p. 52. Available at: <https://doi.org/10.20527/jstk.v11i2.4035>.
- Rajakumar, G., Rahuman, A.A., Roopan, S.M., Chung, I.-M., Anbarasan, K. and Karthikeyan, V. (2015) ‘Efficacy of larvicidal activity of green synthesized titanium dioxide nanoparticles using Mangifera indica extract against blood-feeding parasites’, *Parasitology Research*, 114(2), pp. 571–581. Available at: <https://doi.org/10.1007/s00436-014-4219-8>.
- Rajan, S., Marimuthu, K., Ayyanar, C.B. and Hoque, M.E. (2022) ‘Development and in-vitro characterization of HAP blended PVA/PEG bio-membrane’, *Journal of Materials Research and Technology*, 18, pp. 4956–4964. Available at: <https://doi.org/10.1016/j.jmrt.2022.04.130>.
- Ramírez-Valencia, L.D., López-Suárez, F.E., Conde, L.R., Bailón-García, E., Bueno-López, A. and Perez-Cadenas, A.F. (2024) ‘Cocoa husk as precursor of carbonaceous materials for supercapacitors electrodes’, *Journal of Electroanalytical Chemistry*, 963(May). Available at: <https://doi.org/10.1016/j.jelechem.2024.118325>.
- Sajjad, M., Zhang, J., Mao, Z. and Chen, Z. (2024) ‘A review on iron-nitride (Fe₂N) based nanostructures for electrochemical energy storage applications: Research progress, and future perspectives’, *Journal of Alloys and Compounds*, 976, p. 172626. Available at: <https://doi.org/10.1016/j.jallcom.2023.172626>.
- Sánchez, M., Laca, Amanda, Laca, Adriana and Díaz, M. (2023) ‘Cocoa Bean Shell: A By-Product with High Potential for Nutritional and Biotechnological Applications’, *Antioxidants*, 12(5). Available at: <https://doi.org/10.3390/antiox12051028>.
- Sena, P.W., Ganda Putra, G.P. and Suhendra, L. (2021) ‘Karakterisasi Selulosa dari Kulit Buah Kakao (*Theobroma cacao* L.) pada Berbagai Konsentrasi Hidrogen Peroksida dan Suhu Proses Bleaching’, *Jurnal Rekayasa Dan Manajemen Agroindustri*, 9(3), p. 288. Available at: <https://doi.org/10.24843/jrma.2021.v09.i03.p03>.
- Shaari, N.Z.K. and Basri, M.F. (2019) ‘Thin Film Composite Membrane from



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

- PSF/Chitosan/PEG: Effect of PVA Concentration on the Removal of Mercury and Antifouling Properties', *International Journal of Recent Technology and Engineering (IJRTE)*, 8(4), pp. 6924–6928. Available at: <https://doi.org/10.35940/ijrte.d5178.118419>.
- Shofiyani, A., Sukirno, E. and Nurlina (2017) 'Pembuatan Membran Komposit Si/Pva/Peg Berbahan Dasar Silika Batu Padas Singkup Untuk Menurunkan Konsentrasi Ion Fosfat Dalam Larutan', *Jurnal Kimia Khatulistiwa*, 6(4).
- Simanjuntak, F.N. and Masta, N. (2021) 'MEMBRAN Zirconia.titania UNTUK PENGOLAHAN AIR LIMBAH: KAJIAN LITERATUR', *EduMatSains: Jurnal Pendidikan, Matematika dan Sains*, 6(1), pp. 137–152. Available at: <https://doi.org/10.33541/edumatsains.v6i1.2375>.
- Siti Ajizah, F. (2023) 'Characteristics of PVA/GO Composite Membranes Prepared Using Solution Casting Technique for Reducing Methylene Blue Concentration', *Jurnal Ilmu dan Inovasi Fisika*, 7(1), pp. 20–29. Available at: <https://doi.org/10.24198/jiif.v7i1.40650>.
- Susilowati, S., Munandar, S. and Edahwati, L. (2013) 'Menjadi Perekat Utilization of Lignin From Waste of Cocoa Peel', *Teknik Kimia*, 8(1), pp. 22–26.
- Tan, X.M. and Rodrigue, D. (2019) 'A Review on Porous Polymeric Membrane Preparation. Part I: Production Techniques with Polysulfone and Poly (Vinylidene Fluoride)', *Polymers*, 11(7), pp. 1–39.
- Tejada, C.N., Almanza, D., Villabona, A., Colpas, F. and Granados, C. (2017) 'Caracterización de carbón activado sintetizado a baja temperatura a partir de cáscara de cacao (*Theobroma cacao*) para la adsorción de amoxicilina', *Ingeniería Y Competitividad*, 19(2), pp. 43–52. Available at: <https://doi.org/10.25100/iyc.v19i2.5292>.
- Tomin, O. and Yazdani, M.R. (2022) 'Production and characterization of porous magnetic biochar: before and after phosphate adsorption insights', *Journal of Porous Materials*, 29(3), pp. 849–859. Available at: <https://doi.org/10.1007/s10934-022-01217-1>.
- Vinoba, M., Bhagyalakshmi, M., Alqaheem, Y., Alomair, A.A., Pérez, A. and Rana, M.S. (2017) 'Recent progress of fillers in mixed matrix membranes for



Laporan Hasil Penelitian

Pembuatan Dan Karakterisasi Membran Alumina dengan *Coating* Karbon dari Limbah Kulit Kakao

- CO₂ separation: A review', *Separation and Purification Technology*, 188, pp. 431–450. Available at: <https://doi.org/10.1016/j.seppur.2017.07.051>.
- Wang, H., Gong, R. and Qian, X. (2018) 'Preparation and characterization of TiO₂/g-C₃N₄/PVDF composite membrane with enhanced physical properties', *Membranes*, 8(1). Available at: <https://doi.org/10.3390/membranes8010014>.
- Zainal, W.N.H., Tan, S.H. and Ahmad, M.A. (2020) 'Controlled carbonization heating rate for enhancing CO₂ separation based on single gas studies', *Periodica Polytechnica Chemical Engineering*, 65(1), pp. 97–104. Available at: <https://doi.org/10.3311/PPch.14397>.
- Zhang, D. *dkk.* (2019) 'Electro-driven in situ construction of functional layer using amphoteric molecule: The role of tryptophan in ion sieving', *ACS Applied Materials and Interfaces*, 11(40), pp. 36626–36637. Available at: <https://doi.org/10.1021/acsami.9b11163>.
- Zheng, Z. *dkk.* (2021) 'Incorporation of biomass-based carbon nanoparticles into polysulfone ultrafiltration membranes for enhanced separation and anti-fouling performance', *Nanomaterials*, 11(9). Available at: <https://doi.org/10.3390/nano11092303>.