

DAFTAR PUSTAKA

- [1] H. Aydemir, S. Budak, Ş. Kumsar, O. Köse, H. S. Sağlam, and Ö. Adsan, “Efficacy of surgical techniques and factors affecting residual stone rate in the treatment of kidney stones,” *Turk Uroloji Dergisi*, vol. 40, no. 3, pp. 144–149, 2014, doi: 10.5152/tud.2014.40360.
- [2] Kemenkes RI, “Badan Kebijakan Pembangunan Kesehatan, Survei Kesehatan Indonesia (SKI) 2023 Ringkasan Hasil Nasional, Jakarta Kementerian Kesehatan Republik Indonesia, 2024.”.
- [3] S. Sardjoko, A. Gani, Zahrina, and P. B. Ali, *Penguatan Pelayanan Kesehatan Dasar Di Puskesmas, Jakarta*, no. March 2019. 2018.
- [4] Z. Liu *et al.*, “Swin Transformer: Hierarchical Vision Transformer using Shifted Windows,” Aug. 2021, [Online]. Available: <http://arxiv.org/abs/2103.14030>
- [5] Y. Chen, J. Feng, J. Liu, B. Pang, D. Cao, and C. Li, “Detection and Classification of Lung Cancer Cells Using Swin Transformer,” *J Cancer Ther*, vol. 13, no. 07, pp. 464–475, 2022, doi: 10.4236/jct.2022.137041.
- [6] C. Özer, A. Güler, A. T. Cansever, D. Alis, E. Karaarslan, and İ. Öksüz, “Shifted Windows Transformers for Medical Image Quality Assessment,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 13583 LNCS, pp. 425–435, 2022, doi: 10.1007/978-3-031-21014-3_44.
- [7] R. Sun, Y. Pang, and W. Li, “Efficient Lung Cancer Image Classification and Segmentation Algorithm Based on an Improved Swin Transformer,” *Electronics (Switzerland)*, vol. 12, no. 4, Feb. 2023, doi: 10.3390/electronics12041024.
- [8] N. H. Alkurdy, H. K. Aljobouri, and Z. K. Wadi, “Ultrasound renal stone diagnosis based on convolutional neural network and VGG16 features,” *International Journal of Electrical and Computer Engineering*, vol. 13, no. 3, pp. 3440–3448, 2023, doi: 10.11591/ijece.v13i3.pp3440-3448.

- [9] M. N. Islam, M. Hasan, M. K. Hossain, M. G. R. Alam, M. Z. Uddin, and A. Soylu, "Vision transformer and explainable transfer learning models for auto detection of kidney cyst, stone and tumor from CT-radiography," *Sci Rep*, vol. 12, no. 1, pp. 1–14, 2022, doi: 10.1038/s41598-022-15634-4.
- [10] D. N. P. Krisna, "Faktor Risiko Penyakit Batu Ginjal," *Jurnal Kesehatan Masyarakat*, vol. 7, no. 1, pp. 51–62, 2011.
- [11] E. Hadibrata and Suharmanto, "Faktor-Faktor Yang Berhubungan Dengan Terjadinya Batu," *Jurnal Penelitian Perawat Profesional*, vol. 4, no. 3, pp. 1041–1046, 2022.
- [12] U. Hasanah, "Mengenal Penyakit Batu Ginjal," *Jurnal Keluarga Sehat Sejahtera*, vol. 14, no. 28, pp. 76–85, 2016.
- [13] N. L. Kartika Sari, I. E. Br Barus, B. Santoso, D. Mulyati, P. Purwantiningsih, and I. Kusuma, "Aplikasi Image Enhancement untuk Peningkatan Kualitas Citra Ultrasonografi Ginjal," *Jurnal Ilmiah Giga*, vol. 25, no. 1, p. 1, 2022, doi: 10.47313/jig.v25i1.1627.
- [14] S. F. Aijaz, S. J. Khan, F. Azim, C. S. Shakeel, and U. Hassan, "Deep Learning Application for Effective Classification of Different Types of Psoriasis," *J Healthc Eng*, vol. 2022, 2022, doi: 10.1155/2022/7541583.
- [15] D. Ummarino, "Risk factors: Susceptibility allele identified in RHD.," *Nat Rev Rheumatol*, vol. 13, no. 7, p. 388, Jul. 2017, doi: 10.1038/nrrheum.2017.87.
- [16] A. Esteva *et al.*, "A guide to deep learning in healthcare.," *Nat Med*, vol. 25, no. 1, pp. 24–29, Jan. 2019, doi: 10.1038/s41591-018-0316-z.
- [17] A. Vaswani *et al.*, "Attention Is All You Need," 2023.
- [18] Z. Liu *et al.*, "Swin Transformer: Hierarchical Vision Transformer using Shifted Windows," *Proceedings of the IEEE International Conference on Computer Vision*, pp. 9992–10002, 2021, doi: 10.1109/ICCV48922.2021.00986.
- [19] I. Loshchilov and F. Hutter, "Decoupled weight decay regularization," *7th International Conference on Learning Representations, ICLR 2019*, 2019.
- [20] P. Banerjee, B. Kumar, A. Singh, R. Kumar, and R. Kumar, "Comparative performance analysis of optimized round robin scheduling(ORR) using

- dynamic time quantum with round robin scheduling using static time quantum in Real Time System,” *International Journal of Engineering and Computer Science*, vol. 8, no. 12, pp. 24890–24893, Dec. 2019, doi: 10.18535/ijecs/v8i12.4399.
- [21] E. Cabana, R. E. Lillo, and H. Laniado, “Multivariate outlier detection based on a robust Mahalanobis distance with shrinkage estimators,” Apr. 2019, doi: 10.1007/s00362-019-01148-1.
- [22] M. O. Dimgba and R. Andreas, “Optimal Hyperparameter Search Strategies: Benchmarking Grid Search, Random Search, and Genetic Algorithms across Regression, Classification, and Clustering Tasks”, doi: 10.13140/RG.2.2.24957.37603.
- [23] I. W. Saputro and B. W. Sari, “Uji Performa Algoritma Naïve Bayes untuk Prediksi Masa Studi Mahasiswa,” *Creative Information Technology Journal*, vol. 6, no. 1, p. 1, 2020, doi: 10.24076/citec.2019v6i1.178.