

DAFTAR PUSTAKA

- Abdilah, F., & Troskialina, L. (2020). Application of Dry Biomass of *Aphanothece* sp. as a Biosorbent of Copper Heavy Metal. *EduChemia (Jurnal Kimia dan Pendidikan)*, 5(1), 29–38.
- Adibah, N. F., & others. (2018). Leaching characteristics of potassium and sodium from biomass: Influence of acid concentration and contact time. *Bioresource Technology Reports*, 2, 86–91.
- Ahmad, M. A., Faisal, M., & Nurfadillah. (2023). Comparison of calorific value and combustion characteristics of coconut husk and shell briquettes. *Journal of Renewable Energy Technology*, 14(2), 115–124.
- Amanda, A. (2021). Pengaruh jenis pelarut ekstraksi terhadap kadar alkali (kalium, natrium, dan kalsium) yang diperoleh dari kulit buah kakao (*Theobroma cacao* L.) dengan metode spektrofotometri. Universitas Hasanuddin.
- Anis, A., & coauthors. (2025). Nilai kalor briket batok kelapa komersial. *Jurnal Energi Terbarukan*, 12(1), 45–52.
- Antal, M. J., & Grønli, M. (2003). The art, science, and technology of charcoal production. *Industrial & Engineering Chemistry Research*, 42(8), 1619–1640. <https://doi.org/10.1021/ie0207919>
- Antanasopoulos, V. A. (1996). *Atomic Absorption Spectrometry*. VCH Publishers.
- Arsyad, M. (2017). Effect of alkali treatment on the coconut fiber surface. *ARNP Journal of Engineering and Applied Sciences*, 12(6), 1870–1875.
- Badan Pusat Statistik. (2023). *Statistik produksi kelapa Indonesia*. Badan Pusat Statistik.
- Badan Standardisasi Nasional. (1998). SNI 19-4791-1998: Briket berbahan dasar serbuk sabut kelapa. Badan Standardisasi Nasional.
- Bas, D., & Boyacı, I. H. (2007). Modeling and optimization I: Usability of response surface methodology. *Journal of Food Engineering*, 78(3), 836–845.
- Baxter, L. L., Miles Jr, T. R., Miles, T. R., Jenkins, B. M., Milne, T., Dayton, D., & Oden, L. (1998). The behavior of inorganic material in biomass-fired power boilers: Field and laboratory experiences. *Fuel Processing Technology*, 54(1–3), 47–78.

- Benson, S. A., & Jones, M. L. (1997). Fossil Fuel Combustion By-Products. University of North Dakota, Energy and Environmental Research Center.
- Box, G. E. P., Hunter, J. S., & Hunter, W. G. (2005). Statistics for Experimenters: Design, Innovation, and Discovery (2nd ed.). John Wiley & Sons.
- Bridgwater, A. V. (2012). Review of fast pyrolysis of biomass and product upgrading. *Biomass and Bioenergy*, 38, 68–94.
- Br. Purba, R., & Idris, M. (2023). Utilization of coconut coir and guava leaves for the natural preservation of palm sugar. *Jurnal Biologi Tropis*, 23, 147–154.
- Budiman, Sukrido, & Harian. (2010). Pembuatan bio-briket dari campuran bungkil biji jarak pagar (*Jatropha curcas* L.) dengan sekam sebagai bahan bakar alternatif. *Prosiding Seminar Rekayasa dan Proses Tahun 2010*.
- Cengel, Y. A., & Boles, M. A. (2006). *Thermodynamics: An Engineering Approach*. McGraw-Hill, Inc.
- Chao, H. P., Chang, C. C., & Nieva, A. (2014). Biosorption of heavy metals on *Citrus maxima* peel, passion fruit shell, and sugarcane bagasse in a fixed-bed column. *Journal of Industrial and Engineering Chemistry*, 20, 3408–3414.
- Coford. (2010). *Wood Biomass Bricks: Quality Specifications and Standards*. National Council for Forest Research and Development.
- Dayton, D. C., Milne, T. A., & Baxter, L. L. (1999). The effect of alkali species on the formation of tar and char during biomass pyrolysis. In *Developments in Thermochemical Biomass Conversion* (pp. 857–870). Springer.
- Demirbaş, A. (2001). Relationships between lignin contents and heating values of biomass. *Energy Conversion and Management*, 42(2), 183–188.
- Derringer, G., & Suich, R. (1980). Simultaneous optimization of several response variables. *Journal of Quality Technology*, 12(4), 214–219.
- Eljiedi, A. A. A., Kamari, A., Sunardi, & Fatimah, I. (2019). Lala clam (*Orbicularia orbiculata*) shell as an eco-friendly adsorbent for Cd (II), Cu (II) and Pb (II) ions. *Arab Journal of Basic and Applied Sciences*, 26, 462–475.
- Fahrudin, F., Fauziah, S., Samawi, M. F., Johannes, E., Tambaru, E., Abdullah, A. A., & Dwiyantri, L. (2024). Biochar from coconut shell biomass for the removal of sulfate and cadmium reduction in acid mine drainage treatment. *Polish Journal of Environmental Studies*, 33(5).

- Fauziah, N., Setyawan, A., & Pramono, Y. (2020). Efektivitas pencucian menggunakan asam asetat dalam menurunkan kandungan logam alkali pada biomassa. *Jurnal Ilmu dan Teknologi Biomassa*, 12(1), 45–52.
- Fengel, D., & Wegener, G. (1984). *Wood: Chemistry, Ultrastructure, Reactions*. Walter de Gruyter.
- Funke, A., & Ziegler, F. (2010). Hydrothermal carbonization of biomass: A summary and discussion of chemical mechanisms for process engineering. *Biofuels, Bioproducts and Biorefining*, 4(2), 160–177. <https://doi.org/10.1002/bbb.198>
- Gómez-Barea, A., & Leckner, B. (2010). Modeling of biomass gasification in fluidized bed. *Progress in Energy and Combustion Science*, 36(4), 444–509.
- Henderson, P., Szakalos, P., Pettersson, R., Andersson, C., & Hogberg, J. (2006). Reducing superheater corrosion in wood-fired boilers. *Materials and Corrosion*, 57(2), 128–134.
- Isaac, R. A., & Johnson, W. C. (1990). Elemental analysis of plant tissue by plasma emission spectroscopy: Collaborative study. *Journal of AOAC International*, 73(3), 491–494.
- Jenkins, B. M., Bakker, R. R., & Wei, J. B. (1996). On the properties of washed straw. *Biomass and Bioenergy*, 10(4), 177–200.
- Jensen, P. A., Frandsen, F., Dam-Johansen, K., & Sander, B. (2000). Experimental investigation of the transformation and release to gas phase of potassium and chlorine during straw pyrolysis. *Energy & Fuels*, 14(6), 1280–1285.
- Kambey, E., Tooy, D., & Rumambi, D. (2023). Uji kualitas briket sabut kelapa sebagai sumber energi bioamassa alternatif. *Cocos*, 15(1).
- Khuri, A. I., & Mukhopadhyay, S. (2010). Response Surface Methodology. *WIREs Computational Statistics*, 2(2), 128–149.
- Kunta, R., & coauthors. (2021). Pengaruh karbonisasi dan perekat terhadap kadar air briket sabut kelapa. *Jurnal Teknologi Energi*, 8(3), 88–95.
- Li, F., & Trapani, J. (2022). Bias, variance, and noise in time-series forecasting. *Management Science*, 68(5), 3556–3576. <https://faculty.wharton.upenn.edu/wpcontent/uploads/2022/03/mnsc.2020.3882.pdf>

- Li, Y., Liu, X., Zhou, G., Hu, Y., Chen, X., Chen, G., & Zhong, W. (2016). Sodium migration modeling in a large-scale pulverized high-alkali coal boiler. *Fuel*, 403, 136076. <https://doi.org/10.1016/j.fuel.2025.136076>
- Liu, Q., Chmely, S. C., & Abdoulmoumine, N. (2017). Biomass treatment strategies for thermochemical conversion. *Energy & Fuels*, 31(4), 3525–3536.
- Mansor, M. A., Rahman, M. M., & Ismail, M. (2019). The effect of potassium on ash composition and corrosion in biomass combustion. *Journal of Cleaner Production*, 210, 1234–1242.
- Melani, A., Atikah, A., Robiah, R., & Khasanah, N. (2022). Kajian pengaruh variasi pelarut, kecepatan pengadukan dan waktu pada proses ekstraksi kalium dari abu kulit buah semangka (*Citrullus lanatus*). *Jurnal Ilmu dan Teknologi Pertanian*, 15(1), 55–62.
- Mierzwa-Hersztek, M., Gondek, K., & Bajda, T. (2019). Effect of acid leaching on chemical composition and combustion properties of biomass. *Waste and Biomass Valorization*, 10, 1969–1979.
- Milawarni, M. (2013). Pengaruh variasi komposisi serat sabut kelapa terhadap kekuatan mekanik bahan genteng komposit polimer. *Portal: Jurnal Teknik Sipil*, 5(1).
- Moghaddam, S. A. E., Harun, R., Mokhtar, M. N., & Zakaria, R. (2020). Kinetic and equilibrium modeling for the biosorption of metal ion by Zeolite 13X-Algal-Alginate Beads (ZABs). *Journal of Water Process Engineering*, 33, 101057.
- Montgomery, D. C. (2017). *Design and Analysis of Experiments* (9th ed.). Wiley.
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response Surface Methodology: Process and Product Optimization Using Designed Experiments* (4th ed.). Wiley.
- Obernberger, I., & Thek, G. (2004). Physical characterisation and chemical composition of densified biomass fuels with regard to their combustion behaviour. *Biomass and Bioenergy*, 27(6), 653–679.
- Obi, C., & coauthors. (2022). Pengaruh kadar air terhadap mutu dan stabilitas briket biomassa. *Jurnal Bioenergi dan Lingkungan*, 10(2), 101–109.
- Parikh, J., Channiwala, S. A., & Ghosal, G. K. (2007). A correlation for calculating HHV from proximate analysis of solid fuels. *Fuel*, 86(10–11), 1710–1719.

- Pettersson, J., Svensson, J.-E., & Johansson, L.-G. (2011). KCl-induced corrosion of a 304-type austenitic stainless steel in O₂ and O₂ + H₂O environment: The influence of temperature. *Oxidation of Metals*, 72, 159–177.
- Putri, R. D., Setiawan, A., & Hidayat, T. (2022). Pengaruh kombinasi metode pencucian dan pemanasan terhadap efisiensi penghilangan logam alkali dalam biomassa. *Jurnal Sains dan Teknologi Pertanian*, 14(3), 201–210.
- Raju, G., Gupta, A., & Kumar, R. (2014). Optimization of coconut shell briquette production for enhanced combustion properties. *Biomass & Bioenergy*, 72, 135–145.
- Saleh, A. (2013). Efisiensi konsentrasi perekat tepung tapioka terhadap nilai kalor pembakaran pada biobriket batang jagung (*Zea mays* L.). *Teknosains: Media Informasi Sains dan Teknologi*, 7(1), 78–89.
- Sami, M., Annamalai, K., & Wooldridge, M. (2001). Co-firing of coal and biomass fuel blends. *Progress in Energy and Combustion Science*, 27(2), 171–214.
- Sari, Y., & Yulis, P. (2023). Briket sabut kelapa (*Cocos nucifera* L.) sebagai bahan bakar alternatif berbasis sumber daya alam lokal. *Jurnal Fisika Flux: Jurnal Ilmiah Fisika FMIPA Universitas Lambung Mangkurat*, 20, 129.
- Setyawan, A., Prasetyo, L. B., & Supriyadi, S. (2018). Pengaruh perendaman terhadap kualitas briket dari serbuk sabut kelapa. *Jurnal Teknologi dan Industri Pertanian*, 8(2), 123–130.
- Silalahi. (2000). Penelitian pembuatan briket kayu dari serbuk gergajian kayu.
- Singhal, A., Kumar, S., & Gaur, R. (2021). Effect of different washing parameters on the fuel properties and elemental composition of wheat straw in water-washing pre-treatment: Part 1—Effect of washing duration and biomass size. *Renewable Energy*, 179, 1601–1612. <https://doi.org/10.1016/j.renene.2021.07.069>
- Sommersacher, P., Brunner, T., & Obernberger, I. (2012). Fuel indexes: A novel method for the evaluation of relevant combustion properties of biomass fuels. *Biomass and Bioenergy*, 39, 419–428.
- Stat-Ease Inc. (2023). Design-Expert® Software Version 13. <https://www.statease.com/software/design-expert/>

- Suhartini, S., & others. (2020). Characterization and utilization of coconut fiber as solid biofuel. IOP Conference Series: Earth and Environmental Science, 482(1), 12040.
- Suprpto. (2004). Bahan bakar dan pelumas. Jurusan Teknik Mesin Fakultas Teknik, Universitas Negeri Semarang.
- Susanto, B., Hartono, A., Anwar, S., Sutandi, A., & Sabiham, S. (2018). Model hubungan fraksi P dengan sifat kimia tanah sawah pada tiga kelompok bahan induk berbeda di Jawa Barat. Jurnal Tanah dan Iklim, 42(2), 135–151.
- Syarifa, H., Sugijanto, N. E. N., & Kartosentono, S. (2021). Optimasi kadar awal, waktu kontak dan berat biomassa pada proses biosorpsi Cu^{2+} menggunakan cangkang lorjuk. Jurnal Farmasi dan Ilmu Kefarmasian Indonesia, 8(1), 105–106.
- Treybal, R. E. (1985). Mass-Transfer Operations (3rd ed.). McGraw-Hill.
- U.S. Department of Agriculture. (2019). FoodData Central: Cassava flour. <https://fdc.nal.usda.gov>
- Vamvuka, D. (2011). Evaluation of lignocellulosic biomass combustion behavior based on thermal analysis. Energy, 36(5), 3149–3156.
- Vassilev, S. V., Baxter, D., Andersen, L. K., & Vassileva, C. G. (2010). An overview of the chemical composition of biomass. Fuel, 89(5), 913–933.
- Werther, J., Saenger, M., Hartge, E. U., Ogada, T., & Siagi, Z. (2000). Combustion of agricultural residues. Progress in Energy and Combustion Science, 26(1), 1–27.
- Widardo, & Suryanta. (1995). Membuat bioarang dari kotoran lembu. Kanisius.