

DAFTAR PUSTAKA

- Amalia, N., Habib, F., & Balfas, M. (2022). Pengaruh Infill Angle Pada Proses 3D Printing FDM Terhadap Tensile Strength Material PLA+. *Journal of Technology Process (JTP)*, 2(1), 13–21.
- Annanto, G. P., Ardianto, I. N., & Syafa'at, I. (2021). Pengaruh Infill Pattern Terhadap Kekuatan Hasil Cetakan 3d Printing Berbahan Poly-Lactic Acid. *Jurnal Ilmiah MOMENTUM*, 17(2), 103. <https://doi.org/10.36499/jim.v17i2.5520>
- Awwaliyah, N. M. Al, Karuniawan, B. W., & Purnomo, D. A. (2020). Analisa Pengaruh Parameter 3D Printing dengan Metode Taguchi – Grey Relational Analysis Terhadap Kekasaran Permukaan dan Building Time Produk. *Prosiding 4th Conference on Design and Manufacture and Its Application*, 2654, 252–257.
- Campbell, L., Lau, A., Pousett, B., Janzen, E., & Raschke, S. U. (2018). How infill percentage affects the ultimate strength of 3d-printed transtibial sockets during initial contact. *Canadian Prosthetics and Orthotics Journal*, 1(2). <https://doi.org/10.33137/cpoj.v1i2.30843>
- Colombo, G., Comotti, C., Redaelli, D. F., Regazzoni, D., Rizzi, C., & Vitali, A. (2016). A method to improve prosthesis leg design based on pressure analysis at the socket-residual limb interface. *Proceedings of the ASME Design Engineering Technical Conference*, 1A-2016, 1–8. <https://doi.org/10.1115/DETC2016-60131>
- Comotti, C., Regazzoni, D., Rizzi, C., & Vitali, A. (2015). Multi-material design and 3D printing method of lower limb prosthetic sockets. *ACM International Conference Proceeding Series*, 01-02-Octo, 42–45. <https://doi.org/10.1145/2838944.2838955>
- Czyzewski, P., Marciniak, D., Nowinka, B., Borowiak, M., & Bielinski, M. (2022). *Influence of Extruder ' s Nozzle Diameter on the Improvement of Functional Properties of 3D-Printed PLA Products*. 14(2).
- Debta, S., & Kumar, K. (2018). Static Structural Analysis of a Powered Ankle Foot Prosthesis Mechanism. *Materials Today: Proceedings*, 5(5), 11616–11621. <https://doi.org/10.1016/j.matpr.2018.02.131>
- Deniz, F. (2014). Optimization of biosorptive removal of dye from aqueous system by cone shell of calabrian pine. *Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/138986>
- Dika, J. W., Suwito, A., Sunardi, S., & Sugiartib, T. (2022). Analisis Deformation, Stress, dan Safety Factor pada Geometric Properties Crane Hook. *Transmisi*,

18(1), 11–18. <https://doi.org/10.26905/jtmt.v18i1.7972>

- Durga Prasada Rao, V., Rajiv, P., & Navya Geethika, V. (2019). Effect of fused deposition modelling (FDM) process parameters on tensile strength of carbon fibre PLA. *Materials Today: Proceedings*, 18, 2012–2018. <https://doi.org/10.1016/j.matpr.2019.06.009>
- Eck, C. F. Van, & Mcgough, R. L. (2015). *Clinical outcome of osseointegrated prostheses for lower extremity amputations: a systematic review of the literature*. 26(4), 349–357.
- Fiorillo, L., Ciciù, M., D'Amico, C., Mauceri, R., Oteri, G., & Cervino, G. (2020). Finite Element Method and von Mises Investigation on Bone Response to Dynamic Stress with a Novel Conical Dental Implant Connection. *BioMed Research International*, 2020. <https://doi.org/10.1155/2020/2976067>
- Fitriyana, D. F., Palanisamy, S., Wicaksana, Y. S., Anis, S., Siregar, J. P., Cionita, T., Sureshkumar, K., Alagarsamy, A., Ayrilmis, N., Abbas, M., Kalathil, S., & Rahman, M. Z. (2025). Mechanical performance analysis of a 3D printing-based transtibial prosthetic socket against the gait cycle using the finite element method. *RSC Advances*, 15(30), 24150–24166. <https://doi.org/10.1039/d5ra03155a>
- Flashforge 3D technology Co. (2022). *FlashForge Guider IIS 3D Printer User Guide*. 2–81. <https://flashforge-germany.de/images/Bedienungsanleitungen/Flashforge-GuiderIIS-User-Guide.V.20180410.pdf>
- Gubbala, G. R., & Inala, R. (2021). *Design and development of patient-specific prosthetic socket for lower limb amputation*. 32–42. <https://doi.org/10.21595/msea.2021.22012>
- Halimah, P., & Ekawati, Y. (2020). Penerapan Metode Taguchi untuk Meningkatkan Kualitas Bata Ringan pada UD. XY Malang. *JIEMS (Journal of Industrial Engineering and Management Systems)*, 13(1), 13–26. <https://doi.org/10.30813/jiems.v13i1.1694>
- Hartono, M., Basuki, H. A., & Sanata, A. (2020). Optimasi Kualitas Kekasaran Permukaan Pada Proses Electroplating Material Ss400 Menggunakan Metode Taguchi. *Rotor*, 12(1), 13. <https://doi.org/10.19184/rotor.v12i1.15404>
- Hasan, M. R., Davies, I. J., Pramanik, A., John, M., & Biswas, W. K. (2024). Potential of recycled PLA in 3D printing: A review. *Sustainable Manufacturing and Service Economics*, 3(January), 100020. <https://doi.org/10.1016/j.smse.2024.100020>
- Hikmat, M., Rostam, S., & Ahmed, Y. M. (2021). Investigation of tensile property-based Taguchi method of PLA parts fabricated by FDM 3D printing technology. *Results in Engineering*, 11, 100264.

<https://doi.org/10.1016/j.rineng.2021.100264>

- Ho, C. M. B., Ng, S. H., & Yoon, Y. J. (2015). A review on 3D printed bioimplants. *International Journal of Precision Engineering and Manufacturing*, 16(5), 1035–1046. <https://doi.org/10.1007/s12541-015-0134-x>
- Horvath, J. (2014). *Mastering 3D Printing. Modeling, printing and prototyping with reprop-style 3D printers*. 196. <http://www.globalview.gr/2016/06/30/62949/>
- Jamaludin, M. S., Hanafusa, A., Shinichirou, Y., Agarie, Y., Otsuka, H., & Ohnishi, K. (2019). Development of an evaluation system for magnetic resonance imaging based three-dimensional modeling of a transfemoral prosthetic socket using finite elements. *Applied Sciences (Switzerland)*, 9(18). <https://doi.org/10.3390/app9183662>
- Joseph, B., James, J., Kalarikkal, N., & Thomas, S. (2021). Recycling of medical plastics. *Advanced Industrial and Engineering Polymer Research*, 4(3), 199–208. <https://doi.org/10.1016/j.aiepr.2021.06.003>
- Junianto, D. A., & Kuswanto, D. (2018). *Desain Kaki Palsu untuk Membantu Aktivitas Berjalan pada Tuna Daksa Transbital dengan Mneggunakan Rapid Prototyping dan Reverse Engineering*. 7(1), 15–18.
- Laily Noor Ikhsanto, Z. (2020). *ANALISA KEKUATAN BENDING FILAMEN ABS DAN PLA PADA HASIL 3D PRINTER DENGAN VARIASI SUHU NOZZLE*. 21(Januari), 1–9.
- Lee, M. Y., Lee, S. H., Leigh, J. H., Nam, H. S., Hwang, E. Y., Lee, J. Y., Han, S., & Lee, G. (2022). Functional improvement by body-powered 3D-printed prosthesis in patients with finger amputation: Two case reports. *Medicine (United States)*, 101(25). <https://doi.org/10.1097/MD.00000000000029182>
- Lestari, W. D., Adyono, N., Faizin, A. K., Haqiyah, A., Sanjaya, K. H., Nugroho, A., Kusmasari, W., & Ammarullah, M. I. (2024). Optimization of 3D printed parameters for socket prosthetic manufacturing using the taguchi method and response surface methodology. *Results in Engineering*, 21(October 2023), 101847. <https://doi.org/10.1016/j.rineng.2024.101847>
- Liu, W., Shao, Z., Rai, S., Hu, B., Wu, Q., Hu, H., Zhang, S., & Wang, B. (2020). Three-dimensional-printed intercalary prosthesis for the reconstruction of large bone defect after joint-preserving tumor resection. *Journal of Surgical Oncology*, 121(3), 570–577. <https://doi.org/10.1002/jso.25826>
- Liu, W., Zhou, J., Ma, Y., Wang, J., & Xu, J. (2018). Fabrication of PLA Filaments and its Printable Performance. *IOP Conference Series: Materials Science and Engineering*, 275(1). <https://doi.org/10.1088/1757-899X/275/1/012033>
- Manero, A., Smith, P., Sparkman, J., Dombrowski, M., Courbin, D., Kester, A., Womack, I., & Chi, A. (2019). Implementation of 3D printing technology in

- the field of prosthetics: Past, present, and future. *International Journal of Environmental Research and Public Health*, 16(9). <https://doi.org/10.3390/ijerph16091641>
- Marinković, V. (2021). Some Applications of a Novel Desirability Function in Simultaneous Optimization of Multiple Responses. *FME Transactions*, 49(3), 534–548. <https://doi.org/10.5937/fme2103534M>
- Mendaza-DeCal, R., Peso-Fernandez, S., & Rodriguez-Quiros, J. (2023). Orthotics and prosthetics by 3D-printing: Accelerating its fabrication flow. *Research in Veterinary Science*, 162(May), 104960. <https://doi.org/10.1016/j.rvsc.2023.104960>
- Mohamed, O. A., Masood, S. H., & Bhowmik, J. L. (2016). Optimization of fused deposition modeling process parameters for dimensional accuracy using I-optimality criterion. *Measurement: Journal of the International Measurement Confederation*, 81, 174–196. <https://doi.org/10.1016/j.measurement.2015.12.011>
- Musa, L., Krishna Kumar, N., Abd Rahim, S. Z., Mohamad Rasidi, M. S., Watson Rennie, A. E., Rahman, R., Yousefi Kanani, A., & Azmi, A. A. (2022). A review on the potential of polylactic acid based thermoplastic elastomer as filament material for fused deposition modelling. *Journal of Materials Research and Technology*, 20, 2841–2858. <https://doi.org/10.1016/j.jmrt.2022.08.057>
- Nickel, E., Barrons, K., Hand, B., Cataldo, A., & Hansen, A. (2020). Three-dimensional printing in prosthetics: Method for managing rapid limb volume change. *Prosthetics and Orthotics International*, 44(5), 355–358. <https://doi.org/10.1177/0309364620934340>
- Nugraha, F. K. A., & Wahyujati, B. B. (2022). Optimasi Parameter 3D Printing Menggunakan Material PP Daur Ulang pada Spesimen ASTM 638 D 10 type 1 dengan Response Surface Method. *Jurnal Teknologi*, 12, 82–87. <https://doi.org/10.35134/jitekin.v12i2.78>
- Nurul Amri, A. A., & Sumbodo, W. (2018). Perancangan 3D Printer Tipe Core XY Berbasis Fused Deposition Modeling (FDM) Menggunakan Software Autodesk Inventor 2015. *Jurnal Dinamika Vokasional Teknik Mesin*, 3(2), 110–115. <https://doi.org/10.21831/dinamika.v3i2.21407>
- Oktavian, D., Arifvianto, B., & Mahardika, M. (2021). Ekstruksi Dan Karakterisasi Filamen Komposit Polylactid Acid (Pla) / Carbon Nano Tube (Cnt). *Jurnal Material Teknologi Proses: Warta Kemajuan Bidang Material Teknik Teknologi Proses*, 2(2), 12. <https://doi.org/10.22146/jmtp.70481>
- Pranata, Y., Hasdiansah, & Arriyani, Y. F. (2022). Pengujian Kuat Tarik Produk Cetak 3D Printing Material ABS. *Prosiding Seminar Nasional Inovasi Teknologi Terapan 2022*, 2(January), 85–91.

- Rock, C. G., Wurdeman, S. R., Stergiou, N., & Takahashi, K. Z. (2018). Stride-to-stride fluctuations in transtibial amputees are not affected by changes in push-off mechanics from using different prostheses. *PLoS ONE*, 13(10), 1–13. <https://doi.org/10.1371/journal.pone.0205098>
- Rusianto, T., Huda, S., Hary Wibowo, dan, Kalisahak No, J., & Balapan Yogyakarta, K. (2019). a Riview: Jenis Dan Pencetakan 3D (3D Printing) Untuk Pembuatan Prototipe. *Jurnal Teknologi*, 12(1), 14–21. <https://aaq.auburn.edu/node/9907/take>
- Sathish, T., Vijayakumar, M. D., & Krishnan Ayyangar, A. (2018). Design and Fabrication of Industrial Components Using 3D Printing. *Materials Today: Proceedings*, 5(6), 14489–14498. <https://doi.org/10.1016/j.matpr.2018.03.036>
- Selvam, P. S. (2016). Prosthetics for Lower Limb Amputation We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 %. *Intech*, 11(tourism), 13. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- Setiawan, A. A., Karuniawan, B. W., & Arumsari, N. (2018). Optimasi Parameter 3D Printing Terhadap Keakuratan Dimensi dan Kekasaran Permukaan Produk Menggunakan Metode Taguchi Grey Relational Analysis. *Proceedings Conference on Design Manufacture Engineering and Its Application*, 2654, 165–168.
- Setyawan, B. A., & Ngadiyono, Y. (2022). Analisis Pengaruh Tingkat Kelembaban Filamen PLA Terhadap Nilai Kekuatan Mekanik Hasil Cetak 3D Printing. *Jurnal Dinamika Vokasional Teknik Mesin*, 7(1), 1–11. <https://doi.org/10.21831/dinamika.v7i1.48259>
- Shadi Sabeti, Silvia Ursula Raschke, J. M. (2018). THE EFFECT OF MATERIAL CHOICE AND PROCESS PARAMETERS ON THE MECHANICAL STRENGTH OF 3D-PRINTED TRANSTIBIAL PROSTHETIC. *Prosthetics and Orthotics International*, 1(2). <https://doi.org/10.3109/03093648509164824>
- Spoerk, M., Arbeiter, F., Raguž, I., Holzer, C., & Gonzalez-Gutierrez, J. (2019). Mechanical recyclability of polypropylene composites produced by material extrusion-based additive manufacturing. *Polymers*, 11(8). <https://doi.org/10.3390/polym11081318>
- Stelt, M. v. d., Verhulst, A. C., Slump, C. H., Papenburg, M., Grobusch, M. P., Brouwers, L., & Maal, T. J. J. (2023). Design and Production of Low-Cost 3d-Printed Transtibial Prosthetic Sockets. *Jpo Journal of Prosthetics and Orthotics*, 35(1), e30–e36. <https://doi.org/10.1097/jpo.0000000000000399>
- Sukindar, N. A., Ariffin, M. K. A., Hang Tuah Baharudin, B. T., Jaafar, C. N. A., & Ismail, M. I. S. (2016). Analyzing the effect of nozzle diameter in fused

- deposition modeling for extruding polylactic acid using open source 3D printing. *Jurnal Teknologi*, 78(10), 7–15. <https://doi.org/10.11113/jt.v78.6265>
- Suryawan, D., Ridlwan, M., & Setiadi, A. (2019). Inovasi Desain dan Simulasi Model Prostesis Bawah Lutut Berdasarkan Antropometri Orang Indonesia. *Jurnal Teknik Mesin Indonesia*, 14(1), 30–36. <https://doi.org/10.36289/jtmi.v14i1.112>
- Thakur, A. G., & Nandedkar, V. M. (2014). Optimization of the Resistance Spot Welding Process of Galvanized Steel Sheet Using the Taguchi Method. *Arabian Journal for Science and Engineering*, 39(2), 1171–1176. <https://doi.org/10.1007/s13369-013-0634-x>
- van der Stelt, M., Grobusch, M. P., Koroma, A. R., Papenburg, M., Kebbie, I., Slump, C. H., Maal, T. J. J., & Brouwers, L. (2021). Pioneering low-cost 3D-printed transtibial prosthetics to serve a rural population in Sierra Leone – an observational cohort study. *EClinicalMedicine*, 35, 100874. <https://doi.org/10.1016/j.eclinm.2021.100874>
- Wang, C., Ma, S., Li, D., Zhao, J., Zhou, H., Wang, D., Zhou, D., Gan, T., Wang, D., Liu, C., Qu, C., & Chen, C. (2021). 3D Printing of Lightweight Polyimide Honeycombs with the High Specific Strength and Temperature Resistance. *ACS Applied Materials and Interfaces*, 13(13), 15690–15700. <https://doi.org/10.1021/acsami.1c01992>
- Wardana, U. I., Setiawan, F., & Sofyan, E. (2023). *Pengaruh ketebalan manufaktur frame mini drone 3d printing dengan simulasi stress, displacement, dan safety of factor menggunakan software solidworks 1*. 9(2), 359–369.
- Żur, P., Kołodziej, A., Baier, A., & Kokot, G. (2020). Optimization of Abs 3D-Printing Method and Parameters. *European Journal of Engineering Science and Technology*, 3(1), 44–51. <https://doi.org/10.33422/ejest.v3i1.160>