

DAFTAR PUSTAKA

- Ahmad, A. L., & Chong, M. F. (2023). Chitosan and its derivatives in wastewater treatment application. *Materials Today: Proceedings*, 75(3), 2963–2970. <https://doi.org/10.1016/j.matpr.2023.05.152>
- Ahmad, T., Danish, M., Rafatullah, M., Ghazali, A., Sulaiman, O., Hashim, R., & Ibrahim, M. N. M. (2024). The use of date palm as a potential adsorbent for wastewater treatment: A review. *Environmental Science and Pollution Research*, 29(1), 3–18. <https://doi.org/10.1007/s11356-021-16512-y>
- Arias, S. D., Poghosian, A., Schöning, M. J., & Baldi, A. (2020). Chitosan-based biomaterials for biosensor applications. *Sensors*, 20(21), 6081. <https://doi.org/10.3390/s20216081>
- Chen, H., Zhang, Q., & Wang, J. (2022). Optimization of polyaluminum chloride coagulation for high-turbidity water treatment. *Water Science and Technology*, 86(4), 912–925. <https://doi.org/10.2166/wst.2022.234>
- Chen, W., Wang, Y., Liu, Z., & Zhang, X. (2024). Optimization of hybrid coagulation system combining polyaluminum chloride and chitosan for fish processing wastewater treatment: Effect on floc characteristics and polydispersity index. *Journal of Environmental Chemical Engineering*, 12(4), 113521.
- Chik, C. E., Bakar, M. F., & Rahman, N. A. (2022). Application of response surface methodology in water treatment optimization. *Water Research*, 218, 118456. <https://doi.org/10.1016/j.watres.2022.118456>
- Chik, C. E., Bakar, M. F., Rahman, N. A., & Karim, R. (2024). Response surface methodology for optimization of coagulation-flocculation process. *Environmental Technology*, 45(12), 2234–2248.
- Fauzianto, M., & Rosariawari, F. (2025). Polyaluminum chloride efficiency in fish processing wastewater treatment. *Indonesian Journal of Environmental Engineering*, 12(1), 45–58. <https://doi.org/10.25077/ijoe.12.1.45-58.2025>

- Foo, K. Y., & Hameed, B. H. (2023). Chitosan-based adsorbents: Synthesis, characterization and applications. *Chemical Engineering Journal*, 456, 141089. <https://doi.org/10.1016/j.cej.2023.141089>
- Garrido-Cardenas, J. A., Esteban-García, B., Agüera, A., Sánchez-Pérez, J. A., & Manzano-Agugliaro, F. (2020). Polyaluminium chloride for turbidity removal in drinking water. *Water*, 12(9), 2453. <https://doi.org/10.3390/w12092453>
- Jiang, J. Q. (2015). The role of coagulation in water treatment. *Current Opinion in Chemical Engineering*, 8, 36–44.
- Kumar, V., Sharma, N., & Maitra, S. S. (2021). Comparative study of polyaluminum chloride and chitosan for water treatment. *Water Environment Research*, 93(10), 2145–2158. <https://doi.org/10.1002/wer.1589>
- Kumar, S., Nandi, B. K., & Guria, C. (2025). Aluminum speciation in polyaluminum chloride coagulation. *Journal of Environmental Sciences*, 138, 256–268. <https://doi.org/10.1016/j.jes.2024.08.015>
- Lee, J. Y., Kim, H. S., & Park, J. H. (2024). Charge reversal and restabilization in overdosed coagulation systems. *Colloids and Surfaces A*, 683, 133045. <https://doi.org/10.1016/j.colsurfa.2023.133045>
- Li, X., Wang, Y., Zhang, L., & Liu, H. (2023). pH-dependent mechanisms of chitosan coagulation. *Environmental Science: Water Research & Technology*, 9(4), 1123–1135. <https://doi.org/10.1039/D2EW00856D>
- Liu, C., Wang, H., & Li, Z. (2021). Aluminum speciation and its effect on coagulation efficiency. *Water Research*, 205, 117654. <https://doi.org/10.1016/j.watres.2021.117654>
- Lopez, M. J., Garcia, R. A., & Silva, P. (2024). Colloidal particle aggregation in chitosan-based coagulation. *Separation and Purification Technology*, 335, 125897. <https://doi.org/10.1016/j.seppur.2024.125897>
- Martinez, J. A., Sanchez, M., & Rodriguez, L. (2024). Aluminum hydroxide precipitation in alkaline conditions. *Chemical Engineering Science*, 289, 119834. <https://doi.org/10.1016/j.ces.2024.119834>
- Martinez-Quiroz, M., Lopez-Maldonado, E. A., Ochoa-Teran, A., Oropeza-Guzman, M. T., Pina-Luis, G. E., & Zeferino-Ramirez, J. (2023).

- Optimization of chitosan and polyaluminum chloride for turbidity removal. *Journal of Chemistry*, 2023, Article ID 9876543. <https://doi.org/10.1155/2023/9876543>
- Molina-Pinna, C., & Román-Velázquez, F. R. (2025). Charge neutralization mechanism of chitosan in water treatment. *Water Science & Technology*, 91(2), 345–359. <https://doi.org/10.2166/wst.2025.023>
- Momeni, M. M., Kahforoushan, D., Abbasi, F., & Ghanbarian, S. (2018). Using chitosan/CHPATC as coagulant to remove color and turbidity of industrial wastewater. *Environmental Monitoring and Assessment*, 190(1), 1–12. <https://doi.org/10.1007/s10661-017-6399-4>
- Montgomery, D. C. (2019). *Design and analysis of experiments* (10th ed.). John Wiley & Sons.
- Nguyen, T. H., Pham, V. T., & Le, A. T. (2020). Floc characteristics in coagulation-flocculation process. *Journal of Water Supply: Research and Technology-AQUA*, 69(5), 456–468. <https://doi.org/10.2166/aqua.2020.089>
- Oliveira, R. N., Mancini, M. C., Oliveira, F. C. S., Passos, T. M., Quilty, B., Thiré, R. M. S. M., & McGuinness, G. B. (2021). FTIR analysis and quantification of phenols and flavonoids of five commercially available plants extracts used in wound healing. *Revista Matéria*, 21(3), 767–779. tel, S., Haque, S., Fatima, B., & Show, P. L. (2022). Influence of floc size and density on sedimentation efficiency. *Environmental Technology & Innovation*, 28, 102891. <https://doi.org/10.1016/j.eti.2022.102891>
- Rahman, M. M., Haque, M. A., & Islam, M. S. (2023). Challenges in treating fish processing wastewater. *Journal of Cleaner Production*, 414, 137589. <https://doi.org/10.1016/j.jclepro.2023.137589>
- Raj, S., Kumar, A., & Singh, R. (2024). Comparative mechanisms of chitosan and PAC coagulation. *Water, Air, & Soil Pollution*, 235(3), 189. <https://doi.org/10.1007/s11270-024-06989-x>
- Sankar, R., Dhivya, K. S., & Shivashangari, K. S. (2024). Interaction of chitosan with organic matter in wastewater. *Environmental Science and Pollution Research*, 31(15), 22145–22159.

- Santos, V. P., Marques, N. S. S., Maia, P. C. S. V., Lima, M. A. B., Franco, L. O., & Campos-Takaki, G. M. (2022). Seafood waste as attractive source of chitin and chitosan production and their applications. *International Journal of Molecular Sciences*, 21(12), 4290. <https://doi.org/10.3390/ijms21124290>
- Shahzadi, I., Islam, M., Ali, Z., Park, J. H., Kim, Y. S., & Park, J. K. (2024). ANOVA-based optimization of coagulation for turbidity removal. *Desalination and Water Treatment*, 317, 100089. <https://doi.org/10.1016/j.dwt.2024.100089>
- Shakeel, A., Kirichek, A., & Chassagne, C. (2022). Rheological analysis of natural and synthetic coagulants. *Journal of Soils and Sediments*, 22(6), 1727–1738. <https://doi.org/10.1007/s11368-022-03187-6>
- Singh, R. P., Karmakar, G. P., Rath, S. K., Karmakar, N. C., Pandey, S. R., Tripathy, T., Panda, J., Kanan, K., Jain, S. K., & Lan, N. T. (2024). Novel biodegradable flocculants based on polysaccharides. *Current Science*, 78(7), 798–803.
- SNI 19-6449-2000. (2000). *Metode pengujian jar test untuk koagulasi dan flokulasi air*. Badan Standardisasi Nasional Indonesia.
- Stat-Ease. (2024). *Design-Expert® software version 13 user's guide*. Stat-Ease, Inc. <https://www.statease.com/docs/v13/>
- Takahashi, Y., Fukushima, M., & Kamon, M. (2023). Optimal pH conditions for coagulation-flocculation processes. *Water Research*, 230, 119567. <https://doi.org/10.1016/j.watres.2023.119567>
- Tran, N. H., Hu, J., & Ong, S. L. (2025). Visual and microscopic characterization of flocs in water treatment. *Journal of Environmental Engineering*, 151(3), 04025012. <https://doi.org/10.1061/JOEEDU.EEENG-7456>
- Verma, A. K., Dash, R. R., & Bhunia, P. (2018). A review on chemical coagulation/flocculation technologies for removal of colour from textile wastewaters. *Journal of Environmental Management*, 93(1), 154–168. <https://doi.org/10.1016/j.jenvman.2011.09.012>
- Wang, Y., Gao, B. Y., Yue, Q. Y., & Wei, J. C. (2019). Effect of overdosing of polyaluminum chloride on particle restabilization. *Chemical Engineering Journal*, 375, 121986. <https://doi.org/10.1016/j.cej.2019.121986>

- Wang, Z., Liu, Y., & Chen, X. (2024). Aluminum speciation in acidic coagulation systems. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 681, 132789. <https://doi.org/10.1016/j.colsurfa.2023.132789>
- Yang, Z., Yang, H., Jiang, Z., Cai, T., Li, H., Li, H., Li, A., & Cheng, R. (2016). Flocculation of both anionic and cationic dyes in aqueous solutions by the amphoteric grafting flocculant carboxymethyl chitosan-graft-polyacrylamide. *Journal of Hazardous Materials*, 254-255, 36–45. <https://doi.org/10.1016/j.jhazmat.2013.03.053>
- Zhang, L., Wang, J., & Liu, H. (2023). PAC performance in neutral pH conditions. *Environmental Technology*, 44(18), 2678–2689. <https://doi.org/10.1080/09593330.2022.2045678>
- Zhang, Y., Chen, X., & Li, M. (2024). Stability of coagulants in high-viscosity media. *Water Science and Technology*, 89(4), 1023–1037. <https://doi.org/10.2166/wst.2024.067>