

DAFTAR PUSTAKA

- Anugrah, M., & Sugiarto, A. (2024). *Pengaruh Variasi Tegangan , Luas Plat Dan Waktu Elektrokoagulasi Terhadap Penurunan TSS Limbah Laundry Menggunakan Elektroda Alumunium The Effect of Voltage Variation , Plate Area and Electrocoagulation Time on TSS Reduction of Laundry Wastewater Using Aluminum Electrode*. 2(1), 112–121.
- Atima, W. (2015). Jurnal Biology Science & Education 2015 SURATI. 4(1), 99–111.
- Atmaca, E. (2009). Treatment of Landfill Leachate by Using Electro-Fenton Method. Journal of Hazardous Materials, 163(1), 109–114. <https://doi.org/10.1016/j.jhazmat.2008.06.067>
- Ayuningtyas, E. (2020). Penurunan Kadar Warna dan Fenol Air Limbah Batik menggunakan Metode Advanced Oxidation Processes (AOPs) Berbasis Ozon-GAC. *Jurnal Rekayasa Lingkungan*, 20(2), 31–37.
- Bagus, I. G., & Dharma, S. (2023). *Fluktuasi Total Padatan Tersuspensi (Total Suspended Solid) dan Kekeruhan di Fluktuasi Total Padatan Tersuspensi (Total Suspended Solid) dan Kekeruhan di Selat Lombok. December 2020*. <https://doi.org/10.24843/jmas.2020.v06.i02.p11>
- Chairunnisak, A., Arifin, B., Sofyan, H., Lubis, M. R., & Darmadi. (2018). Comparative Study on The Removal of COD from POME by Electrocoagulation and Electro-Fenton Methods: Process Optimization. IOP Conference Series: Materials Science and Engineering, 334(1). <https://doi.org/10.1088/1757-899X/334/1/012026>
- Dincer, A.R., Karakaya N., Gunes E., and Gunes, Y. (2008) removal Of COD From Oil Recovery Industry Wastewater by The Advanced Oxidation Processes (AOP) Based on H₂O₂. *Global Nest Journal*.
- Durán Moreno, A., Frontana-Uribe, B. A., & Ramírez Zamora, R. M. (2004). Electro-Fenton as a feasible advanced treatment process to produce reclaimed water. *Water Science and Technology*, 50(2), 83-90.
- Fathoni, R., & Purwanto, (2022). SULFONAT (ABS) DENGAN PROSES ELEKTRO FENTON KINETIC STUDY ; (DEGRADATION OF

KYLBENZEN, 06(200), 100-110

- Indah, M., & Utami, W. (2024). *Pengolahan Limbah Zat Warna Batik di Perairan : Systematic Literatur Review Processing of Batik Dyestuff Waste in Waterways : Systematic Literatur. II*, 26–33.
- Irianto, I. K. (2017). *Sistem Teknologi Pengolahan Limbah*. Universitas Warmadewa
- Kastanek, F., Spacilova, M., Krystynik, P., & Dlaskova, M. (2023). *Fenton Reaction – Unique but Still Mysterious*.
- Lin, H. (2015). *Removal of organic pollutants from water by indirect electro-oxidation using hydroxyl ($\cdot\text{OH}$) and sulfate ($\text{SO}_4 - \cdot$) radical species*.
- Maghfiroh, Murty, D. A., & Lestari, H. P. (2023). Recovery of Indantren from Batik Liquid Waste after Fabric Dying and its Application. *Indonesian Journal of Chemical Science*, 12(3), 288–296.
- Melfazen, O., Rozikin, M. K., Sakinah, N. L., & Febriantoro, S. D. (2022). Pengolahan Limbah Cair Batik Menggunakan Metode Presipitasi Dan Filtrasi Untuk Umkm Batik. *Jurnal Pembelajaran Pemberdayaan Masyarakat*, 3(4), 333–338.
- Metcalf, & Eddy. (2003). *Wastewater Engineering: Treatment and Reuse*, Fourth Edition. McGraw-Hill Companies. Inc
- Nidheesh, P. V. H, Olvera-Vargas, N. Oturan, dan M.A. Oturan. (2017). *Heterogeneous Electro-Fenton Process: Principles and Applications*. (CSIR-National Environmental Engineering Research Institute. India
- P Hari, B., & Harsanti, M. (2010). *PENGOLAHAN LIMBAH CAIR TEKSTIL MENGGUNAKAN PROSES ELEKROKOAGULASI DENGAN SEL Al-Al*. 1–7.
- Prasetyo, Aji Bayu. (2015). Penurunan Nilai COD Air Limbah Pabrik Tahu Menggunakan Reagen Fenton Secara Batch. Universitas Negeri Semarang, Semarang
- Putri, F. A., & Yuliansyah, A. T. (2020). *Pengaruh Variasi Rasio H_2O_2 / COD dan Tegangan Terhadap Penurunan COD Air Limbah Rumah Sakit dengan Metode Elektro – Fenton The Effect Variation of H_2O_2 / COD Ratio and*

Voltage on COD Reduction in Hospital Wastewater by Using Electro – Fenton Method. 04(2).

- Saputri, I., Fatimatuzzahra, F., & Lestari, Y. (2023). Analisa Kadar COD (Chemical Oxygen Demand) Pada Limbah Cair Disekitar Kawasan Penambangan Batubara Kabupaten Bengkulu Utara. *Organisms: Journal of Biosciences*, 3(2), 9. <https://doi.org/10.24042/organisms.v3i2.18035>
- Setiawan, O., & Widayanti, E. Q. (2023). Pengolahan limbah laundry dengan metode Fenton. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 11(2), 71-77.
- Sugito, Kholif, M. Al, Ayu, Y., Tyas, N., & Sutrisno, J. (2022). *Pengaruh Elektrokoagulasi Pada Penurunan Kadar BOD, COD, dan Amonia untuk Mengolah Limbah Cair Industri Pembekuan Udang (Cold Storage)*. 13(1), 57–65.
- Sunanda, W. (2021). Removing BOD, COD, and Decolorization of Batik Cual Wastewater Using Fenton Mechanism. *Jurnal Ilmiah Pendidikan Fisika Al-Biruni*. <https://doi.org/10.24042/JIPFALBIRUNI.V10I1.8079>
- Tunç, S., Gürkan, T., & Duman, O. (2012). On- Line Spectrophotometric Method For The Determination Of Optimum Operation Parameters On The Decolorization Of Acid Red 66 And Direct Blue 71 From Aqueous Solution By Fenton Process. *Chemical Engineering Journal*, 181, 431 - 442.
- Widyati, Indrasuh. (2011). Kajian Kualitas Air Sungai Bedog Akibat Pembuangan Lmbah Cair Sentra Industri Batik Desa Wijirejo, *Jurnal Publikasi UGM. Pendidikan Ganesha*. 1(2)
- Wikanta, D. K., Kusharharyati, T. Y., & Arifan, F. (2012). *Pengolahan Limbah Pewarnaan Konveksi dengan Bantuan Adsorben Ampas Tebu dan Activated Sludge*. Dalam Prosiding Simposium Nasional ke 11 2012. Surakarta, Indonesia, 18 Desember 2012 (pp. 51-54).
- Wiyanto, E., Harsono, B., Makmur, A., Pangputra, R., Julita, J., & Kurniawan, M. S. (2017). Penerapan Elektrokoagulasi Dalam Proses Penjernihan Limbah Cair. *Jetri : Jurnal Ilmiah Teknik Elektro*, 12, 19–36. <https://doi.org/10.25105/jetri.v12i1.1449>

Wulandari, Y., Edo, M., & Concentration, C. (2023). *Removal of COD and Color Concentration in Batik Wastewater Using Electrofenton*. 9(2), 175–187.