

DAFTAR PUSTAKA

- Agustin, H., Warid, W., & Musadik, I. M. (2023). KANDUNGAN NUTRISI KASGOT LARVA LALAT TENTARA HITAM (*Hermetia illucensi*) SEBAGAI PUPUK ORGANIK. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 25(1), 12–18. <https://doi.org/10.31186/jipi.25.1.12-18>
- Alvarez, L. (2012). *The Role of Black Soldier Fly, Hermetia illucens (L.) (Diptera: Stratiomyidae) in Sustainable Waste Management in Northern Stratiomyidae*. <https://scholar.uwindsor.ca/etd>
- Aprilianti, W., & Wahyudin. (2020). Pengaruh Pembubuhan Tawas Sebagai Koagulan Terhadap Penurunan Biological Oxygen Demand Air Limbah Tahu Di Dusun Bunsyafaah Desa Puyung Kecamatan Jonggat Lombok Tengah. *Jurnal Sanitasi Dan Lingkungan*, 1(2), 65–71. <https://e-journal.sttl-mataram.ac.id>
- Arini, L. D. D. (2017). Faktor-Faktor Penyebab Dan Karakteristik Makanan Kadaluarsa Yang Berdampak Buruk Pada Kesehatan Masyarakat. *Jurnal Teknologi Dan Industri Pangan*, 2(1), 15–24. <http://ejurnal.unisri.ac.id/index.php/jtpr/article/view/1531>
- Aurelia Anggita Putri, & Mohamad Mirwan. (2023). Peningkatan Protein Black Soldier Fly (BSF) Untuk Pakan Ternak Sebagai Hasil Biokonversi Sampah Makanan. *INSOLOGI: Jurnal Sains Dan Teknologi*, 2(3), 496–507. <https://doi.org/10.55123/insologi.v2i3.1919>
- Barragan-Fonseca, K. B., Dicke, M., & van Loon, J. J. A. (2018). Influence of larval density and dietary nutrient concentration on performance, body protein, and fat contents of black soldier fly larvae (*Hermetia illucens*). *Entomologia Experimentalis et Applicata*, 166(9), 761–770. <https://doi.org/10.1111/eea.12716>
- Beesigamukama, D., Mochoge, B., Korir, N. K., Fiaboe, K. K. M., Nakimbugwe,

- D., Khamis, F. M., Dubois, T., Subramanian, S., Wangu, M. M., Ekesi, S., & Tanga, C. M. (2020). Biochar and gypsum amendment of agro-industrial waste for enhanced black soldier fly larval biomass and quality frass fertilizer. *PLoS ONE*, *15*(8 August), 1–25. <https://doi.org/10.1371/journal.pone.0238154>
- Beesigamukama, D., Mochoge, B., Korir, N. K., Fiaboe, K. K. M., Nakimbugwe, D., Khamis, F. M., Subramanian, S., Dubois, T., Musyoka, M. W., Ekesi, S., Kelemu, S., & Tanga, C. M. (2020). Exploring Black Soldier Fly Frass as Novel Fertilizer for Improved Growth, Yield, and Nitrogen Use Efficiency of Maize Under Field Conditions. *Frontiers in Plant Science*, *11*(September). <https://doi.org/10.3389/fpls.2020.574592>
- Biancarosa, I., Liland, N., Biemans, D., Araujo, P., Bruckner, C., Waagbø, R., Torstensen, B., Lock, E.-J., & Amlund, H. (2020). Uptake Of Heavy Metals and Arsenic in Black Soldier Fly (*Hermetia illucens*) Larvae Grown On Seaweed-enriched Media. *Journal of Medical Virology*, *li*, 0–3. <https://doi.org/10.1002/cnma.202300020>
- Biasato, I., Bellezza Oddon, S., Loiotine, Z., Resconi, A., & Gasco, L. (2024). Wheat starch processing by-products as rearing substrate for black soldier fly: does the rearing scale matter? *Animal*, *18*(8), 101238. <https://doi.org/10.1016/j.animal.2024.101238>
- Čaloudová, J., Křištofová, K., Pospiech, M., Klempová, T., Slaný, O., Čertík, M., Marcinčák, S., Makiš, A., Javůrková, Z., Pečová, M., Zlámalová, M., Vrbíčková, L., & Tremlová, B. (2023). Effects of Biofermented Feed on *Zophobas morio*: Growth Ability, Fatty Acid Profile, and Bioactive Properties. *Sustainability (Switzerland)*, *15*(12). <https://doi.org/10.3390/su15129709>
- Cammack, J. A., & Tomberlin, J. K. (2017). The impact of diet protein and carbohydrate on select life-history traits of the black soldier fly *Hermetia illucens* (L.) (Diptera: Stratiomyidae). *Insects*, *8*(2). <https://doi.org/10.3390/insects8020056>
- Cheng, J. Y. K., Chiu, S. L. H., & Lo, I. M. C. (2017). Effects of moisture content

- of food waste on residue separation, larval growth and larval survival in black soldier fly bioconversion. *Waste Management*, 67, 315–323. <https://doi.org/10.1016/j.wasman.2017.05.046>
- Čičková, H., Newton, G. L., Lacy, R. C., & Kozánek, M. (2015). The use of fly larvae for organic waste treatment. *Waste Management*, 35, 68–80. <https://doi.org/10.1016/j.wasman.2014.09.026>
- Daryono, D., Rusmini, Nur Hidayat, Yuanita, Riama Rita Manullang, Zainal Abidin, Rusli Anwar, Silvi Dwi Mentari, Roby, La Mudi, Faradilla, & Anis Syauqi. (2023). Pemanfaatan Limbah Ampas Tahu Menjadi Pupuk Organik Padat Menggunakan Bioaktivator Mikroorganisme Lokal Nasi Basi. *Buletin Loupe*, 19(01), 1–8. <https://doi.org/10.51967/buletinloupe.v19i01.2440>
- Defriatno, M. E., Rikhmasari, D. N., & Aswan, M. S. (2025). Analisis Kondisi Kelembaban dan Suhu Optimum untuk Pertumbuhan Maggot dalam Proses Penguraian Sampah Organik: Analysis of Optimum Humidity and Temperature Conditions for Maggot Growth in the Organic Waste Decomposition Process. *Jurnal Engineering*, 7(1), 24–31.
- Diener, S., Studt Solano, N. M., Roa Gutiérrez, F., Zurbrügg, C., & Tockner, K. (2011). Biological treatment of municipal organic waste using black soldier fly larvae. *Waste and Biomass Valorization*, 2(4), 357–363. <https://doi.org/10.1007/s12649-011-9079-1>
- Diener, S., Zurbrügg, C., & Tockner, K. (2009). Conversion of organic material by black soldier fly larvae: Establishing optimal feeding rates. *Waste Management and Research*, 27(6), 603–610. <https://doi.org/10.1177/0734242X09103838>
- Dortmans, B., Egger, J., Diener, S., & Zurbrügg, C. (2021). *Proses Pengelolaan Sampah Organik dengan Black Soldier Fly (BSF): Panduan Langkah-langkah Lengkap Edisi Kedua*.
- Dunford, J. C., & Kaufman, P. E. (2006). Lesser Mealworm, Litter Beetle,

- Alphitobius diaperinus (Panzer) (Insecta: Coleoptera: Tenebrionidae). *Edis*, 2006(March). <https://doi.org/10.32473/edis-in662-2006>
- Dyartanti, E. R., Gunadi, R. P., & Mulyaningtyas, G. (2010). Pembuatan Bioetanol Dari Roti Sisa Dengan Proses Hidrolisa Enzimatis Dan Fermentasi. *Ekulibrium*, 9(6), 73–76.
- Ewald, N., Vidakovic, A., Langeland, M., Kiessling, A., Sampels, S., & Lalander, C. (2020). Fatty acid composition of black soldier fly larvae (*Hermetia illucens*) – Possibilities and limitations for modification through diet. *Waste Management*, 102, 40–47. <https://doi.org/10.1016/j.wasman.2019.10.014>
- Fatimatuzzahrah, B. S., Handayani, B. R., Nazaruddin, & Bachmida, E. A. (2024). KAJIAN MUTU LIMBAH AMPAS TAHU SEGAR DARI SENTRA PRODUKSI ABIAN TUBUH (The Study of Fresh Tofu Dreg Quality from Abian Tubuh Production Center). *Pro Food (Jurnal Ilmu Dan Teknologi Pangan)*, 34(2), 162–175. <https://he02.tci-thaijo.org/index.php/TJHP/article/view/264543/184555>
- Febrianti, N., Arief Prambudi, D., & Dinda Anggraeny, R. (2023). Analisis Emisi Gas Rumah Kaca (Grk) Pada Pengelolaan Sampah Organik (Studi Kasus: Itf Kota Hijau Balikpapan). *Jurnal Sains & Teknologi Lingkungan*, 15(2), 106–120. <https://doi.org/10.20885/jstl.vol15.iss2.art1>
- Fitri, F. M., & Anggriani, R. (2025). Karakteristik Fisikokimia Dan Mutu Sensori Roti Sourdough Dengan Substitusi Tepung Ubi Jalar Ungu Dan Air Rendaman Buah Apel Manalagi Sebagai Ragi Alami. *Food Technology and Halal Science Journal*, 8(1), 57–74.
- Gao, Z., Wang, W., Lu, X., Zhu, F., Liu, W., Wang, X., & Lei, C. (2019). Bioconversion performance and life table of black soldier fly (*Hermetia illucens*) on fermented maize straw. *Journal of Cleaner Production*, 230, 974–980. <https://doi.org/10.1016/j.jclepro.2019.05.074>
- Gautam, B., Tiwari, S., Pokhrel, M. R., Tomberlin, J. K., & Khanal, P. (2025).

- Expanding black soldier fly (BSF; *Hermetia illucens*; Diptera: Stratiomyidae) in the developing world: Use of BSF larvae as a biological tool to recycle various organic biowastes for alternative protein production in Nepal. *Biotechnology Reports*, 45(January), e00879. <https://doi.org/10.1016/j.btre.2025.e00879>
- Gligorescu, A., Toft, S., Hauggaard-Nielsen, H., Axelsen, J. A., & Nielsen, S. A. (2019). Development, growth and metabolic rate of *Hermetia illucens* larvae. *Journal of Applied Entomology*, 143(8), 875–881. <https://doi.org/10.1111/jen.12653>
- Gold, M., Cassar, C. M., Zurbrügg, C., Kreuzer, M., Boulos, S., Diener, S., & Mathys, A. (2020). Biowaste treatment with black soldier fly larvae: Increasing performance through the formulation of biowastes based on protein and carbohydrates. *Waste Management*, 102, 319–329. <https://doi.org/10.1016/j.wasman.2019.10.036>
- Gold, M., Tomberlin, J. K., Diener, S., Zurbrügg, C., & Mathys, A. (2018). Decomposition of biowaste macronutrients, microbes, and chemicals in black soldier fly larval treatment: A review. *Waste Management*, 82, 302–318. <https://doi.org/10.1016/j.wasman.2018.10.022>
- Harnden, L. M., & Tomberlin, J. K. (2016). Effects of temperature and diet on black soldier fly, *Hermetia illucens* (L.) (Diptera: Stratiomyidae), development. *Forensic Science International*, 266, 109–116. <https://doi.org/10.1016/j.forsciint.2016.05.007>
- Hartono, R., Anggrainy, A. D., & Bagastyo, A. Y. (2021). Pengaruh Komposisi Sampah dan Feeding Rate terhadap Proses Biokonversi Sampah Organik oleh Larva Black Soldier Fly (BSF). *Jurnal Teknik Kimia Dan Lingkungan*, 5(2), 181–193. <https://doi.org/10.33795/jtkl.v5i2.231>
- Kementerian Kesehatan. (2017). Food Composition Table—Indonesia (Daftar Komposisi Bahan Makanan). In *Tabel Komposisi Pangan Indonesia*.

- Kinasih, I., Putra, R. E., Permana, A. D., Gusmara, F. F., Nurhadi, M. Y., & Anitasari, R. A. (2018). Growth performance of black soldier fly larvae (*Hermetia illucens*) fed on some plant based organic wastes. *HAYATI Journal of Biosciences*, 25(2), 79–84. <https://doi.org/10.4308/hjb.25.2.79>
- Kuntadi, K., Adalina, Y., & Maharani, K. E. (2018). Nutritional Compositions of Six Edible Insects in Java. *Indonesian Journal of Forestry Research*, 5(1), 57–68. <https://doi.org/10.59465/ijfr.2019.5.1.57-68>
- Kurniawati, T. dwi, Susanti, A., & Ma'rufah, S. (2021). Pengaruh *Trichoderma* sp dan EM4 Terhadap Kandungan Hara Kompos Biomasa Pertanian dan Gulma. *Agrosaintifika*, 3(2), 209–218. <https://doi.org/10.32764/agrosaintifika.v3i2.1584>
- Lalander, C., Diener, S., Zurbrügg, C., & Vinnerås, B. (2019). Effects of feedstock on larval development and process efficiency in waste treatment with black soldier fly (*Hermetia illucens*). *Journal of Cleaner Production*, 208, 211–219. <https://doi.org/10.1016/j.jclepro.2018.10.017>
- Liu, C., Wang, C., & Yao, H. (2019). Comprehensive Resource Utilization of Waste Using the Black Soldier Fly (*Hermetia illucens* (L.)) (Diptera: Stratiomyidae). *Animals*, 9, 349. doi:10.3390/ani9060349
- Lu, Y., Zhang, S., Sun, S., Wu, M., Bao, Y., Tong, H., Ren, M., Jin, N., Xu, J., Zhou, H., & Xu, W. (2021). Effects of different nitrogen sources and ratios to carbon on larval development and bioconversion efficiency in food waste treatment by black soldier fly larvae (*Hermetia illucens*). *Insects*, 12(6). <https://doi.org/10.3390/insects12060507>
- Meneguz, M., Schiavone, A., Gai, F., Dama, A., Lussiana, C., Renna, M., & Gasco, L. (2018). Effect of rearing substrate on growth performance, waste reduction efficiency and chemical composition of black soldier fly (*Hermetia illucens*) larvae. *Journal of the Science of Food and Agriculture*, 98(15), 5776–5784. <https://doi.org/10.1002/jsfa.9127>

- Mighwar, M. A.-, Praditya, A., Ramdhan, F., & Rizqia, S. H. (2025). Inovasi Pengelolaan Limbah Untuk Keberlanjutan Ekonomi : Pakan Sapi. *Jurnal Agribisnis Dan Pembangunan Pertanian (JAPP)*, 2(2), 70–82.
- Miranda, C. D., Cammack, J. A., & Tomberlin, J. K. (2020). Mass production of the black soldier fly, *hermetia illucens* (L.), (diptera: Stratiomyidae) reared on three manure types. *Animals*, 10(7), 1–11. <https://doi.org/10.3390/ani10071243>
- Mlček, J., Adámková, A., Adámek, M., Borkovcová, M., Bednářová, M., & Knížková, I. (2019). Fat from Tenebrionidae bugs – Sterols content, fatty acid profiles, and cardiovascular risk indexes. *Polish Journal of Food and Nutrition Sciences*, 69(3), 247–254. <https://doi.org/10.31883/pjfn/109666>
- Nofiyanti, E., Laksono, B. T., Salman, N., Wardani, G. A., & Mellyanawaty, M. (2021). Efektivitas Larva Black Soldier Fly (*Hermetia Iilucens*) dalam Mereduksi Sampah Organik. *Jurnal Serambi Engineering*, 7(1), 2571–2576. <https://doi.org/10.32672/jse.v7i1.3714>
- Nuriswanto. (1995). *Rekayasa Pengolahan Air Limbah Industri Kecil Tempe*. Balai Informasi dan Penelitian Industri Pangan. Surabaya
- Oonincx, D. G. A. B., Van Broekhoven, S., Van Huis, A., & Van Loon, J. J. A. (2015). Feed conversion, survival and development, and composition of four insect species on diets composed of food by-products. *PLoS ONE*, 10(12), 1–20. <https://doi.org/10.1371/journal.pone.0144601>
- Oonincx, D. G. A. B., van Huis, A., & van Loon, J. J. A. (2015). Nutrient utilisation by black soldier flies fed with chicken, pig, or cow manure. *Journal of Insects as Food and Feed*, 1(2), 131–139. <https://doi.org/10.3920/jiff2014.0023>
- Parodi, A., De Boer, I. J. M., Gerrits, W. J. J., Van Loon, J. J. A., Heetkamp, M. J. W., Van Schelt, J., Bolhuis, J. E., & Van Zanten, H. H. E. (2020). Bioconversion efficiencies, greenhouse gas and ammonia emissions during black soldier fly rearing – A mass balance approach. *Journal of Cleaner*

Production, 271, 122488. <https://doi.org/10.1016/j.jclepro.2020.122488>

- Poveda, J. (2021). Insect frass in the development of sustainable agriculture. A review. *Agronomy for Sustainable Development*, 41(1). <https://doi.org/10.1007/s13593-020-00656-x>
- Pratiwi, N. E., Husaini, H., & Suhartono, E. (2017). Filtrasi Campuran Pasir Dan Ampas Tahu Kering Sebagai Adsorben Logam Besi Dan Mangan Pada Air Gambut. *Jurnal Berkala Kesehatan*, 1(2), 139. <https://doi.org/10.20527/jbk.v1i2.3153>
- Purba, F. F., Johan, T. I., & Hasby, M. (2023). PENGARUH PEMBERIAN KOMBINASI AMPAS TAHU DAN LIMBAH ROTI AFKIR YANG DIFERMENTASI SEBAGAI NUTRISI TERHADAP PERTUMBUHAN DAN PRODUKSI MAGGOT (*Hermetia illucens*). *Dinamika Pertanian*, 38(2), 243–250. [https://doi.org/10.25299/dp.2022.vol38\(2\).12655](https://doi.org/10.25299/dp.2022.vol38(2).12655)
- Purnamasari, D. K., Syamsuhaidi, S., Erwan, E., Wiryawan, K. G., Sumiati, S., Taquiuddin, M., Utami, M. U., & Ardyanti, N. P. W. O. (2023). Kualitas Fisik dan Kimiawi Maggot BSF yang Dibudidayakan Oleh Peternak Menggunakan Media Pakan yang Berbeda. *Jurnal Sains Teknologi & Lingkungan*, 9(1), 95–104. <https://doi.org/10.29303/jstl.v9i1.422>
- Purnamasari, L., Muhlison, W., & Sucipto, I. (2021). Biokonversi limbah ampas tahu dan limbah sayur dengan menggunakan agen larva Black Soldier Fly (*Hermetia illucens*). *Sinergitas Antara Pemerintah, Perguruan Tinggi Dan DUDI Dalam Pengembangan Ternak Lokal Yang Berkelanjutan*, 2, 105–111. <https://doi.org/10.25047/animpro.2021.13>
- Puspitasari, R. E. D., & Murti, R. H. A. (2024). Pengaruh Jenis Sampah Organik Terhadap Kondisi Fisik Larva Dewasa BSF (Black Soldier Fly). *Jurnal TESLINK: Teknik Sipil Dan Lingkungan*, 6(1), 69–75. <https://doi.org/10.52005/teslink.v6i1.322>
- Qibtia, A. M., Tyas, I., Kusbianto, D. E., & Khasanah, D. H. (2023). Pengaruh

- Substrat Pertumbuhan Terhadap Produksi Larva Black Soldier Fly dan Karakteristik Kasgot. *Conference of Applied Animal Science Proceeding Series*, 4, 9–19. <https://doi.org/10.25047/animpro.2023.544>
- Quilliam, R. S., Nuku-Adeku, C., Maquart, P., Little, D., Newton, R., & Murray, F. (2020). Integrating insect frass biofertilisers into sustainable peri-urban agro-food systems. *Journal of Insects as Food and Feed*, 6(3), 315–322. <https://doi.org/10.3920/JIFF2019.0049>
- Rahmat, F. N. (2023). Analisis Pemanfaatan Sampah Organik Menjadi Energi Alternatif Biogas. *Jurnal Energi Baru Dan Terbarukan*, 4(2), 118–122. <https://doi.org/10.14710/jebt.2023.16497>
- Ratnasari, D. (2023). Pemanfaatan Tepung Ampas Tahu Sebagai Bahan Tambahan Pembuatan Snack Bar Ditinjau Dari Kadar Protein Dan Daya Terima. *Journal of Technology and Food Processing (JTFP)*, 3(01), 1–9. <https://doi.org/10.46772/jtfp.v3i01.1107>
- Rumbos, C. I., & Athanassiou, C. G. (2021). The superworm, *zophobas morio* (Coleoptera:Tenebrionidae): A ‘sleeping giant’ in nutrient sources. *Journal of Insect Science*, 21(2). <https://doi.org/10.1093/jisesa/ieab014>
- Santoso, E. P., Afrila, A., & Fitasari, E. (2017). Peningkatan Produksi Ulat Jerman Melalui Kombinasi Pemanfaatan Limbah Sayuran Pasar Pada Formulasi Media Pakan Yang Berbeda. *Buana Sains*, 17(1), 33. <https://doi.org/10.33366/bs.v17i1.576>
- Shumo, M., Osuga, I. M., Khamis, F. M., Tanga, C. M., Fiaboe, K. K. M., Subramanian, S., Ekesi, S., van Huis, A., & Borgemeister, C. (2019). The nutritive value of black soldier fly larvae reared on common organic waste streams in Kenya. *Scientific Reports*, 9(1), 1–13. <https://doi.org/10.1038/s41598-019-46603-z>
- Smetana, S., Schmitt, E., & Mathys, A. (2019). Sustainable use of *Hermetia illucens* insect biomass for feed and food: Attributional and consequential life cycle

- assessment. *Resources, Conservation and Recycling*, 144(January), 285–296.
<https://doi.org/10.1016/j.resconrec.2019.01.042>
- Sprangers, T., Ottoboni, M., Klootwijk, C., Ovy, A., Deboosere, S., Meulenaer, B. De, Michiels, J., Eeckhout, M., Clercq, P. De, & Smet, S. De. (2017). Nutritional composition of black soldier fly (*Hermetia illucens*) Prepupae Reared On Different Organic Waste Substrates. *Journal of the Science of Food and Agriculture*, 97, 2594–2600.
- Surendra, K. C., Tomberlin, J. K., van Huis, A., Cammack, J. A., Heckmann, L. H. L., & Khanal, S. K. (2020). Rethinking organic wastes bioconversion: Evaluating the potential of the black soldier fly (*Hermetia illucens* (L.)) (Diptera: Stratiomyidae) (BSF). *Waste Management*, 117, 58–80.
<https://doi.org/10.1016/j.wasman.2020.07.050>
- United Nations Environment Programme. (2024). Food Waste Index Report 2024. Think Eat Save: Tracking progress to halve global food waste. In *UNEP - United Nations Environment Programme*.
<https://www.unep.org/resources/publication/food-waste-index-report-2024>
- van de Zande, E. M., Wantulla, M., van Loon, J. J. A., & Dicke, M. (2024). Soil amendment with insect frass and exuviae affects rhizosphere bacterial community, shoot growth and carbon/nitrogen ratio of a brassicaceous plant. *Plant and Soil*, 495(1–2), 631–648. <https://doi.org/10.1007/s11104-023-06351-6>
- Wardana, A. H. (2016). Black Soldier Fly (*Hermetia illucens*) sebagai Sumber Protein Alternatif untuk Pakan Ternak (Black Soldier Fly (*Hermetia illucens*) as an Alternative Protein Source for Animal Feed). *Wartazoa*, 26(2), 69–078.
- Widiastuti, V. A., & Yuniastuti, A. (2017). Analisis Hubungan Sikap Perilaku Pengelolaan Sampah dengan Gejala Penyakit pada Masyarakat di TPI Kota Tegal. *Public Health Perspective Journal*, 2(3), 234–246.
<https://doi.org/10.1201/b14713-42>

- Witariadi, N. M., Wibawa, A. A. P. P., & Wirawan, I. W. (2016). Probiotik Dalam Ransum Terhadap Performans Broiler. *Majalah Ilmiah Peternakan*, 19(3), 115–120.
- Wong, C. Y., Rosli, S. S., Uemura, Y., Ho, Y. C., Leejeerajumnean, A., Kiatkittipong, W., Cheng, C. K., Lam, M. K., & Lim, J. W. (2019). Potential protein and biodiesel sources from black soldier fly larvae: Insights of larval harvesting instar and fermented feeding medium. *Energies*, 12(8). <https://doi.org/10.3390/en12081570>
- Wu, N., Wang, X., Xu, X., Cai, R., & Xie, S. (2020). Effects of heavy metals on the bioaccumulation, excretion and gut microbiome of black soldier fly larvae (*Hermetia illucens*). *Ecotoxicology and Environmental Safety*, 192(January), 110323. <https://doi.org/10.1016/j.ecoenv.2020.110323>
- Yunita, S. M., Siwiendrayanti, A., & Nurjanah, N. (2024). Utilization of Black Soldier Fly Larvae in Processing Expired Food Waste with Various Composition. *Jurnal Presipitasi : Media Komunikasi Dan Pengembangan Teknik Lingkungan*, 21(3), 712–721. <https://doi.org/10.14710/presipitasi.v21i3.712-721>
- Yusal, M. S., Hasyim, A., Hastuti, H., Arif, A., & Pratomo, R. H. S. (2025). Review Eutrofikasi: Risiko dalam Kesuburan Lingkungan Perairan dan Upaya Penanggulangannya. *Jurnal Kesehatan Lingkungan Indonesia*, 24(1), 124–135. <https://doi.org/10.14710/jkli.24.1.124-135>