



DAFTAR PUSTAKA

- ASTM D6751. (2007). *Standart Specification for Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels*. ASTM Internasional. West Conshohocken.
- Attallah, A., Hadi, F., & Wibowo, A. (2024). Pengaruh suhu pada proses transesterifikasi minyak goreng bekas dengan katalis CaO-MgO dalam produksi biodiesel. *Jurnal Teknik Politeknik Sriwijaya*, 12(2), 100-109. <https://jurnal.polsri.ac.id/index.php/JIEETech/article/view/9273>.
- Badapalli, P. K., Kottala, R. B., Sree, P. P., & Rajasekhar, M. (2021). Occurrence and structures of dolomites in North Eastern part of Anantapur district, and their use in engineering materials. *Materials Today: Proceedings*. <https://doi.org/10.1016/J.MATPR.2021.07.335>.
- Bailey. (1996). *Bailey's Industrial Oil and Fat Product*, 5th ed. USA: Wiley-Interscience Publication.
- Chozhavendhan, S., Vijay Pradhap Singh, M., Fransila, B., Praveen Kumar, R., & Karthiga Devi, G. (2020). A review on influencing parameters of biodiesel production and purification processes. *Current Research in Green and Sustainable Chemistry*, 1–2 (April), 1–6. <https://doi.org/10.1016/j.crgsc.2020.04.002>.
- Dhikrulloh, M. (2020). Pengaruh katalis homogen (H_2SO_4 dan NaOH) dan heterogen (CaO, dan MgO) dalam pembuatan biodiesel berbahan minyak jelantah. *Jurnal Teknik Universitas Jember*, 21(4), 85-94. <https://sipora.polije.ac.id/1341/>.
- Efendy Goon, D., Sheikh Abdul Kadir, S. H., Latip, N. A., Ab Rahim, S., & Mazlan, M. (2019). Palm Oil in Lipid-Based Formulations and Drug Delivery Systems. *Biomolecules*, 9(2), 64. <https://doi.org/10.3390/biom9020064>.
- Encyclopædia Britannica. (2025). *Methanol*. Diakses pada 1 Oktober, 2025, dari <https://www.britannica.com/science/methanol>.



- European Committee for Standardization (CEN). (2003). *Biodiesel standard: EN 14214:2003*. European Committee for Standardization.
- Fazeli, A.R., Tareen, J.A.K. (1991). Thermal decomposition of rhombohedral double carbonates of dolomite type. *Journal of Thermal Analysis*. 37, 2605–2611. <https://doi.org/10.1007/BF01912805>.
- H. Galai, M. Pijolat, K. Nahdi, M. Trabelsi-Ayadi, Mechanism of growth of MgO and CaCO₃ during a dolomite partial decomposition, *Solid State Ionics*, Volume 178, Issues 15–18, 2007, Pages 1039-1047, <https://doi.org/10.1016/j.ssi.2007.05.013>.
- Haryahto, Bode., (2002). Bahan Bakar Alternatif Biodiesel, Jurusan Teknik Kimia Universitas Sumatera Utara: USU digital library.
- Hidayat, S., & Sutrisno, R. (2023). Pengaruh rasio katalis CaO-NaOH dan waktu reaksi terhadap kualitas biodiesel minyak jelantah. *Jurnal Teknologi Polinema*, 17(1), 67-75. <https://jurnal.polinema.ac.id/index.php/distilat/article/view/2347>.
- Hua, J., Ji, M., Jiao, P., Yin, Z., Xia, Q., Jiang, L., Zhang, J., & Pan, H. (2025). Heterogeneous Acid Catalysts for Biodiesel Production: Effect of Physicochemical Properties on Their Activity and Reusability. *Catalysts*, 15(4), 396. <https://doi.org/10.3390/catal15040396>.
- I. B. Laskar, K. Rajkumari, R. Gupta, S. Chatterjee, B. Paul and S. L. Rokhum, Waste snail shell derived heterogeneous catalyst for biodiesel production by the transesterification of soybean oil, *RSC Adv.*, 2018, 8, 20131 DOI: 10.1039/C8RA02397B.
- Jindapon, W., Jaiyen, S., & Ngamcharussrivichai, C. (2016). Seashell-derived mixed compounds of Ca, Zn and Al as active and stable catalysts for the transesterification of palm oil with methanol to biodiesel. *Energy Conversion and Management*, 122, 535–543. <https://doi.org/10.1016/j.enconman.2016.06.012>.



- Kasi, G., Stalin, N., Rachtanapun, P., Jantanasakulwong, K., Halder, J. N., Phongthai, S., Worajittiphon, P., Seo, J., & Thanakkasaranee, S. (2025). Effect of Calcination Temperatures on Crystallite Size, Particle Size, and Antimicrobial Activity of Synthesized MgO and Its Cytotoxicity. *International Journal of Molecular Sciences*, 26(10), 4868. <https://doi.org/10.3390/ijms26104868>.
- Kofoed, M., Miller, S. (2024). *Introductory Chemistry (Ch. 62)*. Utah Education Network.
- Kussuryani, Y., & Anwar, C. (2009). Bahan bakar nabati biodiesel dan jaminan mutu biodiesel. *Jurnal Lemigas*, 43(3), 247–255. <https://doi.org/10.29017/LPMGB.43.3.148>.
- Lopresto, C.G. (2025) Sustainable Biodiesel Production from Waste Cooking Oils for Energetically Independent Small Communities: An Overview. *Int. J. Environ. Sci. Technol.* 22, 1953–1974. DOI: <https://doi.org/10.1007/s13762-024-05779-2>.
- M. Al Muttaqii, M. Amin, E. Prasetyo, R. Alviany, and L. Marlinda, (2020). Production of biodiesel over ZnOTiO₂bifunctional oxide catalyst supported on natural zeolite, *IOP Conf. Ser. Earth Environ. Sci.*, vol. 926, no. 1, pp. 0–6, 2021, doi: 10.1088/1755-1315/926/1/012083.
- Makarevičienė, V., Gaidė, I., Sendžikienė, E., & Gumbytė, M. (2025). The Potential of Dolomite as a Heterogeneous Catalyst in Biodiesel Synthesis: A Review. *Energies*, 18(11), 2920. <https://doi.org/10.3390/en18112920>.
- Man, L.-F., Kwong, T.-L., Wong, W.-T., & Yung, K.-F. (2021). Mesoporous Zn/MgO Hexagonal Nano-Plates as a Catalyst for Camelina Oil Biodiesel Synthesis. *Nanomaterials*, 11(10), 2690. <https://doi.org/10.3390/nano11102690>.
- Mandari, V., & Devarai, S. K. (2022). Biodiesel Production Using Homogeneous, Heterogeneous, and Enzyme Catalysts via Transesterification and Esterification Reactions: a Critical Review. *Bioenergy research*, 15(2), 935–961. <https://doi.org/10.1007/s12155-021-10333-w>.



- Mansir, N., Teo, S. H., Rashid, U., Saiman, M. I., Tan, Y. P., Alsultan, G. A., & Taufiq-Yap, Y. H. (2018). Modified waste egg shell derived bifunctional catalyst for biodiesel production from high FFA waste cooking oil. A review. *Renewable and Sustainable Energy Reviews*, 82(November 2016), 3645–3655. <https://doi.org/10.1016/j.rser.2017.10.098>.
- Maroa, S., Inambao, F. (2021). A review of sustainable biodiesel production using biomass derived heterogeneous catalysts. *Eng Life Sci*. 21: 790–824. <https://doi.org/10.1002/elsc.202100025>.
- Mazaheri, H., Ong, H. C., Amini, Z., Masjuki, H. H., Mofijur, M., Su, C. H., Anjum Badruddin, I., & Khan, T. M. Y. (2021). An Overview of Biodiesel Production via Calcium Oxide Based Catalysts: Current State and Perspective. *Energies*, 14(13), 3950. <https://doi.org/10.3390/en14133950>.
- Mirzayanti, Y. W., Ningsih, E., Lillahulhaq, Z., Ma'sum, Z., Renova, C., & Wijaya, Y. (2023). Pemanfaatan tempurung kelapa sebagai katalis pada proses konversi minyak curah menjadi biodiesel. *Journal of Research and Technology*, 6(2), 351–360. <https://doi.org/10.55732/jrt.v6i2.351>.
- Mujiharti, E. S., & Yusmartini, E. S. (2020). Transesterifikasi minyak jelantah menjadi biodiesel dengan katalis RFCCU base chemical Al_2O_3 . *Jurnal Distilasi*, 4(2), 2211–2219. <https://doi.org/10.32502/jd.v4i2.2211>.
- Ngamcharussrivichai, H., Nunthasanti, P., Tanachai, S., & Bunyakiat, K. (2010). Biodiesel production through transesterification over natural calciums. *Fuel Processing Technology*, 91(11), 1409–1415. <https://doi.org/10.1016/j.fuproc.2010.05.014>.
- Nisa, E.Z., & Fristianingrum, G., (2010). Proses Pembuatan Minyak Kelapa Sawit Skala Industri. Medan: Universitas Sumatera Utara.
- Olszak-Humienik, M., Jablonski, M. (2015). Thermal behavior of natural dolomite. *J Therm Anal Calorim* 119, 2239–2248 <https://doi.org/10.1007/s10973-014-4301-6>.



- Oyekunle, D. T., Barasa, M., Gendy, E. A., & Tiong, S. K. (2023). Heterogeneous catalytic transesterification for biodiesel production: Feedstock properties, catalysts and process parameters. *Process Safety and Environmental Protection*, 177, 844–867. <https://doi.org/10.1016/j.psep.2023.07.064>.
- Palmisano, G., Al Jitan, S., dan Garlisi, C., (2022). *Heterogeneous Catalysis*, Elsevier Inc., <https://doi.org/10.1016/C2020-0-02936-1>.
- Puspitawati, I. N., Rahmandika, A. J. P., Anggoro, A. R. V., Fikri, M., Padmasari, R., & Sakinah, Y.,(2023). The Efficiency of Producing Biodiesel from Used Cooking Oil by Precipitating Blood Cockles Shell Waste with a CaO Catalyst. *Nusantara Science and Technology Proceedings*, 2023(36), 68-72. <https://doi.org/10.11594/nstp.2023.3611>.
- Putri, M. D., Nurfadilah, Suryanto, A., & Mustafiah. (2023). Pengaruh penambahan konsentrasi katalis CaO dari cangkang telur bebek pada pembuatan biodiesel. *Journal of Materials Processing and Environment*, 1(2), 554–561. <https://doi.org/10.33096/jmpe.v1i2.554>.
- Rabie, A. M., Shaban, M., Abukhadra, M. R., Hosny, R., Ahmed, S. A., & Negm, N. A. (2019). Diatomite supported by CaO/MgO nanocomposite as heterogeneous catalyst for biodiesel production from waste cooking oil. *Journal of Molecular Liquids*, 279, 224–231. <https://doi.org/10.1016/j.molliq.2019.01.096>.
- Raqeeb, M. A., & Bhargavi, R. (2015). Biodiesel production from waste cooking oil. 7(12), 670–681.
- S. Mahala, S. M. Arumugam, S. Kumar, B. Devi and S. Elumalai, Tuning of MgO's base characteristics by blending it with amphoteric ZnO facilitating the selective glucose isomerization to fructose for bioenergy development, *Nanoscale Adv.*, 2023, 5, 2470 DOI: 10.1039/D3NA00097D.
- Satriadi, H., Nafiega, F., Widayat, W., & Dipo, R. (2023). Peningkatan kualitas dan proses pembuatan biodiesel dari blending minyak kelapa sawit dan minyak



- kelapa dengan bantuan gelombang ultrasonik. *TEKNIK*, 35(2), 7020. <https://doi.org/10.14710/teknik.v35i2.7020>.
- Singh, D., Sharma, D., Soni, S. L., Sharma, S., Sharma, P. K., Jhalani, A. (2020). A review on feedstocks, production processes, and yield for different generations of biodiesel, *Fuel*, 262, 116553, <https://doi.org/10.1016/j.fuel.2019.116553>.
- Standar Nasional Indonesia 04-7182-2006 tentang Biodiesel. Badan Standarisasi Nasional.
- Standar Nasional Indonesia SNI 7182-2015, *Persyaratan Mutu Biodiesel*.
- Sulistianingsih, & Wahyuningtyas, D. (2019). Optimasi pembuatan biodiesel dari minyak jelantah dengan katalisator kalsium oksida (CaO) dengan proses metanolisis. *Jurnal Inovasi Proses*, 4(2), 81–87. <https://ejournal.akprind.ac.id/index.php/JIP/article/view/2119>.
- Susilo, B., Damayanti, R., & Izza, N. (2017). *Teknik Bioenergi*. UB Press.
- Tavizón-Pozos, J. A., Chavez-Esquivel, G., Suárez-Toriello, V. A., Santolalla-Vargas, C. E., Luévano-Rivas, O. A., Valdés-Martínez, O. U., Talavera-López, A., & Rodriguez, J. A. (2021). State of Art of Alkaline Earth Metal Oxides Catalysts Used in the Transesterification of Oils for Biodiesel Production. *Energies*, 14(4), 1031. <https://doi.org/10.3390/en14041031>.
- Thomas, J.M., Thomas, W. J. (1997). *Principles and Practice of Heterogeneous Catalyst*. VCH Publisher Inc., New York.
- Trejo-Zárraga, F., Hernández-Loyo, F. de J., Chavarría-Hernández, J. C., & Sotelo-Boyás, R. (2018). Kinetics of transesterification processes for biodiesel production. *InTech*. <https://doi.org/10.5772/intechopen.75927>.
- Trejo-Zárraga, F., Hernández-Loyo, F. de J., Chavarría-Hernández, J. C., & Sotelo-Boyás, R. (2018). Kinetics of Transesterification Processes for Biodiesel Production. *InTech*. doi: 10.5772/intechopen.75927.
- Trisunaryanti, W. (2018). Material Katalis dan Karakternya. Gadjah Mada University Press. o Title. Gadjah Mada University Press.



- Tshizanga, N., & Funmilayo, E. (2017). Optimisation of biodiesel production from waste vegetable oil and eggshell ash. *South African Journal of Chemical Engineering*, 23, 145–156. <https://doi.org/10.1016/j.sajce.2017.05.003>.
- Tshizanga, N., Aransiola, E. F., & Oyekola, O. (2017). Optimisation of biodiesel production from waste vegetable oil and eggshell ash. *South African Journal of Chemical Engineering*, 23, 145–156. <https://doi.org/10.1016/j.sajce.2017.05.003>.
- Verma, P., & Sharma, M. P. (2016). Comparative analysis of effect of methanol and ethanol on Karanja biodiesel production and its optimisation. *FUEL*, 180, 164–174. <https://doi.org/10.1016/j.fuel.2016.04.035>.
- Wedler, C., & Trusler, J. P. M. (2023). Review of density and viscosity data of pure fatty acid methyl ester, ethyl ester and butyl ester. *Fuel*, 339, 127466. <https://doi.org/10.1016/j.fuel.2023.127466>.
- Wendi C.V, Taslim. (2015) ‘Pengaruh Suhu Reaksi dan Jumlah Katalis Pada Pembuatan Biodiesel dari Limbah Lemak Sapi dengan Menggunakan Katalis Heterogen Cao dari Kulit Telur Ayam’, *Jurnal Teknik Kimia USU*, 4(1) pp. 35-41. DOI: <https://doi.org/10.32734/jtk.v4i1.1458>.
- Widayat, A., Pratama, D., & Setiawan, B. (2023). Persiapan katalis MgO-CaO/SiO₂ dari limbah padat geotermal dan dolomit untuk produksi biodiesel. *Jurnal Rekayasa Energi dan Teknologi*, 19(3), 45-53. <https://ejournal.undip.ac.id/index.php/ijred/article/view/51573>.
- Widayat, A., Santosa, B., & Nugroho, Y. (2024). Sintesis, karakterisasi dan pengujian katalis CaO-MgO/Fe₂O₃ dari dolomit dan pasir besi untuk pembuatan biodiesel dari minyak goreng bekas. *Jurnal Teknik Kimia Universitas Diponegoro*, 23(1), 21-30. <https://ejournal.undip.ac.id/index.php/teknik/article/view/56423>.
- Wurgaft, E., Wang, Z.A., Shalev, N., Morag, N., Golan, R. and Gavrieli, I. (2023), Precise determination of dolomite content in marine sediments. *Limnol Oceanogr Methods*, 21: 13-23. <https://doi.org/10.1002/lom3.10518>.



- Yolanda, R. (2023). Peran katalis dalam reaksi kimia: mekanisme dan aplikasi. *Hexatech Jurnal Ilmiah Teknik*. 2(2), 74-78. <https://jurnal.arkainstitute.co.id/index.php/hexatech/article/download/915/707/3113>.
- Yusuf, B. O., Oladepo, S. A., & Ganiyu, S. A. (2024). Efficient and Sustainable Biodiesel Production via Transesterification: Catalysts and Operating Conditions. *Catalysts*, 14(9), 581. <https://doi.org/10.3390/catal14090581>.