

DAFTAR PUSTAKA

- [1] A. Arkadia, B. Hananto, and D. S. Prasvita, "Optimasi Long Short Term Memory Dengan Adam Menggunakan Data Udara Kota DKI Jakarta".
- [2] G. Oliveri Conti, B. Heibati, I. Kloog, M. Fiore, and M. Ferrante, "A review of AirQ Models and their applications for forecasting the air pollution health outcomes," *Environ. Sci. Pollut. Res.*, vol. 24, no. 7, pp. 6426–6445, Mar. 2017, doi: 10.1007/s11356-016-8180-1.
- [3] Y. Rybarczyk and R. Zalakeviciute, "Machine Learning Approaches for Outdoor Air Quality Modelling: A Systematic Review," *Appl. Sci.*, vol. 8, no. 12, p. 2570, Dec. 2018, doi: 10.3390/app8122570.
- [4] Y. Yu, X. Si, C. Hu, and J. Zhang, "A Review of Recurrent Neural Networks: LSTM Cells and Network Architectures," *Neural Comput.*, vol. 31, no. 7, pp. 1235–1270, Jul. 2019, doi: 10.1162/neco_a_01199.
- [5] Z. Wu, Y. Tian, M. Li, B. Wang, Y. Quan, and J. Liu, "Prediction of air pollutant concentrations based on the long short-term memory neural network," *J. Hazard. Mater.*, vol. 465, p. 133099, Mar. 2024, doi: 10.1016/j.jhazmat.2023.133099.
- [6] Q. Lu, H. Zhang, R. Fan, Y. Wan, and J. Luo, "Machine learning-based Bayesian optimization facilitates ultrafiltration process design for efficient protein purification," *Sep. Purif. Technol.*, vol. 363, p. 132122, Aug. 2025, doi: 10.1016/j.seppur.2025.132122.
- [7] R. Herrera Casanova and A. Conde, "Enhancement of LSTM models based on data pre-processing and optimization of Bayesian hyperparameters for day-ahead photovoltaic generation prediction," *Comput. Electr. Eng.*, vol. 116, p. 109162, May 2024, doi: 10.1016/j.compeleceng.2024.109162.
- [8] M. E. Torres, M. A. Colominas, G. Schlotthauer, and P. Flandrin, "A complete ensemble empirical mode decomposition with adaptive noise," in *2011 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Prague, Czech Republic: IEEE, May 2011, pp. 4144–4147. doi: 10.1109/ICASSP.2011.5947265.
- [9] Y. Sun and J. Liu, "AQI Prediction Based on CEEMDAN-ARMA-LSTM," *Sustainability*, vol. 14, no. 19, p. 12182, Sep. 2022, doi: 10.3390/su141912182.
- [10] S. Cui, J. Jia, X. Pang, J. Wen, Y. Shi, and J. Zeng, "A data-driven method with sample entropy and CEEMDAN for short-term performance degradation prediction of dynamic hydrogen fuel cells," *Int. J. Hydrog. Energy*, vol. 83, pp. 916–932, Sep. 2024, doi: 10.1016/j.ijhydene.2024.08.123.
- [11] E. T. Habtemariam, K. Kekeba, M. Martínez-Ballesteros, and F. Martínez-Álvarez, "A Bayesian Optimization-Based LSTM Model for Wind Power Forecasting in the Adama District, Ethiopia," *Energies*, vol. 16, no. 5, p. 2317, Feb. 2023, doi: 10.3390/en16052317.
- [12] J. Cao, U. A. Bhatti, S. Feng, M. Huang, and A. Hasnain, "Air Quality Index Predictions with a Hybrid Forecasting Model: Combining Series Decomposition and Deep Learning Techniques," in *2023 IEEE 6th International Conference on Pattern Recognition and Artificial Intelligence (PRAI)*, Haikou, China: IEEE, Aug. 2023, pp. 949–953. doi: 10.1109/PRAI59366.2023.10332062.
- [13] I. Manisalidis, E. Stavropoulou, A. Stavropoulos, and E. Bezirtzoglou, "Environmental and Health Impacts of Air Pollution: A Review," *Front. Public Health*, vol. 8, p. 14, Feb. 2020, doi: 10.3389/fpubh.2020.00014.
- [14] D. Chaniago, A. Zahara, and I. S. Ramadhani, "Indeks Standar Pencemar Udara (ISPU) Sebagai Informasi Mutu Udara Ambien Di Indonesia," Indeks

Standar Pencemar Udara (ISPU) Sebagai Informasi Mutu Udara Ambien Di Indonesia. [Online]. Available: <https://ditppu.menlhk.go.id/portal/read/indeks-standar-pencemar-udara-ispu-sebagai-informasi-mutu-udara-ambien-di-indonesia>

- [15] T. Blu, P. Thevenaz, and M. Unser, "Linear Interpolation Revitalized," *IEEE Trans. Image Process.*, vol. 13, no. 5, pp. 710–719, May 2004, doi: 10.1109/TIP.2004.826093.
- [16] B. Deepa and K. Ramesh, "Epileptic seizure detection using deep learning through min max scaler normalization," *Int. J. Health Sci.*, pp. 10981–10996, May 2022, doi: 10.53730/ijhs.v6nS1.7801.
- [17] Z. Wu and N. E. Huang, "ENSEMBLE EMPIRICAL MODE DECOMPOSITION: A NOISE-ASSISTED DATA ANALYSIS METHOD," *Adv. Adapt. Data Anal.*, vol. 01, no. 01, pp. 1–41, Jan. 2009, doi: 10.1142/S1793536909000047.
- [18] J. S. Richman and J. R. Moorman, "Physiological time-series analysis using approximate entropy and sample entropy," *Am. J. Physiol.-Heart Circ. Physiol.*, vol. 278, no. 6, pp. H2039–H2049, Jun. 2000, doi: 10.1152/ajpheart.2000.278.6.H2039.
- [19] Y. Lu *et al.*, "Entropy-Based Pattern Learning Based on Singular Spectrum Analysis Components for Assessment of Physiological Signals," *Complexity*, vol. 2020, pp. 1–17, Jan. 2020, doi: 10.1155/2020/4625218.
- [20] J. A. Hartigan and M. A. Wong, "Algorithm AS 136: A K-Means Clustering Algorithm," *Appl. Stat.*, vol. 28, no. 1, p. 100, 1979, doi: 10.2307/2346830.
- [21] A. Shenfield and M. Howarth, "A Novel Deep Learning Model for the Detection and Identification of Rolling Element-Bearing Faults," *Sensors*, vol. 20, no. 18, p. 5112, Sep. 2020, doi: 10.3390/s20185112.
- [22] C. Nwankpa, W. Ijomah, A. Gachagan, and S. Marshall, "Activation Functions: Comparison of trends in Practice and Research for Deep Learning," Nov. 08, 2018, *arXiv*: arXiv:1811.03378. doi: 10.48550/arXiv.1811.03378.
- [23] D. P. Kingma and J. Ba, "Adam: A Method for Stochastic Optimization," Jan. 30, 2017, *arXiv*: arXiv:1412.6980. doi: 10.48550/arXiv.1412.6980.
- [24] G. Onorato, "Bayesian Optimization for Hyperparameters Tuning in Neural Networks," Oct. 29, 2024, *arXiv*: arXiv:2410.21886. doi: 10.48550/arXiv.2410.21886.
- [25] E. Schulz, M. Speekenbrink, and A. Krause, "A tutorial on Gaussian process regression: Modelling, exploring, and exploiting functions," *J. Math. Psychol.*, vol. 85, pp. 1–16, Aug. 2018, doi: 10.1016/j.jmp.2018.03.001.
- [26] P. I. Frazier, "A Tutorial on Bayesian Optimization," Jul. 08, 2018, *arXiv*: arXiv:1807.02811. doi: 10.48550/arXiv.1807.02811.
- [27] A. S. B. Karno, "Prediksi Data Time Series Saham Bank BRI Dengan Mesin Belajar LSTM (Long ShortTerm Memory)," *J. Inform. Inf. Secur.*, vol. 1, no. 1, pp. 1–8, May 2020, doi: 10.31599/jiforty.v1i1.133.
- [28] W. Wang and Y. Lu, "Analysis of the Mean Absolute Error (MAE) and the Root Mean Square Error (RMSE) in Assessing Rounding Model," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 324, p. 012049, Mar. 2018, doi: 10.1088/1757-899X/324/1/012049.
- [29] I. Nabillah and I. Ranggadara, "Mean Absolute Percentage Error untuk Evaluasi Hasil Prediksi Komoditas Laut," *JOINS J. Inf. Syst.*, vol. 5, no. 2, pp. 250–255, Nov. 2020, doi: 10.33633/joins.v5i2.3900.

- [30] R. J. C. Chen, P. Bloomfield, and J. S. Fu, "An Evaluation of Alternative Forecasting Methods to Recreation Visitation," *J. Leis. Res.*, vol. 35, no. 4, pp. 441–454, Dec. 2003, doi: 10.1080/00222216.2003.11950005.
- [31] R. Ameri, C.-C. Hsu, S. S. Band, M. Zamani, C.-M. Shu, and S. Khorsandroo, "Forecasting PM 2.5 concentration based on integrating of CEEMDAN decomposition method with SVM and LSTM," *Ecotoxicol. Environ. Saf.*, vol. 266, p. 115572, Nov. 2023, doi: 10.1016/j.ecoenv.2023.115572.