

DAFTAR PUSTAKA

- Abdel-Wahab, M. M. (2019). Finite element analysis of contact problems. *Solid-State Electronics*, 155, 68–76. <https://doi.org/10.1016/j.sse.2019.03.001>
- Abduh, M. Y., Shabrina, A., Raden Caman, A., et al. (2023). Effects of hive sizes and mesh materials on the productivity of propolis produced by *Tetragonula laeviceps*. *IJUM Engineering Journal*, 24(2), 34–44. <https://doi.org/10.31436/ijumej.v24i2.2709>
- Al-Dojayli, M., & El-Mounayri, H. (2021). Finite element analysis and topology optimization of a prosthetic pylon. *SAE Technical Papers*.
- Alvarinho, J. (2022). Study, development and application of a prosthetic foot for a transtibial amputation of traumatic etiologic. *Open Access Journal of Applied Science and Technology*, 6(1), 1–14. <https://doi.org/10.33094/oajast.v6i1.632>
- Anggaraksa, D. A. P. (2022). Rancang bangun telapak kaki palsu jenis solid ankle cushion heel (SACH) [Skripsi Sarjana]. *Universitas Islam Indonesia*.
- Anggoro, P. W., Bawono, B., Jamari, J., et al. (2021). Advanced design and manufacturing of custom orthotics insoles based on hybrid Taguchi-response surface method. *Heliyon*, 7(3), e06481. <https://doi.org/10.1016/j.heliyon.2021.e06481>
- ANSYS, Inc. (2020). ANSYS Mechanical user's guide, Release 2020 R2. ANSYS, Inc.
- Aoyama, Y., & Tanaka, H. (2023). Automatic analysis of gait cycle using MediaPipe. *International Symposium on Affective Science and Engineering*, 1(13), 1–4. <https://doi.org/10.5057/isase.2023-c000016>
- Baharuddin, M. H., Rashid, A., Abdullah, N. N. A. A., et al. (2024). Patient-specific design of prosthesis for below knee amputee: Analysis between different gait. *International Journal of Integrated Engineering*, 16(5), 239–248. <https://doi.org/10.30880/ijie.2024.16.05.017>
- Balaramakrishnan, T. M. (2020). A novel framework for design and analysis of customised prosthetic feet using non-linear finite element analysis [Disertasi Doktorat]. *Indian Institute of Technology Madras*.
- Balaramakrishnan, T. M., Natarajan, S., & Sujatha, S. (2020). Design of a biomimetic SACH foot: An experimentally verified finite element approach. *Journal of Biomimetics, Biomechanics and Biomedical Engineering*, 45, 22–30. <https://doi.org/10.4028/www.scientific.net/JBBBE.45.22>
- Brunelli, S., Bonanni, C., Foti, C., et al. (2020). A literature review of the quality of life, health status and prosthesis satisfaction in older patients with a trans-tibial amputation. *Canadian Prosthetic and Orthotic Journal*, 3(1).
- Bumbard, K. B., Herrington, H., Goh, C., et al. (2022). Incorporation of torsion springs in a knee exoskeleton for stance phase correction of crouch gait. *Applied Sciences*, 12(14), 7034. <https://doi.org/10.3390/app12147034>

- Cagle, J. C., et al. (2023). Design and evaluation of a high-performance, low-cost prosthetic foot for developing countries. *Journal of Medical Devices*, 17(1), 011003.
- Caron-Laramée, A., Walha, R., Boissy, P., Gaudreault, N., Zelovic, N., & Lebel, K. (2023). Comparison of three motion capture-based algorithms for spatiotemporal gait characteristics: How do algorithms affect accuracy and precision of clinical outcomes? *Sensors*, 23(4), 2209. <https://doi.org/10.3390/s23042209>
- Cherelle, P., Grosu, V., Flynn, L., Junius, K., Moltedo, M., Vanderborcht, B., & Lefeber, D. (2017). The ankle mimicking prosthetic foot 3 — Locking mechanisms, actuator design, control and experiments with an amputee. *Robotics and Autonomous Systems*, 91, 327–336. <https://doi.org/10.1016/j.robot.2017.02.004>
- Claveria, I., Gimeno, S., Miguel, I., et al. (2020). Tribological performance of nylon composites with nanoadditives for self-lubrication purposes. *Polymers*, 12(10), 2253. <https://doi.org/10.3390/polym12102253>
- Du, S., Ma, X., Wang, J., et al. (2023). Spatiotemporal gait parameter fluctuations in older adults affected by mild cognitive impairment: Comparisons among three cognitive dual-task tests. *BMC Geriatrics*, 23(1), 1–20. <https://doi.org/10.1186/s12877-023-04281-7>
- Ernst, M., Altenburg, B., & Schmalz, T. (2020). Characterizing adaptations of prosthetic feet in the frontal plane. *Prosthetics and Orthotics International*, 44(4), 225–233. <https://doi.org/10.1177/0309364620917838>
- Fantozzi, S., Giovanardi, A., Borra, D., et al. (2015). Gait kinematic analysis in water using wearable inertial magnetic sensors. *PLoS ONE*, 10(9), e0138105. <https://doi.org/10.1371/journal.pone.0138105>
- Ghazali, M. F., Abd Razak, N. A., & Gholizadeh, H. (2017). Effect of stump flexion contracture with and without prosthetic alignment intervention towards postural stability among transtibial prosthesis users. *IOP Conference Series: Materials Science and Engineering*, 210, 012002. <https://doi.org/10.1088/1757-899X/210/1/012002>
- Ginestra, P. S., Ceretti, E., & Fiorentino, A. (2016). Potential of modeling and simulations of bioengineered devices: Endoprostheses, prostheses and orthoses. *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine*, 230(7), 607–638. <https://doi.org/10.1177/0954411916643343>
- Gómez-Amador, A. M., Pérez-Carrera, C., Prieto-Fernández, L., et al. (2025). 3D-printed prosthetic foot design: Mechanical similarity and testing. *Materials & Design*, 253, 113918. <https://doi.org/10.1016/j.matdes.2025.113918>
- Hector, M., Green, K., Sencer, B., et al. (2019). Ankle torque during mid-stance does not lower energy requirements of steady gaits. *2019 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)* (pp. 5491–5497). IEEE. <https://doi.org/10.1109/IROS40897.2019.8968606>
- Hong, W., Lee, J., & Hur, P. (2023). Piecewise linear labeling method for speed-adaptability enhancement in human gait phase estimation. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 31, 628–635. <https://doi.org/10.1109/tnsre.2022.3229220>

- Hood, S., Creveling, S., Gabert, L., et al. (2022). Powered knee and ankle prostheses enable natural ambulation on level ground and stairs for individuals with bilateral above-knee amputation: A case study. *Scientific Reports*, 12(1), 1–15. <https://doi.org/10.1038/s41598-022-19701-8>
- Houdijk, H., Wezenberg, D., Hak, L., et al. (2018). Energy storing and return prosthetic feet improve step length symmetry while preserving margins of stability in persons with transtibial amputation. *Journal of NeuroEngineering and Rehabilitation*, 15(Suppl 1), 41–72. <https://doi.org/10.1186/s12984-018-0382-x>
- Hussain, M., Naqvi, R. A., Abbas, N., et al. (2020). Ultra-high-molecular-weight-polyethylene (UHMWPE) as a promising polymer material for biomedical applications: A concise review. *Polymers*, 12(2), 462. <https://doi.org/10.3390/polym12020323>
- Idusuyi, N., & Olayinka, J. I. (2019). Dry sliding wear characteristics of aluminium metal matrix composites: A brief overview. *Journal of Materials Research and Technology*, 8(3), 3338–3346. <https://doi.org/10.1016/j.jmrt.2019.04.017>
- ISO 10328. (2016). Prosthetics — Structural testing of lower-limb prostheses — Requirements and test methods. *International Organization for Standardization*.
- Istiqomah, A. F., Ismail, R., Fitriyana, D. F., et al. (2022). Design and analysis of the energy storage and return (ESAR) foot prosthesis using finite element method. *Journal of Biomedical Science and Bioengineering*, 1(2), 59–64. <https://doi.org/10.14710/jbiomes.2021.v1i2.59-64>
- Ju, H., Lee, M. S., Park, S. Y., et al. (2015). A pedestrian dead-reckoning system that considers the heel-strike and toe-off phases when using a foot-mounted IMU. *Measurement Science and Technology*, 27(1), 015702. <https://doi.org/10.1088/0957-0233/27/1/015702>
- Jweeg, M. J., Hassan, A. K., & Almudhaffar, M. M. (2022). Experimental investigations and finite element modelling of a suggested prosthetic foot. *Archives of Materials Science and Engineering*, 115(1), 21–33.
- Kang, J., Martelli, D., Vashista, V., et al. (2017). Robot-driven downward pelvic pull to improve crouch gait in children with cerebral palsy. *Science Robotics*, 2(8), eaan2634. <https://doi.org/10.1126/scirobotics.aan2634>
- Kharb, A., Saini, V., Jain, Y., et al. (2011). A review of gait cycle and its parameters. *International Journal of Computer Engineering & Management*, 13, 78–83.
- Khulayfah, A. F., Kumarajati, D. Y. H., & Sugianto, W. (2024). Analisis kinerja kaki palsu menggunakan metode FEA (Finite Element Analysis). *Jurnal Crankshaft*, 7(2), 1–6.
- Kim, J., Bae, M., Lee, K. B., et al. (2019). Gait event detection algorithm based on smart insoles. *ETRI Journal*, 42(1), 46–53. <https://doi.org/10.4218/etrij.2018-0639>
- Kim, S. C., & Cho, S. H. (2022). Effects of H-reflex onset latency on gait in elderly and hemiplegic individuals. *Medicina*, 58(6), 716. <https://doi.org/10.3390/medicina58060716>

- Mackerle, J. (2020). Finite element analysis of contact and friction – A bibliography (2018–2019). *Advances in Engineering Software*, 147, 102836. <https://doi.org/10.1016/j.advengsoft.2020.102836>
- Madenci, E., & Guven, I. (2021). The finite element method and applications in engineering using ANSYS. *CRC Press*.
- Mahmoodi, P., Aristodemou, S., & Ransing, R. S. (2016). Prosthetic foot design optimisation based on roll-over shape and ground reaction force characteristics. *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, 231(17), 3093–3103. <https://doi.org/10.1177/0954406216643110>
- Manz, S., Valette, R., Damonte, F., et al. (2022). A review of user needs to drive the development of lower limb prostheses. *Journal of NeuroEngineering and Rehabilitation*, 19(1), 1–18. <https://doi.org/10.1186/s12984-022-01097-1>
- Marimon, X., Mengual, I., López-de-Celis, C., et al. (2024). Kinematic analysis of human gait in healthy young adults using IMU sensors: Exploring relevant machine learning features for clinical applications. *Bioengineering*, 11(2), 105. <https://doi.org/10.3390/bioengineering11020105>
- Mehboob, H., Tarlochan, F., Mehboob, A., et al. (2020). A novel design, analysis and 3D printing of Ti-6Al-4V alloy bio-inspired porous femoral stem. *Journal of Materials Science: Materials in Medicine*, 31(9), 1–16.
- Mughal, A., & Chaudhary, A. (2020). Level of mobility and its association with quality of life in lower limb amputees. *The Rehabilitation Journal*, 04(02), 167–171.
- Mujukian, A., Ho, N. C., Day, M. J., et al. (2020). A systematic review of unsystematic total ankle replacement wear evaluations. *JBJS Reviews*, 8(3), e0166. <https://doi.org/10.2106/JBJS.RVW.19.00166>
- Muller, R., Tronicke, L., Abel, R., et al. (2019). Prosthetic push-off power in trans-tibial amputee level ground walking: A systematic review. *PLoS ONE*, 14(11), e0224874. <https://doi.org/10.1371/journal.pone.0224874>
- Nainggolan, M., Fransiscus, H., & Djulaini, D. A. (2023). Perancangan sendi lutut prostetik untuk penderita amputasi transfemoral di Indonesia. *Jurnal Rekayasa Sistem Industri*, 12(1), 65–80.
- Nazha, H. M., Adrah, M., Osman, T., et al. (2024). Investigating material performance in artificial ankle joints: A biomechanical study. *Prosthesis*, 6(3), 509–526. <https://doi.org/10.3390/prosthesis6030034>
- Panday, S. B., Pathak, P., Moon, J., et al. (2022). Complexity of running and its relationship with joint kinematics during a prolonged run. *International Journal of Environmental Research and Public Health*, 19(15), 9037. <https://doi.org/10.3390/ijerph19159037>
- Paradisi, F., Delussu, A. S., Brunelli, S., et al. (2015). The conventional non-articulated SACH or a multiaxial prosthetic foot for hypomobile transtibial amputees? A clinical comparison on mobility, balance, and quality of life. *The Scientific World Journal*, 2015, 261801. <https://doi.org/10.1155/2015/261801>

- Parrinello, L., et al. (2024). Design and mechanical characterization of a variable stiffness ESR foot prosthesis. *Medical Engineering & Physics*, 124, 104105.
- Prost, V., Johnson, W. B., Kent, J. A., et al. (2022). Biomechanical evaluation over level ground walking of user-specific prosthetic feet designed using the lower leg trajectory error framework. *Scientific Reports*, 12(1), 5727. <https://doi.org/10.1038/s41598-022-09114-y>
- Salsabila, A. T., & Naziyah, N. (2022). Analisis asuhan keperawatan dengan intervensi penggunaan polyurethane foam sebagai balutan primer pada fase proliferasi pada Tn. M dan Ny. R dengan diagnosa medis diabetic foot ulcer di Wocare Center Bogor Jawa Barat. *Jurnal Kreativitas Pengabdian Kepada Masyarakat (PKM)*, 5(12), 4440–4451. <https://doi.org/10.33024/jkpm.v5i12.7600>
- Savi, F. M., et al. (2022). Finite element analysis of a personalized transtibial prosthetic socket. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 44(8), 353.
- Shakiba, M., et al. (2021). Nylon: A material introduction and overview for biomedical applications. *Polymers for Advanced Technologies*, 32(10), 3865–3883.
- Subiantari, A., Wahyuningtyas, E., & Mustiko, H. (2014). Rehabilitasi prostetik protesa jari dengan bahan silikon rtv untuk mengembalikan bentuk dan estetik. *Majalah Kedokteran Gigi Indonesia*, 21(1), 84–90.
- Suliknyo, S. (2017). Pengembangan formula compound rubber dalam pembuatan sol sepatu. *Jurnal Teknik Mesin*, 6(1), 1. <https://doi.org/10.22441/jtm.v6i1.1198>
- Suryawan, D., Ridlwan, M., & Setiadi, A. (2019). Inovasi desain dan simulasi model prosthesis bawah lutut berdasarkan antropometri orang Indonesia. *Jurnal Teknik Mesin Indonesia*, 14(1), 30–36. <https://doi.org/10.36289/jtmi.v14i1.112>
- Wang, F. C., Li, Y. C., Kuo, T. Y., et al. (2021). Real-time detection of gait events by recurrent neural networks. *IEEE Access*, 9, 134849–134857. <https://doi.org/10.1109/ACCESS.2021.3116047>
- Wang, S., Chen, X., Han, X., et al. (2023). A review of 3D printing technology in pharmaceuticals: Technology and applications, now and future. *Pharmaceutics*, 15(2), 416. <https://doi.org/10.3390/pharmaceutics15020416>
- Webber, C. M., & Kaufman, K. R. (2017). Mechanical testing of a prosthetic foot: An ISO 10328 standard evaluation. *Prosthetics and Orthotics International*, 41(4), 425–429.
- White, H., Barney, B., Augsburger, S., et al. (2023). AFOs improve stride length and gait velocity but not motor function for most with mild cerebral palsy. *Sensors*, 23(2), 924. <https://doi.org/10.3390/sensors23020924>
- Wriggers, P. (2020). Contact mechanics. Dalam E. Stein, R. de Borst, & T. J. R. Hughes (Eds.), *Encyclopedia of computational mechanics* (2nd ed.). Wiley.

- Xing, Y., Guo, X., Shu, G., et al. (2023). Dynamic crushing behavior of ethylene vinyl acetate copolymer foam based on energy method. *Polymers*, 15(14), 3016. <https://doi.org/10.3390/polym15143016>
- Yoanita, Y. V., Kumarajati, D. Y. H., & Marfuah, H. H. (2023). Analisis biomekanik kaki palsu tiruan jenis energy stock and recovery (ESR) dengan finite element analisis. *Jurnal Crankshaft*, 6(2), 74–82. <https://doi.org/10.24176/crankshaft.v6i2.11090>
- Yusof, M. I., Shahrudin, S., & Sivalingarajah, P. (2018). Does vertical ground reaction force of the hip, knee, and ankle joints change in patients with adolescent idiopathic scoliosis after spinal fusion. *Asian Spine Journal*, 12(2), 349–355. <https://doi.org/10.4184/asj.2018.12.2.349>