

DAFTAR PUSTAKA

- 10328, I. (2016). *INTERNATIONAL STANDARD Prosthetics — Structural testing*. 2016.
- Aali, S., Rezazadeh, F., Badicu, G, *et al* (2021). Effect of heel-first strike gait on knee and ankle mechanics. *Medicina (Lithuania)*, 57(7). <https://doi.org/10.3390/medicina57070657>
- Adamczyk, P. G., Roland, M., & Hahn, M. E. (2017). Sensitivity of biomechanical outcomes to independent variations of hindfoot and forefoot stiffness in foot prostheses. *Human Movement Science*, 54(April), 154–171. <https://doi.org/10.1016/j.humov.2017.04.005>
- Aizawa, J., Ohji, S., Koga, H., *et al* (2016). Correlations between sagittal plane kinematics and landing impact force during single-leg lateral jump-landings. *Journal of Physical Therapy Science*, 28(8), 2316–2321. <https://doi.org/10.1589/jpts.28.2316>
- Akalan, N. E., & Angin, S. (2020). Kinesiology of the human gait. In *Comparative Kinesiology of the Human Body: Normal and Pathological Conditions*. INC. <https://doi.org/10.1016/B978-0-12-812162-7.00029-1>
- Allawy, N., & Abdulghafour, A. (2020). Integration of CAD/CAE/RP Environment for Developing a New Product in Medical Field. *Engineering and Technology Journal*, 38(9), 1276–1282. <https://doi.org/10.30684/etj.v38i9a.982>
- Anggaraksa, D. (2022). *Rancang Bangun Telapak Kaki Palsu Jenis Solid Ankle Cushion Heel (Sach)*.
- Anitua, E., de Ibarra, N. L. S., Martín, I. M., *et al* (2022). Influence of Implant Tilting and Length on the Biomechanics of Single-Tooth Restoration: A Finite Element Analysis in Atrophic Mandible. *Dentistry Journal*, 10(5). <https://doi.org/10.3390/dj10050077>
- ANSYS, I. (2024a). *ANSYS Mechanical APDL Theory Reference* (2024 R2). ANSYS, Inc.
- ANSYS, I. (2024b). 9.6.3.2. *Definition Settings*. ANSYS Mechanical User's Guide. https://ansyshelp.ansys.com/public/account/secured?returnurl=/Views/Secured/corp/v242/en/wb_sim/ds_Contact_Definition.html
- Awad, S. F., Kadhim, F., Aboud, W., & Tahir, M. S. A. D. (2022). Strain and deformation measurement for prosthetic parts using the Arduino microcontroller and strain gauges instruments. *International Journal of Mechanical Engineering*, 7(1), 1049–1055.
- Bjornsen, E., Schwartz, T. A., Lisee, C. *et al* (2022). Loading during *Midstance* of Gait Is Associated with Magnetic Resonance Imaging of Cartilage Composition Following Anterior Cruciate Ligament Reconstruction. *Cartilage*, 13(1). <https://doi.org/10.1177/19476035211072220>
- Chen, B., Dai, J., & Shao, Z. (2022). *Modeling of Hyper-Viscoelastic Properties of High-Damping Rubber Materials during the Cyclic Tension and Compression Process in the Vertical Direction*.
- Chiriac, O. A., & Bucur, D. (2020). From conventional prosthetic feet to bionic feet. a review. *Lecture Notes in Networks and Systems*, 143(July), 130–138. https://doi.org/10.1007/978-3-030-53973-3_14
- Claver, I., Miguel, I., Mendoza, G., *et al* (2020). *Tribological Performance of Nylon*

Composites with.

- Elery, T., Rezazadeh, S., Nesler, C., *et al.* (2020). Design and validation of a powered knee-ankle prosthesis with high-torque, low-impedance actuators. *IEEE Transactions on Robotics*, 36(6), 1649–1668. <https://doi.org/10.1109/TRO.2020.3005533>
- Emzain, Z. F., Amrullah, U. S., & Mufarrih, A. (2020). Desain dan Analisis Elemen Hingga Model Prosthetic Ankle-Foot. *Infotekmesin*, 11(2), 87–93. <https://doi.org/10.35970/infotekmesin.v11i2.257>
- Ernst, M., Altenburg, B., & Schmalz, T. (2020). Characterizing adaptations of prosthetic feet in the frontal plane. *Prosthetics and Orthotics International*, 44(4), 225–233. <https://doi.org/10.1177/0309364620917838>
- Firouzi, D., Youssef, A., Amer, M., *et al.* (2014). A new technique to improve the mechanical and biological performance of ultra high molecular weight polyethylene using a nylon coating. *Journal of the Mechanical Behavior of Biomedical Materials*, 32, 198–209. <https://doi.org/10.1016/j.jmbbm.2014.01.001>
- Fitriyana, D. F., Palanisamy, S., & Wicaksana, S. (2025). RSC Advances Mechanical performance analysis of a 3D printing- based transtibial prosthetic socket against the gait cycle using the fi nite element method. *RSC Advances*, 15, 24150–24166. <https://doi.org/10.1039/D5RA03155A>
- Gere, & Timoshenko. (2007). *Mekanika Bahan*. Erlangga, 2012, 8–23.
- Gómez-Amador, A. M., Pérez-Carrera, C., Prieto-Fernández, L., *et al.* (2025). 3D-printed prosthetic foot design: Mechanical similarity and testing. *Materials and Design*, 253(April), 113918. <https://doi.org/10.1016/j.matdes.2025.113918>
- Hibbeler R. (2021). *Engineering Mechanics - Statics_ R.C. Hibbeler_ 12th Edition* (Vol. 12).
- Hussain, M., Naqvi, R. A., Abbas, N., *et al.* (2020). Ultra-high-molecular-weight-polyethylene (UHMWPE) as a promising polymer material for biomedical applications: A concise review. *Polymers*, 12(2), 1–28. <https://doi.org/10.3390/polym12020323>
- Huton, D. V. (2004). *Fundamentals of Finite Elements* (p. 494).
- Idusuyi, N., & Olayinka, J. I. (2019). Dry sliding wear characteristics of aluminium metal matrix composites : a brief overview. *Integrative Medicine Research*, 8(3), 3338–3346. <https://doi.org/10.1016/j.jmrt.2019.04.017>
- Imran, M., & Khan, A. R. A. (2019). Characterization of Al-7075 metal matrix composites: A review. *Journal of Materials Research and Technology*, 8(3), 3347–3356. <https://doi.org/10.1016/j.jmrt.2017.10.012>
- Ismawan, A. R., Ismail, R., Prahasto, T., *et al.* (2022). A Review of Existing Transtibial Bionic Prosthesis: Mechanical Design, Actuators and Power Transmission. *Journal of Biomedical Science and Bioengineering*, 1(2), 65–72. <https://doi.org/10.14710/jbiomes.2021.v1i2.65-72>
- Istiqomah, A. F., Ismail, R., Fitriyana, D. F., *et al.* (2021). *Design and Analysis of The Energy storing and return (ESAR) Foot Prosthesis Using Finite Element Method*. 1(2), 59–64.

- Jamari, J., & Ismawan, A. R. (2015). Perancangan Above Knee Prosthetic Untuk Pasien Amputasi Kaki Di Atas Lutut. *Rotasi*, 17(2), 93. <https://doi.org/10.14710/rotasi.17.2.93-97>
- Kadhim, F. M., Chiad, J. S., & Takhakh, A. M. (2018). Design and Manufacturing Knee Joint for Smart Transfemoral Prosthetic. *IOP Conference Series: Materials Science and Engineering*, 454(1). <https://doi.org/10.1088/1757-899X/454/1/012078>
- Kadhim, F. M., Hasan, S. F., & Sadiq, S. E. (2022). Optimal Material Selection for Manufacturing Prosthetic Foot. *Pertanika Journal of Science and Technology*, 30(4), 2363–2376. <https://doi.org/10.47836/pjst.30.4.03>
- Khafidh, M., Suryawan, D., Kistriyani, L., *et al.* (2023). Friction Optimization of Talc Powder-Reinforced Elastomers for Prosthetic Foot Application. *Prosthesis*, 5(1), 88–99. <https://doi.org/10.3390/prosthesis5010007>
- Khan, R. M., & Mushtaq, A. (2021). Effect of reinforced glass fibre on the mechanical properties of polyamide. *Pakistan Journal of Scientific and Industrial Research Series A: Physical Sciences*, 64(1), 10–18. <https://doi.org/10.52763/pjsir.phys.sci.64.1.2021.10.18>
- Kim, S., Yalla, S., Shetty, S., *et al.* (2022). 3D printed transtibial prosthetic sockets: A systematic review. *PLoS ONE*, 17(10 October), 1–19. <https://doi.org/10.1371/journal.pone.0275161>
- Koehler-McNicholas, S. R., Savvas Slater, B. C., Koester, K., *et al.* (2018). Bimodal ankle-foot prosthesis for enhanced standing stability. *PLoS ONE*, 13(9), 1–18. <https://doi.org/10.1371/journal.pone.0204512>
- Lestari, W. D., & Adyono, N. (2022). Analysis of Ankle-Foot Design for Transtibial Prosthesis Components to Increase The Flexibility using the Finite Element Method. *Teknik*, 43(3), 272–279. <https://doi.org/10.14710/teknik.v43i3.48653>
- Li, Y., Leong, K. F., & Gu, Y. (2019). Construction and finite element analysis of a coupled finite element model of foot and barefoot running footwear. *Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology*, 233(1), 101–109. <https://doi.org/10.1177/1754337118803540>
- Mannan Balaramakrishnan, T., Natarajan, S., & Sujatha, S. (2020). Design of a biomimetic sach foot: An experimentally verified finite element approach. *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, 45, 22–30. <https://doi.org/10.4028/www.scientific.net/jbbbe.45.22>
- Mashi, Z. K. (2025). *From Metals to Composite Materials: A Comprehensive Review of Materials Used in Prosthetic Limb Manufacturing*. 3(4), 140–167.
- Mattei, L., & Di Puccio, F. (2022). Frictionless vs. Frictional Contact in Numerical Wear Predictions of Conformal and Non-conformal Sliding Couplings. *Tribology Letters*, 70(4), 1–10. <https://doi.org/10.1007/s11249-022-01657-5>
- Mooney, L. M., Lai, C. H., & Rouse, E. J. (2014). Design and characterization of a biologically inspired quasi-passive prosthetic ankle-foot. *2014 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBC 2014*, 1611–1617. <https://doi.org/10.1109/EMBC.2014.6943913>
- Mujukian, A., Day, M. J., & Ebrahimzadeh, E. (2020). *A Systematic Review of Unsystematic*

- Total Ankle Replacement Wear Evaluations*. 8(3), 1–11.
- Muñoz-Vásquez, S., Mora-Pérez, Z. A., Ospina-Henao, P. A., *et al.* (2023). Finite Element Analysis in the Balancing Phase for an Open Source Transfemoral Prosthesis with. *Invention*, 8(1), 1–17.
- Nouri, A., Wang, L., Li, Y., *et al.* (2023). *Materials and Manufacturing for Ankle – Foot Orthoses : A Review*. 2300238. <https://doi.org/10.1002/adem.202300238>
- Patil, H., & Jeyakarthikeyan, P. V. (2018). Mesh convergence study and estimation of discretization error of hub in clutch disc with integration of ANSYS. *IOP Conference Series: Materials Science and Engineering*, 402(1). <https://doi.org/10.1088/1757-899X/402/1/012065>
- Putra, A. D., Rohman, M., & Sulaiman, M. (2021). Simulasi Pengaruh Waktu dan Gerak Terhadap Desain Implan Sendi Pinggul. *Jurnal Pendidikan Teknik Mesin Undiksha*, 9(1), 23–31. <https://doi.org/10.23887/jptm.v9i1.28885>
- Richard G.Budynas, J. K. N. (2015). Shigley’s Mechanical Engineering Design. In *McGraw-Hill Education* (10th ed.).
- Rigney, S. M., Simmons, A., & Kark, L. (2017). Mechanical characterization and comparison of *energy storing and return* prostheses. *Medical Engineering and Physics*, 41, 90–96. <https://doi.org/10.1016/j.medengphy.2017.01.003>
- Saemua, A., & Rooppakhun, S. (2025a). Optimizing *energy storing and return* of prosthetic feet: A biomechanical approach using advanced optimization techniques. *Results in Engineering*, 26(April), 105219. <https://doi.org/10.1016/j.rineng.2025.105219>
- Saemua, A., & Rooppakhun, S. (2025b). Results in Engineering Optimizing *energy storing and return* of prosthetic feet : A biomechanical approach using advanced optimization techniques. *Results in Engineering*, 26(May), 105219. <https://doi.org/10.1016/j.rineng.2025.105219>
- Shankar, S., Nithyaprakash, R., Santosh, B. ., *et al.* (2020). SPRINGER BRIEFS IN APPLIED SCIENCES AND Wear Prediction on Total Ankle Replacement Effect of Design Parameters. *Tribology International* 151.
- Skorupska, M., Kulczyk, M., Przybysz, S., *et al.* (2021). Mechanical reinforcement of polyamide 6 by cold hydrostatic extrusion. *Materials*, 14(20). <https://doi.org/10.3390/ma14206045>
- Sunday Emmanuel, F., Kayode James, A., Segun Nathaniel, O., *et al.* (2020). Review of Some Numerical Methods for Solving Initial Value Problems for Ordinary Differential Equations. *International Journal of Applied Mathematics and Theoretical Physics*, 6(1), 7. <https://doi.org/10.11648/j.ijamtp.20200601.12>
- Tabucol, J., Brugo, T. M., Povolito, M., *et al.* (2022). Structural fea-based design and functionality verification methodology of energy-storing-and-releasing prosthetic feet. *Applied Sciences (Switzerland)*, 12(1). <https://doi.org/10.3390/app12010097>
- Tryggvason, H., Starker, F., Lecomte, C., *et al.* (2020). Use of dynamic FEA for design modification and energy analysis of a variable stiffness prosthetic foot. *Applied Sciences (Switzerland)*, 10(2). <https://doi.org/10.3390/app10020650>
- Wang, Y., Xu, L., Jiang, H., *et al.* (2024). Biomechanical Effects of the Badminton Split-

- Step on Forecourt Lunging Footwork. *Bioengineering*, 11(5), 1–16. <https://doi.org/10.3390/bioengineering11050501>
- Webber, C. M., & Kaufman, K. (2017). Instantaneous stiffness and hysteresis of dynamic elastic response prosthetic feet. *Prosthetics and Orthotics International*, 41(5), 463–468. <https://doi.org/10.1177/0309364616683980>
- Zaribaf, F. P. (2018). Medical-grade ultra-high molecular weight polyethylene: past, current and future. *Materials Science and Technology (United Kingdom)*, 34(16), 1940–1953. <https://doi.org/10.1080/02670836.2018.1469455>