

DAFTAR PUSTAKA

- Ahmed, K.S., Majeed, M.Z., Rafi, M.A., Sellami, F. & Afzal, M. (2017). Biodiversity and Species Distribution of Coccinellids (Coccinellidae: Coleoptera) in District Sargodha (Punjab), Pakistan. *Pakistan J. Zool.* 49(5): 1749-1759. <http://dx.doi.org/10.17582/journal.pjz/2017.49.5.1749.1759>
- Aldini, G.M., Martono, E. & Trisyono, Y.A. (2019). Diversity of Natural Enemies Associated with Refuge Flowering Plants of *Zinnia elegans*, *Cosmos sulphureus*, and *Tagetes erecta* in Rice Ecosystem. *Jurnal Perlindungan Tanaman Indonesia*, 23(2): 285-191. <https://doi.org/10.22146/jpti.33947>
- Ali, M.P., Clemente-Orta, G., Kabir, M.M.M., Haque, S.S., Biswas, M., & Landis, D.A. (2023). Landscape structure influences natural pest suppression in a rice agroecosystem. *Sci Rep.* 2023 Sep 21; 13(1): 15726. <https://doi.org/10.1038/s41598-023-41786-y>
- Allifah, A.N., Rosamawati, T., & Jamdin Z., (2019). Refugia Ditinjau Dari Konsep Gulma Pengganggu Dan Upaya Konservasi Musuh Alami. *Jurnal Biology Science & Education*, 8(1): 82-89. [Refugia Ditinjau Dari Konsep Gulma Pengganggu Dan Upaya Konservasi Musuh Alami \(123dok.com\)](https://doi.org/10.24127/biology.v8i1.12345)
- Amrullah, S.H. (2019, Agustus 20). Pengendalian Hayati (Biocontrol): Pemanfaatan Serangga Predator sebagai Musuh Alami untuk Serangga Hama (Sebuah Review). Prosiding Seminar Nasional Biodiversitas Indonesia. Gowa (pp. 87-90). https://www.researchgate.net/publication/361949806_Pengendalian_Hayati_Biocontrol_Pemanfaatan_Serangga_Predator_sebagai_Musuh_Alami_untuk_Serangga_Hama_Sebuah_Review
- Araj, S., Shields, M.W. & Wratten, S.D. (2019). Weed floral resources and commonly used insectary plants to increase the efficacy of a whitefly parasitoid. *BioControl.* 64: 553-561. <https://link.springer.com/article/10.1007/s10526-019-09957-x>
- Badan Pusat Statistik Provinsi Jawa Timur. (2025). Produksi Padi (GKG) (Ton), 2024. Diakses pada 15 November 2025. <https://jatim.bps.go.id/id/statistics-table/2/NDQ2Izl=/produksi-padi--gkg----ton-.html>
- Badenes-Pérez, F.R. (2018). Trap Crops and Insectary Plants in the Order Brassicales. *Annals of the Entomological Society of America*, 112(4): 318-329. <https://doi.org/10.1093/aesa/say043>
- Baehaki, S.E. & Mejaya, I.M.J. (2014). Wereng Cokelat sebagai Hama Global Bernilai Ekonomi Tinggi dan Strategi Pengendaliannya. *Iptek Tanaman Pangan*, 9(1): 1-12. <https://repository.pertanian.go.id/server/api/core/bitstreams/f38d20b1-d370-4bae-a727-40e6d9b70fe8/content>
- Baehaki, S.E. (2011). Strategi Fundamental Pengendalian Hama Wereng Batang Coklat Dalam Pengamanan Produksi Padi Nasional. *Pengembangan*

- inovasi Pertanian*, 4(1): 63-75. <https://adoc.pub/strategi-fundamental-pengendalian-hama-wereng-batang-coklat-.html>
- Beardsell, A., Gravel, D., Berteaux, D., Gauthier, G., Clermont, J., Careau, V., Lecomte, N., Juhasz, C.C., Boutin, P.R. & Bêty, J. (2021). Derivation of Predator Functional Responses Using a Mechanistic Approach in a Natural System. *Front. Ecol. Evol.*, 9: 630944. <https://doi.org/10.3389/fevo.2021.630944>
- Blaise, C., Mazzia, C., Bischoff, A., Millon, A., Ponel, P., & Blight, O. (2022). Vegetation increases abundances of ground and canopy arthropods. *Scientific Reports PMC*. 12:3680. <https://doi.org/10.1038/s41598-022-07529-1>
- Bufebo, B., Elias, E. & Getu, E. (2021). Abundance and diversity of soil invertebrate macro-fauna in different land uses at Shenkolla watershed, South Central Ethiopia. *The Journal of Basic and Applied Zoology* 82:11. <https://doi.org/10.1186/s41936-021-00206-1>
- Chaerani. (2017). Virulensi Wereng Batang Cokelat (*Nilaparvata lugens* Stål) dan Strategi Pengelolaannya. *Jurnal Agrobiogen*, 13(1): 53-66. <http://dx.doi.org/10.21082/jbio.v13n1.2017.p53-66>
- Cloyd, R.A. (2020). How Effective is Conservation Biological Control in Regulating Insect Pest Populations in Organic Crop Production Systems? *Insects*, 11(11): 1-15. <https://doi.org/10.3390/insects11110744>
- Daravath, S., Bannoth, R.N., Selvi, M.T. & Ankanagari, S. (2018). DNA Barcoding Significance and Utilities. Springer International Publishing. https://doi.org/10.1007/978-3-319-90680-5_1
- Dawes, J.H.P. & Souza, M.O. (2013). A derivation of Holling's type I, II and III functional responses in predator-prey systems. *Journal of Theoretical Biology*, 327: 11-22. <https://doi.org/10.1016/j.jtbi.2013.02.017>
- De Clercq, P., Mohaghegh, J., & Tirry, L. (2000). Effect of Host Plant on the Functional Response of the Predator *Podisus nigrispinus* (Heteroptera: Pentatomidae). *Biological Control*, 18: 65-70. <https://doi.org/10.1006/bcon.1999.0808>
- Denis, C., Riudavets, J., Gabarra, R., Molina P., & Arnó, J. (2021). Selection of insectary plants for the conservation of biological control agents of aphids and thrips in fruit orchards. *Bulletin of Entomological Research* 1-11. <https://doi.org/10.1017/S0007485321000183>
- Dick, J.T.A., Alexander, M.E., Jeschke, J.M., Ricciardi, A., MacIsaac, H.J., Roberson, T.B., Kumschick, S., Weyl, O.L.F., Dunn, A.M., Hatcher, M.J., Paterson, R.A., Farnsworth, K.D. & Richardson, D.M. (2014). Advancing impact prediction and hypothesis testing in invasion ecology using a comparative functional response approach. *Biol Invasions*, 16: 735-753. <https://link.springer.com/article/10.1007/s10530-013-0550-8>

- Dirgayana, I.W., Supartha, I.W. & Wijaya, I.N. (2021). Uji Pemangsaan dan Tanggap Fungsional Predator *Chysoperla carnea* Stephens (Neuroptera: Crysopidae) Terhadap *Phenacoccus manihoti* Matile-Ferrero (Hemiptera: Pseudococcidae). *Agrotrop : Journal on Agriculture Science*, 11(1): 76-84. <https://doi.org/10.24843/AJoAS.2021.v11.i01.p08>
- Dixon, A.F.G. (2000). Insect Predator-prey Dynamics Ladybird Beetles and Biological Control. Cambridge University Press, United Kingdom. <http://dx.doi.org/10.2307/2680210>
- Donnelly, B.E. & Phillips, T.W. (2001). Functional Response of *Xylocoris flavipes* (Hemiptera: Anthocoridae): Effects of Prey Species and Habitat. *Environmental Entomology*, 30(3): 617-624. <https://doi.org/10.1603/0046-225X-30.3.617>
- Dupke, C., Peters, A., Morellet, N., & Heurich, M. (2021). Holling meets habitat selection: functional response of large herbivores revisited. *Movement Ecology*, 9(1): 45. <https://doi.org/10.1186/s40462-021-00282-6>
- Durak, R., Materowska, M., Hadley, R., Oosterhuis, L., Durak, T., & Borowiak-Sobkowiak, B. (2025). The Role of Flower Strips in Increasing Beneficial Insect Biodiversity and Pest Control in Vineyards. *Sustainability* 2025, 17, 2018. <https://doi.org/10.3390/su17052018>
- Efendi, S., Yaherwandi, & Nelly, N. (2016). Studi preferensi dan tanggap fungsional *Menochilus sexmaculatus* dan *Coccinella transversalis* pada beberapa mangsa yang berbeda. *Pros Semnas Masy Biodiv Indon* 2(2): 125-131. <https://doi.org/10.13057/psnmbi/m020201>
- Evans, E.W. (2009). Lady beetles as predators of insects other than Hemiptera. *Biological Control*, 51: 255-267. <https://doi.org/10.1016/j.biocontrol.2009.05.011>
- Fadhilah, K., Rahardjo, B.T., & Hadi, M.S. (2023). The preference of insect predators on several types of flowering plants as insectary plant in cayenne pepper fields. *Biodiversitas*, 24(11): 6177-6183. <https://doi.org/10.13057/biodiv/d241139>
- Farhadi, R., Allahyari, H., & Juliano, S.A. (2010). Functional Response of Larval and Adult Stages of *Hippodamia variegata* (Coleoptera: Coccinellidae) to Different Densities of *Aphis fabae* (Hemiptera: Aphididae). *Environ. Entomol.* 39(5): 1586-1592. <https://doi.org/10.1603/en09285>
- Farrell, S.L. (2013). The Effect of Floral Nectar Feeding on the Parasitoid *Anagrus* spp. (Hymenoptera: Mymaridae). UC Berkeley Agroecology Lab, 1–18. https://nature.berkeley.edu/classes/es196/projects/2013final/FarrellS_2013.pdf
- Fiedler, A.K. & Landis, D.A. (2007). Plant Characteristics Associated with Natural Enemy Abundance at Michigan Native Plants. *Environmental Entomology*. 36(4): 878-886. <https://doi.org/10.1093/ee/36.4.878>

- Frank, J.H. & Mizell, R.F. (2000). Insecta: Coleoptera: Coccinellidae. University of Florida. [ladybugs - Insecta: Coleoptera: Coccinellidae \(ufl.edu\)](http://ladybugs - Insecta: Coleoptera: Coccinellidae (ufl.edu))
- Gao, G., Liu, S., Feng, L., Wang, Y., & Lu, Z. (2020). Effect of temperature on predation by *Harmonia axyridis* (Pall.) (Coleoptera: Coccinellidae) on the walnut aphids *Chromaphis juglandicola* Kalt. and *Panaphis juglandis* (Goeze). *Egyptian Journal of Biological Pest Control*. 30(137): 1-6. <https://doi.org/10.1186/s41938-020-00337-7>
- Gao, Y., Su, S.C., Liu, Z.Y., Nässel, D.R., Bass, C., Gao, C.F., & Wu, S.F., (2023). Pesticide-induced resurgence in brownplanthopper is mediated by action on a suite of genes that promote juvenile hormone biosynthesis and female fecundity. *eLife*, Nov. 2023. <https://doi.org/10.7554/eLife.91774.1>
- Ginting, T.Y., Bakti, D. & Marheni. (2017). daya Predasi dan Respon Fungsional *Curinus Coeruleus* Mulsant (Coleoptera; Coccinellidae) terhadap *Paracoccus marginatus* Williams dan Granara de Willink (Hemiptera; Pseudococcidae) di Rumah Kaca. *Jurnal Pertanian Tropik*. 4(3): 96- 202. <http://dx.doi.org/10.32734/jpt.v4i3.3093>
- Gurr, G.M., Wratten, S.D. & Barbosa P. (2000). Success in conservation biological control of arthropods. In Gurr G.M. & Wratten S.D. (eds): Biological Control: Measures of Success. Kluwer Academic Publishers. pp. 105-132. http://dx.doi.org/10.1007/978-94-011-4014-0_4
- Gurr, G.M., Lu, Z., Zheng, X., Xu, H., Zhu, P., Chen, G., Yao, X., Cheng, J., Zhu, Z., Catindig, J.L., Villareal, S., Chien, H.V., Cuong, L.Q., Channoo, C., Chengwattana, N., Lan, L.P., Hai, L.A., Chaiwong, J., Nicol, H.I., Perovic, D.J., Wratten, J.D., & Heong, K.L. (2016). Multi-country evidence that crop diversification promotes ecological intensification of agriculture. *Nature Plants*, 2: 16014. <https://doi.org/10.1038/nplants.2016.14>
- Gurr, G.M., Wratten, S.D., Landis, D.A., & You M. (2017). Habitat Management to Suppress Pest Populations: Progress and Prospects. *Annu Rev Entomol*. 62: 91-109. <https://doi.org/10.1146/annurev-ento-031616-035050>
- Hafzari, R. & Annisa. (2020). Barkode DNA, Konsep Dasar, Aplikasi, Analisis, dan Filogenetik. Bitread Bandung. <https://www.researchgate.net/publication/353821628>
- Halim, M., Aman-Zuki, A., Mohammed, M.A., & Yaakop, S. (2017). DNA barcoding and relationships of eight ladybugs species (Coleoptera: Coccinellidae) that infesting several crops from Peninsular Malaysia. *Journal of Asia-Pacific Entomology*, 20: 814-820. <https://doi.org/10.1016/j.aspen.2017.05.009>
- Hamid, M.F., Hameed, Y., Sarmad, M., Abbas, K., Shahzaib, M., Zakaria, M., & Zaka, S.M. (2020). Functional Response of *Coccinella septempunctata* (Coleoptera: Coccinellidae) to Different Species of Aphids (Hemiptera: Aphididae). *Journal of The Kansas Entomological Society*, 93(4): 313-326. <https://doi.org/10.2317/0022-8567-93.4.313>
- Hariadi, N.T. & Purnomo, H. (2019). *Rekayasa Agroekosistem dan Konservasi Musuh Alami*. UPT Percetakan dan Penerbitan Universitas Jember.

- Hasan, M.H., Mudjiono, G. & Rachmawati, R. (2021). Dinamika Populasi Wereng batang coklat *Nilaparvata lugens* Stal. (Homoptera: Delphacidae) dan Predator Generalis pada Pertanaman Padi Pasca Penerapan Rekayasa Ekosistem. *Jurnal HPT*, 9(2): 48-56. <https://doi.org/10.21776/ub.jurnalhpt.2021.009.2.3>
- Hasan, Y.A., & Alebraheem, J. (2015). Functional and numerical response in prey-predator system. *AIP Conf. Proc.* 1651, 3-11. <https://doi.org/10.1063/1.4914425>
- Hatt, S., Uytenbroeck, R., Lopes, T., Mouchon, P., Osawa, N., Piqueray, J., Monty, A., & Francis, F. (2018). Identification of flower functional traits affecting abundance of generalist predators in perennial multiple species wildflower strips. *Arthropod-Plant Interactions*. 13: 127-137. <https://doi.org/10.1007/s11829-018-9652-7>
- Hebert, P.D.N., Stoeckle, M.Y., Zemlak, T.S., & Francis, C.M. (2004). Identification of Birds through DNA Barcodes. *PLoS Biol.* 2(10): e312. <https://doi.org/10.1371/journal.pbio.0020312>
- Hendrich, L., Moriniere, J., Haszprunar, G., Hebert, P.D.N., Hausmann, A., Koehler, K., & Balke, M. (2015). A comprehensive DNA barcode database for Central European beetles with a focus on Germany: adding more than 3500 identified species to BOLD. *Molecular Ecology Resources*, 15: 795-818. <https://doi.org/10.1111/1755-0998.12354>
- Heong, K.L., Lu, Z.X., Chien, H.V., Escalanda, M., Settele, J., Zhu, Z.R. & Cheng, J. (2021). Ecological Engineering for Rice Insect Pest Management: The Need to Communicate Widely, Improve Farmers Ecological Literacy and Policy Reforms to Sustain Adoption. *Agronomy*, 11: 1-13. <https://doi.org/10.3390/agronomy11112208>
- Hidayat, P., Tambunan, V.B. & Putirama, K.D. (2021). Tanggap fungsional predator *Menochilus sexmaculatus* (Fabricius) dan *Micraspis lineata* (Thunberg) (Coleoptera: Coccinellidae) terhadap kutu kebul *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) dan kutu daun *Myzus persicae* (Sulzer) (Hemiptera: Aphididae). *Jurnal Entomologi Indonesia*, 18(3): 199-206. <https://doi.org/10.5994/jei.18.3.199>
- Hodek, I., & Honěk, A. (1996). *Ecology of Coccinellidae*. Springer. <https://link.springer.com/book/10.1007/978-94-017-1349-8>
- Hodek, I. Van Emden, H.F. & Honěk, A. (2012). Ecology and Behaviour of The Ladybird Beetles (Coccinellidae). Wiley-Blackwell. <https://onlinelibrary.wiley.com/doi/book/10.1002/9781118223208>
- Holling, C.S. (1959). The Components of Predation as Revealed by a Study of Small-Mammal Predation of The European Sawfly. *The Canadian Entomologist*, 91: 293-320. <https://doi.org/10.4039/Ent91293-5>
- Holling, C.S. (1959). Some Characteristics of Simple Types of Predation and Parasitism. *The Canadian Entomologist*, 91(7): 385-398. <https://doi.org/10.4039/Ent91385-7>

- Holling, C.S. (1961). Principles of Insect Predation. *Annu. Rev. Entomol.*, 6: 163-182. <https://doi.org/10.1146/annurev.en.06.010161.001115>
- Holling, C.S. (1966). The Functional Response of Invertebrate Predators to Prey Density. The Memoirs of the Entomological Society of Canada, 98: 5-86. <https://doi.org/10.4039/entm9848fv>
- Horgan, F.G., Ramal, A.F., Bernal, C.C., Villegas, J.M., Stuart, A.M., & Almazan, M.L.P. (2016). Applying ecological engineering for sustainable and resilient rice production systems. *Procedia Food Science*, 6: 7-15. <https://doi.org/10.1016/j.profoo.2016.02.002>
- Hossie, T.J. & Murray, D.L. (2023). Editorial: New perspectives and emerging directions in predator-prey functional response research: hommage to C.S. Holling (1930–2019). *Front. Ecol. Evol.*, 11: 1238953. <https://doi.org/10.3389/fevo.2023.1238953>
- Huang, W., Xie, X., Huo, L., Liang, X., Wang, X., & Chen, X., (2020). An integrative DNA barcoding framework of ladybird beetles (Coleoptera: Coccinellidae). *Scientific Reports Nature Research*, 10:10063 <https://doi.org/10.1038/s41598-020-66874-1>
- Iamba, K. & Dono, D. (2021). A Review on Brown Planthopper (*Nilaparvata lugens* Stål), a Major Pest of Rice in Asia and Pacific. *Asian Journal of Research in Crop Science*, 6(4): 7-19. <https://doi.org/10.9734/ajrcs/2021/v6i430122>
- Jalali, S.K., Ojha, R. & Venkatesan, T. (2015). DNA Barcoding for Identification of Agriculturally Important Insects, in New Horizons in Insect Science: Towards Sustainable Pest Management. Springer India. https://link.springer.com/chapter/10.1007/978-81-322-2089-3_2
- Jannat, M., Kamruzzaman, MD., & Hossain, M.K. (2020). Tree species diversity and structural composition of village common forest in Bandarban District, Bangladesh. *Asian J. of Forestry*, 4(2): 76-83. <https://doi.org/10.13057/asianjfor/r040205>
- Jeevanandham, N., Raman, R., Ramaiah, D., Senthilvel, V., Mookaiah, S., & Jegadeesan, R., (2022). Rice: *Nilaparvata lugens* Stal interaction—current status and future prospects of brown planthopper management. *Journal of Plant Diseases and Protection, Springer*, October 2022. <https://doi.org/10.1007/s41348-022-00672-x>
- Jennings, D.T., Longcore, J.R., & Bird, J.E. (2017). Spiders (Araneae) inhabit lepidopteran-feeding shelters on ferns in Maine, USA. *J. Acad. Entomol. Soc*, 13: 5-14. https://acadianes.org/journal/papers/jennings_16-3.pdf
- Karenina, T., Herlinda, S., Irsan, C., & Pujiastuti, Y. (2020). Arboreal entomophagous arthropods of rice insect pests inhabiting adaptive vegetables and refugia in freshwater swamps of South Sumatra. *Agrivita*, 42(2): 214-228. <https://doi.org/10.17503/agrivita.v0i0.2283>

- Karindah, S. (2011). Predation of Five Generalist Predators on Brown Planthopper (*Nilaparvata lugens* Stål). *Jurnal Entomologi Indonesia*. 8(2): 55-62. https://www.researchgate.net/publication/321971155_Predation_of_Five_Generalist_Predators_on_Brown_Planthopper_Nilaparvata_lugens_Stal
- Keppel, G., Van Niel, K.P., Wardell-Johnson, G.W., Yates, C.J., Byrne, M., Mucina, L., Schut, A.G.T., Hopper, S.D. & Franklin, S.E. (2012). Refugia: identifying and understanding safe havens for biodiversity under climate change. *Global Ecology and Biogeography*, 21: 393-404. <https://doi.org/10.1111/j.1466-8238.2011.00686.x>
- Khan, M.M.H. (2013). Abundance and Diversity of Insect Pests and Natural Enemies In Coastal Rice Habitat. *Bangladesh j. entomol.* 23(1): 89-104. https://www.researchgate.net/publication/308890293_Abundance_and_diversity_of_insect_pests_and_natural_enemies_in_coastal_rice_habitat
- Kitikidou, K., Milios, E., Stampoulidis, A., Pipinis, E., & Radoglou, K. (2024). Using Biodiversity Indices Effectively: Considerations for Forest Management. *Ecologies*, 5(1), 42-51. <https://doi.org/10.3390/ecologies5010003>
- Krebs, J.C. (2022). Some historical thoughts on the functional responses of predators to prey density. *Front. Ecol. Evol.*, 10: 1052289. <https://doi.org/10.3389/fevo.2022.1052289>
- Kress, W.J. & Erickson, D.L. (2012). DNA Barcodes: Methods and Protocols (Chapter 1). Humana Press. https://doi.org/10.1007/978-1-61779-591-6_1
- Kundoo, A.A. & Khan, A.A. (2017). Coccinelids as biological control agenst of soft bodied insect: A review. *Jurnal entomology and Zoology Studies*, 5(5): 1362-1373. [5-5-24-374.pdf \(entomoljournal.com\)](https://www.entomoljournal.com/5-5-24-374.pdf)
- Kurniawati, N. & Martono, E. (2015). Peran Tumbuhan Berbunga Sebagai Media Konservasi Artropoda Musuh Alami. *Jurnal Perlindungan Tanaman Indonesia*, 19(2): 53-59. <https://doi.org/10.22146/jpti.16615>
- Lailiyah, I. & Haryadi, N,T. (2021). Keragaman Arthropoda pada Pertanaman Padi dengan Pemanfaatan Gulma Sebagai Tanaman Border. *Jurnal HPT*, 9(1): 21-27. <https://doi.org/10.21776/ub.jurnalhpt.2021.009.1.4>
- Landis, D.A., Wratten, S.D., & Gurr, G.M. (2000). Habitat Management to Conserve Natural Enemies of Arthropod Pests in Agriculture. *Annu. Rev. Entomol.*, 45: 175-201. <https://doi.org/10.1146/annurev.ento.45.1.175>
- Larson, D.J. 2013. Key to lady beetles (Coleoptera: Coccinellidae) of Saskatchewan. *Ent. Soc. Saskatchewan*. 37 pp. <https://bugguide.net/node/view/2249089>
- Legrand, A. (2018, Desember). Insectary Plants: Flower Power for Natural Enemies of Vegetable Pests. UMass. https://aq.umass.edu/sites/aq.umass.edu/files/pdf-doc-ppt/insectary_plants_factsheet_legrand_0.pdf

- Lepper, J.R. (2016). Key to the Coccinellide (Coleoptera: Coccinellidae) Established in Hawaii. eVols Library University of Hawaii <http://hdl.handle.net/10524/49028>
- Letourneau, D.K., Armbrrecht, I., Rivera, B.S., Lerma, J.M., Carmona, E.J., Daza, M.C., Escobar, S., Galindo, V., Gutiérrez, C., López, S.D., Mejía, J.L., Rangel, A.M., Rangel, J.H., Rivera, L., Saavedra, C.A., Torres, A.M., Trujillo, A.R. (2011). Does plant diversity benefit agroecosystems? A synthetic review. *Ecol Appl.* 21(1): 9-21. <https://doi.org/10.1890/09-2026.1>
- Li, C., Yu, J., Mao, R., Kang, K., Xu, L & Wu, M. (2024). Functional and Numerical Responses of *Harmonia axyridis* (Coleoptera: Coccinellidae) to *Rhopalosiphum nymphaeae* (Hemiptera: Aphididae) and Their Potential for Biological Control. *Insects*, 15(9): 633. <https://doi.org/10.3390/insects15090633>
- Li, S., Jaworski, C.C., Hatt, S., Zhang, F., Desneux, N., & Wang S. (2020). Flower strips adjacent to greenhouses help reduce pest populations and insecticide applications inside organic commercial greenhouses. *J. Pest. Sci.* 94: 679-689. <https://doi.org/10.1007/s10340-020-01285-9>
- Lim, U.T., & Ben-Yakir, D. (2020). Visual sensory systems of predatory and parasitic arthropods. *Biocontrol Science and Technology.* 1-12. <https://doi.org/10.1080/09583157.2020.1752362>
- Long, R.F., Corbett, A., Lamb, C., Reberg-Horton, C., Chandler, J., & Stimmann, M. (1998). Beneficial insects move from flowering plants to nearby crops. *California Agriculture*, 52(5): 23-26. <https://doi.org/10.3733/ca.v052n05p23>
- Lu Z.X., Zhu P.Y., Gurr G.M., Zheng X.S., Read D.M.Y., Heong K.L., Yang Y.J., & Xu H.X. (2014). Mechanisms for flowering plants to benefit arthropod natural enemies of insect pests: Prospects for enhanced use in agriculture. *Insect Science.* 21(1): 1-12. <https://doi.org/10.1111/1744-7917.12000>
- Majerus, M.E.N. (2009). Ladybugs (Chapter 147), in *Encyclopedia of Insects* (Second Edition). Academic Press. <https://doi.org/10.1016/B978-0-12-374144-8.00156-9>
- Majerus, M.E.N., Roy, H.E. & Brown, P.M.J. (2016). *A Natural History of Ladybird Beetles.* Cambridge University Press. <https://doi.org/10.1017/CBO9781316336960>
- McCabe, E., Loeb, G. & Grab, H. (2017). Responses of Crop Pests and Natural Enemies to Wildflower Borders Depends on Functional Group. *Insects*, 8(3). <https://doi.org/10.3390/insects8030073>
- Mochida, O. & Okada, T. (1979). Taxonomy and biology of *Nilaparvata lugens* (Hom., Delphacidae), in *Brown planthopper: Threat to rice production in Asia*. CRIA-IRRI. pp. 21-43. <https://delphacid.s3.amazonaws.com/3239.pdf>
- Mudjiono, G. (2013). *Pengelolaan Hama Terpadu. Konsep, Taktik, Strategi, Penyusunan Program PHT dan Implementasinya.* UB Press.

- Muliani, S., Eriani, E., Halid, E., & Kumalawati, Z. (2020). Inventarisasi Serangga Pada Tanaman Refugia di Lahan *Teaching Farm*, Buludua. *J. Agroplantae*, 9(1): 8-13. <https://doi.org/10.51978/agro.v9i1.97>
- Murdoch, W.W. & Oaten, A. (1975). Predation and population stability. *Advances in Ecological Research*, 9: 1-131 [https://doi.org/10.1016/S0065-2504\(08\)60288-3](https://doi.org/10.1016/S0065-2504(08)60288-3)
- Nalepa, C.A., Kennedy, G.G. & Brownie, C. (2005). Role of Visual Contrast in the Alighting Behavior of *Harmonia axyridis* (Coleoptera: Coccinellidae) at Overwintering Sites. *Environmental Entomology*, 34(2): 425-431. <https://doi.org/10.1603/0046-225X-34.2.425>
- Nelly, N., Trizelia & Syuhadah Q. (2012). Tanggap Fungsional *Menochilus sexmaculatus fabricius* (Coleoptera: Coccinellidae) terhadap *Aphis gossypii* (Glover) (Homoptera: Aphididae) pada Umur Tanaman Cabai Berbeda. *Jurnal Entomologi Indonesia*, 9(1): 23-31. <http://dx.doi.org/10.5994/jei.18.3.199>
- Ninkovic, V., Al Abassi, S., Ahmed, E., Glinwood R., & Pettersson, J. (2011). Effect of within-species plant genotype mixing on habitat preference of a polyphagous insect predator. *Oecologia* 166: 391-400. <https://doi.org/10.1007/s00442-010-1839-2>
- Oliveira, A.C.S., Souza, J.T., de Brito, V.L.G. & Almeida, N.M. (2021). Attraction of florivores and larcenists and interaction between antagonists in *Senna rugosa* (Fabaceae). *Arthropod Plant Interact.*, 15: 535-544. <https://link.springer.com/article/10.1007/s11829-021-09843-3>
- Papanikolaou, N.E., Kypraios, T., Moffat, H., Fantinou, A., Perdakis, D.P. & Drovandi, C. (2021). Predators' Functional Response: Statistical Inference, Experimental Design, and Biological Interpretation of the Handling Time. *Front. Ecol. Evol.*, 9: 740848. <https://doi.org/10.3389/fevo.2021.740848>
- Pervez, A. & Omkar. (2005). Functional responses of coccinellid predators: An illustration of a logistic approach. *Journal of Insect Science*, 5(5): 1-6. <https://doi.org/10.1093/jis/5.1.5>
- Pfiffner L., & Wyss, E. (2004). Use of Sown Wildflower Strips to Enhance Natural Enemies of Agricultural Pests (Chapter 11), in *Ecological Engineering for Pest Management: Advances in Habitat Manipulation for Arthropods*. CSIRO Publishing. <http://dx.doi.org/10.1079/9780851999036.0165>
- Porter, M.T., & Hajibabaei, M. (2019). Putting COI Metabarcoding in Context: The Utility of Exact Sequence Variants (ESVs) in Biodiversity Analysis. *Front. Ecol. Evol.* 8:248. <https://doi.org/10.3389/fevo.2020.00248>
- Pramaishella, C.K., & Haryadi, N.T. (2023). Pengaruh Warna Bunga Kertas (*Zinnia* sp.) Terhadap Ketertarikan Predator Coccinellidae Untuk Mengendalikan Kutu Kebul (*Bemisia tabaci* Genn.) Pada Tanaman Cabai Merah. *J. Agrotek Tropika*. 11(4): 597-603. <http://dx.doi.org/10.23960/jat.v11i4.5576>

- Price, P.W., Denno, R.F., Eubanks, M.D., Finke, D.L. & Kaplan, I. (2011). Prey and predator interactions, in *Insect Ecology Behavior, Populations and Communities*. Cambridge University Press, pp. 268-303. <https://doi.org/10.1017/CBO9780511975387.011>
- Puspito, A.N., Rozzita, N., Tigara, M.R.N., Putra, S.I.D., Purnamasari, I., Hartatik, S., & Ubaidillah, M., (2023). Molecular screening of local Indonesian rice to identified resistant varieties against brown planthopper (*Nilaparvata lugens*) attacks. *Biodiversitas*, 24(10): 5503-5512. <https://doi.org/10.13057/biodiv/d241032>
- Rahayu, D.A. & Jannah, M. (2019). DNA Barcode Hewan dan Tumbuhan Indonesia. Yayasan Inspirasi Ide Berdaya. <https://doi.org/10.17605/OSF.IO/TY7E5>
- Rakshith, H.S., Suroshe, S.S., Chander, S., Bhagyasree, S.N., & Venkanna, Y. (2021). Bionomics of transverse ladybird beetle, *Coccinella transversalis* on cowpea aphid, *Aphis craccivora*. *The Indian Journal of Agricultural Sciences*. 91(9): 1368-1372. <https://doi.org/10.56093/ijas.v91i9.116091>
- Ratnasingham, S., & Hebert P.D.N. (2007). bold: The Barcode of Life Data System (<http://www.barcodinglife.org>). *Mol Ecol Notes*. 2007 May 1; 7(3):355-364. <https://doi.org/10.1111/j.1471-8286.2007.01678.x>
- Ratnasingham, S., Wei, C., Chan, D., Agda, J., Agda, J., Ballesteros-Mejia, L., Boutou, H.A., Bastami, Z.M., Ma, E., Manjunath, R., Rea, D., Ho, C., Telfer, A., McKeowan, J., Rahulan, M., Steinke, C., Dorsheimer, J., Milton, M., & Hebert, P.D.N. (2024). BOLD v4: A Centralized Bioinformatics Platform for DNA-based Biodiversity Data. *Databases Cornell University*. <https://doi.org/10.48550/arXiv.2404.05696>
- Rattanapun, W. (2012). Diversity and population dynamics of pests and predators in irrigated rice fields with treated and untreated pesticide. *Commun Agric Appl Biol Sci*. 2012; 77(4): 601-9. PMID: 23885426. <https://pubmed.ncbi.nlm.nih.gov/23885426/>
- Rizki, F.H., Maryana, N. & Triwidodo, H. (2021). Arthropoda yang Berasosiasi dengan Tanaman Refugia pada Pertanaman Padi di Desa Besur, Kabupaten Lamongan, Jawa Timur. *Jurnal Ilmu Pertanian Indonesia*, 26(1): 15-23. <http://dx.doi.org/10.18343/jipi.26.1.15>
- Robertson, J.A., Ślipiński, A., Moulton, M., Shockley, F.W., Giorgi, A., Lord, N.P., McKenna, D.D., Tomaszewska, W., Forrester, J., Miller, K.B., Whiting, M.F., & Mchugh, J.V. (2015). Phylogeny and classification of Cucujoidea and the recognition of a new superfamily Coccinelloidea (Coleoptera: Cucujiformia). *Systematic Entomology*, 40: 745-778. <https://doi.org/10.1111/syen.12138>
- Roy, H. & Migeon, A. (2010). Ladybeetles (Coccinellidae) Chapter 8.4. *BioRisk*, 4(1): 293-313. <https://doi.org/10.3897/BIORISK.4.49>

- Samways, M.J., Osborn, R. & Saunders, T.L. (1997). Mandible Form Relative to the Main Food Type in Ladybirds (Coleoptera: Coccinellidae). *Biocontrol Science and Technology*, 7: 275-286. <https://doi.org/10.1080/09583159730974>
- Sarmento, R.A., Pallini, A., Venzon, M., Souza, O.F.F., Rugama, A.J. & Oliveira, C.L. (2007). Functional Response of the Predator *Eriopis connexa* (Coleoptera: Coccinellidae) to Different Prey Types. *Braz. arch. biol. technol.* 50(1): 121-126. <https://doi.org/10.1590/S1516-89132007000100014>
- Sarvananda, L. (2018). Short Introduction of Dna Barcoding. *International Journal of Research*, 5(4): 673-686. https://www.researchgate.net/publication/323112918_Short_Introduction_of_Dna_Barcoding
- Sarwar, M. (2016). Biological Control to Maintain Natural Densities of Insects and Mites by Field Releases of Lady Beetles (Coleoptera: Coccinellidae) *International Journal of Entomology and Nematology*, 2(1): 021-026. <https://1library.net/document/q75112vz-biological-control-maintain-natural-densities-releases-coleoptera-coccinellidae.html>
- Sarwar, M. (2016). Food Habits or Preferences and Protecting or Encouraging of Native Ladybugs (Coleoptera: Coccinellidae). *International Journal of Zoology Studies*, 1(3): 13-18. https://www.researchgate.net/publication/330847155_Food_habits_or_preferences_and_protecting_or_encouraging_of_native_ladybugs_Coleoptera_Coccinellidae
- Schenk, D. & Bacher, S. (2002). Functional response of a generalist insect predator to one of its prey species in the field. *J. of Animal Ecology*, 71: 524-531. <https://doi.org/10.1046/j.1365-2656.2002.00620.x>
- Seago, A.E., Giorgi, J.A., Li J., & Slipinski, A. (2011). Phylogeny, classification and evolution of ladybird beetles (Coleoptera: Coccinellidae) based on simultaneous analysis of molecular and morphological data. *Molecular Phylogenetics and Evolution*, 60: 137-151. <https://doi.org/10.1016/j.ympev.2011.03.015>
- Seni, A. & Halder, J. (2022). Role of Predators in Insect Pests Management for Sustainable Agriculture. *Agriculture Letters*, 3(02): 42-45. https://www.researchgate.net/publication/358469489_Role_of_predators_in_insect_pests_management_for_sustainable_agriculture
- Settle, W.H., Ariawan, H., Astuti, E.T., Cahyana, W., Hakim, A.L., Hindayana, D., & Lestari, A.S. (1996). Managing Tropical Rice Pests Through Conservation of Generalist Natural Enemies and Alternative Prey. *Ecology*, 77(7): 1975-1988. <https://doi.org/10.2307/2265694>
- Shah, M.A. & Khan, A.A. (2013). Functional Response - A Function of Predator and Prey Species. *The Bioscan*, 8(3): 751-758. <https://www.researchgate.net/publication/256484195>

- Shanker, C., Mohan, M., Sampathkumar, M., Lydia, C. & Katti, G. (2013). Functional significance of *Micraspis discolor* (F.) (Coccinellidae: Coleoptera) in rice ecosystem. *J. Appl. Entomol.* 137: 601-609. <https://doi.org/10.1111/jen.12035>
- Shanker, C., Sampathkumar, M., Sunil, V., Amudhan, S., Sravanthi, G., Jhansirani, B., Poorani, J., & Katti, G. (2018). Biodiversity and predatory potential of coccinellids of rice ecosystems. *Journal of Biological Control*, 32(1): 25-30. <https://doi.org/10.18311/jbc/2018/17912>
- Shanker, C., Chintagunta, L., Muthusamy, S., Vailla, S., Srinivasan, A. & Katti, G. (2018). Flora surrounding rice fields as a source of alternative prey for coccinellids feeding on the pests of rice. *Eur. J. Entomol.*, 115: 364-371. <https://www.eje.cz/pdfs/eje/2018/01/36.pdf>
- Shekhovtsov, S.V., Shekhovtsova, I.N., & Peltek, S.E. (2019). DNA Barcoding: Methods and Approaches. *Biology Bulletin Reviews*, 9(6): 475-483. <http://dx.doi.org/10.1134/S2079086419060057>
- Sholahuddin S., Huwaida, S.N., Wijayanti, R., Supriyadi, S., Subagya, S., & Sulisty, A. (2023). Jenis dan Populasi Musuh Alami Hama Padi pada Sistem Tanam Jajar Legowo. *Agrotechnology Res J.* 7(2):119-125. <https://dx.doi.org/10.20961/agrotechresj.v7i2.79836>
- Sidauruk, L. (2012). Identifikasi Serangga Famili Coccinellidae Sebagai Predator Potensial Pada Tanaman Hortikultura di Dataran Tinggi. *Methoda* 2 (1): 1-15. <https://interoperabilitas.perpusnas.go.id/file/show/933116/identifikasi-serangga-famili-coccinellidae-sebagai-predator-potensial-pada-tanaman-hortikultura-di-dataran-tinggi>
- Skouras, P.J., Anagnostelis, K., Karanastasi, E., Tsafouros, A., Nifakos, K., Demopoulos, V., & Stathas, G. (2025). Effect of temperature on development, growth, and predation of *Ceratomegilla undecimnotata* (Schneider) (Coleoptera: Coccinellidae) feeding on the black bean aphid, *Aphis fabae* (Scopoli, 1763) (Hemiptera: Aphididae). *Journal of Plant Protection Research*. 65(3): 367-374. <https://doi.org/10.24425/jppr.2025.155788>
- Sloggett, J.J. & Majerus, M.E.N. (2000). Habitat preferences and diet in the predatory Coccinellidae (Coleoptera): an evolutionary perspective. *Biol. J. Linn. Soc.* 70: 63-88. <https://doi.org/10.1111/j.1095-8312.2000.tb00201.x>
- Snyder, W.E. (2009). Coccinellids in diverse communities: Which niche fits? *Biological Control*, 51: 323-335. <https://doi.org/10.1016/j.biocontrol.2009.05.010>
- Snyder, W.E. (2019). Give predators a complement: Conserving natural enemy biodiversity to improve biocontrol. *Biological control*, 135: 73-82. <https://doi.org/10.1016/j.biocontrol.2019.04.017>
- Soltis, P.S., & Soltis, D.E. (2003). Applying the Bootstrap in Phylogeny Reconstruction. *Statistical Science*, 18(2): 256-267. <https://doi.org/10.1214/SS%2F1063994980>

- StatsClimat. (2025). Comprehensive Climate Report Mojokerto (Indonesia); Complete statistical analysis of historical climate data with detailed comparison. Diakses pada 15 November 2025. https://statsclimat.com/Asia/Indonesia/report_Mojokerto
- Sugiharti, W., Trisyono, Y. A., Martono, E., & Witjaksono, W. (2018). The Role of *Turnera subulata* and *Cosmos sulphureus* Flowers in the Life of *Anagrus nilaparvatae* (Hymenoptera: Mymaridae). *Jurnal Perlindungan Tanaman Indonesia*, 22(1): 43-50. <https://doi.org/10.22146/jpti.24806>
- Sumiati, A. (2011). Pengendalian hama wereng batang coklat pada tanaman padi. Balai Pengkajian Teknologi Pertanian Jambi. <https://repository.pertanian.go.id/server/api/core/bitstreams/5f301a49-dd6b-4339-9bbc-b1d527b43357/content>
- Sun, Mengxiao., Liu, B., Bianchi, F.J.J.A., Van der Werf, W., & Lu, Y. (2025). Abundance of aphid natural enemies on flowering service plants is associated with aphid prey and floral resources. *Agriculture, Ecosystems and Environment*, 382 (2025) 109502: 1-12. <https://doi.org/10.1016/j.agee.2025.109502>
- Surmaini, E., Sarvina Y., Susanti, E., Widiarta, I.N., Misnawati, M., Suciantini S., Fanggida, Y.R., Rahmini, R. & Dewi, E.R. (2023). Climate change and the future distribution of Brown Planthopper in Indonesia: A projection study. *Journal of the Saudi Society of Agricultural Sciences*, Article in press. <https://doi.org/10.1016/j.jssas.2023.10.002>
- Syahrawati, M., Rinaldi, J., Nelly, N., Hamid, H., Senen, M.A., Badrulisham, S.A., Idris, M.I., & Yaakop, S. Tritrophic interaction between predator, *Verania lineata* – pest, *Nilaparvata lugens* and host plant, *Oryza sativa* from four provinces in West Sumatra, Indonesia: toward better pest management. *Arthropod-Plant Interactions*. 19(92). 1-13. <https://doi.org/10.1007/s11829-025-10199-1>
- Syatravati., Ngatimin S.N.A., & Asmawati. (2020). Flowering weeds and Coccinellids species in white maize field. *IOP Conf. Ser.: Earth Environ. Sci.* 484 012110. <https://iopscience.iop.org/article/10.1088/1755-1315/484/1/012110>
- Syngai, G.G., Barman, P., Bharali, P., & Dey, S. (2013). BLAST: An introductory tool for students to Bioinformatics Applications. *Keanean J.of Sci.*,2: 67-76. https://www.researchgate.net/publication/267332265_BLAST_An_introductory_tool_for_students_to_Bioinformatics_Applications
- Wahocho, S.A., Miano, T.F., Memon, N.U.N., & Wahocho, N.A. (2016). Photoperiodic Effect on Vegetative Growth and Flower Quality of *Zinnia* (*Zinnia elegans* Jacq.). *Sarhad Journal of Agriculture*, 32(4): 316-324. <http://dx.doi.org/10.17582/journal.sja/2016.32.4.316.324>
- Wakhid., Rauf, A., Krisanti, M., Sumertajaya, I.M., & Maryana, N. (2020). Species richness and diversity of aquatic insect inhabiting rice fields in Bogor, West Java, Indonesia. *Biodiversitas*, 21(1): 34-42. <https://doi.org/10.13057/biodiv/d210723>

- Wang, Z.L., Wang, T.Z., Zhu, H.F., Wang, Z.Y., & Yu, X.P. (2018). DNA barcoding evaluation and implications for phylogenetic relationships in ladybird beetles (Coleoptera: Coccinellidae). *Mitochondrial DNA Part A*, p. 1-8. <https://doi.org/10.1080/24701394.2018.1446950>
- Wardani, F.S., Leksono, A.S., & Yanuwadi, B. (2013). Efek Blok Refugia (*Ageratum conyzoides*, *Ageratum houstonianum*, *Commelina diffusa*) Terhadap Pola Kunjungan Arthropoda di Perkebunan Apel Desa Poncokusumo, Malang. *Jurnal Biotropika*, 1(4): 134-138. <https://biotropika.ub.ac.id/index.php/biotropika/article/view/138/141>
- Watanabe, T. & Kitagawa, H. (2000). Photosynthesis and translocation of assimilates in rice plants following phloem feeding by the planthopper *Nilaparvata lugens* (Homoptera: Delphacidae). *J. Econ. Entomol.*, 93(4): 1192-1198. <https://doi.org/10.1603/0022-0493-93.4.1192>
- Weber, D.C. & Lundgren, J.G. (2009). Assessing the trophic ecology of the Coccinellidae: Their roles as predators and as prey. *Biological Control*, 51: 199-214. <https://doi.org/10.1016/j.biocontrol.2009.05.013>
- Widhayasa, B., Triyuliana, D., Marsilah & Andini, R. (2023). Pengendalian Hama Terpadu Berbasis Rekayasa Ekologi pada Agroekosistem Padi untuk Meningkatkan Peran Musuh Alami. *J. Agroekoteknologi Tropika Lembab*, 5(2): 100-108. <https://e-journals.unmul.ac.id/index.php/agro/article/view/9964/pdf>
- Wilson, J.J., Sing K.W., Floyd, R.M. & Hebert, P.D.N. (2017). DNA Barcodes and Insect Biodiversity (Chapter 17) In *Insect Biodiversity: Science and Society*. Willey online library. <https://doi.org/10.1002/9781118945568.ch17>
- With, K.A., Pavuk, D.M., Worchuck, J.I., Oates, R.K., & Fisher, J.I. (2002). Threshold Effects of Landscape Structure on Biological Control in Agroecosystems. *Ecological Applications*, 12(1): 52-65. [https://doi.org/10.1890/1051-0761\(2002\)012\[0052:TEOLSO\]2.0.CO;2](https://doi.org/10.1890/1051-0761(2002)012[0052:TEOLSO]2.0.CO;2)
- Wratten, S., Berndt, L., Gurr, G., Tylianakis, J., Fernando, P. & Didham, R. (2004). Adding flora diversity to enhance parasitoid fitness and efficacy. 1st International Symposium on Biological Control of Arthropods. pp. 211-214. <https://www.bugwood.org/arthropod/day4/wratten.pdf>
- Yanuwadi, B. & Grahadi, R. (2022). Genetic Differentiation of Brown Planthopper *Nilaparvata lugens* (Stål) Populations in Asia. *Journal of Tropical Life Science*, 12(2): 277-282. <http://dx.doi.org/10.11594/jtls.12.02.15>
- Yudha, P.A., Dwipa, I. & Azwardi, D. (2022). Abundance and Diversity of Coccinellid Predators in Rice Field Ecosystem in Payakumbuh District, Indonesia. *Asian Research Journal of Agriculture*, 15(4): 31-35. <https://doi.org/10.9734/arja/2022/v15i430164>
- Yudiawati, E. & Pertiwi, S. (2020). Keanekaragaman Jenis Coccinellidae pada Areal Persawahan Tanaman Padi di Kecamatan Tabir dan di Kecamatan Pangkalan Jambu Kabupaten Merangin. *Jurnal Sains Agro*, 5(1): 1-12. <http://ojs.umb-bungo.ac.id/index.php/saingro/index>

- Yulifada, D.A., Rahmadhini, N., & Widajati, W. (2024). Pengaruh Tanaman Refugia (*Cosmos Sulphureus* dan *Zinnia* sp.) terhadap Keanekaragaman Serangga Musuh Alami pada Pertanaman Padi. *JURNAL AGROTROPIKA*, 23(2): 270-279. <https://doi.org/10.23960/ja.v23i2.8508>
- Zahoor, M.K. Suhail, A., Iqbal, J., Zulfaqar, Z. & Anwar, M. (2003). Biodiversity of Predaceous Coccinellids and Their Role as Bioindicators in an Agroecosystem. *Int. J. Agri. Biol.*, 5(4): 555-559. [https://www.researchgate.net/publication/251950535 Biodiversity of Predaceous Coccinellids and Their Role as Bioindicators in an Agroecosystem](https://www.researchgate.net/publication/251950535_Biodiversity_of_Predaceous_Coccinellids_and_Their_Role_as_Bioindicators_in_an_Agroecosystem)
- Zarghami, S., Mossadegh, M.S., Kocheili, F., Allahyari, H., & Rasekh A. (2016). Functional Responses of *Nephus arcuatus* Kapur (Coleoptera: Coccinellidae), the Most Important Predator of Spherical Mealybug *Nipaecoccus viridis* (Newstead). *Hindawi Publishing Corporation. Psyche*. Vol2016, Article ID 9417496. <http://dx.doi.org/10.1155/2016/9417496>
- Zhu, P., Lu, Z., Heong, K., Chen, G., Zheng, X., Xu, H., Yang, Y., Nicol, H.I., & Gurr, G.M. (2014). Selection of Nectar Plants for Use in Ecological Engineering to Promote Biological Control of Rice Pests by the Predatory Bug, *Cyrtorhinus lividipennis*, (Heteroptera: Miridae). *PLoS ONE* 9(9): e108669. <https://doi.org/10.1371/journal.pone.0108669>
- Zytynska, S.E., Eicher, M., Fahle, R. & Weisser, W.W. (2021). Effect of flower identity and diversity on reducing aphid populations via natural enemy communities. *Ecology and Evolution*. 2021. 11: 18434-18445. <https://doi.org/10.1002/ece3.8432>