

DAFTAR PUSTAKA

- [1] H. Lasi, P. Fettke, H.-G. Kemper, T. Feld, and M. Hoffmann, “Industry 4.0,” *Business & Information Systems Engineering*, vol. 6, no. 4, pp. 239–242, Aug. 2014, doi: 10.1007/s12599-014-0334-4.
- [2] A. Ghufrani, H. Halimatussa’diyah, and P. Pathurrahman, “The Implications of the Concept of Soulmates in the Qur’an on the Ta’aruf Phenomenon in Indonesia,” *Jurnal Kajian Islam*, vol. 1, no. 2, pp. 42–47, Aug. 2024, doi: 10.56566/jki.v1i2.220.
- [3] M. Mafhumah, “Analisis hukum islam terhadap praktek ta’aruf menuju pernikahan melalui aplikasi Ta’aruf Online Indonesia ,” 2020. Accessed: Nov. 05, 2025. [Online]. Available: <http://digilib.uinsa.ac.id/id/eprint/44460>
- [4] R. Rahmawati and L. Ratri Rahmiaji, “Komunikasi Interpersonal pada Proses Ta’aruf Melalui Aplikasi Ta’aruf Online Indonesia,” *Interaksi Online*, vol. 10, no. 1, pp. 151–163, Dec. 2021.
- [5] I. T. Nugroho, “AGENCY IN THE ONLINE MATCHMAKING PLATFORM: Study of Rumah Taaruf myQuran and Mawaddah Indonesia,” *Al-Ahwal: Jurnal Hukum Keluarga Islam*, vol. 14, no. 2, pp. 200–213, Dec. 2021, doi: 10.14421/ahwal.2021.14207.
- [6] F. Rahman and G. L. Zulhaqqi, “FENOMENA TA’ARUF ONLINE DAN PRAKTIK KOMODIFIKASI PERKAWINAN DI DUNIA DIGITAL,” *Kafa’ah: Journal of Gender Studies*, vol. 10, no. 1, p. 63, Jun. 2020, doi: 10.15548/jk.v10i1.327.
- [7] M. Thakkar, “Unit Testing Using Jest,” in *Building React Apps with Server-Side Rendering*, Berkeley, CA: Apress, 2020, pp. 153–174. doi: 10.1007/978-1-4842-5869-9_5.
- [8] R. Wicaksono, R. Rakryan, and N. M. Faizah, “Aplikasi Pengaduan Sarana dan Prasarana: Studi Kasus di SMK Bhayangkari Delog Berbasis Web dengan Metode Rapid Application Development Menggunakan Sublime Text dan MySQL,” *Jurnal Ilmu Komputer dan Teknologi Informasi*, vol. 2, no. 1, pp. 1–11, Mar. 2025, doi: 10.35870/jikti.v2i1.1335.

- [9] F. B. Cahyono, “Pengenalan Wajah Menggunakan Model Facenet Untuk Presensi Pegawai,” 2020. [Online]. Available: <https://api.semanticscholar.org/CorpusID:235103112>
- [10] D. L. Reinholz and D. R. Dounas-Frazer, “Using Peer Feedback to Promote Reflection on Open-Ended Problems,” Mar. 2016, doi: 10.1119/1.4961181.
- [11] P. Vlachogianni and N. Tselios, “Perceived usability evaluation of educational technology using the System Usability Scale (SUS): A systematic review,” *Journal of Research on Technology in Education*, vol. 54, no. 3, pp. 392–409, May 2022, doi: 10.1080/15391523.2020.1867938.
- [12] Risetindo, “Skala Likert dalam Survei: Konsep, Kelebihan, dan Aplikasinya,” <https://www.risetindo.co.id/skala-likert-dalam-survei-konsep-kelebihan-dan-aplikasinya/>.
- [13] B. W. Mugalu, R. C. Wamala, J. Serugunda, and A. Katumba, “Face Recognition as a Method of Authentication in a Web-Based System,” Mar. 2021.
- [14] R. S. Anwar, T. Hasanuddin, and S. M. Abdullah, “Sistem Keamanan Pintu Asrama Berbasis Pengenalan Wajah dengan Algoritma Haar Cascade,” *Buletin Sistem Informasi dan Teknologi Islam*, vol. 3, no. 3, pp. 213–218, Aug. 2022, doi: 10.33096/busiti.v3i3.1197.
- [15] L. Dulčić, “Face Recognition with FaceNet and MTCNN,” <https://medium.com/@culuma/face-recognition-with-facenet-and-mtcnn-11e77240adb6>.
- [16] F. Schroff, D. Kalenichenko, and J. Philbin, “FaceNet: A unified embedding for face recognition and clustering,” in *2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, IEEE, Jun. 2015, pp. 815–823. doi: 10.1109/CVPR.2015.7298682.
- [17] M. Wang and W. Deng, “Deep Face Recognition: A Survey,” Aug. 2020, doi: 10.1016/j.neucom.2020.10.081.
- [18] S. Vasuki, “DeepFace vs Facenet for face recognition,” <https://projectsflix.com/machine-learning/deepface-and-facenet-for-face-recognition/>.

- [19] A. E. R. López, P. M. Poggi, F. C. Lombardo, and V. Giannini, “Landauer’s formula breakdown for radiative heat transfer and non-equilibrium Casimir forces,” Apr. 2018, doi: 10.1103/PhysRevA.97.042508.
- [20] H. I. Abdulmalik, “Unit Testing: Apa Itu dan Mengapa Kita Memerlukannya?,” <https://www.dicoding.com/blog/unit-testing-apa-itu-dan-mengapa-kita-memerlukannya/>.
- [21] K. Singhal, “How to read Test Coverage report generated using Jest,” <https://krishankantsinghal.medium.com/how-to-read-test-coverage-report-generated-using-jest-c2d1cb70da8b>.
- [22] H. Makadia, “Your Complete Guide To Rapid Application Development (RAD),” <https://marutitech.com/rapid-application-development/>.
- [23] B. Tibrewal, “JSON Web Token - Guide,” <https://app.daily.dev/posts/json-web-token---guide-msrs3ktap>.
- [24] OpenCV, “Cascade Classifier,” https://docs.opencv.org/3.4/db/d28/tutorial_cascade_classifier.html.
- [25] Melia Sari, M. Renaldi Nugraha, Abdul Haris Dalimunthe, and Puspa Kurniasari, “Perbandingan Kinerja Algoritma Haar Cascade dan Convolutional Neural Network pada ESP32 Cam dengan Raspberry Pi Sebagai Sistem Presensi Rekognisi Wajah,” *Jurnal Teknologi dan Manajemen Industri Terapan*, vol. 4, no. 2, pp. 448–456, May 2025, doi: 10.55826/jtmit.v4i2.687.
- [26] Teachcomputerscience, “Client-Server Architecture,” <https://teachcomputerscience.com/client-server-architecture>.
- [27] D. W. T. Putra and R. Andriani, “Unified Modelling Language (UML) dalam Perancangan Sistem Informasi Permohonan Pembayaran Restitusi SPPD”.
- [28] Visualparadigm, “Overview of the 14 UML Diagram Types,” <https://www.visual-paradigm.com/guide/uml-unified-modeling-language/overview-of-the-14-uml-diagram-types/>.
- [29] E. R. Subhiyakto and Y. P. Astuti, “APLIKASI PEMBELAJARAN CLASS DIAGRAM BERBASIS WEB UNTUK PENDIDIKAN REKAYASA PERANGKAT LUNAK,” *SIMETRIS*, vol. 11, no. 1, pp. 143–150, Apr. 2020.

- [30] A. Purnomo and A. Ardiansyah, "Pengembangan User Experience (UX) dan User Interface (UI) Aplikasi Ibeauty Berbasis Android," *Jurnal Sarjana Teknik Informatika*, vol. 6, no. 3, pp. 201–210, 2018, doi: 10.12928/jstie.v6i3.15251.
- [31] N. Vij, "The Difference between UX & UI Design: 9 Things to Know," <https://www.netsolutions.com/insights/ux-vs-ui-design>.
- [32] H. A. Jartarghar, G. Rao Salanke, A. K. A.R, S. G.S, and S. Dalali, "React Apps with Server-Side Rendering: Next.js," *Journal of Telecommunication, Electronic and Computer Engineering (JTEC)*, vol. 14, no. 4, pp. 25–29, Dec. 2022, doi: 10.54554/jtec.2022.14.04.005.
- [33] J. C. Yusmita, R. Arya, J. M. Wijaya, K. M. Suryaningrum, and R. R. Siswanto, "Optimizing Database Access Strategy: A Performance Analysis Comparison of Raw SQL and Prisma ORM," *Procedia Comput Sci*, vol. 269, pp. 1201–1210, 2025, doi: 10.1016/j.procs.2025.09.061.
- [34] N. Burk, "How Prisma ORM Became the Most Downloaded ORM for Node.js," <https://www.prisma.io/blog/how-prisma-orm-became-the-most-downloaded-orm-for-node-js>.
- [35] K. Deshappriya, "A Beginner's Guide to Prisma: The Modern ORM for Databases," <https://medium.com/@kavinduworks63/a-beginners-guide-to-prisma-the-modern-orm-for-databases-cb55262e9b60>.
- [36] J. R. Lewis and J. Sauro, "The Factor Structure of the System Usability Scale," 2009, pp. 94–103. doi: 10.1007/978-3-642-02806-9_12.
- [37] J. Brooke, "SUS-A quick and dirty usability scale."
- [38] E. J. Mascha and T. R. Vetter, "Significance, Errors, Power, and Sample Size: The Blocking and Tackling of Statistics," *Anesth Analg*, vol. 126, no. 2, pp. 691–698, Feb. 2018, doi: 10.1213/ANE.0000000000002741.
- [39] I. Ghazali, *Aplikasi analisis multivariate dengan program IBM SPSS 25*, 9th ed. Semarang: Badan Penerbit Universitas Diponegoro, 2018.
- [40] Sugiyono, *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta, 2019.