

BIBLIOGRAPHY

- [1] R. Singh, A. Walia, J. Kaur, P. Kumar, I. Verma, and N. Rani, "Diabetic Retinopathy - Pathophysiology to Treatment: A Review," *Curr. Diabetes Rev.*, vol. 21, no. 3, Mar. 2025, doi: 10.2174/0115733998259940231105200251.
- [2] M. Kropp *et al.*, "Diabetic retinopathy as the leading cause of blindness and early predictor of cascading complications—risks and mitigation," *EPMA Journal*, vol. 14, no. 1, pp. 21–42, Feb. 2023, doi: 10.1007/s13167-023-00314-8.
- [3] D. D. Chong, N. Das, and R. P. Singh, "Diabetic retinopathy: Screening, prevention, and treatment," *Cleve. Clin. J. Med.*, vol. 91, no. 8, pp. 503–510, Aug. 2024, doi: 10.3949/ccjm.91a.24028.
- [4] Z. L. Teo *et al.*, "Global Prevalence of Diabetic Retinopathy and Projection of Burden through 2045," *Ophthalmology*, vol. 128, no. 11, pp. 1580–1591, Nov. 2021, doi: 10.1016/j.ophtha.2021.04.027.
- [5] B. L. VanderBeek, Y. Yu, S. Cardillo, and R. Hubbard, "Twenty-Year Trends in Prevalence and Incidence of Diabetic Retinal Disease," *Ophthalmology*, vol. 132, no. 7, pp. 767–774, Jul. 2025, doi: 10.1016/j.ophtha.2025.01.022.
- [6] Z. Yang, T.-E. Tan, Y. Shao, T. Y. Wong, and X. Li, "Classification of diabetic retinopathy: Past, present and future," *Front. Endocrinol. (Lausanne)*, vol. 13, Dec. 2022, doi: 10.3389/fendo.2022.1079217.
- [7] C. J. Flaxel *et al.*, "Diabetic Retinopathy Preferred Practice Pattern®," *Ophthalmology*, vol. 127, no. 1, pp. P66–P145, Jan. 2020, doi: 10.1016/j.ophtha.2019.09.025.
- [8] S. Srinivasan *et al.*, "Inter-observer agreement in grading severity of diabetic retinopathy in wide-field fundus photographs," *Eye*, vol. 37, no. 6, pp. 1231–1235, Apr. 2023, doi: 10.1038/s41433-022-02107-1.
- [9] Y. A. Kadhim, M. U. Khan, and A. Mishra, "Deep Learning-Based Computer-Aided Diagnosis (CAD): Applications for Medical Image Datasets," *Sensors*, vol. 22, no. 22, p. 8999, Nov. 2022, doi: 10.3390/s22228999.
- [10] S. K. Zhou *et al.*, "A Review of Deep Learning in Medical Imaging: Imaging Traits, Technology Trends, Case Studies With Progress Highlights, and Future Promises," *Proceedings of the IEEE*, vol. 109, no. 5, pp. 820–838, May 2021, doi: 10.1109/JPROC.2021.3054390.
- [11] L. Alzubaidi *et al.*, "Review of deep learning: concepts, CNN architectures, challenges, applications, future directions," *J. Big Data*, vol. 8, no. 1, p. 53, Mar. 2021, doi: 10.1186/s40537-021-00444-8.
- [12] C. Suedumrong, S. Phongmoo, T. Akarajaka, and K. Leksakul, "Diabetic Retinopathy Detection Using Convolutional Neural Networks with Background Removal, and Data Augmentation," *Applied Sciences*, vol. 14, no. 19, p. 8823, Sep. 2024, doi: 10.3390/app14198823.
- [13] P. Jeevan and A. Sethi, "Which Backbone to Use: A Resource-efficient Domain Specific Comparison for Computer Vision," Mar. 2025, [Online]. Available: <http://arxiv.org/abs/2406.05612>
- [14] M. Tan and Q. V. Le, "EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks," Sep. 2020, [Online]. Available: <http://arxiv.org/abs/1905.11946>
- [15] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L.-C. Chen, "MobileNetV2: Inverted Residuals and Linear Bottlenecks," Mar. 2019, [Online]. Available: <http://arxiv.org/abs/1801.04381>
- [16] L. Arora *et al.*, "Ensemble deep learning and EfficientNet for accurate diagnosis of diabetic retinopathy," *Sci. Rep.*, vol. 14, no. 1, p. 30554, Dec. 2024, doi: 10.1038/s41598-024-81132-4.
- [17] F. Ahmed, "Addressing High Class Imbalance in Multi-Class Diabetic Retinopathy Severity Grading with Augmentation and Transfer Learning," Jul. 2025, [Online]. Available: <http://arxiv.org/abs/2507.17121>
- [18] C. Mohanty *et al.*, "Using Deep Learning Architectures for Detection and Classification of Diabetic Retinopathy," *Sensors*, vol. 23, no. 12, p. 5726, Jun. 2023, doi: 10.3390/s23125726.

- [19] G. Alwakid, W. Gouda, and M. Humayun, "Enhancement of Diabetic Retinopathy Prognostication Using Deep Learning, CLAHE, and ESRGAN," *Diagnostics*, vol. 13, no. 14, p. 2375, Jul. 2023, doi: 10.3390/diagnostics13142375.
- [20] C. J. Hellín, A. A. Olmedo, A. Valledor, J. Gómez, M. López-Benítez, and A. Tayebi, "Unraveling the Impact of Class Imbalance on Deep-Learning Models for Medical Image Classification," *Applied Sciences*, vol. 14, no. 8, p. 3419, Apr. 2024, doi: 10.3390/app14083419.
- [21] E. Pachetti and S. Colantonio, "A systematic review of few-shot learning in medical imaging," *Artif. Intell. Med.*, vol. 156, p. 102949, Oct. 2024, doi: 10.1016/j.artmed.2024.102949.
- [22] K. He, N. Pu, M. Lao, and M. S. Lew, "Few-shot and meta-learning methods for image understanding: a survey," *Int. J. Multimed. Inf. Retr.*, vol. 12, no. 2, p. 14, Dec. 2023, doi: 10.1007/s13735-023-00279-4.
- [23] J. Snell, K. Swersky, and R. S. Zemel, "Prototypical Networks for Few-shot Learning," Jun. 2017, [Online]. Available: <http://arxiv.org/abs/1703.05175>
- [24] J. Y. Lim, K. M. Lim, C. P. Lee, and Y. X. Tan, "SSL-ProtoNet: Self-supervised Learning Prototypical Networks for few-shot learning," *Expert Syst. Appl.*, vol. 238, p. 122173, Mar. 2024, doi: 10.1016/j.eswa.2023.122173.
- [25] N. Wang, Y. Lai, C. Chen, and Z. Zheng, "Prototypical networks with unlabeled data for few-shot node classification," *Eng. Appl. Artif. Intell.*, vol. 145, p. 110088, Apr. 2025, doi: 10.1016/j.engappai.2025.110088.
- [26] A. Ouahab and O. Ben Ahmed, "ProtoMed: Prototypical networks with auxiliary regularization for few-shot medical image classification," *Image Vis. Comput.*, vol. 154, p. 105337, Feb. 2025, doi: 10.1016/j.imavis.2024.105337.
- [27] X. Xu, D. Liu, G. Huang, M. Wang, M. Lei, and Y. Jia, "Computer aided diagnosis of diabetic retinopathy based on multi-view joint learning," *Comput. Biol. Med.*, vol. 174, p. 108428, May 2024, doi: 10.1016/j.combiomed.2024.108428.
- [28] Q. Abbas, Y. Daadaa, U. Rashid, M. Z. Sajid, and M. E. A. Ibrahim, "HDR-EfficientNet: A Classification of Hypertensive and Diabetic Retinopathy Using Optimize EfficientNet Architecture," *Diagnostics*, vol. 13, no. 20, p. 3236, Oct. 2023, doi: 10.3390/diagnostics13203236.
- [29] S. Tummala, V. S. G. Thadikemalla, S. Kadry, M. Sharaf, and H. T. Rauf, "EfficientNetV2 Based Ensemble Model for Quality Estimation of Diabetic Retinopathy Images from DeepDRiD," *Diagnostics*, vol. 13, no. 4, p. 622, Feb. 2023, doi: 10.3390/diagnostics13040622.
- [30] S.-L. Yi, X.-L. Yang, T.-W. Wang, F.-R. She, X. Xiong, and J.-F. He, "Diabetic Retinopathy Diagnosis Based on RA-EfficientNet," *Applied Sciences*, vol. 11, no. 22, p. 11035, Nov. 2021, doi: 10.3390/app112211035.
- [31] M. Sushith, A. Sathiya, V. Kalaipoonguzhali, and V. Sathya, "A hybrid deep learning framework for early detection of diabetic retinopathy using retinal fundus images," *Sci. Rep.*, vol. 15, no. 1, p. 15166, Apr. 2025, doi: 10.1038/s41598-025-99309-w.
- [32] W. Zhang, V. Belcheva, and T. Ermakova, "Interpretable Deep Learning for Diabetic Retinopathy: A Comparative Study of CNN, ViT, and Hybrid Architectures," *Computers*, vol. 14, no. 5, p. 187, May 2025, doi: 10.3390/computers14050187.
- [33] H. Xu, X. Shao, D. Fang, and F. Huang, "A hybrid neural network approach for classifying diabetic retinopathy subtypes," *Front. Med. (Lausanne)*, vol. 10, Jan. 2024, doi: 10.3389/fmed.2023.1293019.
- [34] M. Murugappan, N. B. Prakash, R. Jeya, A. Mohanarathinam, G. R. Hemalakshmi, and M. Mahmud, "A novel few-shot classification framework for diabetic retinopathy detection and grading," *Measurement*, vol. 200, p. 111485, Aug. 2022, doi: 10.1016/j.measurement.2022.111485.
- [35] S. Tang *et al.*, "Few-shot medical image segmentation with high-fidelity prototypes," *Med. Image Anal.*, vol. 100, p. 103412, Feb. 2025, doi: 10.1016/j.media.2024.103412.
- [36] S. Chamarthi, K. Fogelberg, J. Gawlikowski, and T. J. Brinker, "Few-shot learning for skin lesion classification: A prototypical networks approach," *Inform. Med. Unlocked*, vol. 48, p. 101520, 2024, doi: 10.1016/j.imu.2024.101520.

- [37] H. Quan, X. Li, D. Hu, T. Nan, and X. Cui, “Dual-Channel Prototype Network for Few-Shot Pathology Image Classification,” *IEEE J. Biomed. Health Inform.*, vol. 28, no. 7, pp. 4132–4144, Jul. 2024, doi: 10.1109/JBHI.2024.3386197.
- [38] B. Zhang, B. Gao, S. Liang, X. Li, and H. Wang, “A classification algorithm based on improved meta learning and transfer learning for few-shot medical images,” *IET Image Process.*, vol. 17, no. 12, pp. 3589–3598, Oct. 2023, doi: 10.1049/ipr2.12889.
- [39] C. Gu and M. Lee, “Deep Transfer Learning Using Real-World Image Features for Medical Image Classification, with a Case Study on Pneumonia X-ray Images,” *Bioengineering*, vol. 11, no. 4, p. 406, Apr. 2024, doi: 10.3390/bioengineering11040406.
- [40] C. Su and W. Wang, “Concrete Cracks Detection Using Convolutional NeuralNetwork Based on Transfer Learning,” *Math. Probl. Eng.*, vol. 2020, pp. 1–10, Oct. 2020, doi: 10.1155/2020/7240129.
- [41] S. Wang, Y. Wang, H. Liu, and Y. Sun, “Attribute-Guided Multi-Scale Prototypical Network for Few-Shot SAR Target Classification,” *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 14, pp. 12224–12245, 2021, doi: 10.1109/JSTARS.2021.3126688.
- [42] C.-L. Lin and K.-C. Wu, “Development of revised ResNet-50 for diabetic retinopathy detection,” *BMC Bioinformatics*, vol. 24, no. 1, p. 157, Apr. 2023, doi: 10.1186/s12859-023-05293-1.
- [43] J. E. Widyaya and S. Budi, “Pengaruh Preprocessing Terhadap Klasifikasi Diabetic Retinopathy dengan Pendekatan Transfer Learning Convolutional Neural Network,” *Jurnal Teknik Informatika dan Sistem Informasi*, vol. 7, no. 1, Apr. 2021, doi: 10.28932/jutisi.v7i1.3327.
- [44] S. Karthik; Maggie; Dane, “APTOS 2019 Blindness Detection,” Kaggle. Accessed: Oct. 21, 2025. [Online]. Available: <https://www.kaggle.com/competitions/aptos2019-blindness-detection>
- [45] D. P. Kingma and J. Ba, “Adam: A Method for Stochastic Optimization,” Jan. 2017, [Online]. Available: <http://arxiv.org/abs/1412.6980>
- [46] J. Heaton, “Ian Goodfellow, Yoshua Bengio, and Aaron Courville: Deep learning,” *Genet. Program. Evolvable Mach.*, vol. 19, no. 1–2, pp. 305–307, Jun. 2018, doi: 10.1007/s10710-017-9314-z.
- [47] K. A. Hallgren, “Computing Inter-Rater Reliability for Observational Data: An Overview and Tutorial,” *Tutor. Quant. Methods Psychol.*, vol. 8, no. 1, pp. 23–34, Feb. 2012, doi: 10.20982/tqmp.08.1.p023.