



LAPORAN HASIL PENELITIAN
“Sintesis dan Karakterisasi Komposit Ferri Silikat dengan Metode
Presipitasi Sebagai Pemucat Warna (*Bleaching*) Minyak Goreng”

DAFTAR PUSTAKA

- Agotegaray M.A. *et al.*, (2017), *Silica-coated Magnetic Nanoparticles: An Insight into Targeted Drug Delivery and Toxicology*, Springer, New York.
<https://doi.org/10.1007/978-3-319-50158-1>
- Amjad Z., (2013), *Mineral Scales in Biological and Industrial Systems*, CRC Press: Taylor & Francis Group, Boca Raton.
<https://doi.org/10.1201/b15606>
- Anderson J.R. *et al.*, (1982), *Catalysis: Science and Technology Volume 1*, Walter de Gruyter GmbH, Berlin.
<https://doi.org/10.1515/9783112531228>
- Azmiyawati C. *et al.*, (2018), “New Silica Magnetite Sorbent: The Influence of Variations of Sodium Silicate Concentrations on Silica Magnetite Character”, *Materials Science and Engineering*, Vol. 349, No. 012012, hh. 1-8.
<https://doi.org/0.1088/1757-899X/349/1/012012>
- Badan Standarisasi Nasional, (2000), *SNI 13-6336-2000: Bentonit untuk pemucat minyak nabati*. Badan Standarisasi Nasional.
<https://pesta.bsn.go.id/produk/detail/5895-sni13-6336-2000>
- Bulatovic S.M., (2007), *Handbook of Flotation Reagents: Chemistry, Theory and Practice Volume 1*, Elsevier, Amsterdam.
<https://doi.org/10.1016/B978-0-444-53029-5.X5009-6>
- Chin A.B. *et al.*, (2013), “Effect of Fe₂O₃/SiO₂ Ratio on Maghemite-Silica Particulate Nanocomposites”, *Journal of Central South University*, Vol. 20, No. 11, hh. 2954 -2959.
<https://doi.org/10.1007/s11771-013-1818-y>
- Condon J.B., (2019), *Area and Porosity Determinations by Physisorption: Measurement, Classical Theories and Quantum Theory 2nd Edition*, Elsevier, Amsterdam.
<https://doi.org/10.1016/C2018-0-00544-7>



LAPORAN HASIL PENELITIAN

“Sintesis dan Karakterisasi Komposit Ferri Silikat dengan Metode Presipitasi Sebagai Pemucat Warna (*Bleaching*) Minyak Goreng”

Dyer, L. *et al.*, (2010), “Synthesis and Characterisation of Ferrihydrite/Silica Co-Precipitates”, *Journal of Colloid and Interface Science*, Vol. 348, No. 1, hh 65-70.

<https://doi.org/10.1016/j.jcis.2010.03.056>

Eneng M. *et al.*, (2018), “Effects of The Precipitation Ph of Sodium Silicate on The Amorphous Silica Characteristics and Its Capability in The Pb and Cd Adsorption”, *Research Journal of Chemistry and Environment*, Vol. 22, No. 2, hh. 72-178.

Guglielmi M. *et al.*, (2014), *Advances in Sol-Gel Derived Materials and Technologies : Sol-Gel Nanocomposites*, Springer, New York.

<https://doi.org/10.1007/978-1-4939-1209-4>

Guha P., (2021), *Composites Innovation: Perspectives on Advancing the Industry*, CRC Press: Taylor & Francis Group, Boca Raton.

<https://doi.org/10.1201/9781003161738>

Gursoy M. *et al.*, (2017), *Surface Treatments for Biological, Chemical, and Physical Applications*, Wiley-VCH Verlag GmbH & Co. KgaA, Germany.

<https://doi.org/10.1002/9783527698813>

Idris A.O. *et al.*, (2024), *Smart Nanomaterials for Environmental Applications*, Elsevier, Amsterdam.

<https://doi.org/10.1016/C2023-0-00029-2>

Iler R.K., (1979), *The Chemistry of Silica: Solubility, Polymerization, Colloid and Surface Properties, and Biochemistry*, John Wiley & Sons, Canada.

<https://doi.org/10.1002/anie.198002302>

Khalil K.M.S. *et al.*, (2008), “High Surface Area Thermally Stabilized Porous Iron Oxide/Silica Nanocomposites Via a Formamide Modified Sol-Gel Process”, *Applied Surface Science*, Vol. 254, No. 13, hh. 3767-3773.

<https://doi.org/10.1016/j.apsusc.2007.11.066>

Khokhlova T.D., (2017), “Synthesis, Structural, and Adsorption Characteristics of γ -Fe₂O₃/SiO₂ Composite”, *Protection of Metals and Physical Chemistry of Surfaces*, Vol. 53, No. 6, hh. 995-998.

<https://doi.org/10.1134/S2070205117060260>



LAPORAN HASIL PENELITIAN

“Sintesis dan Karakterisasi Komposit Ferri Silikat dengan Metode Presipitasi Sebagai Pemucat Warna (*Bleaching*) Minyak Goreng”

- Kickelbick G., (2007), *Hybrid Materials: Synthesis, Characterization, And Applications*, Wiley-VCH Verlag GmbH & Co. KgaA, Germany.
<https://doi.org/10.1002/9783527610495>
- Klein L. *et al.*, (2018), *Handbook of Sol-Gel Science and Technology 2nd Edition*, Springer, New York
<https://doi.org/10.1007/978-3-319-32101-1>
- Kostova I., (2025), *General and Inorganic Chemistry*, Walter de Gruyter GmbH, Berlin.
<https://doi.org/10.1515/9783111712246>
- Kumar P. *et al.*, (2023), *Defect-Induced Magnetism in Oxide Semiconductors*, Elsevier, Cambridge.
<https://doi.org/10.1016/C2020-0-03503-6>
- Levy D. *et al.*, (2015), *The Sol-Gel Handbook*, Wiley-VCH Verlag GmbH & Co. KgaA, Germany.
<https://doi.org/10.1002/9783527670819>
- Mezinskis G. *et al.*, (1997), “Micro- and Nanostructures of Fe₂O₃-SiO₂ Sol-Gel Derived Thick Coatings”, *Journal of Sol-Gel Science and Technology*, Vol. 8, No. 1, hh. 489–492.
<https://doi.org/10.1007/BF02436887>
- Mulmeyda R. *et al.*, (2025), “Synthesis of α-Fe₂O₃ and α-Fe₂O₃/SiO₂ Composite from Geothermal Waste by Sol-Gel Method and Their Characterization”, *Chemistry and Material*, Vol. 4, No. 1, hh. 24-33.
<https://doi.org/10.56425/cma.v4i1.91>
- Mungondori H.H. *et al.*, (2019), “Synthesis of a Novel Visible Light Responsive γ-Fe₂O₃/SiO₂/C-TiO₂ Magnetic Nanocomposite for Water Treatment”, *Water Science and Technology*, Vol. 78, No. 12, hh. 2500-2510
<https://doi.org/10.2166/wst.2019.004>
- Naito M. *et al.*, (2018), *Nanoparticle Technology Handbook 3rd Edition*, Elsevier, Amsterdam.
<https://doi.org/10.1016/C2017-0-01011-X>



LAPORAN HASIL PENELITIAN

“Sintesis dan Karakterisasi Komposit Ferri Silikat dengan Metode Presipitasi Sebagai Pemucat Warna (*Bleaching*) Minyak Goreng”

- Nengsih S., (2021), “Perbandingan Kedalaman Pengikisan Logam dalam Larutan Ferri Klorida”, *Jurnal Ilmiah Pendidikan Teknik Elektro*, Vol. 5, No. 1, hh. 75-79.
<https://doi.org/10.22373/CRC.V5I1.8472>
- O'Brien R.D., (2009), *Fats and Oils: Formulating and Processing for Applications 3rd Edition*, CRC Press: Taylor & Francis Group, Boca Raton.
<https://doi.org/10.1201/9781420061673>
- Pal K., (2019), *Hybrid Nanocomposites: Fundamentals, Synthesis, and Applications*, Pan Stanford Publishing, Singapore.
<https://doi.org/10.1201/9780429000966>
- Persson I., (2018), “Ferric Chloride Complexes in Aqueous Solution: An EXAFS Study”, *Journal of Solution Chemistry*, Vol. 47, No. 1, hh. 797-805.
<https://doi.org/10.1007/s10953-018-0756-6>
- Powers J.P. *et al.*, (2007), *Construction Dewatering and Groundwater Control: New Methods and Applications 3rd Edition*, John Wiley & Sons, Canada.
<https://doi.org/10.1002/9780470168103>
- Rivas E.O., (2012), *Unit Operations of Particulate Solids: Theory and Practice*, CRC Press: Taylor & Francis Group, Boca Raton.
<https://doi.org/10.1201/b11059>
- Rodriguez J.A. *et al.*, (2007), *Synthesis, Properties, and Applications of Oxide Nanomaterials*, John Wiley & Sons, Canada.
<https://doi.org/10.1002/0470108975>
- Romm F., (2004), *Microporous Media Synthesis Properties and Modeling*, Marcel Dekker Inc., America.
<https://doi.org/10.1201/NOE0824758080>
- Shunai C. *et al.*, (2021), *Mesoporous Silica: Anionic Amphiphilic Molecular Templates*, Walter de Gruyter GmbH, Berlin.
<https://doi.org/10.1515/9783110555318>
- Siddiqui M.K.H., (2016), *Bleaching Earths*, Pergamon Press, Great Britain.
<https://doi.org/10.1016/B978-0-08-012738-5.50001-2>
-



LAPORAN HASIL PENELITIAN

“Sintesis dan Karakterisasi Komposit Ferri Silikat dengan Metode Presipitasi Sebagai Pemucat Warna (*Bleaching*) Minyak Goreng”

- Staal, L.H. *et al.*, (1995), *Metal-Oxide-Silica Adsorbent and Process for Refining Oil Using the Same*, European Patent EP0269173B2, Berlin.
<https://patents.google.com/patent/EP0269173B2/en>
- Sun, J. *et al.*, (2022), “Simultaneous Fe(OH)₃ Formation and Silicon Adsorption Removal from Reverse Osmosis Brine Wastewater”, *Chemical Engineering Research and Design*, Vol. 188, No. 1, hh. 964-971.
<https://doi.org/10.1016/j.cherd.2022.10.042>
- Thomas S. *et al.*, (2017), *Thermal and Rheological Measurement Techniques for Nanomaterials Characterization*, Elsevier, Amsterdam.
<https://doi.org/10.1016/B978-0-323-46139-9.18001-6>
- Thomas S. *et al.*, (2020), *Colloidal Metal Oxide Nanoparticles: Synthesis, Characterization and Applications*, Elsevier, Amsterdam.
<https://doi.org/10.1016/C2016-0-03725-7>
- Unger K.K., (1979), *Porous Silica: Its Properties and Use as Support in Column Liquid Chromatography*, Elsevier, Amsterdam.
[https://doi.org/10.1016/S0021-9673\(00\)83851-0](https://doi.org/10.1016/S0021-9673(00)83851-0)
- Vail J.G. *et al.*, (1952), *Soluble Silicates: Their Properties and Uses, Volumes 1-2*, Reinhold Publishing Corporation, New York.
<https://doi.org/10.1097/00010694-195211000-00022>
- Varma R.S. *et al.*, (2022), *Magnetic Nanocatalysis: Industrial Applications Volume 2*, Walter de Gruyter GmbH, Berlin.
<https://doi.org/10.1515/9783110782165>
- Wang J. *et al.*, (2022), “Highly Porous Fe₂O₃-SiO₂ Layer for Acoustic Wave Based H₂S Sensing: Mass Loading or Elastic Loading Effects?”, *Sensors and Actuators B: Chemical*, Vol. 367, No. 132160, hh. 1-25.
<https://doi.org/10.1016/j.snb.2022.132160>
- Waseem M. *et al.*, (2010), “Physiochemical Properties of Mixed Oxides of Iron and Silicon”, *Journal of Non-Crystalline Solids*, Vol. 356, No. 50, hh. 2704-2708.
<https://doi.org/10.1016/j.jnoncrysol.2010.09.055>
-



LAPORAN HASIL PENELITIAN

“Sintesis dan Karakterisasi Komposit Ferri Silikat dengan Metode Presipitasi Sebagai Pemucat Warna (*Bleaching*) Minyak Goreng”

Widiyandari H. *et al.*, (2021), “Synthesis of Mesoporous SiO₂ Xerogel from Geothermal Sludge using Sulfuric Acid as Gelation Agent”, *International Journal of Engineering*, Vol. 34, No. 7, hh. 1569-1575.

<https://doi.org/10.5829/ije.2021.34.07a.02>

Xu Z. *et al.*, (2013), “Microemulsion-Assisted Preparation of a Mesoporous Ferrihydrite@SiO₂ Composite for the Efficient Removal of Formaldehyde from Air”, *Chemistry - A European Journal*, Vol. 19, No. 29, hh. 9592-9598.

<https://doi.org/10.1002/chem.201300438>

Zhuang G. *et al.*, (2024), *Clay Science in Drilling and Drilling Fluids Volume 11*, Elsevier, Cambridge.

<https://doi.org/10.1016/B978-0-443-15598-7.00020-1>