



LAPORAN HASIL PENELITIAN

Produksi Nanofiber PLA/Selulosa/Kitosan sebagai Material *Wound Dressing* dengan Metode *Electrospinning*

DAFTAR PUSTAKA

- Abdulhussain, R., Adebisi, A., Conway, B. R., & Asare-Addo, K. (2023). Electrospun nanofibers: Exploring process parameters, polymer selection, and recent applications in pharmaceuticals and drug delivery. *Journal of Drug Delivery Science and Technology*, 90. <https://doi.org/10.1016/j.jddst.2023.105156>
- Asadzadeh, F., Ghorbanzadeh, S., Poursattar Marjani, A., Gholami, R., Asadzadeh, F., & Lotfollahi, L. (2024). Assessing polylactic acid nanofibers with cellulose and chitosan nanocapsules loaded with chamomile extract for treating gram-negative infections. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-72398-9>
- Bhiogade, A., Kannan, M., & Devanathan, S. (2020). Degradation kinetics study of Poly lactic acid(PLA) based biodegradable green composites. *Materials Today: Proceedings*, 24. <https://doi.org/10.1016/j.matpr.2020.04.389>
- Brett, D. W. (2006). A Review of Moisture-Control Dressings in Wound Care. *J Wound Ostomy Continence Nurs*, 33(6S), 3–8.
- Brumberg, V., Astrelina, T., Malivanova, T., & Samoilov, A. (2021). Modern wound dressings: Hydrogel dressings. Dalam *Biomedicines* (Vol. 9, Nomor 9). MDPI. <https://doi.org/10.3390/biomedicines9091235>
- Casasola, R., Thomas, N. L., Trybala, A., & Georgiadou, S. (2014). Electrospun poly lactic acid (PLA) fibres: Effect of different solvent systems on fibre morphology and diameter. *Polymer*, 55(18), 4728–4737. <https://doi.org/10.1016/j.polymer.2014.06.032>
- Chen, K., Hu, H., Zeng, Y., Pan, H., Wang, S., Zhang, Y., Shi, L., Tan, G., Pan, W., & Liu, H. (2022). Recent advances in electrospun nanofibers for wound dressing. Dalam *European Polymer Journal* (Vol. 178). Elsevier Ltd. <https://doi.org/10.1016/j.eurpolymj.2022.111490>
- Chieng, B. W., Ibrahim, N. A., Yunus, W. M. Z. W., & Hussein, M. Z. (2013). Plasticized poly(lactic acid) with low molecular weight poly(ethylene glycol):



LAPORAN HASIL PENELITIAN

Produksi Nanofiber PLA/Selulosa/Kitosan sebagai Material *Wound Dressing* dengan Metode *Electrospinning*

- Mechanical, thermal, and morphology properties. *Journal of Applied Polymer Science*, 130(6), 4576–4580. <https://doi.org/10.1002/app.39742>
- Chieng, B. W., Ibrahim, N. A., Yunus, W. M. Z. W., & Hussein, M. Z. (2014). Poly(lactic acid)/poly(ethylene glycol) polymer nanocomposites: Effects of graphene nanoplatelets. *Polymers*, 6(1), 93–104. <https://doi.org/10.3390/polym6010093>
- Chieng, B. W., Lee, S. H., Ibrahim, N. A., Then, Y. Y., & Loo, Y. Y. (2017). Isolation and characterization of cellulose nanocrystals from oil palm mesocarp fiber. *Polymers*, 9(8). <https://doi.org/10.3390/polym9080355>
- De Schoenmaker, B., Van Der Schueren, L., Ceylan, Ö., & De Clerck, K. (2012). Electrospun polyamide 4.6 nanofibrous nonwovens: Parameter study and characterization. *Journal of Nanomaterials*, 2012. <https://doi.org/10.1155/2012/860654>
- D'souza, A. A., & Shegokar, R. (2016). Polyethylene glycol (PEG): a versatile polymer for pharmaceutical applications. Dalam *Expert Opinion on Drug Delivery* (Vol. 13, Nomor 9, hlm. 1257–1275). Taylor and Francis Ltd. <https://doi.org/10.1080/17425247.2016.1182485>
- Fard, G. C., Gashti, M. P., Gupta, R. K., Dehdast, S. A., Shabani, M., & Martins, A. F. (2025). Multifunctional Fibers for Wound Dressings: A Review. *Fibers*, 13(8). <https://doi.org/10.3390/fib13080100>
- Fatahian, R., & Erfani, R. (2025). Characterization and Optimization of Electrospun PVA/PLA Nanofibers Using Taguchi Method: Morphology and Structure. *Journal of Electrostatics*, 134. <https://doi.org/10.1016/j.elstat.2025.104035>
- Fatahian, R., Mirjalili, M., Khajavi, R., Rahimi, M. K., & Nasirizadeh, N. (2021). Effect of electrospinning parameters on production of polyvinyl alcohol/poly(lactic acid) nanofiber using a mutual solvent. *Polymers and Polymer Composites*, 29(9_suppl). <https://doi.org/10.1177/096739112111027126>
- Fatrasari, widya; N. M. E. H. (2019). Widya+Fatrasari,+selulosa. Dalam *selulosa: karakteristik dan pemanfaatannya*. LIPI Press.



LAPORAN HASIL PENELITIAN

Produksi Nanofiber PLA/Selulosa/Kitosan sebagai Material *Wound Dressing* dengan Metode *Electrospinning*

- Feby Gardika Priyadi, R., Wahyuni Jurusan Kimia, S., & Matematika dan Ilmu Pengetahuan Alam, F. (2021). Synthesis of TiO₂ /PDMS Composites as Antibacterial Coatings on Cotton Fabrics. Dalam *Indonesian Journal of Chemical Science* (Vol. 10, Nomor 3). <http://journal.unnes.ac.id/sju/index.php/ijcs>
- Ferraz, M. P. (2025). Wound Dressing Materials: Bridging Material Science and Clinical Practice. Dalam *Applied Sciences (Switzerland)* (Vol. 15, Nomor 4). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/app15041725>
- Foong, C. Y., Hamzah, M. S. A., Razak, S. I. A., Saidin, S., & Nayan, N. H. M. (2018). Influence of Poly(lactic acid) Layer on the Physical and Antibacterial Properties of Dry Bacterial Cellulose Sheet for Potential Acute Wound Healing Materials. *Fibers and Polymers*, 19(2). <https://doi.org/10.1007/s12221-018-7850-7>
- Fouad, S. A., Ismail, A. M., Abdel Rafea, M., Abu Saied, M. A., & El-Dissouky, A. (2024). Preparation and Characterization of Chitosan Nanofiber: Kinetic Studies and Enhancement of Insulin Delivery System. *Nanomaterials*, 14(11). <https://doi.org/10.3390/nano14110952>
- Garlotta, D. (2001). A literature review of poly(lactic acid). *Journal of Polymers and the Environment*, 9(2).
- Hartati, S., Zulfi, A., Maulida, P. Y. D., Yudhowijoyo, A., Dioktyanto, M., Saputro, K. E., Noviyanto, A., & Rochman, N. T. (2022). Synthesis of Electrospun PAN/TiO₂/Ag Nanofibers Membrane As Potential Air Filtration Media with Photocatalytic Activity. *ACS Omega*, 7(12), 10516–10525. <https://doi.org/10.1021/acsomega.2c00015>
- Junghare, S. L., Bhosale, V. B., & Shewale, S. K. (2021). Effect of Processing Parameters on Morphology of Electrospun Fibers. *International Journal of Pharmaceutical Research and Applications*, 6(3), 1033. <https://doi.org/10.35629/7781-060310331038>
- Li, J., & Zhuang, S. (2020). Antibacterial activity of chitosan and its derivatives and their interaction mechanism with bacteria: Current state and perspectives.



LAPORAN HASIL PENELITIAN

Produksi Nanofiber PLA/Selulosa/Kitosan sebagai Material *Wound Dressing* dengan Metode *Electrospinning*

- Dalam *European Polymer Journal* (Vol. 138). Elsevier Ltd.
<https://doi.org/10.1016/j.eurpolymj.2020.109984>
- Li, Y., Lim, C. T., & Kotaki, M. (2015). Study on structural and mechanical properties of porous PLA nanofibers electrospun by channel-based electrospinning system. *Polymer*, 56, 572–580.
<https://doi.org/10.1016/j.polymer.2014.10.073>
- Lim, L. T., Auras, R., & Rubino, M. (2008). Processing technologies for poly(lactic acid). Dalam *Progress in Polymer Science (Oxford)* (Vol. 33, Nomor 8, hlm. 820–852). <https://doi.org/10.1016/j.progpolymsci.2008.05.004>
- Madhavan Nampoothiri, K., Nair, N. R., & John, R. P. (2010). An overview of the recent developments in polylactide (PLA) research. Dalam *Bioresource Technology* (Vol. 101, Nomor 22).
<https://doi.org/10.1016/j.biortech.2010.05.092>
- Maleki, H., Azimi, B., Ismaeilimoghadam, S., & Danti, S. (2022). Poly(lactic acid)-Based Electrospun Fibrous Structures for Biomedical Applications. Dalam *Applied Sciences (Switzerland)* (Vol. 12, Nomor 6).
<https://doi.org/10.3390/app12063192>
- Menclová, K., Svoboda, P., Hadač, J., Juhás, Š., Juhásová, J., Pejchal, J., Mandys, V., Eminger, K., & Ryska, M. (2023). Nanofiber Wound Dressing Materials- A Comparative Study of Wound Healing on a Porcine Model. *Military Medicine*, 188(1–2), e133–e139. <https://doi.org/10.1093/milmed/usab155>
- Mohd Akhir, N. A., Othman, M., Buys, Y. F., Shaffiar, N., Jimat, D. N., & Imihezri Syed Shaharuddin, A. (2020). Characterization and Melt Spinning of Poly (Lactic Acid)/Poly (Ethylene Glycol) Blends. *IIUM Engineering Journal*, 22(1), 201–212. <https://doi.org/10.31436/IIUMEJ.V22I1.1364>
- Morilla-Herrera, J. C., Morales-Asencio, J. M., Gómez-González, A. J., Díez-De Los Ríos, A., Lupiáñez-Pérez, I., Acosta-Andrade, C., Aranda-Gallardo, M., Moya-Suárez, A. B., Kaknani-Uttumchandani, S., & García-Mayor, S. (2020). Effectiveness of a hydrophobic dressing for microorganisms' colonization of vascular ulcers: Protocol for a randomized controlled trial (CUCO-UV Study).



LAPORAN HASIL PENELITIAN

Produksi Nanofiber PLA/Selulosa/Kitosan sebagai Material *Wound Dressing* dengan Metode *Electrospinning*

Journal of Advanced Nursing, 76(8), 2191–2197.
<https://doi.org/10.1111/jan.14412>

Nendyo, A. W. I. (2015). POTENSI IN-VIVO SELULOSA BAKTERIAL SEBAGAI NANO-FILLER KARET ELASTOMER THERMOPLASTICS (ETPS). *Perspektif*, 14(2), 103–112.

Nguyen, H. M., Ngoc Le, T. T., Nguyen, A. T., Thien Le, H. N., & Pham, T. T. (2023). Biomedical materials for wound dressing: recent advances and applications. Dalam *RSC Advances* (Vol. 13, Nomor 8).
<https://doi.org/10.1039/d2ra07673j>

Ni'mah, H., Rochmadi, R., Woo, E. M., Widiasih, D. A., & Mayangsari, S. (2019). Preparation And Characterization Of Poly(L-Lactic Acid) Films Plasticized With Glycerol And Maleic Anhydride. *International Journal of Technology*, 10(3), 531–540. <https://doi.org/10.14716/ijtech.v10i3.2936>

Ningsih, N. R. S., Tania, E., Nur Azizah, N., Lulu Lutfiah, S., & Sri Gunarti, N. (2022). AKTIVITAS ANTIBAKTERI KITOSAN DARI BERBAGAI JENIS BAHAN BAKU HEWANI: REVIEW JOURNAL. Dalam *Jurnal Ilmiah Farmasi* (Vol. 2, Nomor 4).

Okutan, N., Terzi, P., & Altay, F. (2014). Affecting parameters on electrospinning process and characterization of electrospun gelatin nanofibers. *Food Hydrocolloids*, 39, 19–26. <https://doi.org/10.1016/j.foodhyd.2013.12.022>

Palani, N., Vijayakumar, P., Monisha, P., Ayyadurai, S., & Rajadesingu, S. (2024a). Electrospun nanofibers synthesized from polymers incorporated with bioactive compounds for wound healing. Dalam *Journal of Nanobiotechnology* (Vol. 22, Nomor 1). BioMed Central Ltd.
<https://doi.org/10.1186/s12951-024-02491-8>

Palani, N., Vijayakumar, P., Monisha, P., Ayyadurai, S., & Rajadesingu, S. (2024b). Electrospun nanofibers synthesized from polymers incorporated with bioactive compounds for wound healing. Dalam *Journal of Nanobiotechnology* (Vol. 22, Nomor 1). BioMed Central Ltd.
<https://doi.org/10.1186/s12951-024-02491-8>



LAPORAN HASIL PENELITIAN

Produksi Nanofiber PLA/Selulosa/Kitosan sebagai Material *Wound Dressing* dengan Metode *Electrospinning*

- Połowiński, S., Jantas, R., Szumilewicz, J., Stawski, D., Herczyńska, L., & Draczyński, Z. (2012). Modification of PLA Fibres with Bioacceptable Hydrophilic Polymers. *FIBRES & TEXTILES in Eastern Europe*, 20(90), 78–85.
- Ramadhani, F., Miratsi, L., Humaeroh, Z., & Afriani, D. F. (2021). Sintesis dan Karakterisasi Hidrogel PVA/alginat Mengandung Ekstrak Lada Sebagai Pembalut Luka Antibakteri. *Journal of Physics*, 2(2), 54–59. <https://www.ejournal.unib.ac.id/index.php/nmj>
- Reid, J. A., & Callanan, A. (2019). Influence of aorta extracellular matrix in electrospun polycaprolactone scaffolds. *Journal of Applied Polymer Science*, 136(44). <https://doi.org/10.1002/app.48181>
- Salaris, V., San Félix García-Obregón, I., López, D., & Peponi, L. (2023). Fabrication of PLA-Based Electrospun Nanofibers Reinforced with ZnO Nanoparticles and In Vitro Degradation Study. *Nanomaterials*, 13(15). <https://doi.org/10.3390/nano13152236>
- Samokhin, Y., Varava, Y., Diedkova, K., Yanko, I., Husak, Y., Radwan-Pragłowska, J., Pogorielova, O., Janus, Ł., Pogorielov, M., & Korniienko, V. (2023a). Fabrication and Characterization of Electrospun Chitosan/Polylactic Acid (CH/PLA) Nanofiber Scaffolds for Biomedical Application. *Journal of Functional Biomaterials*, 14(8). <https://doi.org/10.3390/jfb14080414>
- Samokhin, Y., Varava, Y., Diedkova, K., Yanko, I., Husak, Y., Radwan-Pragłowska, J., Pogorielova, O., Janus, Ł., Pogorielov, M., & Korniienko, V. (2023b). Fabrication and Characterization of Electrospun Chitosan/Polylactic Acid (CH/PLA) Nanofiber Scaffolds for Biomedical Application. *Journal of Functional Biomaterials*, 14(8). <https://doi.org/10.3390/jfb14080414>
- Sungsanit, K., Kao, N., & Bhattacharya, S. N. (2012). Properties of linear poly(lactic acid)/polyethylene glycol blends. *Polymer Engineering and Science*, 52(1), 108–116. <https://doi.org/10.1002/pen.22052>
- Vatul Nur Istiqomah, K., & Hari Kusumawati, D. (2022). SINTESIS NANOFIBER KITOSAN/PVA SEBAGAI WOUND DRESSING DENGAN METODE ELEKTROSPINNING. *Jurnal Inovasi Fisika Indonesia (IFI)*, 11, 1–7.
-



LAPORAN HASIL PENELITIAN

Produksi Nanofiber PLA/Selulosa/Kitosan sebagai Material *Wound Dressing* dengan Metode *Electrospinning*

- Wang, F., Sun, Z., Yin, J., & Xu, L. (2019). Preparation, characterization and properties of porous PLA/PEG/curcumin composite Nanofibers for antibacterial application. *Nanomaterials*, 9(4).
<https://doi.org/10.3390/nano9040508>
- Xue, J., Wu, T., Dai, Y., & Xia, Y. (2019). Electrospinning and electrospun nanofibers: Methods, materials, and applications. Dalam *Chemical Reviews* (Vol. 119, Nomor 8, hlm. 5298–5415). American Chemical Society.
<https://doi.org/10.1021/acs.chemrev.8b00593>