REFERENCES

[1] K. Guo *et al.*, "Species distribution models for predicting the habitat suitability of Chinese fire-bellied newt Cynops orientalis under climate change," *Ecol. Evol.*, vol. 11, no. 15, pp. 10147–10154, Aug. 2021, doi: 10.1002/ece3.7822.

[2] V. Elgrice, "PENGEMBANGAN MINI PALUDARIUM SEBAGAI MEDIA PEMBELAJARAN IPA POKOK BAHASAN EKOSISTEM DI SMP NEGERI 18 KOTA BENGKULU," 2022.

[3] F. Meyllianawaty Pratiwy and & Aisyah, "GPH-International Journal of Applied Science Literature Review: The Role of IoT and AI in Water Quality Monitoring in Aquaculture," 2026, doi: 10.5281/zenodo.18632014.

[4] H. Shiroma, T. Tokuda, A. Tokuda, R. Kamimura, S. Takenaka, and A. Tominaga, "Long-Term Rearing of Two Cynops Species and Fertility of Old Cynops ensicauda popei (Amphibia: Urodela)," *Curr. Herpetol.*, vol. 42, no. 2, pp. 210–218, 2023, doi: 10.5358/hsj.42.210.

[5] S. Terence, J. Immaculate, A. Raj, and J. Nadarajan, "Systematic Review on Internet of Things in Smart Livestock Management Systems," May 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/su16104073.

[6] D. Witczak and S. Szymoniak, "Review of Monitoring and Control Systems Based on Internet of Things," Oct. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/app14198943.

[7] M. Woźniak, J. Szczotka, A. Sikora, and A. Zielonka, "Fuzzy logic type-2 intelligent moisture control system," *Expert Syst. Appl.*, vol. 238, 2024, doi: 10.1016/j.eswa.2023.121581.

[8] L. Cervantes, C. Caraveo, and O. Castillo, "Performance Comparison between Type-1 and Type-2 Fuzzy Logic Control Applied to Insulin Pump Injection in Real Time for Patients with Diabetes," *Mathematics*, vol. 11, no. 3, Feb. 2023, doi: 10.3390/math11030730.

[9] C. Yuan, Y. Xie, S. Xie, and Z. Tang, "Interval type-2 fuzzy stochastic configuration networks for soft sensor modeling of industrial processes," *Inf. Sci. (N. Y).*, vol. 679, 2024, doi: 10.1016/j.ins.2024.121073.

[10] S. K. Nagothu, P. Bindu Sri, G. Anitha, S. Vincent, and O. P. Kumar, "Advancing aquaculture: fuzzy logic-based water quality monitoring and maintenance system for precision aquaculture," *Aquaculture International*, vol. 33, no. 1, Feb. 2025, doi: 10.1007/s10499-024-01701-2.

[11] M. G. A. C. Bautista *et al.*, "Fuzzy Logic-Based Adaptive Aquaculture Water Monitoring System Based on Instantaneous Limnological Parameters," *Journal of Advanced Computational Intelligence and Intelligent Informatics*, vol. 26, no. 6, pp. 937–943, Nov. 2022, doi: 10.20965/JACIII.2022.P0937.

[12] R. Y. Maghriza, "ISSN xxxxxx Publication Periode Development of a Water Quality Control System for Catfish Cultivation Using the Fuzzy Logic Method with IoT-Based Monitoring," …….

[13] M. Nigel *et al.*, "MONITORING DAN KONTROL NUTRISI HIDROPOIK BERBASIS IOT DENGAN METODE IT2FL," 2024. [Online]. Available: http://e-journal.stmiklombok.ac.id/index.php/jireISSN.2620-6900

[14] K. Guo *et al.*, "Species distribution models for predicting the habitat suitability of Chinese fire-bellied newt Cynops orientalis under climate change," *Ecol. Evol.*, vol. 11, no. 15, pp. 10147–10154, Aug. 2021, doi: 10.1002/ece3.7822.

[15] K. Matsui, S. Takaichi, and M. Nakamura, "Morphological and biochemical changes in carotenoid granules in the ventral skin during growth of the Japanese newt Cynops pyrrhogaster," *Zoolog. Sci.*, vol. 20, no. 4, pp. 435–440, Apr. 2003, doi: 10.2108/zsj.20.435.

[16] J. Wang, Z. C. Zeng, T. L. Wei, and Z. T. Lyu, "Taxonomic determination of Hypselotriton populations distributed in eastern Guangdong, China (Caudata, Salamandridae), with description of a new species and a new subgenus," *Zoosystematics and Evolution*, vol. 100, no. 3, 2024, doi: 10.3897/ZSE.100.127268.

[17] R. Komala, A. Suryanda, D. Dia, L. Biologi, / Pendidikan, and B. Fakultas, "PENGEMBANGAN PALUDARIUM SEBAGAI MEDIA

PEMBELAJARAN BIOLOGI POKOK BAHASAN EKOSISTEM DI SMA Development of Paludarium as Biology Learning Media on The Subject of Ecosytem at Senior High School."

[18] L. Septi Triandini, Yushardi, and Sudarti, "Misteri Matahari : Energi, Suhu, dan Fenomena Terkait".

[19] T. Kusano and T. Nakagawa, "Monitoring Spawning Activity of Japanese Red-Bellied Newts, Cynops pyrrhogaster (Amphibia: Salamandridae), Using Artificial Egg Strips," *Curr. Herpetol.*, vol. 44, no. 2, Aug. 2025, doi: 10.5358/hsj.44.133.

[20] J. Luo, Y. Chien, W. Taparhudee, S. Kitikiew, and P. Kantha, "The Effect of Light-Emitting Diodes (LEDs) on the Development of Duckweed (Lemna minor) in Co-Culture with Red Tilapia (Oreochromis spp.)," 2023.

[21] J. W. Bian and C. J. Huang, "Real-Time and Long-Term Monitoring of Coastal Water Turbidity Using an Ocean Buoy Equipped with an ADCP," *Sensors*, vol. 24, no. 21, Nov. 2024, doi: 10.3390/s24216979.

[22] B. Illing, J. Sehl, and S. Reiser, "Turbidity effects on prey consumption and survival of larval European smelt (Osmerus eperlanus)," *Aquat. Sci.*, vol. 86, no. 3, Jul. 2024, doi: 10.1007/s00027-024-01103-9.

[23] A. M. Elksasy, "Understanding the Internet of Things (IoT) Concepts, Applications and Standards: An Overview," 2023.

[24] R. Saatchi, "Fuzzy Logic Concepts, Developments and Implementation," *Information (Switzerland)*, vol. 15, no. 10, Oct. 2024, doi: 10.3390/info15100656.

[25] H. Carreon-Ortiz, F. Valdez, and O. Castillo, "Comparative Study of Type-1 and Interval Type-2 Fuzzy Logic Systems in Parameter Adaptation for the Fuzzy Discrete Mycorrhiza Optimization Algorithm," *Mathematics*, vol. 11, no. 11, Jun. 2023, doi: 10.3390/math11112501.

[26] A. Jagiełło, P. Lisowski, and R. Urban, "Type-2 Fuzzy Sets and Newton's Fuzzy Potential in an Algorithm of Classification Objects of a Conceptual Space," *J. Logic Lang. Inf.*, vol. 31, no. 3, pp. 389–408, Sep. 2022, doi: 10.1007/s10849-022-09373-y.

[27] S. Zenani, K. C. Obileke, O. Ndiweni, and P. Mukumba, “A Review of the Application of Fuzzy Logic in Bioenergy Technology,” Jul. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/pr13072251.

[28] F. R. Lima-Junior, “Advances in Fuzzy Logic and Artificial Neural Networks,” Dec. 01, 2024, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/math12243949.

[29] I. Politécnico Nacional México Cazarez Castro *et al.*, “Computación y Sistemas Designing Type-1 Fuzzy Logic Controllers via Fuzzy Lyapunov Synthesis for Nonsmooth Mechanical Systems: The Perturbed Case Designing Type-1 Fuzzy Logic Controllers via Fuzzy Lyapunov Synthesis for Nonsmooth Mechanical Systems: The Perturbed Case Diseño de Controladores Difusos Tipo-1 a través de la Síntesis Difusa de Lyapunov para Sistemas Mecánicos No Suaves: El Caso Perturbado,” *Computación y Sistemas*, vol. 14, no. 3, pp. 283–293, 2011, [Online]. Available: http://www.redalyc.org/articulo.oa?id=61520765007

[30] N. Lalka and S. Jain, “Comparative Study of Type-1 Fuzzy Logic and Type-2 Fuzzy Logic,” 2015.

[31] S. Yordanova, “Industrial Design of Type-1 and Interval Type-2 Fuzzy Logic Control,” *Jordan Journal of Electrical Engineering*, vol. 11, no. 1, pp. 131–150, 2025, doi: 10.5455/jjee.204-1720610452.

[32] M. K. Chakravarthi, N. Venkatesan, Y. V. P. Kumar, D. J. Pradeep, and C. P. Reddy, “Adaptive Type-1 Fuzzy Controller for Lag-Dominant First and Second Order Nonlinear Systems †,” *Engineering Proceedings*, vol. 56, no. 1, 2023, doi: 10.3390/ASEC2023-16600.

[33] M. K. Chakravarthi, N. Venkatesan, Y. V. P. Kumar, D. J. Pradeep, and C. P. Reddy, “Adaptive Type-1 Fuzzy Controller for Lag-Dominant First and Second Order Nonlinear Systems †,” *Engineering Proceedings*, vol. 56, no. 1, 2023, doi: 10.3390/ASEC2023-16600.

[34] S. Yordanova, “Industrial Design of Type-1 and Interval Type-2 Fuzzy Logic Control,” *Jordan Journal of Electrical Engineering*, vol. 11, no. 1, pp. 131–150, 2025, doi: 10.5455/jjee.204-1720610452.

[35] L. Pokorádi, S. Koçak, and E. Tóth-Laufer, “Fuzzy Failure Modes and Effects Analysis Using Summative Defuzzification Methods.”

[36]] Post, “Comparative Analysis of Defuzzification Techniques for Fuzzy Output [1] Devender Jain, [2] Shiv Kumar Sharma, [3] Pooja Dhiman,” *J. Algebr. Stat.*, vol. 13, no. 2, pp. 874–882, 2022, [Online]. Available: https://publishoa.com

[37] M. H. Azam, M. H. Hasan, S. Hassan, and S. J. Abdulkadir, “A novel approach to generate type-1 fuzzy triangular and trapezoidal membership functions to improve the classification accuracy,” *Symmetry (Basel).*, vol. 13, no. 10, Oct. 2021, doi: 10.3390/sym13101932.

[38] O. Kosheleva, V. Kreinovich, and S. Shahbazova, “Type-2 Fuzzy Analysis Explains Ubiquity of Triangular and Trapezoid Membership Functions,” in *Studies in Fuzziness and Soft Computing*, vol. 393, 2021. doi: 10.1007/978-3-030-47124-8_6.

[39] A. K. Mallick, D. Ghosh, and K. Purkait, “A New Approach to Automatic and Optimal Membership Function Generation for Fuzzy System Modelling,” *SSRG International Journal of Electrical and Electronics Engineering*, vol. 11, no. 8, pp. 217–225, Aug. 2024, doi: 10.14445/23488379/IJEEE-V11I8P119.

[40] D. Lee and D.-W. Kim, “Harnessing Membership Function Dynamics for Stability Analysis of T-S Fuzzy Systems,” Jun. 2024, [Online]. Available: http://arxiv.org/abs/2401.02216

[41] A. K. De, D. Chakraborty, and A. Biswas, “Literature review on type-2 fuzzy set theory,” *Soft comput.*, vol. 26, no. 18, 2022, doi: 10.1007/s00500-022-07304-4.

[42] K. Mittal, A. Jain, K. S. Vaisla, O. Castillo, and J. Kacprzyk, “A comprehensive review on type 2 fuzzy logic applications: Past, present and future,” *Eng. Appl. Artif. Intell.*, vol. 95, 2020, doi: 10.1016/j.engappai.2020.103916.

[43] Y. Tanaka, D. Matsunaga, T. Tajima, and M. Seyama, “Robust Skin Attachable Sensor for Core Body Temperature Monitoring,” *IEEE Sens. J.*, vol. 21, no. 14, 2021, doi: 10.1109/JSEN.2021.3075864.

[44] Y. Chen, J. Yang, and C. Li, "Design of reasonable initialization weighted enhanced Karnik-Mendel algorithms for centroid type-reduction of interval type-2 fuzzy logic systems," *AIMS Mathematics*, vol. 7, no. 6, pp. 9846–9870, 2022, doi: 10.3934/math.2022549.

[45] J. C. Figueroa-García, H. Román-Flores, and Y. Chalco-Cano, "Type–reduction of Interval Type–2 fuzzy numbers via the Chebyshev inequality," *Fuzzy Sets Syst.*, vol. 435, 2022, doi: 10.1016/j.fss.2021.04.014.

[46] F. Hardiyanto and I. Imaduddin, "Perancangan Water Level Sensor Module Menggunakan MQTT Over WiFi dan Serial Communication," *RIGGS: Journal of Artificial Intelligence and Digital Business*, vol. 4, no. 3, pp. 3030–3034, Aug. 2025, doi: 10.31004/riggs.v4i3.2390.

[47] "ESP32 Series Datasheet 2.4 GHz Wi-Fi + Bluetooth ® + Bluetooth LE SoC Including," 2023. [Online]. Available: www.espressif.com

[48] E. Aris Prasetyo, "Esp32." Accessed: Mar. 22, 2026. [Online]. Available: https://www.arduinoindonesia.id/2024/08/perbandingan-mikrokontroler-esp32-vs-raspberry-pi-pico.html

[49] T. Budioko, "Node Sensor Pada Sistem Monitoring Tinggi Permukaan Air Sungai Berbasis FreeRTOS dan MQTT," 2022. [Online]. Available: www.espressif.com

[50] S. D. Kalamaras, M. A. Tsitsimpikou, C. A. Tzenos, A. A. Lithourgidis, D. S. Pitsikoglou, and T. A. Kotsopoulos, "A Low-Cost IoT System Based on the ESP32 Microcontroller for Efficient Monitoring of a Pilot Anaerobic Biogas Reactor," *Applied Sciences (Switzerland)*, vol. 15, no. 1, Jan. 2025, doi: 10.3390/app15010034.

[51] Y. H. Chang, F. C. Wu, and H. W. Lin, "Design and Implementation of ESP32-Based Edge Computing for Object Detection," *Sensors*, vol. 25, no. 6, Mar. 2025, doi: 10.3390/s25061656.

[52] "baseboard esp32." Accessed: Mar. 22, 2026. [Online]. Available: https://docs.cirkitdesigner.com/component/9c941012-f793-4c68-87f5-d3711069f5f7/esp32-baseboard

[53] T. L. Palikrousis, C. Manolis, S. D. Kalamaras, and P. Samaras, "Effect of Light Intensity on the Growth and Nutrient Uptake of the Microalga

Chlorella sorokiniana Cultivated in Biogas Plant Digestate," *Water (Switzerland)*, vol. 16, no. 19, Oct. 2024, doi: 10.3390/w16192782.

[54] A. Elyounsi and A. N. Kalashnikov, "Evaluating Suitability of a DS18B20 Temperature Sensor for Use in an Accurate Air Temperature Distribution Measurement Network †," *Engineering Proceedings*, vol. 10, no. 1, 2021, doi: 10.3390/ecsa-8-11277.

[55] V. P. Markovskiy, D. D. Issabekov, and V. Y. Mel'Nikov, "Relay Protection Using Inductive Coils: A Resource-Saving Approach," *Electricity*, vol. 5, no. 4, pp. 1049–1067, Dec. 2024, doi: 10.3390/electricity5040053.

[56] R. Delviandri and D. Irawan, "Development of Light On / Off Controller Simple Using LDR Sensor-Based Relay and Arduino Uno Of Physics Learning Electromagnetic Material," 2023. [Online]. Available: https://journal.riau-edutech.com/index.php/joslepi

[57] Moh. H. Imron S Jaya, S. Dwi Putra, and I. Sofi'i, "Effect Of Light Spectrum LED Lettuce on IOT-Based Indoor Farming," *Biotropika: Journal of Tropical Biology*, vol. 11, no. 1, pp. 38–43, May 2023, doi: 10.21776/ub.biotropika.2023.011.01.05.

[58] W. Rizki Ananda, A. J. Lubis, and U. Khair, "Journal of Artificial Intelligence and Engineering Applications Implementation of Motion Sensors and Buzzers on Robots to Detect Object Movement," 2025. [Online]. Available: https://ioinformatic.org/

[59] A. Mota, C. Serôdio, A. Briga-Sá, and A. Valente, "Implementation of an Internet of Things Architecture to Monitor Indoor Air Quality: A Case Study During Sleep Periods," *Sensors*, vol. 25, no. 6, Mar. 2025, doi: 10.3390/s25061683.

[60] W. Li *et al.*, "High Warming Restricts the Growth and Movement of a Larval Chinese Critically Endangered Relict Newt," *Biology (Basel).*, vol. 14, no. 8, p. 942, Jul. 2025, doi: 10.3390/biology14080942.

[61] J. Elektro and P. Negeri Pontianak, "ELIT JOURNAL Electrotechnics And Information Technology Penentuan Tipe Miniature Circuit Breaker 4A Untuk Instalasi Rumah Tinggal Melalui Pengujian Kinerjanya," vol. 2, no. 1, p. 43, 2021.

[62] M. Nur Akhir, “Rancang Bangun Alat Praktikum Proteksi Tegangan Rendah terhadap Arus Lebih Menggunakan MCB dan TOLR.”

[63] A. N. Syahada, D. Aryo, D. Sinaga, and K. Priandana, “Development of Education Kit Prototype Based on Internet of Things (IoT).”

[64] P. Tulus Asmoro, D. Wahyu Asry Ningtias, and F. Siswoyo Hadisantoso, “DESAIN DAN SIMULASI RANGKAIAN DC TO DC CHOPPER TIPE BUCK CONVERTER DENGAN PENGENDALI PI,” 2024.

[65] D. Ariyanto, “Rancang Bangun Trainer Praktikum Elektronika Berbasis PCB,” 2024, doi: https://doi.org/10.24036/voteteknika.v12i4.130786.

[66] Y. Apriani, Z. Saleh, W. A. Oktaviani, J. Teknik Elektro, F. Teknik, and U. Muhammadiyah Palembang Jl Jenderal Ahmad Yani, “Automatic Transfer Switch (ATS) Berbasis Sensor Tegangan Beterai Untuk PLTS,” 2023.

[67] I. R. Aprillia, I. F. Akmalia, D. A. Wulandari, and S. Sujito, “REKONFIGURASI SALURAN UDARA PADA PENYULANG JARINGAN TEGANGAN MENENGAH UNTUK MENGURANGI DROP TEGANGAN DI PT. PLN (PERSERO) ULP PACET,” *Jurnal Informatika dan Teknik Elektro Terapan*, vol. 12, no. 1, Jan. 2024, doi: 10.23960/jitet.v12i1.3782.

[68] A. A. K. Muazi, A. E. Jayati, and E. N. Ardina, “Perbandingan Penyambungan Kabel Sambungan Rumah Menggunakan Tap Konektor dan Sambungan Lilit Terhadap Susut,” *Smart Comp :Jurnalnya Orang Pintar Komputer*, vol. 14, no. 3, pp. 603–610, Jul. 2025, doi: 10.30591/smartcomp.v14i3.8348.